



Manufacturer of
Wood Entryways



Made In The USA





First and Lasting Impressions

For over a quarter century, Signature Door Inc. has supplied elegant custom doors and decorative glass to independent retail establishments and brought architects, builders and homeowners expertise and personal service.

Our doors feature state-of-the-art manufacturing on every production level.

We are committed to every phase of your project from initial design to finished product.

Thank you for supporting American Craftsmanship.



Doors

Hurricane-Impact Doors	8
Traditions	10
Panel	14
Cityscape	18
Dutch Doors	22
Rustic	24
Contemporary	26
Carriage Door	28
Accents	30
Coastal Living	32
Bifold Doors	40
Barn Doors	43
Combination Doors	44
Operating Sidelites	46

Glass Options

Internal Mini-Blinds	47
Art Glass	48

Finishes

Stain Options	53
Paint Options	55

Hardware

Multi-point Locksets	56
Iron Grilles	58

Accessories

Clavos/Straps/Knockers	61
Speakeasy Grilles	61

Door Design

Panel & Molding	63
Glass & Molding	64
Sill Options	65
Millwork	66

Design Your Dream Entry!

*"It's the little details that are vital.
Little things make big things happen" - John Wooden*

You have a dream. We make it reality.



Every Door receives our "Signature Seal" medallion with a unique serial number.

Timeless Craftsmanship

- Appliques
- Carvings
- Custom Moldings



"Luxury lives in the finer details" - Iggy Azalea



Hurricane-Impact Doors

- Our Category-5 Hurricane Impact Doors are Florida-State Approved with design pressures up to +65/-80.
- HVHZ rated
- D. P. ratings for non-impact.
- No shutters required.





Traditions






Traditions





Panel



Elegant Entryways are the first impression of what lies within.



Panel





Cityscape






Cityscape





Dutch Doors




Door combo unit with screen door



Blend indoor and outdoor living areas

Rustic





Contemporary






Carriage Doors





Accents






Coastal Living





Coastal Living





Coastal Living





Coastal Living





Bifold Doors



Let the outdoors in!



Retractable Screens up to 24' Wide



Barn Doors



8' x 8' Ribbon Cut Sapele




Combination Doors



Protect your Investment!



Easy, turn-key operation to switch screen & glass



Storm and screen panels can be manufactured for your porch or outdoor living areas.


Operating Sidelites



Outswing



Inswing



Operable inswing sidelites feature secure multi-point locking with easy hand-turn operation.

Internal Mini Blinds

Raise - Lower - Tilt



Available in white or earth tone



Hand-Crafted Art Glass



We welcome your creativity!



Take advantage of our in-house ability to create decorative door and fixed window glass to the size and shape you require. Allow us to incorporate your individual taste into a window and door system to add the perfect accent to your home.

Caming options



Hand-Crafted Art Glass



Texture Glass Options

(additional textures available)



Double Granite



Clear Baroque



Clear Water



Clear Seedy



Clear
Rough-Rolled


Clear Glass Tint



Sandblast



Clear Rain



Frosted Delta



Glue Chip



Gray



Bronze

Above colors are approximate


Factory Finishing



*Get a head start on installing your door system -
Allow us to finish your entryway.*

Factory Finish Options

Sapele Mahogany



Oak



While these color samples are as accurate as possible to the finished product, exact colors may vary slightly depending upon the natural color of the door specie.

Contact your Signature Door sales associate regarding color samples

Custom Stain Color Matching Available



10900

Factory Paint Options

We can mix any color you desire including those approved by your local historic district commission.



White



Bright Red-6



Country Red-10




Pale Rose-5



Slate-18



Storm Cloud-14




Cream-16




Country Blue-25




Ocean Blue-26



Saddle Brown-16



Mocha-19



Black

Above colors are approximate

Contact your Signature Door sales associate regarding color samples



Multi-Point Locksets

HOPPE® Trim Options



216N
Verona
(Rustic Umber)



374N
Munchen
* (Satin Nickel)



3965N
Toronto
* (Satin Nickel)



2161N
Dallas
* (Satin Nickel)

* Limited Lifetime Finish Warranty

Ashley Norton Trim Options



AGEU4/680
(Light Bronze)



MDEU4/450
(White Bronze)



SPEU4/1600
(Dark Oil Rubbed Bronze)



SQUEU4/200
(Dark Bronze)



**Made In The
USA!**

Highest quality bronze tinted with hand applied patinas

Trim Options



E825/L110
(white bronze, dark patina)



E457/L117
(silicone bronze, dark patina)



E754/L115
(white bronze, medium patina)




E754/L125
(silicone bronze, dark patina)



* Non-Impact only

Anti-Slam device
prevents hooks
or tongues from
extending while
door is open



45.07
Classic

90 degree deadbolt
operation allows you
to secure door without
engaging the remote
lock points

Just lift lever
to engage all
locking points



45.01
Transitional



45.03
Contemporary



45.08
Modern




45.02
Traditional

Sentry™
Trim Options

Iron Grilles






Operable or fixed



Iron Grilles



Custom Ironwork



Insulated Grilles
(Between Glass)

Accessories

Speakeasy Hardware



Straps




Clavos




Grilles

Door Construction




- Wood doors are not suitable for direct-exposure applications.
- Our door is engineered to minimize the effects that are commonly associated with wood doors. Warping, twisting and bowing are a few complaints of wood door owners when their doors are subjected to the harsh weather conditions found in the northern regions and along the coast.
- The Signature System allows all components to operate independently, yet cohesively with one another.


Panel & Molding Combinations




Raised Panel Molding
Ogee Panel




Raised Panel Molding
Traditional Panel




Raised Panel Molding
Classical Panel




Raised Panel Molding
Standard Panel




Recessed Molding
Standard Panel




Recessed Molding
WB11 Bolection
Standard Panel




Recessed Molding
WB31 Bolection
Standard Panel




Recessed Molding
WB21 Bolection
Standard Panel




Recessed Molding
WB41 Bolection
Standard Panel




Recessed Molding W/
WB21 Bolection
Classical Panel




Recessed Molding
WB21 Bolection and WB11
Bolection on Ogee Panel




Recessed Molding
Style B
Standard Panel



Recessed Molding
Style C
Traditional Panel




Mission Molding
Flat Panel




Tapered Mission
Flat Panel


Glass & Molding Combinations




Raised Molding
& 1" SDL Bar




Recessed Molding
& 1 3/4" TDL Bar




Recessed Molding
Style B & 1" SDL Bar




Mission Molding
& 1" SDL Bar




Recessed Molding
Style C & 1" SDL Bar




Tapered Mission Molding
& 1" SDL Bar




Tapered Mission Molding
1/2" I.G.



Raised Molding
1/2" I.G.




Raised Molding
1" I.G.



Recessed Molding
1" I. G.

Prehang Details




Non-Impact Prehang Details with Standard Jamb and Inswing Sill




Non-Impact Prehang Details with Standard Jamb and Inswing Sill and Storm Door Attached

Sill Options




Impact Inswing Sill

Available with 1 1/4", 2" or 3 1/4" extensions



Non-Impact Bumper Sill

Available in a variety of depths.



Impact Bumper Sill B

A 1 1/4" extension is available for BMC



Non-Impact ADA Sill

Available in a variety of depths.




Impact ADA Sill

Available in a variety of depths.



Solid Wood Sill Y

Available in a variety of depths.




Interlocking Sill

Available in a variety of depths.



Solid Wood Bumper Sill

Available in a variety of depths.



Exterior Casing



WM180 2"



SDO 611 Shelf
2 1/2" x 2 5/16"



WM180 2"



SDO626 2"



WM175 2"

Custom bends and profiles are available through our custom department for all door components.

Panel Molding



PM125 1 9/16"



PM120 1 3/8"



* PM126 1 1/2"



PM121 1 3/4"



* PM127 1 1/2"

* Not available for rated door units



WM329 2 1/4"



WM356 2 1/4"



WM366 2 1/4"



WM376 2 1/4"




WC219 2 1/4"



WM376 2 1/2"



WM361 2 1/2"



Adams 3 1/4"



WM444 3 1/4"



WM445 3 1/4"



WC210 3 1/4"



WC222 3 1/4"



WC223 3 1/2"



WM445 3 1/2"



Adams 3 1/2"




WC224 3 1/2"



WM444 3 1/2"



Windsor 3 1/2"



WM878 3 1/2"



Fluted Casing 3 1/2"



Beaded Casing 3 1/2"



WC225 3 11/16"



WC227 3 13/16"



WC213 4"



WC214 4"



WC216 4"



WC218 4"



WC220 4"



WC221 4"



WC226 4 1/2"

Signature Door Inc. warrants its products (finished or unfinished) sold under this warranty to be free of defects in materials and workmanship for one year from the date of purchase from the manufacturer or factory authorized distributor. Products containing insulated glasslights are warranted against glass seal failure for 10 years. This warranty takes precedence over all other warranties, expressed or implied.

This warranty is extended only to the original purchaser/consumer who does not purchase for resale or for use in the ordinary course of their business operations (IE: display purposes).

Products that are delivered unfinished from Signature Door Inc. must be properly sealed to prevent absorption of moisture. All sides recommended to be finished evenly within 72 hours of receipt and must be kept in a climate-controlled environment beforehand. *Notice:* ALL doors, even when factory pre-finished, must be maintained on a constant basis. Maintenance frequency depends on the amount of weather exposure the finish receives.

This warranty does not cover damage caused by others or by a cause beyond Signature Door's control, including but not limited to: damages caused by misuse, abuse, accident, or mishandling; or damages caused by acts of God, fire, flood, earthquake, or other storms. Misuse of a door includes, but is not limited to, hanging a door without providing adequate overhang or applying an inappropriate finish.

An overhang is required to retain this warranty. The protective overhang must be equal to, or greater than, the distance from the bottom of the sill to the base of the overhang. See figure 1.




Figure 1.

In order to reduce the chance of warping or checking, dark-colored finishes should be avoided on all surfaces, especially on light-colored wood species, or if the door is exposed to direct sunlight.

This warranty does not cover any defects caused by:

- Product failure due to improper or incorrect installation; This includes bow or misalignment in the frame in which door is hung, if the door was purchased as a slab only.
- Modification, alterations (including trimming and cutting down door), repair or service of this product by anyone other than the manufacturer or without their consent.
- Any use of the product other than for which it was intended.
- Door warpage (whether cup, bow or twist) unless it exceeds the following dimensions.
 - » 1/4" in doors up to a 4/0 nominal width and a 6/8 nominal height
 - » 3/8" in doors up to a 4/0 nominal width and a 8/0 nominal height
- Warping of doors in excess of a 6/8 nominal height without a multipoint locking system installed by Signature Door Inc. Though not always detrimental to the structural integrity of a door unit, pressure at a singular point (EG: cylindrical or mortise locks installed at a 35 1/4" latch height) is known to cause bowing on doors in excess of a 6/8 nominal height.
- Doors in excess of 48" in width or 120" in height.
- Door designs that include possible problematic details as warned against by an SDI Sales Associate prior to purchase (EG: plank doors with planks in excess of 5-6"; stile/rail components in excess of 9", uncomplimentary slab thickness on certain size doors, etc.)
- Products installed in or subject to high moisture or high humidity environments, including new homes with uncured plaster, drywall, concrete or ceramic tile.
- Products installed in direct sunlight (see above overhang requirements).
- Products subjected to unusual stress or strain such as that resulting from the movement or expansion/contraction of building or building components.
- Products not properly sealed or maintained as set forth above.
- Scratches, abrasions, or other damage caused by improper handling or cleaning.
- Failure to perform normal homeowner's maintenance, including maintaining the finish top coat. Please see Signature Door "Maintenance Information" for guidance.
- Panel movement (contraction/expansion) of 1/8" or less. Temperature and humidity levels are known to cause wood panels to contract or expand within the opening (particularly solid wood panels).
- Solid wood panels wider than 14" measured across the grain (IE: horizontal [x] dimension on a vertical [y] grain panel).
- Issues caused by extreme temperature build-up where a storm door is utilized. Storm doors are recommended to also include an interchangeable screen to allow for appropriate ventilation.

Variations in the wood color, texture, pattern and/or grain are considered characteristics of the wood and are not considered defects.

If a product becomes defective within the specified warranty period, Signature Door Inc. will repair or replace, at our discretion, any part(s) that appear to be defective in material or workmanship. The problem should be reported to the original place of purchase, along with the original purchase information. Signature Door Inc. will refund the purchaser the purchase price if the defects in the products are ones covered by this warranty and Signature Door Inc. is unable, by repair or replacement, to make the product perform properly. Signature Door Inc. is not liable for any installation, removal, or shipping charges in connection with the inspection, repair, or replacement of defective parts.



Custom Wood Entryways

Social Media links

401 Priority St., Altoona, PA 16602 Phone: 1.800.741.2265 Fax: 1.814.949.2776
www.signaturodoor.com sales@signaturodoor.com

