



INTERIOR DOORS

REEB® IN-STOCK INTERIOR STILE & RAIL CATALOG











Our Millwork Showrooms were built to be an extension of our builder, remodeler, architect and designer customers' business. Featuring inspirational, lifestyle installations, our Showrooms are the ideal location to meet with clients in advance of a project where a number of major decisions can be made. Various moulding options are installed around windows and doors allowing your clients to see, touch and feel the products before they are installed, putting their mind at ease and simplifying the selection process. Complimentary moulding samples are available for jobsite consultations.

TAKE A TOUR AT KUIKENBROTHERS.COM/SHOWROOMS



Kuiken Brothers Company Inc.

RESIDENTIAL & COMMERCIAL BUILDING MATERIALS Since 1912

FAIR LAWN, NJ

6-02 Fair Lawn Avenue P: (201) 796-2082

WANTAGE, NJ

175 Route 23 P: (973) 875-5106

SUCCASUNNA, NJ

31 Route 10 East P: (973) 968-7700

EMERSON, NJ

246 Kinderkamack Road P: (201) 262-6666

WARWICK, NY

33 South Street P: (845) 986-2255

ROSELAND, NJ


14 Eisenhower Parkway P: (973) 226-5700

MIDLAND PARK, NJ

145 Lake Avenue P: (201) 652-1000

GARFIELD, NJ

485 River Drive P: (973) 772-0044



Interior Doors

Interior stile and rail doors are made from real wood bringing a warmth to any home. Reeb® stocks a number of species and designs to ensure that the style you are looking for is available. Reeb offers choices and options to help make the house feel like a home.

Table of Contents

Wood Species	4
Glass Options	6
Get Creative	7
Wood Doors Construction	8
Ponderosa Pine 1-3/16" Double Hip Raised Panel 9/16" Single Hip Raised Panel 1/4" Flat Panel Cafe Doors French, 1-5/16" Bar, Clear Glass French, 1" TDL Bar, Clear Glass French, V-Groove Glass French, Clear Glass	10 12 14 15 16 18
White Pine 27/64" Single Hip Raised Panel French, 1-1/4" Bar, Clear Glass French, 1-1/4" Bar, Frit Glass	20 20 22
Plantation Pine 11/16" Double Hip Raised Panel 9/16" Single Hip Raised Panel 3/8" Flat Panel French, 1-3/8" Bar, Clear Glass French, Clear Glass	24 26 28
Pine Louvers Ponderosa Pine Louvers Plantation Pine Louvers Knotty Pine	33
11/16" Double Hip Raised Panel	
7/8" Flat Panel	36 40 41

French, Clear Glass	
rielicii, Cleai Glass	42
French, White Laminate Glass	43
French, 1-1/4" Bar	44
French, 1-1/4" Bar, Clear Glass	
French, 1-1/4" Bar, Satin Etch Glass	
Decorative Glass	
20 Minute Fire Doors	
3/4" Fire Rated Flat Panel	
1-7/16" Fire Rated Raised Panel	49
Maple	50
3/8" Flat Panel	50
Knotty Alder	51
1-1/8" V-Groove Plank Raised Panel.	
1-3/16" Aspen Raised Panel	
Oak	
Solid, 3/4" Double Hip Raised Pane	
Veneered, 3/4" Single Raised Panel	
French, 1-1/4" Bar, Clear Glass	56
Primed Doors Construction	158
Primed	60
9/16" Single Hip Raised Panel	
	6
1-1/8" Single Hip Raised Panel	
1-1/8" Single Hip Raised Panel	62
1-1/8" Single Hip Raised Panel	62 66
1-1/8" Single Hip Raised Panel	62 66 68
1-1/8" Single Hip Raised Panel	62 66 68 69
1-1/8" Single Hip Raised Panel	62 68 69 7
1-1/8" Single Hip Raised Panel	62 68 69 7
1-1/8" Single Hip Raised Panel	62 66 65 7
1-1/8" Single Hip Raised Panel	626868777
1-1/8" Single Hip Raised Panel	62 66 68 7 7

Flat Jambs	76
Stops	77
Rabbeted Jambs	78
Single Rabbeted	
Double Rabbeted	78
Split Jambs	79
Hinges	80
Baldwin	81
Emtek	82
Reeb Specialty Products	83
Locks	84
Barn Doors	88
Woodgrain, Ponderosa Pine	88
Woodgrain, Knotty Alder	89
Barn Door Hardware	90
Goldberg, Finish Options	90
MDF Doors	92
Stile & Rail Dimensions	93
Finishing	94
Warranty	95

Wood Species

Reeb® stocks a variety of wood species to match any home's design. Staining a door brings a layer of beauty and sophistication to an area. Each species of wood has different characteristics, colors, and grain patterns which affect the stain application. To help understand which doors stain well and which are better painted, Reeb has created icons which identify the stainability of a species.











PONDEROSA PINE - \$

PAGE 10 - 19, 33 (Louvers)



WHITE PINE - \$

PAGE 20 - 23



PLANTATION PINE - \$

PAGE 24 - 31, 33 (Louvers)



KNOTTY PINE - \$

PAGE 34 - 35



FIR - \$\$ PAGE 36 - 49



MAPLE - \$\$ PAGE 50 - 51



KNOTTY ALDER - \$\$ PAGE 52 - 53



OAK - \$\$\$ PAGE 54 - 57



PRIMED - \$ PAGE 60 - 73

See pages 8 - 9 for more information on Interior Wood door construction

See pages 58 - 59 for more information on Primed Interior door construction

Glass Options

Glass brings additional natural light and warmth into a room. Clear glass brings the maximum natural light flow while frit or satin etch glass add privacy. To easily identify the level of privacy, a privacy indicator is included with each glass type below.



Clear glass provides the maximum amount of light with no privacy; Reeb's stock of clear glass is tempered.



Clear Beveled glass has a bevel to the edge of the glass to provide a decorative element.



Satin Etch glass is semi-opaque glass with an etched frosted texture on one side that resists dirt.



White Laminate glass offers the highest level of privacy with a vinyl interlayer between 2 pieces of glass, resulting in a smooth surface on both sides.



Frit glass in non-primed wood doors is a non-porous, semi-opaque glass with a texture on one side. The glass has a bright white appearance.



Frit glass in primed wood doors is a non-porous, semi-opaque glass with a texture on one side. The glass has a matted white appearance.

Get Creative

Add a level of creativity to the home by choosing one of these unique door styles.









DECORATIVE - F88464





ART ON SATIN ETCH - F1590





MAGNETIC CHALKBOARD - F1120



Special Order Products

Reeb's in-stock collection includes many design options for your convenience, however the possibilities are endless. If you do not see what you are looking for in this catalog, it is likely we can still create it as a special order product.

Wood Doors

CONSTRUCTION



For homeowners seeking a classic look, authentic stile and rail doors offer a level of detail and definition that cannot be matched. Stile and rail construction is architecturally correct and provides crisp shadow lines and highly defined panel details. Staining an interior wood door protects and enhances the natural beauty of real wood. Any door can be painted, however Reeb stocks Primed Stile and Rail doors that are specifically designed for this purpose. **See page 58**.

- 1 Stile: The stiles have a solid engineered core for added strength and stability.
- 2 Rail: The rails are also made of solid engineered core.
- Panel/Glass: Panels can be wood to create a solid door, or replaced with glass to create a French door.
- 4 Dowel Pins: Dowel pins are used to join the stiles and rails together.
- **Solution** Veneer: A veneer is added over the core to create a smooth staining or painting surface.



Sharp DetailDoor components in a wood stile and rail door join together creating sharp shadow lines and greater definition.



Architectural Correctness
Each door is made with perfectly
proportioned stiles, rails and panels that
are created individually to ensure that
every door is architecturally correct.



Panel Design
Doors can be designed with 3/8"
flat panels or raised panels with an option of single hip or double hip.



Finishing
The surface of the door can be painted or stained depending on the wood species. Some species are easier to stain than others and we identify this with a "stainability" icon. See page 4.





Solid Engineered Core
The interior of a wood stile and rail door has a solid engineered core adding stability and reducing sound transmission.



Dowel PinsTraditional dowel pin construction creates a secure joint, connecting stile and rail components together.



VeneerA high-quality veneer is applied on top of the core for a perfect staining or painting surface.



1-3/16" DOUBLE HIP RAISED PANEL

Ponderosa Pine is one of America's most abundant tree species. It has straight, uniform grain with minimal amounts of reddish-brown heartwood. The sapwood has wide growth bands, which are honey-toned or straw-colored.




1-3/16" Double Hip Raised Panel, Ovolo Sticking




Species Close Up



Ovolo Sticking





1-3/16" DOUBLE HIP RAISED PANEL



P82 1-3/8" 1-3/16" Raised Panel, Ovolo Sticking

/0 x 6/8 /4 x 6/8 /6 x 6/8 /8 x 6/8 /10 x 6/8 /0 x 6/8



P82A 1-3/8" 1-3/16" Raised Panel, Ovolo Sticking

1/0 x 6/8 1/2 x 6/8 1/3 x 6/8 1/4 x 6/8 1/6 x 6/8	2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8 3/0 x 6/8
1/10 x 6/8	



P64 1-3/8" 1-3/16" Raised Panel, Ovolo Sticking

1/6 x 6/8 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8







Ponderosa Pine is one of America's most abundant tree species. It has straight, uniform grain with minimal amounts of reddish-brown heartwood. The sapwood has wide growth bands, which are honey-toned or straw-colored.




9/16" Single Hip Raised Panel, Ovolo Sticking




Species Close Up



Ovolo Sticking





9/16" SINGLE HIP RAISED PANEL

Bifolds are carton packed with track and hardware.



P44 1-3/8"

9/16" Raised Panel, Ovolo Sticking

1/0 x 6/0	1/0 x 6/6	1/0 x 6/8	1/0 x 7/0
1/2 x 6/0	1/2 x 6/6	1/2 x 6/8	1/2 x 7/0
1/3 x 6/0	1/3 x 6/6	1/3 x 6/8	1/3 x 7/0
1/4 x 6/0	1/4 x 6/6	1/4 x 6/8	1/4 x 7/0
1/6 x 6/0	1/6 x 6/6	1/6 x 6/8	1/6 x 7/0
1/8 x 6/0	1/8 x 6/6	1/8 x 6/8	1/8 x 7/0
2/0 x 6/0	2/0 x 6/6	1/10 x 6/8	2/0 x 7/0
2/2 x 6/0	2/2 x 6/6	2/0 x 6/8	2/2 x 7/0
2/4 x 6/0	2/4 x 6/6	2/2 x 6/8	2/4 x 7/0
2/6 x 6/0	2/6 x 6/6	2/4 x 6/8	2/6 x 7/0
2/8 x 6/0	2/8 x 6/6	2/6 x 6/8	2/8 x 7/0
3/0 x 6/0	3/0 x 6/6	2/8 x 6/8	2/10 x 7/0
		2/10 x 6/8	3/0 x 7/0
		3/0 x 6/8	



P44 BIFOLD 1-3/8"

9/16" Raised Panel, Ovolo Sticking

3/10	Naise
2/0 x 6	, 0
2/4 x 6	/8
2/6 x 6	/8
2/8 x 6	/8
3/0 x 6	/8
4/0 x 6	/8
4/8 x 6	/8
5/0 x 6	/8
5/4 x 6	/8
6/0 x 6	/8



P45 1-3/8"

9/16" Raised Panel, Ovolo Sticking

1/6 x 6/8	
2/0 x 6/8	
2/4 x 6/8	
2/6 x 6/8	
2/8 x 6/8	
3/0 x 6/8	



P85 1-3/8"

9/16" Raised Panel, Ovolo Sticking

1/3 x 6/8
1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



P108 1-3/8"

9/16" Ra	ised Pan	iel, Ovolo	Sticking
1/0 x 6/0 1/2 x 6/0 1/3 x 6/0 1/4 x 6/0 1/6 x 6/0 1/6 x 6/0 2/0 x 6/0 2/2 x 6/0 2/4 x 6/0 2/6 x 6/0 2/8 x 6/0	1/0 x 6/6 1/2 x 6/6 1/3 x 6/6 1/4 x 6/6 1/6 x 6/6 1/8 x 6/6 2/0 x 6/6 2/2 x 6/6 2/4 x 6/6 2/6 x 6/6 2/8 x 6/6	1/0 x 6/8 1/2 x 6/8 1/2 x 6/8 1/3 x 6/8 1/4 x 6/8 1/6 x 6/8 1/10 x 6/8 2/0 x 6/8 2/2 x 6/8 2/4 x 6/8 2/6 x 6/8	1/0 x 7/0 1/2 x 7/0 1/3 x 7/0 1/3 x 7/0 1/4 x 7/0 1/6 x 7/0 2/0 x 7/0 2/2 x 7/0 2/4 x 7/0 2/6 x 7/0 2/8 x 7/0
3/0 x 6/0	3/0 x 6/6	2/8 x 6/8 2/10 x 6/8 3/0 x 6/8	2/10 x 7/0 3/0 x 7/0



P108 BIFOLD 1-3/8"

9/16" Raised Panel, Ovolo Sticking 2/0 x 6/8

2/0 X 0/0
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8
4/0 x 6/8
4/8 x 6/8
5/0 x 6/8
5/4 x 6/8
6/0 x 6/8



P67 1-3/8"

9/16" Raised Panel, Ovolo Sticking

1/4 X b/8
1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



P1088 1-3/8"

9/16" Raised Panel, Ovolo Sticking

MODERATE

1/4" FLAT PANEL

Ponderosa Pine is one of America's most abundant tree species. It has straight, uniform grain with minimal amounts of reddish-brown heartwood. The sapwood has wide growth bands, which are honey-toned or straw-colored.



WG

P4127 1-3/8" 1/4" Flat Panel, Picture Frame Layout 2/0 x 6/8 3/0 x 6/8 2/4 x 6/8 2/6 x 6/8


2/8 x 6/8




Species Close Up



Picture Frame Layout





CAFÉ DOORS





All Café doors are boxed with hardware



P508 1-3/8" 9/16" Raised Panel, Ovolo Sticking 2/6 x 3/7-1/2" 2/8 x 3/7-1/2" 3/0 x 3/7-1/2"



P733 1-3/8" 1-1/4" Louver Slats 2/6 x 3/7-1/2" 2/8 x 3/7-1/2" 3/0 x 3/7-1/2"

MODERATE

FRENCH - 1-5/16" BAR


Ponderosa Pine is one of America's most abundant tree species. It has straight, uniform grain with minimal amounts of reddish-brown heartwood. The sapwood has wide growth bands, which are honey-toned or straw-colored.



1-5/16" Bar with Clear Glass



1-5/16" Bar Close Up



1-5/16" Bar Profile



P1515B, Clear Beveled Glass

Bifolds are carton packed with track and hardware.



P1509 1-3/8" 1-5/16" Bar, Clear Glass

2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



P1505 1-3/8"

1-5/16" Bar, Clear Glass

1/0 x 6/8 2/6 x 6/8 1/2 x 6/8 2/8 x 6/8 1/3 x 6/8 3/0 x 6/8 1/4 x 6/8 1/6 x 6/8



P1510 1-3/8"

1-5/16" Bar, Clear Glass

1/8 x 6/8 2/0 x 7/0 1/10 x 6/8 2/0 x 6/8 2/2 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



P1515 1-3/8"

1-5/16" Bar, Clear Glass

2/4 x 6/8 2/4 x 7/0 2/6 x 6/8 2/6 x 7/0 2/8 x 6/8 2/8 x 7/0 2/10 x 6/8 3/0 x 7/0 3/0 x 6/8



P1515B 1-3/8"

1-5/16" Bar, Clear Beveled Glass

2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



P1705 BIFOLD 1-3/8"

1-5/16" Bar, Clear Glass

2/0 x 6/8 4/0 x 6/8 2/6 x 6/8 5/0 x 6/8 2/8 x 6/8 5/4 x 6/8 3/0 x 6/8 6/0 x 6/8



P1512 1-3/8"

1-5/16" Bar, Clear Glass

2/0 x 8/0



P1518 1-3/8"

1-5/16" Bar, Clear Glass

2/4 x 8/0 2/6 x 8/0 2/8 x 8/0

3/0 x 8/0



FRENCH

Ponderosa Pine is one of America's most abundant tree species. It has straight, uniform grain with minimal amounts of reddish-brown heartwood. The sapwood has wide growth bands, which are honey-toned or straw-colored.



1" TDL Bar with Clear Glass


1" TDL BAR



P1510FC 1-3/8" 1" TDL Bar, Clear Glass 2/0 x 6/8



P1515FC 1-3/8" 1" TDL Bar, Clear Glass 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



1" TDL Bar Profile







2/4 x 6/8

V-GROOVE




P3915 V-GROOVE 1-3/8"

V-Groove Glass

2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



V-Groove Close Up



5/32" V-Groove Glass

CLEAR GLASS




P1501 1-3/8"

Clear Glass

2/0 x 6/8 2/0 x 7/0 2/2 x 6/8 2/2 x 7/0 2/4 x 6/8 2/4 x 7/0 2/6 x 6/8 2/6 x 7/0 2/8 x 6/8 2/8 x 7/0 2/10 x 6/8 3/0 x 7/0 3/0 x 6/8



Clear Glass Close Up



Full Lite Profile

White Pine



27/64" SINGLE HIP RAISED PANEL

White Pine is a straight grained wood with a fine uniformed texture. The heartwood is a creamy white, pale yellow or light brown while the sapwood is a creamy white.




27/64" Single Hip Raised Panel, Ovolo Sticking




Species Close Up



Ovolo Sticking





Panel Profile

27/64" SINGLE HIP RAISED PANEL

Bifolds are carton packed with track and hardware.





P1053 1-3/8"

27/64" Raised Panel, Ovolo Sticking

1/6 x 6/6	1/0 x 6/8	2/0 x 6/8
2/0 x 6/6	1/2 x 6/8	2/2 x 6/8
2/4 x 6/6	1/3 x 6/8	2/4 x 6/8
2/6 x 6/6	1/4 x 6/8	2/6 x 6/8
2/8 x 6/6	1/6 x 6/8	2/8 x 6/8
3/0 x 6/6	1/8 x 6/8	2/10 x 6/8
	1/10 x 6/8	3/0 x 6/8

P1053 BIFOLD 1-3/8"

27/64" Raised Panel, Ovolo Sticking

2/0 x 6/8 2/4 x 6/8	5/0 x 6/8 5/4 x 6/8
2/6 x 6/8	6/0 x 6/8
2/8 x 6/8	
3/0 x 6/8	
4/0 x 6/8	
4/8 x 6/8	





P1051 1-3/8"

27/64" Raised Panel, Ovolo Sticking

1/6 x 6/6	1/0 x 6/8	2/2 x 6/8
2/0 x 6/6	1/2 x 6/8	2/4 x 6/8
2/4 x 6/6	1/3 x 6/8	2/6 x 6/8
2/6 x 6/6	1/4 x 6/8	2/8 x 6/8
2/8 x 6/6	1/6 x 6/8	2/10 x 6/8
3/0 x 6/6	1/8 x 6/8	3/0 x 6/8
	1/10 x 6/8	
	2/0 x 6/8	

P1051 BIFOLD 1-3/8"

27/64" Raised Panel, Ovolo Sticking

00000	licking	
2/0 x 6/8	5/4 x 6/8	
2/4 x 6/8	6/0 x 6/8	
2/6 x 6/8		
2/8 x 6/8		
3/0 x 6/8		
4/0 x 6/8		
4/8 x 6/8		
5/0 x 6/8		




White Pine





White Pine is a straight grained wood with a fine uniformed texture. The heartwood is a creamy white, pale yellow or light brown while the sapwood is a creamy white.



1-1/4" Bar, Clear Glass

CLEAR GLASS



P3911 1-3/8"


1-1/4" Bar, Clear Glass

1/8 x 6/8 2/4 x 6/8 2/0 x 7/0 1/10 x 6/8 2/6 x 6/8 2/0 x 6/8 2/8 x 6/8 2/2 x 6/8 3/0 x 6/8

P3912 1-3/8"

1-1/4" Bar, Clear Glass

2/4 x 6/8 2/4 x 7/0 2/6 x 6/8 2/6 x 7/0 2/8 x 6/8 2/8 x 7/0 2/10 x 6/8 3/0 x 7/0 3/0 x 6/8



1-1/4" Bar Profile









1-1/4" Bar, Frit Glass

FRIT GLASS



P3911F 1-3/8"

1-1/4" Bar, Frit Glass

1/8 x 6/8 2/6 x 6/8 1/10 x 6/8 2/8 x 6/8 2/0 x 6/8 3/0 x 6/8 2/2 x 6/8 2/4 x 6/8



P3912F 1-3/8"

1-1/4" Bar, Frit Glass


2/4 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8 3/0 x 6/8



P3901F 1-3/8"

Frit Glass

2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



SMP SIMPSON









Plantation Pine



11/16" DOUBLE HIP RAISED PANEL

Plantation Pine has a distinctive grain pattern with a pale cream color. It tends to be harder than other pine species and has fewer knots.




11/16" Double Hip Raised Panel, Ovolo Sticking




Species Close Up



Ovolo Sticking





Panel Profile

11/16" DOUBLE HIP RAISED PANEL

Bifolds are carton packed with track and hardware.



IP22V 1-3/8"

11/16" V-Groove Raised Panel, Ovolo Sticking

	_
1/0 x 6/8	1/6 x 8/0
1/3 x 6/8	2/0 x 8/0
1/6 x 6/8	2/4 x 8/0
2/0 x 6/8	2/6 x 8/0
2/4 x 6/8	2/8 x 8/0
2/6 x 6/8	2/10 x 8/0
2/8 x 6/8	3/0 x 8/0
2/10 x 6/8	
3/0 x 6/8	



IP44 1-3/8"

11/16" Raised Panel, Ovolo Sticking



IP44 BIFOLD 1-3/8"

11/16" Raised Panel, Ovolo Sticking

2/0	Х	6/8	
2/6	Χ	6/8	
3/0	Χ	6/8	
4/0	Х	6/8	
5/0	Х	6/8	
6/0	Χ	6/8	



IP66 1-3/8"

11/16" Raised Panel, Ovolo Sticking

1/0 x 6/8	2/0 x 6/8	1/6 x 8/0
1/2 x 6/8	2/2 x 6/8	2/0 x 8/0
1/3 x 6/8	2/4 x 6/8	2/4 x 8/0
1/4 x 6/8	2/6 x 6/8	2/6 x 8/0
1/6 x 6/8	2/8 x 6/8	2/8 x 8/0
1/8 x 6/8	2/10 x 6/8	2/10 x 8/0
1/10 x 6/8	3/0 x 6/8	3/0 x 8/0



IP66 BIFOLD 1-3/8"

11/16" Raised Panel, Ovolo Sticking

2/0 x 6/8 2/6 x 6/8 3/0 x 6/8 4/0 x 6/8 5/0 x 6/8 6/0 x 6/8

Plantation Pine



9/16" SINGLE HIP RAISED PANEL

Plantation Pine has a distinctive grain pattern with a pale cream color. It tends to be harder than other pine species and has fewer knots.




9/16" Single Hip Raised Panel, Ovolo Sticking




Species Close Up



Ovolo Sticking







9/16" SINGLE HIP RAISED PANEL



IP82 1-3/8" 9/16" Raised Panel, Ovolo Sticking

	_
1/6 x 6/8	1/6 x 8/0
2/0 x 6/8	2/0 x 8/0
2/4 x 6/8	2/4 x 8/0
2/6 x 6/8	2/6 x 8/0
2/8 x 6/8	2/8 x 8/0
3/0 x 6/8	3/0 x 8/0



IP82A 1-3/8" 9/16" Raised Panel, Ovolo Sticking

0 1010	Jucking
1/6 x 6/8	1/6 x 8/0
2/0 x 6/8	2/0 x 8/0
2/4 x 6/8	2/4 x 8/0
2/6 x 6/8	2/6 x 8/0
2/8 x 6/8	2/8 x 8/0
3/0 x 6/8	3/0 x 8/0



IP55 1-3/8" 9/16" Raised Panel, Ovolo Sticking

	_
1/6 x 6/8	
2/0 x 6/8	
2/4 x 6/8	
2/6 x 6/8	
2/8 x 6/8	
3/0 x 6/8	



IP56 1-3/8" 9/16" Raised Panel, Ovolo Sticking

1/6 x 8/0 2/0 x 8/0 2/4 x 8/0 2/6 x 8/0 2/8 x 8/0 3/0 x 8/0

Plantation Pine



3/8" FLAT PANEL

Plantation Pine has a distinctive grain pattern with a pale cream color. It tends to be harder than other pine species and has fewer knots.




3/8" Flat Panel, Shaker Sticking




Species Close Up



Shaker Sticking





С

3/8" FLAT PANEL



IP720 1-3/8"

3/8" Flat Panel, Shaker Sticking

1/6 x 6/8	1/6 x 8/0
2/0 x 6/8	2/0 x 8/0
2/4 x 6/8	2/4 x 8/0
2/6 x 6/8	2/6 x 8/0
2/8 x 6/8	2/8 x 8/0
3/0 v 6/8	3/0 v 8/0



IP730 1-3/8"

3/8" Flat Panel, Shaker Sticking

1/6 x 6/8	1/6 x 8/0
2/0 x 6/8	2/0 x 8/0
2/4 x 6/8	2/4 x 8/0
2/6 x 6/8	2/6 x 8/0
2/8 x 6/8	2/8 x 8/0
3/0 x 6/8	3/0 x 8/0



IP760 1-3/8"

3/8" Flat Panel, Shaker Sticking

1/6 x 6/8	1/6 x 8/0
2/0 x 6/8	2/0 x 8/0
2/4 x 6/8	2/4 x 8/0
2/6 x 6/8	2/6 x 8/0
2/8 x 6/8	2/8 x 8/0
3/0 x 6/8	3/0 x 8/0



IP782 1-3/8"

3/8" Flat Panel, Shaker Sticking

1/0 x 6/8	2/8 x 6/8	1/6 x 8/0
1/3 x 6/8	2/10 x 6/8	2/0 x 8/0
1/4 x 6/8	3/0 x 6/8	2/4 x 8/0
1/6 x 6/8		2/6 x 8/0
2/0 x 6/8		2/8 x 8/0
2/4 x 6/8		2/10 x 8/0
2/6 x 6/8		3/0 x 8/0



IP755 1-3/8"

3/8" Flat Panel, Shaker Sticking

1/6 x 6/8	
2/0 x 6/8	
2/4 x 6/8	
2/6 x 6/8	
2/8 x 6/8	
2/10 x 6/8	
$3/0 \times 6/8$	



IP756 1-3/8"

3/8" Flat Panel, Shaker Sticking


1/6 x 8/0
2/0 x 8/0
2/4 x 8/0
2/6 x 8/0
2/8 x 8/0
2/10 x 8/0
$3/0 \times 8/0$

Plantation Pine



FRENCH


Plantation Pine has a distinctive grain pattern with a pale cream color. It tends to be harder than other pine species and has fewer knots.



1-3/8" Bar. Clear Glass



1-3/8" Bar Close Up



1-3/8" Bar Profile

30

1-3/8" BAR



IP625 1-3/8"

1-3/8" Bar, Clear Glass

1/6 x 6/8 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



IP627 1-3/8"

1-3/8" Bar, Clear Glass

2/4 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8 3/0 x 6/8



IP626 1-3/8"

1-3/8" Bar, Clear Glass

1/6 x 8/0 2/0 x 8/0



IP628 1-3/8"

1-3/8" Bar, Clear Glass

2/4 x 8/0 2/6 x 8/0 2/8 x 8/0 2/10 x 8/0 3/0 x 8/0

CLEAR GLASS




IP620 1-3/8"

Clear Glass

1/6 x 6/8 1/6 x 8/0 2/0 x 6/8 2/0 x 8/0

2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8 3/0 x 6/8



Full Lite Profile

Pine Louvers




Louver doors allow for air flow while providing privacy.




1-1/4" Louver Slats

When ordering a louver door, it is important to specify which side is the blind side. View the door as if you are in the inside of the room and the door is opening toward you.



When the Blind Side is on the Hinge Side, the Louvers run down, meaning you cannot see into the next room



When the Blind Side is on the Stop Side, the Louvers run up, meaning you can see into the next room.





PONDEROSA PINE

Bifolds are carton packed with track and hardware.



P730 1-3/8"

3/0 x 6/6 2/0 x 6/8

1-1/4" Louver Slats

2/0 x 6/0	1/0 x 6/8	2/2 x 6/8	1/6 x 7/0
2/6 x 6/0	1/2 x 6/8	2/4 x 6/8	2/0 x 7/0
1/6 x 6/6	1/3 x 6/8	2/6 x 6/8	2/4 x 7/0
2/0 x 6/6	1/4 x 6/8	2/8 x 6/8	2/6 x 7/0
2/4 x 6/6	1/6 x 6/8	2/10 x 6/8	2/8 x 70
2/6 x 6/6	1/8 x 6/8	3/0 x 6/8	3/0 x 7/0
2/8 x 6/6	1/10 x 6/8		



P730 BIFOLD 1-3/8"

1-1/4" Louver Slats

2/0 x 6/8	5/4 x 6/8
2/4 x 6/8	6/0 x 6/8
2/6 x 6/8	
2/8 x 6/8	
3/0 x 6/8	
4/0 x 6/8	
4/8 x 6/8	
5/0 x 6/8	



P732 1-3/8"

1-1/4" Louver Slats, 9/16" Single Hip Raised Panel

	-	
1/6 x 6/6	1/0 x 6/8	2/2 x 6/8
2/0 x 6/6	1/2 x 6/8	2/4 x 6/8
2/4 x 6/6	1/3 x 6/8	2/6 x 6/8
2/6 x 6/6	1/4 x 6/8	2/8 x 6/8
2/8 x 6/6	1/6 x 6/8	2/10 x 6/8
3/0 x 6/6	1/8 x 6/8	3/0 x 6/8
	1/10 x 6/8	
	2/0 x 6/8	



P732 BIFOLD 1-3/8"

1-1/4" Louver Slats 9/16" Single Hip Raised Panel

	_	
2/0 x 6/8	5/0 x	6/8
2/4 x 6/8	5/4 x	6/8
2/6 x 6/8	6/0 x	6/8
2/8 x 6/8		
3/0 x 6/8		
4/0 x 6/8		
4/8 x 6/8		

PLANTATION PINE

Bifolds are carton packed with track and hardware.



PN730 BIFOLD 1-1/8"

1-1/4" Louver Slats 1/2" Single Hip Raised Panel Recessed Rail

2/0 x 6/8	
2/6 x 6/8	
3/0 x 6/8	
4/0 x 6/8	
5/0 x 6/8	
6/0 x 6/8	



PN732 BIFOLD 1-1/8"

1-1/4" Louver Slats 1/2" Single Hip Raised Panel Recessed Rail

2/0 x 6/8	
2/6 x 6/8	
3/0 x 6/8	
4/0 x 6/8	
5/0 x 6/8	
6/0 x 6/8	



PN108 BIFOLD 1-1/8"

1-1/4" Louver Slats 1/2" Single Hip Raised Panel Recessed Rail

2/0 x 6/8 2/6 x 6/8 3/0 x 6/8 4/0 x 6/8 5/0 x 6/8 6/0 x 6/8 Recessed rails are rails that are not as thick as the stiles.



Knotty Pine





Knotty Pine has a rich display of knots that reflects the randomness and beauty of nature. The wood tends to be a honey-toned or straw color while the knots are generally reddish-brown.



KP22/KP66, 11/16" Double Hip Raised Panel, Ovolo Sticking



KP22/KP66, Ovolo Sticking



KP22V, Reticulated Sticking and Joint



KP22/KP66



11/16" DOUBLE HIP RAISED PANEL




KP22 1-3/8" 11/16" Raised Panel, Ovolo Sticking

1/6 x 6/8	1/6 x 8/0
2/0 x 6/8	2/0 x 8/0
2/4 x 6/8	2/4 x 8/0
2/6 x 6/8	2/6 x 8/0
2/8 x 6/8	2/8 x 8/0
2/10 x 6/8	2/10 x 8/0
3/0 x 6/8	3/0 x 8/0



KP66 1-3/8" 11/16" Raised Panel, Ovolo Sticking

1/6 x 6/8 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8 3/0 x 6/8



KP22/KP66, Ovolo Sticking




V-Groove Close Up



KP22V 1-3/8" 11/16" V-Groove Raised Panel, Reticulated Sticking and Joint

1/6 x 6/8 1/6 x 8/0 2/0 x 6/8 2/0 x 8/0 2/4 x 8/0 2/4 x 6/8 2/6 x 6/8 2/6 x 8/0 2/8 x 6/8 2/8 x 8/0 2/10 x 6/8 3/0 x 6/8 2/10 x 8/0 3/0 x 8/0



KP22V Reticulated Sticking and Joint (Shown from above)



Fir


3/8" FLAT PANEL



Douglas Fir is a large, generally straight-grained tree characterized by exceptional natural strength, hardness and durability. The wood varies in color from yellowish tan to light, bright brown.




3/8" Flat Panel, Ovolo Sticking




Species Close Up



Ovolo Sticking





OVOLO STICKING



F20 1-3/8" 3/8" Flat Panel, Ovolo Sticking



F20 1-3/4" 3/8" Flat Panel, Ovolo Sticking

1/4 x 6/8	2/6 x 6/8	1/4 x 7/0	2/6 x 7/0
1/6 x 6/8	2/8 x 6/8	1/6 x 7/0	2/8 x 7/0
1/8 x 6/8	2/10 x 6/8	1/8 x 7/0	2/10 x 7/0
1/10 x 6/8	3/0 x 6/8	1/10 x 7/0	3/0 x 7/0
2/0 x 6/8		2/0 x 7/0	
2/2 x 6/8		2/2 x 7/0	
2/4 x 6/8		$2/4 \times 7/0$	



F82 1-3/8" 3/8" Flat Panel, Ovolo Stickina

0.0.0	J. 1. 0.1 11.1 19	
1/0 x 6/8	2/4 x 6/8	1/6 x 7/0
1/2 x 6/8	2/6 x 6/8	2/0 x 7/0
1/3 x 6/8	2/8 x 6/8	2/4 x 7/0
1/4 x 6/8	3/0 x 6/8	2/6 x 7/0
1/6 x 6/8		2/8 x 7/0
1/8 x 6/8		3/0 x 7/0
2/0 v 6/8		



F82 1-3/4"

3/8" Fla Ovolo S	
2/0 x 6/8	2/0 x 7/0
2/2 x 6/8	2/2 x 7/0
2/4 x 6/8	2/4 x 7/0
2/6 x 6/8	2/6 x 7/0
2/8 x 6/8	2/8 x 7/0
2/10 x 6/8	2/10 x 7/0
3/0 x 6/8	3/0 x 7/0

MAGNETIC CHALKBOARD



F30 1-3/8" 3/8" Flat Panel, Ovolo Sticking


2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



F1120 1-3/8" Magnetic Chalkboard, Ovolo Sticking

2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8





Panel Profile

Magnetic Chalkboard Paint

For information about maintenance and finishing, see page 94.





Fir

3/8" FLAT PANEL



Douglas Fir is a large, generally straight-grained tree characterized by exceptional natural strength, hardness and durability. The wood varies in color from yellowish tan to light, bright brown.




3/8" Flat Panel, Shaker Sticking




Species Close Up



Shaker Sticking





SHAKER STICKING



F720 1-3/8" 3/8" Flat Panel, Shaker Sticking

1/6 x 6/8 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



F782 1-3/8" 3/8" Flat Panel, Shaker Sticking

2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



F730 1-3/8" 3/8" Flat Panel, Shaker Sticking

1/6 x 6/8 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



F760 1-3/8" 3/8" Flat Panel, Shaker Sticking

2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



F762 1-3/8" 3/8" Flat Panel, Shaker Sticking

2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



F755 1-3/8" 3/8" Flat Panel, Shaker Sticking

1/6 x 6/8 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8

Fir

DOUBLE HIP RAISED PANEL



Douglas Fir is a large, generally straight-grained tree characterized by exceptional natural strength, hardness and durability. The wood varies in color from yellowish tan to light, bright brown.




3/4" Double Hip Raised Panel, Ovolo Sticking




1-3/16" Double Hip Raised Panel, Ovolo Sticking









Panel Profile

3/4" DOUBLE HIP RAISED PANEL

Bifolds are carton packed with track and hardware.



F82R 1-3/8" 3/4" Raised Panel, Ovolo Sticking

1/6 x 6/8 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



F465 1-3/8" 3/4" Raised Panel,

Ovolo Sticking 1/6 x 6/8 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



F44 1-3/8"

3/4" Raised Panel, Ovolo Sticking

1/4 x 6/8 3/0 x 6/8 1/6 x 6/8 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8



F55 1-3/8"

3/4" Raised Panel, Ovolo Sticking

1/6 x 6/8 1/6 x 7/0 2/0 x 6/8 2/0 x 7/0 2/4 x 6/8 2/4 x 7/0 2/6 x 6/8 2/6 x 7/0 2/8 x 6/8 2/8 x 7/0 2/10 x 6/8 2/10 x 7/0 3/0 x 6/8 3/0 x 7/0



F46 1-3/8"

3/4" Raised Panel, Ovolo Sticking

2/4 x 6/8 2/6 x 6/8 3/0 x 6/8



F66 1-3/8"

3/4" Raised Panel, Ovolo Sticking

1/0 x 6/8 2/6 x 6/8 1/3 x 6/8 2/8 x 6/8 1/4 x 6/8 3/0 x 6/8 1/6 x 6/8 1/8 x 6/8 2/0 x 6/8

2/4 x 6/8



F63 1-3/8" BIFOLD

3/4" Raised Panel, Ovolo Sticking

2/0 x 6/8 2/6 x 6/8 3/0 x 6/8 4/0 x 6/8 5/0 x 6/8 6/0 x 6/8





F82A 1-3/8"

1-3/16" Raised Panel, Ovolo Sticking

1/6 x 6/8 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8

Fir

FRENCH



Douglas Fir is a large, generally straight-grained tree characterized by exceptional natural strength, hardness and durability. The wood varies in color from yellowish tan to light, bright brown.




Clear Glass, Ovolo Sticking

CLEAR GLASS



F1501 1-3/8" Clear Glass, Ovolo Sticking

2/2 x 6/8 2/10 x 6/8 2/2 x 7/0 3/0 x 7/0 2/4 x 6/8 3/0 x 6/8 2/4 x 7/0 2/6 x 6/8 2/6 x 7/0



Full Lite Profile

3/4" Raised Panel, Clear Glass, Ovolo Sticking

2/6 x 6/8 2/8 x 6/8 3/0 x 6/8


F318 1-3/8"



F418 1-3/8"

3/4" Raised Panel, Clear Glass, Ovolo Sticking

2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



Panel Profile










White Laminate Glass, Shaker Sticking

WHITE LAMINATE GLASS




F1501WL 1-3/8" White Laminate Glass, Shaker Sticking

2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



Full Lite Profile



GLASS LAYER

Fir

1-1/4" BAR




Douglas Fir is a large, generally straight-grained tree characterized by exceptional natural strength, hardness and durability. The wood varies in color from yellowish tan to light, bright brown.



1-1/4" Bar, Clear Glass



1-1/4" Bar, Satin Etch Glass



1-1/4" Bar Profile

CLEAR GLASS



F1505 1-3/8"

1-1/4" Bar, Clear Glass

2/0 x 6/8 2/4 x 6/8

2/6 x 6/8

2/8 x 6/8

3/0 x 6/8



F1580 1-3/8"

1-1/4" Bar, Clear Glass

2/6 x 6/8

2/8 x 6/8 3/0 x 6/8



F1309 1-3/8"

1-1/4" Bar, Clear Glass

2/6 x 6/8

2/8 x 6/8

3/0 x 6/8

SMP

F1310 1-3/8"

1-1/4" Bar, Clear Glass

2/0 x 6/8



F1315 1-3/8"

1-1/4" Bar, Clear Glass

2/4 x 6/8

2/6 x 6/8

2/8 x 6/8 3/0 x 6/8

2/4 x 6/8 2/6 x 6/8

2/8 x 6/8

3/0 x 6/8

SATIN ETCH GLASS



F1505E 1-3/8"

1-1/4" Bar, Satin Etch Glass

2/0 x 6/8



F1510E 1-3/8"

1-1/4" Bar, Satin Etch Glass

2/0 x 6/8

Fir

DECORATIVE



Douglas Fir is a large, generally straight-grained tree characterized by exceptional natural strength, hardness and durability. The wood varies in color from yellowish tan to light, bright brown.




Decorative Glass, Silver Caming



F1590 1-3/8" Satin Etch

2/0 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



Decorative Glass,

F1592 1-3/8" Decorative Glass, Satin Etch 2/4 x 6/8 2/6 x 6/8







2/8 x 6/8

3/0 x 6/8



F88405 1-3/8" Decorative Glass, Brass Caming

2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



SMP

F88421 1-3/8" Decorative Glass,

Black Caming

2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



F88464 1-3/8" Decorative Glass, Silver Caming

2/6 x 6/8 2/8 x 6/8 3/0 x 6/8


















Fir

20 MINUTE FIRE DOORS



Douglas Fir is a large, generally straight-grained tree characterized by exceptional natural strength, hardness and durability. The wood varies in color from yellowish tan to light, bright brown.




3/4" Fire Rated Flat Panel




1-7/16" Fire Rated Double Hip Raised Panel









Panel Profile

3/4" FIRE RATED FLAT PANEL



F9220 1-3/4" 3/4" Fire Rated Flat Panel Ovolo Sticking 20 Minute Fire Rating


2/8 x 6/8 3/0 x 6/8



F9282 1-3/4" 3/4" Fire Rated Flat Panel Ovolo Sticking 20 Minute Fire Rating

2/8 x 6/8

3/0 x 6/8



Panel Profile

1-7/16" FIRE RATED RAISED PANEL



F9244 1-3/4" 1-7/16" Fire Rated Raised Panel Ovolo Sticking 20 Minute Fire Rating

2/8 x 6/8 3/0 x 6/8




F9255 1-3/4" 1-7/16" Fire Rated Raised Panel Ovolo Sticking 20 Minute Fire Rating

2/8 x 6/8 3/0 x 6/8



1-7/16" Fire Rated Raised Panel Ovolo Sticking 20 Minute Fire Rating

2/8 x 6/8 3/0 x 6/8



Panel Profile

Maple

3/8" FLAT PANEL



Maple offers a very fine grain and a whitish color tinged with reddish brown.




3/8" Flat Panel, Shaker Sticking




Species Close Up



Shaker Sticking





3/8" FLAT PANEL



MP1022 1-3/8"

3/8" Flat Panel, Shaker Sticking

2/0 x 6/8 2/4 x 6/8 2/6 x 6/8

2/8 x 6/8

3/0 x 6/8



MP1033 1-3/8"

3/8" Flat Panel, Shaker Sticking

2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8

3/0 x 6/8



Knotty Alder

1-3/16" ASPEN RAISED PANEL



Knotty Alder is a medium density hardwood with an even grain appearance. The wood is normally light brown with hues of red or peach. Its softer nature makes it easy to machine and receptive to a variety of stains and finishes.




V-Groove Plank Raised Panel, Tapered Sticking




Species Close Up



Tapered Sticking






KA82ASRR/KA82SRR Tapered Sticking (Shown from above)



1-1/8" V-GROOVE PLANK RAISED PANEL



KA82ASRP 1-3/8" 1-1/8" V-Groove Plank Raised Panel, Tapered Sticking



KA82ASRP Tapered Sticking (Shown from above)

2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8

3/0 x 6/8

1-3/16" ASPEN RAISED PANEL



KA82ASRR 1-3/8" 1-3/16" Aspen Raised Panel, Tapered Sticking

1/6 x 6/8 2/4 x 8/0 2/0 x 6/8 2/6 x 8/0 2/4 x 6/8 2/8 x 8/0 2/6 x 6/8 3/0 x 8/0 2/8 x 6/8

3/0 x 6/8



KA82SRR 1-3/8" 1-3/16" Aspen Raised Panel, Tapered Sticking

1/6 x 6/8 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



0ak

3/4" RAISED PANEL



Oak has a coarse texture and a straight, prominent grain. It accepts a broad range of stains and finishes.







Solid Oak, 3/4" Double Hip Raised Panel

Veneered Oak, 3/4" Single Hip Raised Panel









SOLID OAK, DOUBLE HIP RAISED PANEL

Bifolds are carton packed with track and hardware.



O44 1-3/8"

3/4" Raised Panel, Ovolo Sticking

1/6 x 6/8	
2/0 x 6/8	
2/4 x 6/8	
2/6 x 6/8	
2/8 x 6/8	
3/0 x 6/8	



O66 1-3/8"

3/4" Raised Panel, Ovolo Sticking

OVOIO.
1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



066 1-3/8" BIFOLD

3/4" Raised Panel, Ovolo Sticking

2/0 x 6/8	
2/6 x 6/8	
3/0 x 6/8	
4/0 x 6/8	
5/0 x 6/8	
6/0 x 6/8	

VENEERED OAK, SINGLE HIP RAISED PANEL

Bifolds are carton packed with track and hardware.



O44VP 1-3/8"

3/4" Raised Panel, Ovolo Sticking

0000	Suci
1/6 x 6/8	
2/0 x 6/8	
2/4 x 6/8	
2/6 x 6/8	
2/8 x 6/8	
3/0 x 6/8	



044VP 1-3/8" BIFOLD

3/4" Raised Panel, Ovolo Sticking

OVOIO	J
2/0 x 6/8	
2/6 x 6/8	
3/0 x 6/8	
4/0 x 6/8	
5/0 x 6/8	
$6/0 \times 6/8$	



O66VP 1-3/8"

3/4" Raised Panel, Ovolo Sticking

0.0.0	О с.
1/6 x 6/8	
1/8 x 6/8	
2/0 x 6/8	
2/2 x 6/8	
2/4 x 6/8	
2/6 x 6/8	
2/8 x 6/8	
3/0 x 6/8	



066VP 1-3/8" BIFOLD

3/4" Raised Panel, Ovolo Sticking

2/0	Χ	6/8
2/6	Χ	6/8
3/0	Χ	6/8
4/0	Χ	6/8
5/0	Χ	6/8
6/0	Х	6/8




0ak

FRENCH - 1-1/4" BAR




Oak has a coarse texture and a straight, prominent grain. It accepts a broad range of stains and finishes.



1-1/4" Bar, Clear Glass



1-1/4" Bar Close Up



1-1/4" Bar Profile

1-1/4" BAR



O1515/O1315 1-3/8" 1-1/4" Bar, Clear Glass

2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



O1510/O1310 1-3/8" 1-1/4" Bar, Clear Glass

2/0 x 6/8





Primed Doors

CONSTRUCTION

For homeowners seeking a classic look, authentic primed stile and rail doors offer a level of detail and definition that cannot be matched. Stile and rail construction is architecturally correct and provides crisp shadow lines and highly defined panel details. Painting an interior primed door provides a way to match the design of the home. Reeb stocks Wood Stile and Rail doors that are able to be stained if a natural look is desired. **See page 8**.

- 1 Stile: The stiles have a solid engineered core for added strength and stability.
- 2 Rail: The rails are also made of solid engineered core.
- **Panel:** Panels can be wood to create a solid door, or glass to create a French door.
- 4 **Dowel Pins:** Dowel pins are used to join the stiles and rails together.
- **Veneer:** A veneer is added over the core to create a smooth staining or painting surface.



Sharp Detail

Door components in a primed stile and rail door join together creating sharp shadow lines and greater definition.



Architectural Correctness

Each door is made with perfectly proportioned stiles, rails and panels that are created individually to ensure that every door is architecturally correct.




Panel Design

Doors can be designed with flat panels or raised panels. The panels in a primed stile and rail door are made from MDF.



Finishing

The surface of the door is smooth for painting. We identify these doors with the icon shown above.





Solid Engineered Core The interior of a primed stile and rail door has a solid engineered core adding stability and reducing sound transmission.



Dowel Pins

Traditional dowel pin construction creates a secure joint, connecting stile and rail components together.



Veneer

A high-quality MDF veneer is applied on top of the core for a perfect painting surface.

Primed RAISED PANEL



Primed doors allow for a better paint finish and color match process for any project.




9/16" Raised Panel, Ovolo Sticking




1-1/8" Raised Panel, Classic Sticking











Panel Profile



9/16" SINGLE HIP RAISED PANEL



PR82R 1-3/8"

9/16" Raised Panel, Ovolo Sticking

1/0 x 6/8 1/2 x 6/8 1/3 x 6/8 1/4 x 6/8 1/6 x 6/8 1/8 x 6/8 1/10 x 6/8 2/0 x 6/8 2/2 x 6/8	2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8 3/0 x 6/8	1/6 x 8/0 2/0 x 8/0 2/4 x 8/0 2/6 x 8/0 2/8 x 8/0 2/10 x 8/0 3/0 x 8/0
--	--	--



PR82R 1-3/4"

9/16" Raised Panel, Ovolo Sticking

1/0 x 6/8	2/8 x 6/8	2/0 x 7/0	2/6 x 8/0
1/2 x 6/8	2/10 x 6/8	2/2 x 7/0	2/8 x 8/0
1/3 x 6/8	3/0 x 6/8	2/4 x 7/0	2/10 x 8/0
1/4 x 6/8		2/6 x 7/0	3/0 x 8/0
1/6 x 6/8	1/0 x 7/0	2/8 x 7/0	
1/8 x 6/8	1/2 x 7/0	2/10 x 7/0	
1/10 x 6/8	1/3 x 7/0	3/0 x 7/0	
2/0 x 6/8	1/4 x 7/0		
2/2 x 6/8	1/6 x 7/0	1/6 x 8/0	
2/4 x 6/8	1/8 x 7/0	2/0 x 8/0	
2/6 x 6/8	1/10 x 7/0	2/4 x 8/0	



PR82A 1-3/8"

9/16" Raised Panel, Ovolo Sticking

1/0 x 6/8	2/4 x 6/8	1/6 x 8/0
1/2 x 6/8	2/6 x 6/8	2/0 x 8/0
1/3 x 6/8	2/8 x 6/8	2/4 x 8/0
1/4 x 6/8	2/10 x 6/8	2/6 x 8/0
1/6 x 6/8	3/0 x 6/8	2/8 x 8/0
1/8 x 6/8		2/10 x 8/0
1/10 x 6/8		3/0 x 8/0
2/0 x 6/8		
2/2 x 6/8		



PR82A 1-3/4"

9/16" Raised Panel, Ovolo Sticking

1-1/8" SINGLE HIP RAISED PANEL



PR66 1-3/8"

9/16" Raised Panel, Ovolo Sticking

	0	
1/0 x 6/8	1/10 x 6/8	2/10 x 6/8
1/2 x 6/8	2/0 x 6/8	3/0 x 6/8
1/3 x 6/8	2/2 x 6/8	
1/4 x 6/8	2/4 x 6/8	
1/6 x 6/8	2/6 x 6/8	
1/8 x 6/8	2/8 x 6/8	



PR66 1-3/4"

9/16" Raised Panel, Ovolo Sticking

	9
1/6 x 6/8	2/6 x 6/8
1/8 x 6/8	2/8 x 6/8
1/10 x 6/8	2/10 x 6/8
2/0 x 6/8	3/0 x 6/8
2/2 x 6/8	
2/4 x 6/8	



MPR8065 1-3/4"

1-1/8" Raised Panel, Classic Sticking

Classic Sticking			
1/6 x 6/8	3/0 x 6/8	2/8 x 7/0	
2/0 x 6/8	1/6 x 7/0	3/0 x 7/0	
2/4 x 6/8	2/0 x 7/0		
2/6 x 6/8	2/4 x 7/0		
2/8 x 6/8	2/6 x 7/0		

Primed 3/8" FLAT PANEL



Primed doors options allow for a better paint finish and color match process for any project.



3/8" Flat Panel. Ovolo Sticking



OVOLO STICKING



PR8020 1-3/8"

3/8" MDF Flat Panel, Ovolo Sticking

1/0 x 6/8	2/2 x 6/8	1/6 x 8/0
1/2 x 6/8	2/4 x 6/8	2/0 x 8/0
1/3 x 6/8	2/6 x 6/8	2/4 x 8/0
1/4 x 6/8	2/8 x 6/8	2/6 x 8/0
1/6 x 6/8	2/10 x 6/8	2/8 x 8/0
1/8 x 6/8	3/0 x 6/8	2/10 x 8/0
1/10 x 6/8		3/0 x 8/0
2/0 x 6/8		



PR8020 1-3/4"

3/8" MDF Flat Panel, Ovolo Sticking

	_		
1/0 x 6/8	2/4 x 6/8	1/4 x 7/0	2/10 x 7/0
1/2 x 6/8	2/6 x 6/8	1/6 x 7/0	3/0 x 7/0
1/3 x 6/8	2/8 x 6/8	1/8 x 7/0	
1/4 x 6/8	2/10 x 6/8	1/10 x 7/0	1/6 x 8/0
1/6 x 6/8	3/0 x 6/8	2/0 x 7/0	2/0 x 8/0
1/8 x 6/8		2/2 x 7/0	2/4 x 8/0
1/10 x 6/8	1/0 x 7/0	2/4 x 7/0	2/6 x 8/0
2/0 x 6/8	1/2 x 7/0	2/6 x 7/0	2/10 x 8/0
2/2 x 6/8	1/3 x 7/0	2/8 x 7/0	3/0 x 8/0



PR8082 1-3/8"

3/8" MDF Flat Panel, Ovolo Sticking

1/0 x 6/8	2/4 x 6/8	1/6 x 8/0
1/2 x 6/8	2/6 x 6/8	2/0 x 8/0
1/3 x 6/8	2/8 x 6/8	2/4 x 8/0
1/4 x 6/8	2/10 x 6/8	2/6 x 8/0
1/6 x 6/8	3/0 x 6/8	2/8 x 8/0
1/8 x 6/8		2/10 x 8/0
1/10 x 6/8		3/0 x 8/0
2/0 x 6/8		
2/2 x 6/8		



PR8082 1-3/4"

3/8" MDF Flat Panel, Ovolo Sticking

1/6 x 6/8	1/6 x 7/0	1/6 x 8/0
2/0 x 6/8	2/0 x 7/0	2/0 x 8/0
2/4 x 6/8	2/4 x 7/0	2/4 x 8/0
2/6 x 6/8	2/6 x 7/0	2/6 x 8/0
2/8 x 6/8	2/8 x 7/0	2/8 x 8/0
2/10 x 6/8	2/10 x 7/0	2/10 x 8/0
3/0 x 6/8	3/0 x 7/0	3/0 x 8/0



PR8044 1-3/8"

3/8" MDF Flat Panel, Ovolo Sticking

2/0 x 6/8	2/10 x 6/8
2/2 x 6/8	3/0 x 6/8
2/4 x 6/8	
2/6 x 6/8	
2/2 v 6/2	



PR8055 1-3/8" (6/8)

3/8" MDF Flat Panel, Ovolo Sticking

1/6 x 6/8 1/8 x 6/8 1/10 x 6/8 2/0 x 6/8	2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8
2/2 x 6/8	3/0 x 6/8



PR8055 1-3/8" (8/0)

3/8" MDF Flat Panel, Ovolo Sticking

1/6 x 8/0	2/10 x 8/0
2/0 x 8/0	3/0 x 8/0
2/4 x 8/0	
2/6 x 8/0	
$2/2 \times 2/0$	







Primed

3/8" FLAT PANEL



Primed doors options allow for a better paint finish and color match process for any project.



3/8" Flat Panel, Shaker Sticking

SHAKER STICKING



PR8720 1-3/8"

3/8" MDF Flat Panel, Shaker Sticking

1/0 x 6/8	2/4 x 6/8	2/6 x 7/0	2/8 x 8/0
1/2 x 6/8	2/6 x 6/8	2/8 x 7/0	2/10 x 8/0
1/3 x 6/8	2/8 x 6/8	2/10 x 7/0	3/0 x 8/0
1/4 x 6/8	2/10 x 6/8	3/0 x 7/0	
1/6 x 6/8	3/0 x 6/8		
1/8 x 6/8		1/6 x 8/0	
1/10 X 6/8	1/6 x 7/0	2/0 x 8/0	
2/0 x 6/8	2/0 x 7/0	2/4 x 8/0	
2/2 X 6/8	2/4 x 7/0	2/6 x 8/0	



PR8720 1-3/4"

3/8" MDF Flat Panel, Shaker Sticking

Snaker	Sucking		
1/0 x 6/8	2/6 x 6/8	1/8 x 7/0	1/6 x 8/0
1/2 x 6/8	2/8 x 6/8	1/10 x 7/0	2/0 x 8/0
1/3 x 6/8	2/10 x 6/8	2/0 x 7/0	2/4 x 8/0
1/4 x 6/8	3/0 x 6/8	2/2 x 7/0	2/6 x 8/0
1/6 x 6/8		2/4 x 7/0	2/8 x 8/0
1/8 x 6/8	1/0 x 7/0	2/6 x 7/0	2/10 x 8/0
1/10 X 6/8	1/2 x 7/0	2/8 x 7/0	3/0 x 8/0
2/0 x 6/8	1/3 x 7/0	2/10 x 7/0	
2/2 X 6/8	1/4 x 7/0	3/0 x 7/0	
2/4 x 6/8	1/6 x 7/0		



PR8782 1-3/8"

3/8" MDF Flat Panel, Shaker Sticking

Shaker :	Sticking		
1/0 x 6/8 1/2 x 6/8 1/3 x 6/8 1/4 x 6/8	2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8	2/6 x 7/0 2/8 x 7/0 2/10 x 7/0 3/0 x 7/0	2/8 x 8/0 2/10 x 8/0 3/0 x 8/0
1/6 x 6/8 1/8 x 6/8	3/0 x 6/8	1/6 x 8/0	
1/10 X 6/8	1/6 x 70	2/0 x 8/0	
2/0 x 6/8	2/0 x 7/0	2/4 x 8/0	
2/2 X 6/8	2/4 x 7/0	2/6 x 8/0	



PR8782 1-3/4"

3/8" MDF Flat Panel, Shaker Sticking

Jilakei	Jucking	
1/6 x 6/8	1/6 x 7/0	1/6 x 8/0
2/0 x 6/8	2/0 x 7/0	2/0 x 8/0
2/4 x 6/8	2/4 x 7/0	2/4 x 8/0
2/6 x 6/8	2/6 x 7/0	2/6 x 8/0
2/8 x 6/8	2/8 x 7/0	2/8 x 8/0
2/10 x 6/8	2/10 x 7/0	2/10 x 8/
3/0 x 6/8	3/0 x 7/0	3/0 x 8/0

SHAKER STICKING



PR8760 1-3/8" (6/8)

3/8" MDF Flat Panel, Shaker Sticking 1/2 x 6/8 2/2 X 6/8 1/3 x 6/8 2/4 x 6/8 1/4 x 6/8 2/6 x 6/8 1/6 x 6/8 2/8 x 6/8 1/8 x 6/8 2/10 x 6/8 1/10 X 6/8 3/0 x 6/8 2/0 x 6/8



PR8760 1-3/8" (8/0)

3/8" MDF Flat Panel, Shaker Sticking 1/6 x 8/0 2/10 x 8/0 1/8 x 8/0 3/0 x 8/0 2/0 x 8/0 2/4 x 8/0 2/6 x 8/0 2/8 x 8/0



PR8762 1-3/8" (6/8)

3/8" MDF Flat Panel, Shaker Sticking 2/0 x 6/8 2/4 x 6/8

2/6 x 6/8 2/8 x 6/8 2/10 x 6/8 3/0 x 6/8



PR8762 1-3/8" (8/0)

3/8" MDF Flat Panel, Shaker Sticking 2/0 x 8/0

2/4 x 8/0 2/6 x 8/0 2/8 x 8/0 2/10 x 8/0 3/0 x 8/0



PR8730 1-3/8"

3/8" MDF Flat Panel, Shaker Sticking

1/6 x 6/8 2/10 x 6/8 1/8 x 6/8 3/0 x 6/8 1/10 x 6/8 2/0 x 6/8 2/2 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8



PR8744 1-3/8"

3/8" MDF Flat Panel, Shaker Sticking

2/0 x 6/8 2/2 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8 3/0 x 6/8



PR8755 1-3/8" (6/8)

3/8" MDF Flat Panel, Shaker Sticking

1/6 x 6/8 2/8 x 6/8 1/8 x 6/8 2/10 x 6/8 1/10 x 6/8 3/0 x 6/8 2/0 x 6/8 2/2 x 6/8 2/4 x 6/8

2/6 x 6/8



PR8755 1-3/8" (8/0)

3/8" MDF Flat Panel, Shaker Sticking

1/6 x 8/0 2/0 x 8/0 2/4 x 8/0 2/6 x 8/0 2/8 x 8/0 2/10 x 8/0 3/0 x 8/0








Primed

1-3/8" BAR



Primed doors options allow for a better paint finish and color match process for any project.





1-3/8" Bar Profile

1-3/8" Bar, Clear Glass

CLEAR GLASS



PR8010 1-3/8"

1-3/8" Bar, Clear Glass

1/6 x 6/8 2/0 x 6/8 2/6 x 6/8



PR8010 1-3/4"

1-3/8" Bar, Clear Glass

1/6 x 6/8 2/0 x 6/8



PR8015 1-3/8"

1-3/8" Bar, Clear Glass

2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8 3/0 x 6/8



PR8015 1-3/4"

1-3/8" Bar, Clear Glass

2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8 3/0 x 6/8







PR8018 1-3/8" (8/0)

1-3/8" Bar, Clear Glass

2/4 x 8/0 2/6 x 8/0 2/8 x 8/0 2/10 x 8/0 3/0 x 8/0



PR8018 1-3/4" (8/0)

1-3/8" Bar, Clear Glass

2/4 x 8/0 2/6 x 8/0 2/8 x 8/0 2/10 x 8/0 3/0 x 8/0



PR8012 1-3/8" (8/0)

1-3/8" Bar, Clear Glass

1/6 x 8/0



PR8012 1-3/4" (8/0)

1-3/8" Bar, Clear Glass

1/6 x 8/0



Primed

FRENCH



Primed doors options allow for a better paint finish and color match process for any project.



1-3/8" Bar Profile

1-3/8" Bar, Frit Glass

FRIT GLASS



PR8010F 1-3/8" 1-3/8" Bar, Frit Glass

1/6 x 6/8



PR8015F 1-3/8"

1-3/8" Bar, Frit Glass

2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8 3/0 x 6/8



PR8018F 1-3/8" (8/0)

1-3/8" Bar, Frit Glass

2/4 x 8/0 2/6 x 8/0 2/8 x 8/0 2/10 x 8/0 3/0 x 8/0



PR8012F 1-3/8" (8/0)

1-3/8" Bar, Frit Glass


1/6 x 8/0 2/0 x 8/0





DECORATIVE GLASS





PR8423 1-3/8"

Decorative Glass, Black Caming

2/6 x 6/8 2/8 x 6/8 3/0 x 6/8





PR8490 1-3/8"

Decorative Glass, Clear Art on Satin Etch

2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



Primed


FRENCH



Primed doors options allow for a better paint finish and color match process for any project.



Clear Glass, Quartered Classic Sticking





Frit Glass, Ovolo Sticking



White Laminate Glass, Shaker Sticking

CLEAR GLASS



MPR8001 1-3/4"

Clear Glass, Quartered Classic Sticking

2/0 x 6/8 2/0 x 7/0 2/6 x 6/8 2/6 x 7/0 2/8 x 6/8 2/8 x 7/0 3/0 x 6/8 3/0 x 7/0



MPR8011 1-3/4"

Clear Glass, Shaker Sticking

2/0 x 6/8 2/0 x 7/0 2/6 x 6/8 2/6 x 7/0 2/8 x 6/8 2/8 x 7/0 3/0 x 6/8 3/0 x 7/0



PR8001 1-3/8"

Clear Glass, Ovolo Sticking

1/6 x 6/8 1/6 x 8/0 2/0 x 6/8 2/0 x 8/0 2/4 x 6/8 2/4 x 8/0 2/6 x 6/8 2/8 x 6/8 2/8 x 8/0 2/10 x 6/8 2/10 x 8/0 3/0 x 6/8 3/0 x 8/0



FRIT GLASS

PR8001F 1-3/8"

Frit Glass, Ovolo Sticking

1/6 x 6/8 1/6 x 8/0 2/0 x 6/8 2/0 x 8/0 2/4 x 6/8 2/4 x 8/0 2/6 x 6/8 2/6 x 8/0 2/8 x 6/8 2/8 x 8/0 2/10 x 6/8 2/10 x 8/0 3/0 x 6/8 3/0 x 8/0

WHITE LAMINATE



MPR8001H 1-3/4"

White Laminate Glass, Quartered Classic Sticking

2/0 x 6/8 2/0 x 7/0 2/6 x 6/8 2/6 x 7/0 2/8 x 6/8 2/8 x 7/0 3/0 x 6/8 3/0 x 7/0



MPR8011H 1-3/4"

White Laminate Glass, Shaker Sticking

2/0 x 6/8 2/0 x 7/0 2/6 x 6/8 2/6 x 7/0 2/8 x 6/8 2/8 x 7/0 3/0 x 6/8 3/0 x 7/0



PR1501WL 1-3/8"

White Laminate Glass, Ovolo Sticking

2/0 x 6/8 2/4 x 8/0 2/4 x 6/8 2/6 x 8/0 2/6 x 6/8 2/8 x 8/0 2/8 x 6/8 3/0 x 8/0 3/0 x 6/8 2/0 x 8/0

Primed Louvers



Louver doors allow for air flow while providing privacy.



1-1/4" Louver Slats



2-1/2" Louver Slats





PR730 1-3/8"

Primed, 1-1/4" Slats

1/6 x 6/8 2/0 x 6/8 2/2 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8 3/0 x 6/8



PR730 1-3/4"

Primed, 1-1/4" Slats

1/6 x 6/8 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8 3/0 x 6/8



PR730W 1-3/8"

Primed, 2-1/2" Slats

1/6 x 6/8 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8 3/0 x 6/8



PRN730FJ 1-3/8" BIFOLD

Primed, 1-1/4" Slats 1-1/8" Modified Finger Joint

2/0 x 6/8 4/8 x 6/8 2/4 x 6/8 5/0 x 6/8 2/6 x 6/8 5/4 x 6/8 2/8 x 6/8 6/0 x 6/8 3/0 x 6/8 4/0 x 6/8



PR732 1-3/8"

Primed, 1-1/4" Slats

1/6 x 6/8 2/0 x 6/8 2/2 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8 3/0 x 6/8



PR732L 1-3/8"

Primed, 1-1/4" Slats

1/6 x 6/8 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8 3/0 x 6/8



PR732W 1-3/8"

Primed, 2-1/2" Slats

1/6 x 6/8 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8 3/0 x 6/8



PRN732FJ 1-3/8" BIFOLD

Primed, 1-1/4" Slats 1-1/8" Modified Finger Joint

2/6 x 6/8 3/0 x 6/8

2/0 x 6/8

5/0 x 6/8 6/0 x 6/8

Interior Door Units

After choosing the perfect door, there are additional features that can be included for a complete door unit. These include adding transoms and sidelites for more light, choosing a frame that matches your door, and selecting hardware to match your home's interior

TRANSOMS





T001

Clear Glass 2/6, 2/8 & 3/0 for use with Single Door 4/0 for use of 2/0 Double Door

2/6 x 1/0 4/0 x 1/0 2/8 x 1/0 5/0 x 1/0 3/0 x 1/0 6/0 x 1/0



T003

Divided Lites, Clear Glass For use with Single Door

2/6 x 1/0 2/8 x 1/0 3/0 x 1/0



T004

Divided Lites, Clear Glass For use with 2/0 Double Door

4/0 x 1/0



T005

Divided Lites, Clear Glass 5/0 x 1/0 for use with 2/6 Double Door 6/0 x 1/0 for use with 3/0 Double Door

5/0 x 1/0 6/0 x 1/0





PRT001

Primed, Clear Glass 2/6, 2/8 & 3/0 for use with Single Door 4/0 for use with 2/0 Double Door

2/6 x 1/0 4/0 x 1/0 2/8 x 1/0 5/0 x 1/0 3/0 x 1/0 6/0 x 1/0



PRT003

Primed, Divided Lites, Clear Glass For use with Single Door

2/6 x 1/0 2/8 x 1/0 3/0 x 1/0



PRT004

Primed, Divided Lites, Clear Glass For use with 2/0 Double Door

4/0 x 1/0



PRT005

Primed, Divided Lites, Clear Glass $5/0 \times 1/0$ for use with 2/6 Double Door 5/4 x 1/0 for use with 2/8 Double Door 6/0 x 1/0 for use with 3/0 Double Door

5/0 x 1/0 5/4 x 1/0 6/0 x 1/0













INTERIOR SIDELITES



1/0 x 6/8 1/2 x 6/8

PR8706 1-3/8" (8/0) Clear Glass, 1-3/8" Bar 1/0 x 8/0 1/2 x 8/0

Flat Jambs



Flat Jambs

Flat jambs come in a variety of species including solid and veneered wood. They include the need for a stop. This option may not be available in all markets so please confirm availability prior to ordering.







CLEAR PINE



PINE VENEERED



CHERRY VENEERED



KNOTTY ALDER VENEERED



FIR VENEERED







MAPLE VENEERED

SOLID POPLAR

PRIMED SOLID POPLAR





SOLID OAK

OAK VENEERED

Stops

Known as a "stop", these small pieces of wood attach to a flat jamb to give the door a place to stop. Optional Portoseal weatherstripped stops are available for use to prevent drafts.







PRIMED WM-888

PRIMED WM-876

PRIMED WM-888H







PRIMED WM-936

PRIMED WM-948

PORTASEAL WEATHERSTRIP

Rabbeted Jambs



Single Rabbeted

Single rabbeted jambs mimic the appearance of exterior frames for interior use. This option may not be available in all markets so please confirm availability prior to ordering.







PRIMED CLEAR PINE

PRIMED SOLID POPLAR



Double Rabbeted

Double rabbeted jambs work well with either a 1-3/8" or 1-3/4" thick door. This option may not be available in all markets so please confirm availability prior to ordering.









CLEAR PINE

PRIMED SOLID POPLAR

ENGINEERED VERTICAL GRAIN FIR

Split Jambs



Split

Split jambs are two pieces of wood together which work well for odd wall sizes. This option may not be available in all markets so please confirm availability prior to ordering.





PRIMED CLEAR PINE

Because of their construction, a split jamb is able to work for a range of wall sizes. For example, Reeb stocks a split jamb that has a size range of 4-1/2" to 5-1/4" thick.

Also with split jambs is the availability to use interior casing. When installing a split jamb with casing, the two pieces must be taken apart. This allows Reeb to ship the unit with the casing pre-attached and ready for a complete install. This option may not be available in all markets so please confirm availability prior to ordering.

Sills



OAK SADDLE SILL

Oak Saddle Sill

This oak saddle sill is a cost effective option for use on interior door units with weather-strip which provide access to unheated spaces i.e. an unfinished attic.

Hinges

BALL BEARING HINGES

Ball bearing hinges have a steel ball bearing, or buffer, in between the knuckles. Heavier doors put more stress on the hinges so having the ball bearings reduce friction, are better performing and longer lasting.



Ball Bearing Square



Ball Bearing Radius

NON BALL BEARING HINGES

Standard, or plain bearing, have no buffer between each knuckle of the barrel. This tends to wear the hinge down over time as the sections grind against one another and are better suited for lightweight doors.



Non Ball Bearing Square



Non Ball Bearing Radius

HINGE SIZES

Most interior doors are 1-3/8" thick and use 3.5" x 3.5" hinges. Sometimes a 1-3/4" door is used as an interior door which requires 4" x 4" hinges.



3.5" x 3.5"



4" × 4"

Baldwin[®]

Baldwin believes that quality should never be a compromise. From using the finest materials to crafting hardware by hand, they are committed to creating high-quality hardware that not only looks beautiful and flawless but also endures the rigors of time.







3.5" X 3.5" RADIUS



4" X 4" SQUARE Ball Bearing - Shown in US15



4" X 4" RADIUS / US3 Non Ball Bearing - Shown in US3

AVAILABLE FINISHES	3.5" X 3.5" SQUARE		3.5" X 3.5" RADIUS		4" X 4" SQUARE		4" X 4" RADIUS	
	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING
US3		X		X		×		X
US10B		X		X		X		
US15		X		X		X		
VB		X				X		

AVAILABLE FINISHES




US3 **BRIGHT BRASS**



US10B OIL RUBBED BRONZE



US15 SATIN NICKEL




VB VENETIAN BRONZE

Hinges

Emtek®

Emtek is dedicated to bring personal style to life. Door hardware is more than a way to open, close, and secure a space. It is an integral part of a room's design theme and an extension of personal style.







3.5" X 3.5" RADIUS Non Ball Bearing - Shown in US7



4" X 4" SQUARE Ball Bearing - Shown in US15

AVAILABLE FINISHES	3.5" X 3.5	" SQUARE	3.5" X 3.5	" RADIUS	4" X 4" SQUARE		
	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	
US1D		Х	X		X	Х	
US3		Х	X	×	X	X	
US7		X	X	X	X	X	
US10B		X	X	×	X	X	
US15		Х	X	×	X	X	
US14		X	X		X	X	
US26		Х			Х	×	
US26D		Х	Х		Х	Х	

AVAILABLE FINISHES



USP PRIMED



US1D FLAT BLACK



US3BRIGHT BRASS



US4SATIN BRASS



US4BBRIGHT SATIN
BRASS



US5ANTIQUE BRASS



US7 FRENCH ANTIQUE



Reeb® Specialty Products

RSP offers a large selection of hinges in a variety of finishes carrying on a tradition of innovative design, superior quality and service excellence.



3.5" X 3.5" SQUARE Ball Bearing - Shown in US4



3.5" X 3.5" RADIUS Non Ball Bearing - Shown in USP



4" X 4" SQUARE Non Ball Bearing - Shown in US10B



4" X 4" RADIUS Ball Bearing - Shown in US15

	Ball Bealing - Shown in 034		Non Ball Bearing - Shown in OSI		Non Ball Bearing - Shown in OSIOB			
AVAILABLE FINISHES	3.5" X 3.5" SQUARE		3.5" X 3.5" RADIUS		4" X 4" SQUARE		4" X 4" RADIUS	
	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING
USP				X				Х
US1D		Х	Х	X		X	X	Х
US3	X	Х	Х	X	X	X	X	X
US4	X	X		×	Х	X		X
US4B	X		X	X	Х		X	X
US5	X	X	X	×	Х	X	X	X
US7								
US10B	X	Х	Х	X	X	X	X	X
US15	X	X	X	X	Х	X	X	X
US15A				X			X	X
US26	X	X	X	X	X	×	X	X
US26D	X	X	X	X	Х	×	X	X
US32D				×			X	×



US10B OIL RUBBED **BRONZE**



US14 POLISHED NICKEL



US15 SATIN NICKEL



ANTIQUE NICKEL BRIGHT CHROME SATIN CHROME



US26





US32D



VB STAINLESS STEEL VENETIAN BRONZE



Locks

Schlage door knobs fit and accentuate decor from a classic look to bold contemporary designs.

The Standard Residential Series provides tough, reliable performance in a variety of styles and finishes.

The **Builders Series** provides an economical lock that delivers on style.

STANDARD RESIDENTIAL SERIES

Accent Shown in US10B



Lockset available in:



US3 **BRIGHT BRASS**



US5 ANTIQUE BRASS



US10B OIL RUBBED BRONZE SATIN NICKEL



US15



US15A ANTIQUE NICKEL



US26 BRIGHT CHROME



716 AGED BRONZE

Flair Shown in US5



Lockset available in:



US3 **BRIGHT BRASS**



US5 **ANTIQUE BRASS**



US10B OIL RUBBED BRONZE SATIN NICKEL



US15





Lockset available in:



US15 SATIN NICKEL



Lockset available in:



US3 BRIGHT BRASS



US15 SATIN NICKEL



Lockset available in:



US32D STAINLESS STEEL



Lockset available in:



US3 BRIGHT BRASS



US15 SATIN NICKEL

Marin Shown in US32D

Lockset available in:



US32D STAINLESS STEEL

Plymouth Shown in US26D



Lockset available in:



US3 **BRIGHT BRASS**



US10B OIL RUBBED BRONZE SATIN NICKEL



US15



US26 BRIGHT CHROME



US26D SATIN CHROME



716 AGED BRONZE

Georgian Shown in US5



Lockset available in:



US3 **BRIGHT BRASS**



US5 ANTIQUE BRASS



US15 SATIN NICKEL



US15A ANTIQUE NICKEL



US26 BRIGHT CHROME



716 AGED BRONZE

Andover

Shown in US26



Lockset available in:



US3 **BRIGHT BRASS**



US5 ANTIQUE BRASS



US10B OIL RUBBED BRONZE SATIN NICKEL



US15



US15A ANTIQUE NICKEL



US26 BRIGHT CHROME



US26D SATIN CHROME

Byron Shown in US3



Lockset available in:







US32D STAINLESS STEEL

Corona Shown in US15



Lockset available in:



US3 BRIGHT BRASS



US15 SATIN NICKEL

The **Standard Residential Series** features a limited lifetime mechanical warranty, has a limited lifetime finish warranty, fits universal backsets, and all levers are non-handed.





The **Builders Series** features a limited lifetime mechanical warranty, a 5-year finish warranty, and fits universal backsets.





Barn Doors

PONDEROSA PINE - TRUE RAISED PANEL













P181 True Raised Panel 2/6 x 6/8 2/6 x 7/0 2/8 x 6/8 2/8 x 7/0 3/0 x 6/8 3/0 x 7/0 2/6 x 8/0 2/8 x 8/0 3/0 x 8/0



Layout Options

STANDARD

WG

REVERSE

UNIFORM A



UNIFORM B



Barn Doors

KNOTTY ALDER - TRUE RAISED PANEL









2/6 x 6/8 2/6 x 7/0 2/6 x 8/0 2/8 x 6/8 2/8 x 7/0 2/8 x 8/0 3/0 x 6/8 3/0 x 7/0 3/0 x 8/0



KA181 True Raised Panel

2/6 x 6/8 2/6 x 7/0 2/6 x 8/0 2/8 x 6/8 2/8 x 7/0 2/8 x 8/0 3/0 x 6/8 3/0 x 7/0 3/0 x 8/0




Barn doors can be hung in many different configurations according to your design preference. Please be sure to specify when ordering.

Layout Options

STANDARD

REVERSE



UNIFORM A



UNIFORM B











Barn Door Hardware



Goldberg's line of interior, residential sliding barn door hardware kits make the most of the available living space, while adding a rustic, yet elegant look. All major components are manufactured from steel and come with a 1-year warranty.

FINISHES



BLACK



SILVER



ARCHITECTURAL BRONZE

HARDWARE OPTIONS



ROLLER HANDLE



7" PULL HANDLE



6" FLUSH PULL



PRIVACY LATCH





For a more polished or contemporary look, solid stainless steel barn door track hardware is a great alternative. All the same accessories are available as well for a complete look.

FINISH



STAINLESS STEEL

HARDWARE OPTIONS








6" FLUSH PULL



PRIVACY LATCH

MDF Doors



Karona

Karona stile and rail doors are constructed using components made of medium density fiberboard (MDF) and are assembled in a similar fashion to a standard interior door using pins. All MDF doors are special order and require an extended lead time.

www.karonadoor.com

Millennium[®]


Millennium doors are crafted with medium density fiberboard components. Choose from the layered panel Ovation door, the Infinity inlaid molded door, the Bravo traditional doweled stile and rail door or the router carved Encore door. All Millennium doors are special order and require an extended lead time.

www.doormerica.com






Stile & Rail Dimensions



Stile and rail dimensions are available at reeb.com/catalogs



Finishing

HANDING

- Protect door from abuse and mishandling. Take special care with glass.
- 2. Avoid dragging doors across one another and keep doors clean.
- 3. Store flat on a level surface in a dry, well ventilated building.
- Doors should be conditioned to average prevailing relative humidity of the locality before hanging.
- Doors should not be subjected to extreme or rapid changes in heat or humidity. Avoid sudden changes such as forced heat to dry out a building.
- If the doors are to be stored on the job site, all surfaces including ends and edges must be sealed with an effective quality oil-base sealer in order to prevent undue moisture absorption. Primers are not sealants.

GENERAL NOTES ON FINISHING

- Before applying the first coat of finish, sand the entire surface lightly with 5/0 sandpaper (180 grit). This is to remove fingerprints and handling marks.
- Adjust or align components if necessary before finishing. Wood panels "float" and may be knocked into alignment with a wood block and hammer. Be careful not to damage door.
- After sanding, clean the door thoroughly with a cloth to remove all dust or foreign material. However, avoid using caustic or abrasive cleaners.
- 4. All surfaces of the door must be properly finished. The edges (top, bottom and sides) should be coated with each and every coat of finish that is applied to the exterior surface of the door. Doors must be dry before finishing. There can be significant humidity variance in homes from winter to summer and interior millwork will move. Finishing all sides properly protects your doors.
- 5. Note: It is the finisher's responsibility to protect glass prior to and during finishing. If using tape, conduct a test of the tape being used on a small area of the glass before applying to a large surface. After finishing, remove the tape as soon as possible. If the glass has plastic film protection, removal of the plastic film protection immediately after applying the finish is required. Failure to remove the plastic film at this time may cause harm to the glass and will create difficulty in removing the film at a later time. Do not use razor blades or sharp objects to remove the film or clean the glass. These items will scratch the glass.

INTERIOR FINISHING - STAIN

All stained products should use a stain controller prior to staining. Some species stain better than others. Please see individual species for stainmeter.

A good preparation is critical for good results. Sand the door and keep it very clean. Use a tack cloth to remove all particulate matter. Apply stain conditioner following manufacturers' instructions. Stain product and let dry. Finish with 2 or more coats of finish. InteriorClear finishes can be varnish, tung/teak oils, lacquers, etc.

Varnishes - Oil and water based. Oil finishes dry slower and give the finish coat a slight glow in color. Water based varnishes are fast drying and have little or no color and depth.

Oils like tung and teak oils are wipe on finishes. These dry slow and require many coats (4 or more). They typically give an amber color to the finish.

Lacquers are fast drying finishes that are durable and give a nice depth and soft color.

A NOTE ABOUT PINE.

Pine varies sometimes dramatically in density.

The best stained pine finishes come from Ponderosa Pine. This species has the best consistency in density and finishes nicely. This product is the "best" Pine door species. All exterior Pine doors are Domestic Ponderosa Pine.

The "White" pine product is beautiful in unfinished color consistency but has a characteristic of very pronounced color variation when stained. This product is great for Clear coats and paints. This is Reeb's "better" Pine door.

Plantation Pine has very pronounced grain patterns. The trees it is made from are very fast growing and the growth rings are very large. It can stain inconsistently. This is a "good" pine door that is made very well and good for value stain/paint needs.

INTERIOR FINISHING - PAINT

Unprimed doors should be primed with a good quality primer followed by two or more top coats of a good quality solvent-base or latex enamel paint.

MAINTENANCE

Best results will include light sanding and thorough cleaning between coats of paint. Do not skip light sanding after applying the coat of primer. Take care not to sand any glass. Let paint dry between coats. Always use top quality brushes, rollers and paint.

CHALKBOARD PANEL DOOR

Breaking in a new chalkboard door:

- Wash the chalkboard surface daily with cool water for one week.
- Wash only a small section at a time, immediately rubbing dry with a lint-free cloth
- 3 Repeat until the entire surface of the chalkboard has been washed.
- After washing, hold a stick of chalk flat on the board and cover the entire surface.
- 5. Erase evenly. The chalkboard is now ready to use.

MAINTENANCE TIPS:

- Clean erasers frequently.
- Use white chalk rather than yellow or colored chalk, as the pigments can make them more difficult to erase.
- $3. \hspace{0.5cm} \hbox{Wash the chalkboard weekly if necessary}.$
- Look for high grade chalk (95% chalk with a 5% binder), as inferior chalk may permanently mark the chalkboard.

Warranty

View product warranties, care and finishing instructions for the following companies at reeb.com/warranties/





A learning center for everything door related.

Visit the Reeb® Learning Center for education on choosing the proper door unit, new products, and what product options are available.

Visit The Reeb Learning Center at **learn.reeb.com**



The Anatomy of an Exterior Door

Notice 1 5.33

Enterior Door, Recriptes Door, Sted Door, Wood Door

When remodeling or building a new home, choosing a front door is an important part of the whole process. However, when deciding on a door, you must consider the enter door unit, not just the door slab. Understanding the anatomy of an exterior door unit and the purpose of every part will assist in simplifying the buying process.

Bethlehem, PA

1000 Maloney Cir. Bethlehem, PA 18015 (800) 862-8622 voice (800) 772-7332 fax

■ Barclay, MD

1315 Goldsboro Rd. Barclay, MD 21607 (800) 825-8331 voice (800) 331-9387 fax

■ Mocksville, NC

346 Bethel Church Rd. Mocksville, NC 27028 (800) 642-0886 voice (800) 618-0620 fax

☐ Providence, RI

19 Business Park Dr. Smithfield, RI 02917 (800) 343-5703 voice (800) 388-5979 fax

□ Syracuse, NY

7475 Henry Clay Blvd. Liverpool, NY 13088 (800) 422-5224 voice (800) 531-7332 fax



PART# REEBINT17

VERSION 1.0.0