THERMA-TRU®
DOORS | Where Home Begins™



2022 Full-Line Catalog

Building Professionals' Entry & Patio Door Directory



Therma-Tru. Where home begins.

Choosing a Therma-Tru® door means designing an inspired entrance with the confidence that it will perform for years to come.

Whether it's Classic or Contemporary – or somewhere in between – Therma-Tru offers a wide selection to complement the architecture of a home and a homeowner's sense of style.

But it's more than beauty that makes Therma-Tru the brand builders and remodelers prefer most.* With a complete door system engineered with craftsman precision and backed by more than 60 years of industry experience, you can be confident that it will perform as exceptionally as it looks.

That's where the beauty of choosing Therma-Tru begins.

*Brand Use Studies, 2021 *Builder* and 2019 *Remodeling* magazines.

Top: Classic Craft Fir Grain, Satin Etch Glass with SDLs, Doors – CCA82360, Finish – Rustic Clay
Right Page: Fiber-Classic Mahogany Collection, Chinchilla Glass with SDLs, Door – FCM4814XJ, Finish – Raven



Uncompromising quality, inside and out.

Your favorite doors – reorganized.

Throughout the catalog you'll find doors organized by glass shape (largest to smallest), followed by glass design, and then texture.

Table of Contents

Introduction 2–45
- 2022 Trends 4–9
- NEW Products 10–16
- Curb Appeal 17, 20–21
- Door Selections 18–19, 22–23
- Door System Components 24–25
- Tru-Defense® 26–27
- Safety & Security 28–29
- Decorative & Specialty Glass 30–35
- Impact-Rated Products 36–37

Patio, Storm & Vent 38–45
- Hinged Patio Door Systems 40–41
- Retractable Screen Doors 42–43
- Impressions™ Integrated Storm & Entry Door System 44–45

Classic Craft® 46–127
- Decorative & Specialty Glass 60–69
- Accessories 70–71
- Hinged Patio Doors 124–127

Fiber-Classic® & Smooth-Star® 128–227
- Decorative & Specialty Glass 134–141
- Accessories 142
- Hinged Patio Doors 222–227

Steel 228–253
- Profiles™ 230, 233–247
- Traditions 230, 248–253
- Decorative & Specialty Glass 231–232

Fire Doors 254–259

Pulse® 260–273

Finish Options 274–278
- PrismaGuard® Stain & Paint 274–277
- Same-Day® Stain Kit 278

Door System Components 279–293

Special Quote Program 294

3'6" Width Options Chart 295

7'0" & 6'6" Height Options Charts 296–297

Product Details 298–299

Index 300–314

Trade Resources 315

CASUAL HAVEN

HOME TRENDS



Natural Light

Simplified

Serene

Gentle



Explore the 2022 Trends and the Therma-Tru® products that bring them to life at **thermatru.com/trends**.



Organic Textures







Calming Environment



Familiar Roots

MODERN REVIVAL

HOME TRENDS



Material Mixing

Retro

Textural

Streamlined






Explore the 2022 Trends and the Therma-Tru® products that bring them to life at **thermatru.com/trends**.



Warm Minimalism







Modern Nature



Fresh Eclectic

renewed HISTORY

HOME TRENDS



Heritage Architecture

Dressy

Elevated

Classic





Explore the 2022 Trends and the Therma-Tru® products that bring them to life at **thermatru.com/trends**.




Textured Materials



Relaxed Refinement









Elegant Comfort



NEW Mahogany-Grained Flush-Glazed Doors & Sidelites

For Classic Craft® Artíssa, Founders & Visionary Collections







A fresh aesthetic with versatile appeal.

Whether casual, traditional or modern, new Classic Craft® Mahogany-grained 3/4-lite flush-glazed doors bring an updated look to virtually any home. Available with a variety of glass options, starting on page 82.

LIFETIME LIMITED WARRANTY TRANSFERABLE

EnLiten™ Flush-Glazed Riders
for Construction & Installation, and Homeowners

Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Riders.

Left: Classic Craft Mahogany Grain, Homeward Glass, Door – CCM82801, Finish – Barley
Top Right: Classic Craft Mahogany Grain, Satin Etch Glass with SDLs, Door – CCM2812XE, Finish – Acorn

NEW Shaker-Style Entry Door Options

for Fiber-Classic® Mahogany Collection™ & Smooth-Star®



NEW Flush-Glazed Saratoga™ Decorative Glass

for Fiber-Classic® Mahogany Collection™ & Smooth-Star®

Elevate the entry with handcrafted appeal. Shaker-style Craftsman doors and sidelites are now available with flush-glazed Saratoga decorative glass.

Available in Fiber-Classic and Smooth-Star, starting on page 210.



*To confirm code requirements in your jurisdiction, always check with your local building code authority.
**Available for full-lite sidelites only.
Note: Fiber-Classic and Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, Riders, ENERGY STAR qualified products, product approvals and installation instructions. Please verify that there is a Therma-Tru product approval for the configuration before buying.

Top: Fiber-Classic Mahogany Collection, Saratoga Glass, Door – FCM6240, Sidelites – FCM6201SL, Transom – 19750T, Finish – Sweet Date
Right Page: Smooth-Star, Chord Glass with SDLs, Door – S4813XC, Sidelites – S2000XCSL, Finish – Onyx


NEW 7'0" Shaker-Style Options
for Smooth-Star®

Our assortment of popular Shaker-style looks expands to include 7'0" heights, bringing this on-trend design to more homes. The new 7'0" Craftsman Shaker-style door also features an elevated bottom rail for ADA applications.*

Available in Smooth-Star, starting on page 210.

Available Door & Sidelite

NEW 7'0" height





Available Glass Options



NEW Saratoga

Satin Etch (XE)

Chord (XC)



Chinchilla (XJ)



Rainglass (XR)



Granite (XN)

Low-E

Available Glass Shapes & SDL Patterns

Glass Shapes with GBG Patterns

Additional Sidelite Glass Options



Reeded (XK)**

Geometric (XG)**

EnLiten™ Flush-Glazed Warranty Riders

See page 33 for details on the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners.

LIFETIME LIMITED WARRANTY
Residential

3 YEAR LIMITED WARRANTY
Commercial & Multi-Resident

ENERGY STAR PARTNER

NEW 8'0" Smooth-Star® Flush-Glazed Doors with Elevated Bottom Rail



More natural light.

Ideal for multi-family new construction and remodeling, the popular 8'0" Smooth-Star flush-glazed full-lite door has been redesigned with an elevated bottom rail to meet ADA requirements.* Starting on page 153.



Reeded (XK)



Geometric (XG)


Satin Etch (XE)


Chord (XC)


Chinchilla (XJ)


Rainglass (XR)


Granite (XN)

Low-E

LIFETIME LIMITED WARRANTY
Residential

3 YEAR LIMITED WARRANTY
Commercial & Multi-Resident

ENERGY STAR PARTNER

EnLiten™ Flush-Glazed Riders
for Construction & Installation, and Homeowners



Elevated
U1: 10-¼"
Book / Hybrid: 10-15/32"

8'0" Flush-Glazed Full-Lite Door

*For ADA compliance, door must be 3'0" wide.
Note: Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, Riders, ENERGY STAR qualified products, product approvals and installation instructions. Please verify that there is a Therma-Tru product approval for the configuration before buying.

Top: Smooth-Star, Clear Glass, Door – S8000, Finish – Onyx

NEW Retractable Screen Doors
for Therma-Tru® Door Systems




A breath of fresh air.

Discover a retractable screen solution with a discreet, hidden design – providing a seamless transition from indoors to outdoors. The Therma-Tru retractable screen door allows fresh air and natural light inside while keeping debris and insects out. Plus, it's been quality tested for compatibility with Therma-Tru entry door systems.

Available with most Therma-Tru® inswing door systems, starting on page 42.

Installation is quick and easy, taking approximately 30 minutes.*



Warranty Coverage (Excluding screen mesh.)

When purchased with a Therma-Tru door system.

LIFETIME LIMITED WARRANTY TRANSFERABLE
Classic Craft

LIFETIME LIMITED WARRANTY
Fiber-Classic, Smooth-Star, Pulse Fiberglass

10 YEAR LIMITED WARRANTY
Profiles, Traditions, Pulse Steel

When installed separately.

LIFETIME LIMITED WARRANTY

*Based on average DIY skills and standard door application, widths 32"–36".
Note: Recommended for inswing applications only. Therma-Tru retractable screens are designed to support natural ventilation and protection against airborne insects and other pests. Windy conditions may affect the performance of the screen. Retract the screen in windy circumstances, during inclement weather and when not needed to support immediate ventilation or prolonged periods of time when not used. Not intended to keep pets inside. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.

Top: Fiber-Classic Mahogany Collection, Clear Glass with SDLs, Door – FCM4816, Finish – Acorn, Retractable Screen – White

NEW Impressions™ Storm & Entry Door System

Therma-Tru® in Partnership with LARSON®



Purposeful design.

Explore first-to-market advanced technology in an integrated storm and entry door solution* from Therma-Tru, in partnership with LARSON. The Impressions integrated storm and entry door system is designed to outperform expectations.

Starting on page 44.

We're better together.

Therma-Tru and LARSON offer a combined 120+ years of innovation and market-leading solutions to deliver high-quality products you can trust from the #1 entry door brand** and #1 storm door company.***

THERMA-TRU® DOORS LARSON



*Patent pending.
**Brand Use Studies, 2021 *Builder* and 2019 *Remodeling* magazines.
***Based on market data 2020 / 2021.
Note: See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, and installation instructions.

Top: Impressions Storm & Entry Door System – IM100, Finish – Black; Smooth-Star, Clear Glass with GBGs, Door – S2103, Finish – Onyx
Right Page: Classic Craft Mahogany Grain, Zaha Glass, Door – CCM82302, Sidelites – CCR81851SL, Finish – Shale

A smart investment.

Lifetime Limited Warranties

We stand behind more parts and for longer than other door companies because we make or specify everything that goes into our door system. A Therma-Tru fiberglass door system is backed by the industry's most comprehensive lifetime limited warranties.

LIFETIME LIMITED WARRANTY TRANSFERABLE
Classic Craft

LIFETIME LIMITED WARRANTY


Energy Efficiency

In any region or climate, energy efficiency is key. More than 80% of Therma-Tru door and glass options are ENERGY STAR® qualified and National Fenestration Rating Council (NFRC) certified, helping save money on energy costs.

ENERGY STAR PARTNER


Quality Testing

Our doors, glass and components are held to high standards. We conduct thorough testing to help ensure that our products will live up to a homeowner's toughest quality and performance expectations.



The Beauty of Choice

The architectural beauty of a Therma-Tru door is easy to see. With the look of real wood, rich panel details and intricate, handcrafted decorative glass designs, there are thousands of possibilities to suit the style of a home and express a homeowner's personal style.



Door Selections

Find choices in design, texture and material with many configurations available to find the ideal door system. More on pages 22–23.



Finish Options

Complete the desired look with stain or paint. Explore a variety of colors from PrismaGuard® premium finish and Same-Day® stain on pages 274–278.



Decorative & Specialty Glass

Complement any Therma-Tru door with a variety of glass shapes and designs. More on pages 30–35.



Door System Components

Have confidence in a door system made with genuine Therma-Tru components to meet the needs of many applications. More on pages 24–29.

Bottom: Smooth-Star, Clear Glass with SDLs, Door – S4814, Sidelites – S2000SL, Finish – Onyx
Right Page: Classic Craft Mahogany Grain, Granite Glass with SDLs, Doors – CCM8306CARXN, CCM8306CALXN, Finish – Autumn Harvest



Selecting a Door System

Therma-Tru pays close attention to regional and consumer trends to deliver choices designed to inspire. Keep these considerations in mind when choosing from our portfolio of door system products:

- What is the size of the doorway?
- What is the style of the home?
- Does the homeowner want to stain or paint the door?
- How much light or privacy is desired?

Also consider:

- Building codes specific to applications, such as house-to-garage, as well as regional weather conditions.



Make a Smart Investment



The importance of curb appeal.

A stylish new front entryway can help convey your personal style and highlight your home's overall architectural style and curb appeal.

> "The door gives a focal point to the front of the house."
>
> *– Homeowner, Survey Respondent*




*Not a guarantee of investment returns, increase in value or selling price. See 2021 Therma-Tru National Home Valuation Study surveying real estate agents about perceived remodeled home value estimates based on exterior appearance. Not based on actual home sales data. Results may vary based on region, door style and home style. Study was commissioned by Therma-Tru and conducted by the Farnsworth Group, an independent research provider.

Fresh look. Increased value.

In a recent survey, real estate agents were shown images of various homes, including some that had been modified with a new Therma-Tru door, and asked to estimate the value of the home. While results varied, the survey suggests choosing a Therma-Tru door that complements the home's architecture could **add up to 7% to the perceived value** of a remodeled home.*

That's a potential increase of up to $21,000 on a $300,000 home for a project that can be done in a single day.







Renovating?

Get the most for your money. A new entry door can pay for itself – and then some. A recent survey suggests homeowners who choose a stylish new Therma-Tru entry can significantly improve the curb appeal of their home, and with a door that complements their home's architecture, can increase the overall perceived value of their home.*

Selling soon?

In a recent survey, 44% of homeowners said they were more likely to purchase a home with an enhanced entry, and one in three homeowners said they were willing to pay a premium for one.*

> "In my experience on both the seller and buyer side, the entry door is always key."
>
> *– Real Estate Agent, Survey Respondent*



According to most real estate agents and trade professionals in a recent survey, curb appeal is one of the top three factors for home buyers.*

Door Selections

Choose from our many door selections to complement the architectural style of the home from the front entry to the back patio. The possibilities are endless from fiberglass and steel materials to wood-grained and smooth textures to stainable and paintable finishes.


The Classic Craft® Series Pages 46–127

Our premier engineered-to-last entryways showcase remarkably authentic wood grains and textures. Explore three curated collections inspired by the latest trends to bring your home design vision to life.

LIFETIME LIMITED WARRANTY TRANSFERABLE

Artíssa Collection

Casual | Relaxed | Simple





Founders Collection

Traditional | Time-Honored | Decorative






Visionary Collection

Modern | Confident | Minimal





Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.

Fiber-Classic® Collections Pages 128–227

The industry's first fiberglass door delivers the look and feel of real Mahogany and Oak with excellent performance and value.

LIFETIME LIMITED WARRANTY









Smooth-Star® Pages 128–227

A smooth, ready-to-paint fiberglass door that offers excellent performance and value.

LIFETIME LIMITED WARRANTY





Steel Pages 228–253

Bring style and affordability together to create very attractive results with our steel doors.





Pulse® Pages 260–273


A contemporary series of door styles and glass designs that can be combined to make a bold statement.

LIFETIME LIMITED WARRANTY
Fiberglass

10 YEAR LIMITED WARRANTY
Steel








Engineered to Work Together


Our complete door systems feature doors, glass and components engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.




*See your Therma-Tru seller for details on product availability.




1 **Weatherstrip** is engineered in a variety of profiles to provide the best possible fit with our door systems, helping to deliver a precise seal between the **door** and **frame**. In addition, a rot-free Therma-Tru **composite door frame*** delivers extra protection from the damaging effects of moisture.




2 **Sill** and **bottom sweep** form a tight seal against wind-driven moisture infiltration at the bottom of the door system and help channel moisture away from the home. **Sill pan** (recommended) adds an extra layer of protection to help keep moisture away from the subfloor.




3 **Corner seal pads** (inswing only) complete the seal between the **sill cap**, **bottom sweep** and **weatherstrip** to help block potential pathways where wind-driven moisture can infiltrate the bottom corner of the door system.




4 **Hinges** position the **door** to properly compress the **weatherstrip** to help form a tight, even seal against air and moisture infiltration when the door closes.



5 **Multi-point locking system** (recommended) engages the door and frame at three points from top to bottom for enhanced security while helping to preserve the **weatherstrip's** seal even under wind pressure.



6 **Lip-lite frame** (shown right) features a **compression seal** against weather on the outside of the **door** and an **adhesive seal** against weather on the outside of the **glass**. **Flush-glazed glass** (shown left) is built directly into the door without a Lip-lite frame, featuring a **high-performance adhesive weather seal** inside and out.



Composite Door Frame*
featuring Tru-Guard™ Composite Technology

Therma-Tru® composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.

TRU GUARD™
COMPOSITE TECHNOLOGY

Tru-Defense® Warranty Rider

A Therma-Tru® door system with Tru-Defense system components is a high-performing door system backed by a lifetime limited warranty and a comprehensive Tru-Defense Warranty Rider.



Tru-Defense: The Ultimate Protection

More than beautiful doors and glass; a complete door system includes the components used to assemble it. We manufacture or specify every aspect of a complete door system. The Therma-Tru® genuine components in a Tru-Defense door system are our premium options for long-lasting durability.

CERTIFIED DOOR SYSTEM INSTALLER

THERMA-TRU® DOORS

Double Your Peace of Mind

When it comes to door systems, we believe that proper installation is just as important as having the best components. A Tru-Defense door system installed by a Therma-Tru Certified Door System Installer doubles your reimbursement eligibility should an issue arise.* Look for the (✤) icon.

*The Rider does not warrant workmanship of anyone who assembles or installs a Tru-Defense door system, including Therma-Tru Certified Door System Installers, nor any damages caused by improper handling, assembly or installation.
**Latch and deadbolt must meet Therma-Tru specifications.
Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.

Top: Classic Craft Canvas, Provincial Glass, Door – CCV10028, Sidelites – CCV108SL, Transom – CC420T, Finish – Chestnut

Required Components for Tru-Defense Door System

with Therma-Tru Fiberglass Door Slab & Components



Door Frame ✣
Provides a solid structure for the door slab and components. Recommended: Therma-Tru Composite Door Frame



Composite Adjustable Sill ✣
Provides a solid stepping surface and forms a tight seal at the bottom of the door system to help channel moisture away from the home.



Bottom Sweep ✣ (Inswing Only)
A dual-bulb, dual-fin design helps maintain tight contact with adjustable sill caps and creates added barriers against moisture.



Hinges ✣
Ensure smooth operation and position the door so it creates a tight seal with the weatherstrip when closed.



Corner Seal Pads ✣
(Inswing Only)
Fit securely behind the weatherstrip to help block wind-driven moisture infiltration at the bottom corner of the door system.



Weatherstrip ✣
Features a resilient design to help deliver a precise seal between the door and frame.



Astragal ✣ (Double Doors)
Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability.




Rain Guard ✣ (Outswing Only)
Creates a barrier at the top of the door to protect against moisture infiltration.

Recommended Components



Multi-Point Locking System ✣
(MPLS)
Engages the door and frame at three points from top to bottom for enhanced security and sealing.



Sill Pan ✣
Adds an extra layer of protection to help keep moisture away from the subfloor; protects flooring by catching and draining water in the event of infiltration.

Levels of Reimbursement

System Components	Reimbursement Eligibility	Reimbursement Eligibility with a Certified Installer
Latch & Deadbolt (No Sill Pan)**	$250	$500
Latch & Deadbolt with Sill Pan**	$500	$1,000
MPLS (No Sill Pan)	$1,000	$2,000
MPLS with Sill Pan	$1,250	$2,500

Baseline components required to qualify for the Tru-Defense Warranty Rider.


Fiberglass Door Systems Built for Safety & Security

Protect the home and everything in it, from family and pets to valuables and keepsakes. Therma-Tru products are designed for durability and enhanced security with pieces and parts engineered as a complete system.


Did you know?



On average, a home is burglarized in the U.S. every 45 seconds.[1]



More than half of home burglaries occur during the daytime.[2]



How do burglars enter the home?

34% Front Door[3]
22% Back Door[3]



Home burglary rates are highest in the summer.[4]

Therma-Tru Composite Door Frame


More reliable and up to 50% stronger on average than standard wood door frames when withstanding a simulated forced entry attempt by kicking in the door.*

- Features full-length jambs with no finger joints for more reliable performance, and a continuous composite material that will not deteriorate over time, like wood.
- Entries with a wooden door frame are more susceptible to being kicked in as compared to a Therma-Tru composite door frame, giving burglars access to your home within seconds.
- Wood jambs typically have finger joints. These areas where two pieces of wood come together are structurally weaker when compared to a single continuous material that runs the entire length of the jamb.

Scan to see our products put to the test.



Therma-Tru Wood Jamb



Therma-Tru Composite Jamb

*Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.
**Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit www.thermatru.com for details.
[1]Source: FBI Uniform Crime Reporting Program, "2019 Crime in the United States."
[2]Source: FBI Uniform Crime Reporting Program, "2019 Crime in the United States," Table 7.
[3]Source: www.asecurelife.com
[4]Source: U.S. Department of Justice, Bureau of Justice Statistics, "Seasonal Patterns in Criminal Victimization Trends," June 2014.



Pendulum Impact Test

Therma-Tru Fiberglass Door Slab

Up to 30% more resistant to kick-ins than standard steel doors.**

Features durable construction that can withstand impact by absorbing and deflecting the force.**

- Built with enhanced lock blocks to help ensure proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- Will not dent or rust, nor will it warp, split, crack or rot.

Therma-Tru Glass

- Options feature double- or triple-pane construction and include two panes of tempered glass for enhanced safety and performance.

Material Myths: Think steel is stronger? Think again.

- While many people assume steel doors are the most secure against forced entry, Therma-Tru fiberglass doors are up to 30% more resistant to kick-ins than standard steel doors.**
- Standard steel doors can dent and bow, which leads more quickly to product failure. Therma-Tru fiberglass doors feature durable construction that can withstand impact by absorbing and deflecting the force.**
- Wood doors and steel doors may weaken over time with exposure to the elements.



Decorative & Specialty Glass

A Therma-Tru door system with decorative glass can create an entrance that makes a statement — one that says the homeowner has high standards for style, quality and craftsmanship.

- Our wide array of glass designs, from simple to intricate, reflect the home design trends and homeowner desires of today and tomorrow.
- Our glass designs are researched in the market to ensure they are highly rated in consumer preference.
- Numerous glass colors, textures, shapes and caming options are available to complement any door.
- All Low-E and clear glass panels are tempered or laminated to provide added safety.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on ENERGY STAR qualified products.

Bottom: Classic Craft Mahogany Grain, Borrassa Glass, Door – CCR822215, Sidelites – CCR8000XHSL






ENERGY STAR PARTNER

Contributes to an energy-efficient home.



Triple-Pane Construction

All triple-pane decorative, as well as privacy and textured, glass panels are enclosed between tempered glass, offering superior quality and thermal performance.





Our decorative glass is handcrafted and built with all-glass bevels for premium quality.

Find entry doors arranged by glass size, from large to small, to help you find products that meet homeowners' needs for natural light.











EnLiten™ Flush-Glazed Designs

For Classic Craft®, Fiber-Classic® & Smooth-Star® Doors & Sidelites

Simplified beauty. Resilient designs. With clean lines and seamless construction, EnLiten flush-glazed designs are perfect for today's homes. Built for long-term performance, these doors and sidelites feature the sleek looks homeowners want and the stylish around-the-home solutions they need. Look for the ( ) icons.




Front Entry

See the difference.

EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



Flush-Glazed Glass with Detailed Sticking



Flush-Glazed Glass with Square Sticking



Lip-Lite Frame

Maximum views.

Create an airy, open feeling in the home with larger daylight openings. EnLiten™ flush-glazed designs offer up to a 16% increase in visible glass area than conventional lite frames.



Flush-Glazed Glass



Lip-Lite Frame

*Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.
**Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Impact-rated products not available.

Top: Classic Craft Fir Grain, Satin Etch Glass with SDLs, Doors – CCA82320XE, Finish – Raven
Right Page Top Left: Fiber-Classic Oak Collection, Low-E Glass with GBGs, Door – 2150, Finish – Raven
Right Page Bottom Left: Smooth-Star, Internal Blinds, Doors – S2600
Right Page Right: Fiber-Classic Mahogany Collection, Chord Glass with SDLs, Door – FCM4814XC, Sidelites – FCM2050XCSL; Low-E Glass, Transom – 19220T, Finish – Acorn


Utility Door


Patio Doors


Front Entry

Durable by design.

Double- or triple-pane glass is built directly into the door with a high-performance dual adhesive weather seal. This delivers a clean seamless look with no lite frame or screw plugs, and reduces the potential for air and water infiltration, among other benefits.

Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.

11% More Energy Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.*

Withstands Winds Up to 167 mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).** (ASTM-E330)

Warranty riders for peace of mind.

EnLiten™ Flush-Glazed Rider for Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

EnLiten™ Flush-Glazed Rider for Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish $300 toward installation and replace the flush-glazed fiberglass door or sidelite.

Convenient choices for more light.


Privacy & Textured Glass

Therma-Tru® doors and sidelites can be fitted with our beautiful privacy and textured glass. This versatile assortment aligns with personal style and homeowner desires for privacy while allowing natural light to brighten the interior.

- Category includes diverse textures for individual design expression.
- Varying opacity levels range from 7–10.
- All privacy and textured glass options are triple-pane, providing thermal efficiency.
- Triple-pane construction also allows for an easy-to-clean surface.
- Available with two Lip-lite frame options, as well as seamless flush-glazed options, in select doors.

Available in Classic Craft®, Fiber-Classic®, Smooth-Star®, Profiles™, Traditions and Pulse® doors and sidelites.











Low-E Glass

Factory-coated Low-E glass delivers exceptional energy efficiency. Available in Classic Craft, Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulse. Look for the (☀) icon.



In cold weather, Low-E glass can help reduce the loss of heat by reflecting the heat back inside the home.



In warm weather, Low-E glass reflects the sun's rays off of the glass, helping to keep the interior of the home cool.

Top: Classic Craft Fir Grain, Geometric Glass with SDLs, Doors – CCA2300XG, Finish – Raven
Bottom: Smooth-Star, Clear Glass with Fixed Grilles, Door – S262
Right Page Top: Smooth-Star, Internal Blinds, Door – S82600



Internal Blinds

Enjoy the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with the simplicity of a single handle.

- Protected between two panes of tempered glass for enhanced safety and performance.
- With no dangling cords, this is a kid- and pet-friendly choice.
- Blinds remain dust free, and glass is easier to clean than traditional blinds.
- Choose Low-E glass for improved energy efficiency or standard clear glass.
- EnLiten™ flush-glazed designs and Impact-rated options available.

Available in Fiber-Classic®, Smooth-Star®, Profiles™ and Traditions doors and sidelites.

Divided Lites

Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Tailor the look with different texture, profile, width and color choices. For Classic Craft, see page 68. For Fiber-Classic & Smooth-Star, see pages 140–141.


- Coordinate with the home's window patterns for a cohesive look and increased curb appeal.
- Choose from Colonial, Craftsman or Prairie styles to suit the home's architectural details.
- Available divided lite options include simulated divided lites (SDLs), grilles between glass (GBGs) and fixed grilles.
- Available glass options include elegant privacy and textured, as well as energy-efficient Low-E and clear glass.



Tough when you need it. Beautiful always.

High-Power Testing

Our Impact-rated doors pass a large missile impact test. We blast a 9 lb. 2" x 4" stud into the doors at 34 mph to prove they're the better choice for strength and stability.



Impact-Rated Products

Therma-Tru offers Impact-rated doors and glass that can be used to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.

1 Use the map as a guide to find out if you need product for WBDR or HVHZ.

Always confirm building code requirements in your area before buying.*

2 Use the icons to find available Therma-Tru® product options in this catalog.



+



= WBDR Option

Designed to withstand wind forces up to 167 mph (DP-50). (ASTM E 1886 / ASTM E 1996)

Structural Fiberglass Door + Impact Laminated Glass with Impact Lip-Lite Frame = WBDR Option



+



= HVHZ Option

Designed to withstand wind forces up to 175 mph (DP-55). (TAS 201 / TAS 203)

Impact Steel-Plate Reinforced Fiberglass Door + Impact Laminated Glass with Impact Lip-Lite Frame = HVHZ Option

WBDR / HVHZ Options: Look for this icon to find door and sidelite styles that can be configured for WBDR or HVHZ.

3 Verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.*


4 Make sure the product is installed in compliance with the product approval to meet building codes.

The performance of the door system depends on how it is installed. Proper installation is required to comply with building codes.

*Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed.
Note: See your Therma-Tru seller or visit www.thermatru.com for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Right Page: Smooth-Star Door – S8120; Internal Blinds with Impact Frame, Sidelites – S85928SL

Constructed to help protect the interior of the home from flying debris and high winds associated with tropical storms and hurricanes, these products are tested to meet codes and regulations in coastal regions, including parts of Florida, Texas and the Carolinas.*



Impact Doors

Feature a built-in 24-gauge steel plate lining.

Impact Glass

Features special laminated glass construction.






Impact-Rated Internal Blinds

Features laminated glass construction and a durable, paintable aluminum lite frame with a flat profile aesthetic cover for a simple look.



Impact Lip-Lite Frame

Features durable, paintable aluminum construction. An attractive scrolled profile gives a thin, sleek appearance and a screw channel cover helps hide unsightly screws.





Other Considerations

Fire Doors
See pages 254–259.

Noise Reduction Doors
See page 218.

E Elevated 10" Bottom Rail
Look for the (E) symbol.

Connect with nature, inside and out.



Top: Classic Craft Fir Grain, Low-E Glass, Doors – CCA82400, Finish – New Earth
Right Page, Top: Smooth-Star, Clear Glass, Doors – S2000, Finish – Alpine, Retractable Screen – White
Right Page, Bottom: Impressions Storm & Entry Door System – IM100, Finish – Black; Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA2380, Finish – Raven

Outdoor living made easy.

Families can connect with the outdoors through fresh air and sunlight, all from the comfort of home. Explore a variety of entry solutions designed for seamless indoor-outdoor living, including patio and storm doors, retractable screens and vented sidelites.







Hinged Patio Door Systems





Simply beautiful, any way you see it.

Extend the beauty and quality of a Therma-Tru® entrance to the back of the home with hinged patio doors. Find style and convenience that's unsurpassed from any view with options to control the level of privacy and light, complement window patterns, and let fresh air into the home.

Note: See page 299 for important product details that may help with your purchase decision.

Top: Fiber-Classic Oak Collection, Clear Glass, Doors – 8000, Finish – Driftwood
Bottom: Smooth-Star, Clear Glass, Doors – S2000

A Therma-Tru® patio door with genuine Therma-Tru components is a complete door system with doors, glass and components engineered to work together for durability and reliability through the years.

Interior view of door.



1. Multi-Point Locking System (Recommended)
2. Bottom Sweep
3. Sill
4. Hinges
5. Corner Seal Pads (Inswing Only)
6. Sill Pan (Recommended)
7. Frame Components
8. Multi-Point Locking System (Included)
9. Removable Screens

Vented Sidelites

Enjoy the view – and a fresh breeze, too.

- Constructed to provide ventilation without sliding screens blocking the view, vented sidelites work as small swinging doors with convenient removable screens — available in bronze and white.
- Engineered for durability and safety with wide patio mullions for strength, and multi-point locking gears and recessed strike plates for security.

Look for the (●) symbol.

Available Configurations



Single Door with Vented Sidelites (Inswing Only)




Double Doors with Vented Sidelites (Inswing Only)


Patio Transoms

Transoms can be stained or painted to match a Fiber-Classic® or Smooth-Star® door system. Available for 5'0", 5'4", 5'8" and 6'0" patio openings.

Note: Patio transoms are designed for a unit with a mullion.



19250T




19050T

Classic Craft, starting on page 124.

Fiber-Classic, Smooth-Star, Profiles & Traditions, starting on page 222.

NEW Retractable Screen Doors

Welcome fresh air and natural light into the home while keeping debris and insects out. Therma-Tru retractable screen doors feature a discreet, hidden design that helps provide a seamless transition from indoors to out. Plus, it's been quality tested for compatibility with Therma-Tru® entry door systems.



Face mount installation allows for an easier install while providing a full pass-through space without an intrusive cassette or track.

E-Z Glide System enables smooth screen retraction and extension without slamming.

Fiberglass screen mesh fully retracts when not in use.

One-hand operation with a secure and ergonomic latch / lock handle.

Rust-proof aluminum housing and track for strength and beauty.

Quick-Snap Track adjusts to required length in seconds – no cutting required.*

Universal sill plate designed for simple and secure fit.

*Adjusts quickly for 32"–36" doors. If less than 32" a hacksaw is required for one cut to each track.
**Retractable screen frame colors are complementary to PrismaGuard, but not an exact match.
Note: Recommended for inswing applications only. Therma-Tru retractable screens are designed to support natural ventilation and protection against airborne insects and other pests. Windy conditions may affect the performance of the screen. Retract the screen in windy circumstances, during inclement weather and when not needed to support immediate ventilation or prolonged periods of time when not used. Not intended to keep pets inside. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.


Right Page: Classic Craft Fir Grain Door – CCA81166, Finish – Rustic Clay, Retractable Screen – Black






Available Sizes

(Available for most inswing units.)



Single Door System
Widths: 32"–36"
Heights: 6'6", 6'8", 8'0"




French Door System
Widths: 68"–73"
Heights: 6'6", 6'8", 8'0"

Available Color Options

Coordinates with exterior trim.**

White | Brown | Black

Available Configurations



See your Therma-Tru seller for details on product availability and ordering.

Warranty Coverage

All parts are covered by the Therma-Tru full-system limited warranty, excluding the screen mesh, when purchased and installed with a Therma-Tru door system.

LIFETIME LIMITED WARRANTY TRANSFERABLE
Classic Craft

LIFETIME LIMITED WARRANTY
Fiber-Classic, Smooth-Star, Pulse Fiberglass

10 YEAR LIMITED WARRANTY
Profiles, Traditions, Pulse Steel

When purchased and installed separately all parts are covered by a full-system lifetime limited warranty, excluding the screen mesh.

LIFETIME LIMITED WARRANTY

NEW Impressions™ Integrated Storm & Entry Door System

The first of its kind, the Impressions storm and entry door system* integrates the storm door flush into the brickmould portion of the door frame, creating a cohesive unit that provides a seamless look. With an integrated system engineered to work together, this system takes the guesswork out of ordering the right size storm door for your project and simplifies storm door installation.



1. Choose a **Therma-Tru® single entry door**** to create an entry that complements your home's architectural style.



2. The Impressions system comes standard with **composite brickmould** and an aluminum storm door panel. For added protection from rotting, choose a **composite frame featuring Tru-Guard™ composite technology.**




3. The storm door features a modern profile with mitered corners for a sleek, on-trend look that emphasizes the beauty of the entry door. The storm door panel fits into Therma-Tru's **flat-profile composite brickmould.**

*Patent pending.
**Compatible with with most 6'8" single entry Therma-Tru doors.
Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.

The storm door is easy to install at the jobsite.

The concealed hinges featuring retractable pins 4 and the revolutionary hidden closer with Click&Hold™ technology 5 enable a quick and intuitive installation experience. The storm door panel is handed in the field, simplifying what you need to order. After the installation of the entry door, hand your storm door by installing the closer, sweep and hardware. Then, follow these three simple steps to complete the job.

Place the bottom pin hinge in the hinge cup.



Retract the top pin and insert into the top hinge cup to install the storm door panel.



Secure and adjust the hidden closer with Click&Hold technology.



6 Aluminum Storm Door Options

Available for Single Entry Sizes
Choose Low-E or clear glass.
Interchangeable screen panel included.



Screen

Low-E / Clear

IM100
3'0" x 6'8"
2'8" x 6'8"

Color Options
Features a maintenance-free finish.



White
Color matched to PrismaGuard Alpine.

Gray
Color matched to PrismaGuard Granite.

Brown
Complements most PrismaGuard stains.

Black
Color matched to PrismaGuard Onyx.

7 QuickFit™ Handlesets

Straight



Brushed Nickel
Aged Bronze
Matte Black

Curved



Brushed Nickel
Aged Bronze
Antique Brass
Brass

CLASSIC CRAFT®



An unrivaled entry experience.

Transform the entry into a one-of-a-kind experience. One that blends artistry, craftsmanship and modern engineering. Captivate the senses with remarkably authentic wood grains, exquisite handcrafted glass and sumptuous design details found only in Classic Craft. Because homes with uncompromising style demand uncompromising entryways.

Top: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors – CCM82804, Finish – Outback
Right Page Top: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA230, Sidelites – CCA210SL, Finish – Raven
Right Page Middle: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors – CCM8303L, CCM8303R, Finish – New Earth
Right Page Bottom: Classic Craft Walnut Grain Door – CCW8906R, Low-E Direct Set Sidelite – DRS82131SL, Finish – Lynx

Curated collections inspired by style.

Classic Craft celebrates the best of design for homes with uncompromising style. Three expertly curated collections draw inspiration from the latest trends and bring your home design vision to life with unrivaled beauty, luxe craftsmanship and an attention to detail you won't find anywhere else.

Artíssa Collection

Casual | Relaxed | Simple






Founders Collection

Traditional | Time-Honored | Decorative





Visionary Collection

Modern | Confident | Minimal





Industry-leading warranties for peace of mind.

LIFETIME LIMITED WARRANTY TRANSFERABLE


Uniquely designed by Therma-Tru, Classic Craft complete entryway systems are backed by an industry-leading 1x transferable lifetime limited warranty from the entry door brand building professionals choose most.* This comprehensive lifetime limited warranty can be transferred one time to a new owner, should you ever sell your home.

10 YEAR LIMITED WARRANTY TRANSFERABLE

In addition, Classic Craft entryways with our handcrafted and professionally applied PrismaGuard® premium stain or paint are backed by a transferable 10-year limited finish warranty – Therma-Tru's best. The balance of this finish warranty can transfer to a second owner.

Learn about our industry-leading warranties at **thermatru.com/warranty**.





Next-level engineering.

Classic Craft complete entryway systems are designed with a full suite of premium-grade components, including ball-bearing hinges, medium-reach weatherstrip, 7-shape corner seal pads and more. Each piece is engineered with craftsman precision to create an unrivaled entry experience built to perform for a lifetime.

*Brand Use Studies, 2021 *Builder* and 2019 *Remodeling* magazines.
Left Page: Classic Craft Mahogany Grain, Borrassa Glass, Door – CCM81519

Premium construction, inside and out.

Highlighting the best of craftsmanship and innovation, Classic Craft premium entryways boast impressive, well-designed features and remarkable construction. The inner workings of each Classic Craft door lay the foundation for exceptional strength, security, energy efficiency and long-term performance you can depend on for years to come.

Engineered for Moisture Protection

Features composite top and bottom rails and solid hardwood edges for increased moisture and rot protection all the way around the door.

Designed with Authenticity


Features construction identical to wood doors with narrow stiles and rails, and flush-glazed glass options that are more than 10% wider* to welcome more natural light into the home.

Tested to Withstand Mother Nature

Designed and rigorously tested to withstand and protect from the damaging effects of harsh weather conditions.

Therma-Tru® Door Frame

Created specifically for Therma-Tru doors to deliver an entire entry system designed and engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.



*Comparison of Classic Craft to other standard fiberglass doors with similar styles. Visit www.thermatru.com for details.
**Comparison of R-Values of fiberglass to wood doors (both without glass).
Right Page Top: Classic Craft Walnut Grain Door – CCW8901L; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Acorn
Right Page Middle: Classic Craft Mahogany Grain, Low-E Glass, Door – CCR30020; Provincial Glass, Sidelites – CCR3408SL; Low-E Glass, Transom – 19220T, Finish – Driftwood
Right Page Bottom: Classic Craft Canvas Door – CCV220, Low-E Glass, Sidelites – CCV100SL, Finish – Indigo

Designed for Long-Term Performance

Features fiberglass skins that are 46% thicker* for added durability and better long-term performance.

Triple-Pane Construction

Most decorative, privacy and textured glass panels are enclosed between tempered glass, offering superior quality and thermal performance.

Crafted for a True-to-Wood Appearance

Revolutionary AccuGrain® technology replicates authentic natural wood textures for a look and feel that is virtually indistinguishable from real wood.

Built for Strength and Security

Constructed with a 4" wide board of engineered lumber that runs the full length of the locking side of the door for a solid natural wood feel that makes Classic Craft doors 50% stronger and 30% heavier.*

Constructed for Energy Efficiency

Built with a high-performance polyurethane foam core that is four times more energy efficient than wood.**

ENERGY STAR PARTNER







True-to-Wood Origins

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain® technology.


AccuGrain®
TECHNOLOGY



Fir Grain

Formerly Classic-Craft American Style

Designed to echo the grain of the largest species of American Hemlocks – the Western Hemlock tree – found in lush coastal rainforests of the Pacific Northwest.



Walnut Grain

Crafted to reflect the prized hardwood of the mighty Black Walnut trees, these doors feature a horizontal grain with natural movement accented by delicate arches and cathedrals.



Mahogany Grain

Formerly Classic-Craft Mahogany & Rustic

Derived from the finest African and Honduran Mahogany, blending rustic influences with exotic roots to build upon the rich history of one of the most renowned woods in the world.



Oak Grain

Designed to emulate the unique characteristics of Red Oak trees, embodying the look and feel of one of the most popular wood grains of all time.



Canvas

Inspired by the world's most exquisite masterpieces and designed with the architectural character of finely sanded wood.

Unique style.
Unmatched craftsmanship.








ARTÍSSA
Collection

Rooted in simple nostalgia, the Artíssa Collection pays homage to the handmade culture of the American Arts and Crafts movement. Highlighting the beauty of straight-forward design, this selection of premium Classic Craft® doors features clean lines, Shaker styling and Craftsman-inspired glass for a casual and welcoming approach to the entryway.










CASUAL

RELAXED

SIMPLE

Left Page: Classic Craft Oak Grain, Arborwatch Glass,
Door – CC1423, Sidelites – CC1423SL, Transom – ABRT, Finish – Barley
Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs,
Door – CCA230, Sidelites – CCA210SL, Finish – Raven







FOUNDERS
Collection

A revival of traditional and rustic styling, the Founders Collection honors the historic significance of classically inspired design. Taking a more decorative approach to the entryway, this selection of premium Classic Craft® doors includes curved and arched details, embellished panel embossments and intricate glass designs for a noteworthy entrance with enduring style.










TRADITIONAL

TIME-HONORED

DECORATIVE

Left Page: Classic Craft Mahogany Grain, Lucerna Glass,
Door – CCM82802, Finish – New Earth
Right Page: Classic Craft Mahogany Grain, Low-E Glass with SDLs,
Doors – CCM8306CAL, CCM8306CAR, Finish – Acorn








VISIONARY
Collection

Artfully inspired with a confident edge, the Visionary Collection pushes the envelope of design for the next generation. Focusing on a streamlined aesthetic with a modern flair, this collection of premium Classic Craft® doors reimagines the entry with sleek lines, forward-thinking designs and minimalist details for an entrance that exudes confidence with bold appeal.









MODERN

CONFIDENT

MINIMAL

Left Page: Classic Craft Fir Grain, Satin Etch Glass with SDLs,
Door – CCA2310XE, Sidelite – CCA2310XESL, Finish – Flaxseed
Right Page: Classic Craft Walnut Grain Door – CCW8906R; Low-E Glass
Direct Set Sidelite – DRS82131SL, Finish – Lynx



Decorative & Specialty Glass Designs

Homeward™

The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive ❶ clear bevels, ❷ seeded glass and ❸ gray artique glass. An ideal complement for a Transitional home design.

Glass Shapes

Glass Privacy Rating





Black Nickel



Brushed Nickel

*Only available in Classic Craft Oak grain.
Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Arborwatch®

An eclectic interpretation of the Arts and Crafts movement, Arborwatch combines 1 narrow reeded glass, 2 M seedy glass, 3 waterglass and caming in a symmetrical arrangement accented by 4 pale amber glass, 5 amber artique glass and 6 clear bevels.

Glass Shapes

Glass Privacy Rating



Note: The use of pale amber and amber artique glass varies based on glass size. Refer to the image on page 54 to see an example on a home.



Black Nickel



Brushed Nickel

Arcadia™

With its timeless petal design, Arcadia combines 1 gray baroque glass, 2 seeded glass, 3 clear curved bevels and caming for a distinctive display that evokes a simpler time.

Glass Shapes

Glass Privacy Rating





Black Nickel



Brushed Nickel



Brass*

Decorative & Specialty Glass Designs

Augustine®


Augustine's swirl leaf design adds that touch of elegance. Made of round wrought iron and 1 granite glass for the ultimate in privacy, Augustine pays homage to classic English styling.

Glass Shapes

Corresponding sidelites feature Granite glass without wrought iron.

Glass Privacy Rating





Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 314 to see an example on a home.

Borrassa®

A statement of strength and beauty, Borrassa combines linear and curved wrought iron with 1 hammered glass for the ultimate in privacy. Wrought iron decorative accents add an authentic Old World feel to this stately design.

Glass Shapes

Corresponding sidelites feature Hammered glass without wrought iron.

Glass Privacy Rating





Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 48 to see an example on a home.

*Only available in Classic Craft Oak grain.
Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Provincial™

A unique diamond-based motif features ❶ double waterglass, ❷ clear bevels and caming surrounded by a ❸ gray baroque glass border. Provincial captivates with stunning clarity.

Glass Shapes

Glass Privacy Rating





Black Nickel



Brushed Nickel



Brass*


Longford™

The traditional design of Longford integrates a hint of a Celtic knot with ❶ seeded glass, ❷ clear bevels, ❸ granite glass and caming. A timeless design ideal for entries where modest privacy is desired.

Glass Shapes

Glass Privacy Rating





Black Nickel



Brushed Nickel

Decorative & Specialty Glass Designs

Cambridge™

Ornate and enchanting, Cambridge exhibits a traditional 19th century-inspired elegance with modest privacy using ❶ glue chip glass, ❷ clear curved bevels, ❸ double waterglass and caming.

Glass Shapes

Glass Privacy Rating





Black Nickel



Brushed Nickel



Brass

Lucerna®

Named for the beauty of light it reflects, Lucerna glass presents an elegant, updated fleur-de-lis pattern in a spectrum of ❶ curved, ❷ diamond and ❸ rectangular bevels surrounded by smooth, swirling ❹ barn wood and heavily textured ❺ diamond border glass.

Glass Shapes

Glass Privacy Rating





Black Nickel



Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Right Page: Classic Craft Mahogany Grain, Zaha Glass, Door – CCR1838, Finish – Shale

Zaha®

Structured right angles are offset by dynamic curves in this high-energy design. Zaha features 1 oceana and 2 seedy glass, 3 clear and 4 multifaceted bevels, and caming to create a refreshing and unexpected elegance that appeals to Contemporary home styles.

Glass Shapes

Glass Privacy Rating





Black Nickel


Brushed Nickel



Privacy & Textured Glass



Reeded (XK)

A vertical, linear textured glass that provides modest privacy and an on-trend aesthetic.

Glass Privacy Rating 1 7 10



Geometric (XG)

A sleek cubic texture with a unique multidimensional view and ever-changing perspectives.

Glass Privacy Rating 1 7 10



Satin Etch (XE)

A fine-textured pearlescent glass that delivers a pure, simple design aesthetic.

Glass Privacy Rating 1 10



Chord (XC)

A vertical flowing pattern reminiscent of waves on the water.

Glass Privacy Rating 1 10

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.



Chinchilla (XJ)

A free-flowing configuration, presenting quiet lines and curves.


Glass Privacy Rating 1 — 10



Rainglass (XR)

An elegantly fashioned glass, featuring ripples of cascading water.

Glass Privacy Rating 1 — 8 — 10




Granite (XN)

A coarse-grained arrangement with surface detail over the entirety of the glass.


Glass Privacy Rating 1 — 10

Also Available:

Low-E Glass



In cold weather, Low-E glass reflects the heat back inside to help keep your home warm.



In warm weather, Low-E glass reflects the sun's rays off of the glass to help keep your home cool.

Divided Lites

Enhance the beauty of any home with divided lites for entry and patio doors. Increase curb appeal by coordinating with window grid patterns for a cohesive look that suits the home's architectural details.

Simulated Divided Lites (SDLs)

Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. Look for the ( ) icon.



(40.64 mm / 1.6 in.)
Look for the ( ) icon.

4-¼" and 5-½" flat profile bars are also used on solid-panel doors as door divider bars (DDBs). Look for the ( ) icon.



(107.95 mm / 4.25 in.)
Look for the (3) and (3)icons.



(139.70 mm / 5.5 in.)
Look for the (4) and (4) icons.



Note: Some door styles use a combination of 4-¼" and 5-½" divider bars. Look for the (5) and (5) icons.

Fir Grain



(40.64 mm / 1.6 in.)
Look for the (6) icon.

Mahogany Grain



(40.64 mm / 1.6 in.)
Look for the ( ) icon.

Canvas





Flush-Glazed Sticking Profiles

EnLiten™ flush-glazed designs feature a seamless look with simple profile around the glass.
Look for the (🔥) and (💧) icons.



Detailed Sticking
Look for the (🔥) icon.



Square Sticking
Look for the (💧) icon.

Top: Classic Craft Fir Grain, Low-E Glass with SDLs, Doors – CCA82350, Finish – Raven
Left Page: Classic Craft Canvas, Low-E Glass with SDLs, Door – CCV960, Sidelites – CCV9020SL, Transom – 19220T, Finish – Cypress

Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.



Classic Craft® Fir Grain 4-Block Dentil Shelf



Classic Craft® Fir Grain 4-Block Dentil Shelf*



Classic Craft® Fir Grain 16-Block Dentil Shelf



Classic Craft® Canvas 4-Block Dentil Shelf



4-Block Dentil Shelf
Shown on 3'6" x 8'0" door.



4-Block Dentil Shelf
Shown on 3'0" x 8'0" door.

*Pairs with 3'6" wide doors.

Bottom: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA230, Dentil Shelf
Right Page, Left: Classic Craft Mahogany Grain Door – CCR205; Smooth-Star, Clear Glass with GBGs, Sidelites – S1170SL, Transom – 19220T; Clavos
Right Page, Right: Classic Craft Mahogany Grain Door – CCR100R, Strap Hinges, Finish – Lynx



Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes pyramid and round clavos, as well as strap hinges.









Full Lites

Artíssa Collection

Fir Grain
Formerly Classic-Craft American Style

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Oak Grain

Canvas

Homeward™



Mahogany*
CCR9925
3'0" x 6'8"



Mahogany
CCR9925SL
12" x 6'8"
14" x 6'8"



Oak
CC9925
3'0" x 6'8"



Oak
CC9925SL
12" x 6'8"
14" x 6'8"



Canvas
CCV9925
3'0" x 6'8"



Canvas
CCV911SL
12" x 6'8"
14" x 6'8"

Arborwatch®



Mahogany*
CCR1423
3'0" x 6'8"



Mahogany
CCR1423SL
12" x 6'8"
14" x 6'8"



Oak
CC1423
3'0" x 6'8"



Oak
CC1423SL
12" x 6'8"
14" x 6'8"



Canvas
CCV1423
3'0" x 6'8"



Canvas
CCV1423SL
12" x 6'8"
14" x 6'8"

*Formerly Classic-Craft Rustic.
**Formerly Classic-Craft American Style.
***Not available with Reeded (XK) or Geometric (XG) glass.
Note: See page 299 for important product details that may help with your purchase decision.

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- 3 Simulated Divided Lites (SDLF3)
- 4 Simulated Divided Lites (SDLF4)
- 5 Simulated Divided Lites (SDLF5)
- E Elevated 10" Bottom Rail Options


Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66–67.

XK = Reeded
XG = Geometric
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

For transoms, see pages 122–123.

Privacy & Textured



Fir**

CCA2350__*** 5
3'0"x 6'8"


CCA82350__*** 5 E
3'0"x 8'0"



Fir**

CCA2360__*** 5
3'0"x 6'8"

CCA82360__*** 5 E
3'0"x 8'0"



Fir**

CCA2370__*** 4
3'0"x 6'8"


CCA82370__*** 4 E
3'0"x 8'0"



Fir**

CCA4900__*** 3
3'0"x 6'8"


CCA84900__*** 3 E
3'0"x 8'0"



Fir**

CCA4910L__*** 3
3'0"x 6'8"


CCA4910R__*** 3
3'0"x 6'8"



Fir**

CCA84910L__*** 3 E
3'0"x 8'0"


CCA84910R__*** 3 E
3'0"x 8'0"



Fir**

CCA4920L__*** 5
3'0"x 6'8"


CCA4920R__*** 5
3'0"x 6'8"



Fir**

CCA84920L__*** 5 E
3'0"x 8'0"

CCA84920R__*** 5 E
3'0"x 8'0"



Fir**

CCA4930__*** 5
3'0"x 6'8"


CCA84930__*** 5 E
3'0"x 8'0"



Fir**

CCA4940__*** 5
3'0"x 6'8"

CCA84940__*** 5 E
3'0"x 8'0"



Fir**

CCA2400__SL
12"x 6'8"
14"x 6'8"

CCA82400__SL
12"x 8'0"
14"x 8'0"

Fir Grain
Formerly Classic-Craft
American Style

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- 3 Simulated Divided Lites (SDLF3)
- 4 Simulated Divided Lites (SDLF4)
- 5 Simulated Divided Lites (SDLF5)
- E Elevated 10" Bottom Rail Options

Artíssa Collection

Low-E



Fir*

CCA2350 — 3'0" x 6'8"
CCA82350 E — 3'0" x 8'0"



Fir*

CCA2360 — 3'0" x 6'8"
CCA82360 E — 3'0" x 8'0"



Fir*

CCA2370 — 3'0" x 6'8"
CCA82370 E — 3'0" x 8'0"




Fir*

CCA4900 — 3'0" x 6'8"
CCA84900 E — 3'0" x 8'0"



Fir*

CCA4910L — 3'0" x 6'8"
CCA4910R — 3'0" x 6'8"



Fir*

CCA84910L E — 3'0" x 8'0"
CCA84910R E — 3'0" x 8'0"




Fir*

CCA4920L — 3'0" x 6'8"
CCA4920R — 3'0" x 6'8"

*Formerly Classic-Craft American Style.
Note: See page 299 for important product details that may help with your purchase decision.
Right Page: Classic Craft Fir Grain, Satin Etch Glass with SDLs, Door – CCA4900XE, Sidelites – CCA2400XESL


For transoms, see pages 122–123.



Fir*

CCA84920L
3'0" x 8'0"

CCA84920R
3'0" x 8'0"



Fir*

CCA4930
3'0" x 6'8"

CCA84930
3'0" x 8'0"



Fir*

CCA4940
3'0" x 6'8"

CCA84940
3'0" x 8'0"



Fir*

CCA2400SL
12" x 6'8"
14" x 6'8"

CCA82400SL
12" x 8'0"
14" x 8'0"



Full Lites

continued

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Oak Grain

Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (A)
- Wrought Iron (W)

Founders Collection

Arcadia™



Mahogany*
CCR30029**
3'0" x 6'8"



NEW

Mahogany
CCR3409SL**
12" x 6'8"
14" x 6'8"



Oak
CC109
3'0" x 6'8"



Oak
CC2060SL
12" x 6'8"
14" x 6'8"



Canvas
CCV10029**
3'0" x 6'8"



Canvas
CCV109SL**
12" x 6'8"
14" x 6'8"

Augustine®



Mahogany*
CCR30027
3'0" x 6'8"




NEW

Mahogany
CCR3400XNSL
12" x 6'8"
14" x 6'8"



Canvas
CCV10027
3'0" x 6'8"



Canvas
CCV100XNSL
12" x 6'8"
14" x 6'8"

Borrassa®



Mahogany*
CCR1528
3'0" x 6'8"



NEW

Mahogany
CCR3400XHSL
12" x 6'8"
14" x 6'8"

*Formerly Classic-Craft Rustic.
**Not available in brass caming.
Note: See page 299 for important product details that may help with your purchase decision.

For transoms, see pages 122–123.



Canvas

CCV1528
3'0" x 6'8"



Canvas

CCV100XHSL
12" x 6'8"
14" x 6'8"

Provincial™



Mahogany*

CCR30028**
3'0" x 6'8"



Mahogany

CCR3408SL**
12" x 6'8"
14" x 6'8"



Oak

CC107
3'0" x 6'8"




Oak

CC2040SL
12" x 6'8"
14" x 6'8"



Canvas

CCV10028**
3'0" x 6'8"



Canvas

CCV108SL**
12" x 6'8"
14" x 6'8"

Longford™



Mahogany*

CCR30023
3'0" x 6'8"



Mahogany

CCR3407SL
12" x 6'8"
14" x 6'8"



Canvas

CCV10023
3'0" x 6'8"



Canvas

CCV103SL
12" x 6'8"
14" x 6'8"

Cambridge™



Mahogany*

CCR30026
3'0" x 6'8"



Mahogany

CCR3406SL
12" x 6'8"
14" x 6'8"



Oak

CC106
3'0" x 6'8"



Oak

CC2044SL
12" x 6'8"
14" x 6'8"



Canvas

CCV10026
3'0" x 6'8"



Canvas

CCV106SL
12" x 6'8"
14" x 6'8"

Full Lites

continued

Fir Grain
Formerly Classic-Craft American Style

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Oak Grain

Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDL)
- 3 Simulated Divided Lites (SDLF3)
- 4 Simulated Divided Lites (SDLF4)
- 5 Simulated Divided Lites (SDLF5)
- 6 Simulated Divided Lites (SDLF6)
- E Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66–67.

XK = Reeded
XC = Chord
XG = Geometric
XJ = Chinchilla
XE = Satin Etch
XR = Rainglass
XN = Granite

Founders Collection

Lucerna®



Mahogany*
CCR10022
3'0" x 6'8"



NEW

Mahogany
CCR3412SL
12" x 6'8"
14" x 6'8"



Oak
CC10022
3'0" x 6'8"



Oak
CC3412SL
12" x 6'8"
14" x 6'8"



Canvas
CCV10022
3'0" x 6'8"



Canvas
CCV3412SL
12" x 6'8"
14" x 6'8"

Low-E



Mahogany*
CCR30020
3'0" x 6'8"



NEW

Mahogany
CCR3400SL
12" x 6'8"
14" x 6'8"



NEW

Mahogany
CCR2025SL
12" x 6'8"
14" x 6'8"



Oak
CC100
3'0" x 6'8"



Oak
CC2020SL
12" x 6'8"
14" x 6'8"



Canvas
CCV10020
3'0" x 6'8"



Canvas
CCV100SL
12" x 6'8"
14" x 6'8"



Canvas
CCV950SL
12" x 6'8"
14" x 6'8"

*Formerly Classic-Craft Rustic.
**Formerly Classic-Craft American Style.
Note: See page 299 for important product details that may help with your purchase decision.

Visionary Collection

For transoms, see pages 122–123.

Zaha®



Mahogany*

CCR1851
3'0" x 6'8"




Mahogany

CCR1851SL
12" x 6'8"
14" x 6'8"



Canvas


CCV1851
3'0" x 6'8"



Canvas

CCV1851SL
12" x 6'8"
14" x 6'8"


Privacy & Textured



Fir**

CCA2400__
3'0" x 6'8"

CCA82400__
E
3'0" x 8'0"



Fir**

CCA2300__
4
3'0" x 6'8"


CCA82300__
4 E
3'0" x 8'0"



Fir**

CCA2310__
4
3'0" x 6'8"


CCA82310__
4 E
3'0" x 8'0"



Fir**

CCA2320__
3
3'0" x 6'8"


CCA82320__
3 E
3'0" x 8'0"



Fir**

CCA2330__
3
3'0" x 6'8"


CCA82330__
3 E
3'0" x 8'0"



Fir**

CCA2340__
3
3'0" x 6'8"

CCA82340__
3 E
3'0" x 8'0"



Fir**

CCA2380__
5
3'0" x 6'8"

CCA82380__
5 E
3'0" x 8'0"



Fir**

CCA2400__SL
12" x 6'8"
14" x 6'8"

CCA82400__SL
12" x 8'0"
14" x 8'0"



Fir**

CCA2300__SL
4
12" x 6'8"
14" x 6'8"

CCA82300__SL
4
12" x 8'0"
14" x 8'0"

Privacy & Textured Glass *Continues on next page.*

Fir Grain
Formerly Classic-Craft
American Style

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- 3 Simulated Divided Lites (SDLF3)
- 4 Simulated Divided Lites (SDLF4)
- 5 Simulated Divided Lites (SDLF5)
- E Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66–67.

XK = Reeded
XG = Geometric
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

Visionary Collection

Privacy & Textured



Fir*

CCA2310__SL	CCA82310__SL
12"x 6'8"	12"x 8'0"
14"x 6'8"	14"x 8'0"



Fir*

CCA2320__SL	CCA82320__SL
12"x 6'8"	12"x 8'0"
14"x 6'8"	14"x 8'0"



Fir*

CCA2330__SL	CCA82330__SL
12"x 6'8"	12"x 8'0"
14"x 6'8"	14"x 8'0"



Fir*

CCA2340__SL	CCA82340__SL
12"x 6'8"	12"x 8'0"
14"x 6'8"	14"x 8'0"

Low-E



Fir*

CCA2400	CCA82400
3'0"x 6'8"	3'0"x 8'0"



Fir*

CCA2300	CCA82300
3'0"x 6'8"	3'0"x 8'0"



Fir*

CCA2310	CCA82310
3'0"x 6'8"	3'0"x 8'0"



Fir*

CCA2320	CCA82320
3'0"x 6'8"	3'0"x 8'0"



Fir*

CCA2330	CCA82330
3'0"x 6'8"	3'0"x 8'0"

*Formerly Classic-Craft American Style.
Note: See page 299 for important product details that may help with your purchase decision.

Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA2340, Sidelites – CCA2400SL, Finish – Rustic Clay, ©TheHouseDesigners.com

For transoms, see pages 122–123.



Fir*

CCA2340	CCA82340
3	3 E
3'0"x 6'8"	3'0"x 8'0"



Fir*

CCA2380	CCA82380
5	5 E
3'0"x 6'8"	3'0"x 8'0"



Fir*

CCA2400SL	CCA82400SL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Fir*

CCA2300SL	CCA82300SL
4	4
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Fir*

CCA2310SL	CCA82310SL
4	4
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Fir*

CCA2320SL	CCA82320SL
3	3
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Fir*

CCA2330SL	CCA82330SL
3	3
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Fir*

CCA2340SL	CCA82340SL
3	3
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Artíssa Collection

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Oak Grain

Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDL)
- 6 Simulated Divided Lites (SDLF6)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66–67.

XK = Reeded
XG = Geometric
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

Homeward™



Mahogany

CCM2801 — 3'0"x 6'8"
CCM82801 — 3'0"x 8'0"



Mahogany

CCM9923 — 3'0"x 6'8"



Mahogany

CCR9925SL — 12"x 6'8", 14"x 6'8"
CCR89925SL — 12"x 8'0", 14"x 8'0"



Oak

CC9922 — 3'0"x 6'8"
CC89922 — 3'0"x 8'0"



Oak

CC9925SL — 12"x 6'8", 14"x 6'8"
CC89925SL — 12"x 8'0", 14"x 8'0"



Canvas

CCV9922 — 3'0"x 6'8"
CCV89922 — 3'0"x 8'0"



Canvas

CCV911SL — 12"x 6'8", 14"x 6'8"
CCV8111SL — 12"x 8'0", 14"x 8'0"

Arborwatch.®



Mahogany

CCM1419 — 3'0"x 6'8"



Mahogany

CCM81418 — 3'0"x 8'0"



Mahogany

CCR1423SL — 12"x 6'8", 14"x 6'8"
CCR81423SL — 12"x 8'0", 14"x 8'0"



Oak

CC1418 — 3'0"x 6'8"
CC81418 — 3'0"x 8'0"

*Not available with Geometric (XG) or Chinchilla (XJ) glass.
**Not available with Reeded (XK) glass.
***Not available with Reeded (XK) or Satin Etch (XE) glass.
Note: See page 299 for important product details that may help with your purchase decision.

For transoms, see pages 122–123.



Oak

CC1423SL
12"x 6'8"
14"x 6'8"

CC81423SL
12"x 8'0"
14"x 8'0"



Canvas

CCV1418
3'0"x 6'8"

CCV81418
3'0"x 8'0"



Canvas

CCV1423SL
12"x 6'8"
14"x 6'8"

CCV81423SL
12"x 8'0"
14"x 8'0"

Privacy & Textured



Mahogany

CCM2800__*
3'0"x 6'8"

CCM82800__*
3'0"x 8'0"



Mahogany

CCM2804__*
3'0"x 6'8"

CCM82804__*
3'0"x 8'0"



Mahogany

CCM2806__*
3'0"x 6'8"

CCM82806__*
3'0"x 8'0"



Mahogany

CCM2812__*
3'0"x 6'8"

CCM82815__*
3'0"x 8'0"



Mahogany

CCR3400__SL
12"x 6'8"
14"x 6'8"

CCR8000__SL
12"x 8'0"
14"x 8'0"



Mahogany

CCR2025__SL
12"x 6'8"
14"x 6'8"

CCR82035__SL
12"x 8'0"
14"x 8'0"



Oak

CC2020__SL**
12"x 6'8"
14"x 6'8"

CC8000__SL***
12"x 8'0"
14"x 8'0"



Canvas

CCV05020XC
CCV05020XN
3'0"x 6'8"



Canvas

CCV100__SL**
12"x 6'8"
14"x 6'8"

CCV8100__SL***
12"x 8'0"
14"x 8'0"



Canvas

CCV950__SL**
12"x 6'8"
14"x 6'8"

CCV8950__SL***
12"x 8'0"
14"x 8'0"

Low-E



Mahogany

CCM2800
3'0"x 6'8"

CCM82800
3'0"x 8'0"

Low-E Glass *Continues on next page.*

continued

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Oak Grain

Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (W)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF6)

Artíssa Collection

Low-E



Mahogany

CCM2804 | CCM82804
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCM2806 | CCM82806
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCM2812 | CCM82815
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR3400SL | CCR8000SL
12" x 6'8", 14" x 6'8" | 12" x 8'0", 14" x 8'0"



Mahogany

CCR2025SL | CCR82035SL
12" x 6'8", 14" x 6'8" | 12" x 8'0", 14" x 8'0"



Oak

CC90 | CC890
3'0" x 6'8" | 3'0" x 8'0"



Oak

CC2020SL | CC8000SL
12" x 6'8", 14" x 6'8" | 12" x 8'0", 14" x 8'0"



Canvas

CCV05020 | CCV805020
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV950SL | CCV8950SL
12" x 6'8", 14" x 6'8" | 12" x 8'0", 14" x 8'0"



Canvas

CCV100SL | CCV8100SL
12" x 6'8", 14" x 6'8" | 12" x 8'0", 14" x 8'0"

*Not available in brass caming.
Note: See page 299 for important product details that may help with your purchase decision.

Founders Collection

For transoms, see pages 122–123.

Arcadia™



Mahogany

CCM209*
3'0"x 6'8"



Mahogany

CCM894*
3'0"x 8'0"



Mahogany

CCM309*
3'0"x 6'8"



Mahogany

CCR3409SL*
12"x 6'8"
14"x 6'8"

CCR8009SL*
12"x 8'0"
14"x 8'0"



Mahogany

CCM3309SL*
10"x 6'8"
12"x 6'8"
14"x 6'8"



Oak

CC99
3'0"x 6'8"

CC899
3'0"x 8'0"



Oak

CC2060SL
12"x 6'8"
14"x 6'8"

CC8009SL
12"x 8'0"
14"x 8'0"



Canvas

CCV05029*
3'0"x 6'8"

CCV805029*
3'0"x 8'0"



Canvas

CCV109SL*
12"x 6'8"
14"x 6'8"

CCV8109SL*
12"x 8'0"
14"x 8'0"

Augustine®



Mahogany

CCM1485
3'0"x 6'8"



Mahogany

CCM805027
3'0"x 8'0"



Mahogany

CCM1495
3'0"x 6'8"



Mahogany

CCR3400XNSL
12"x 6'8"
14"x 6'8"


CCR8000XNSL
12"x 8'0"
14"x 8'0"



Canvas

CCV05027
3'0"x 6'8"

CCV805027
3'0"x 8'0"



Canvas

CCV100XNSL
12"x 6'8"
14"x 6'8"

CCV8100XNSL
12"x 8'0"
14"x 8'0"

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (W)

Founders Collection

Borrassa®



Mahogany

CCM1475
3'0" x 6'8"



Mahogany

CCM81519
3'0" x 8'0"



Mahogany

CCM1465
3'0" x 6'8"



Mahogany

CCR3400XHSL
12" x 6'8"
14" x 6'8"

CCR8000XHSL
12" x 8'0"
14" x 8'0"



Canvas

CCV1519
3'0" x 6'8"

CCV81519
3'0" x 8'0"



Canvas

CCV100XHSL
12" x 6'8"
14" x 6'8"

CCV8100XHSL
12" x 8'0"
14" x 8'0"

Longford™



Mahogany

CCM203
3'0" x 6'8"



Mahogany

CCM892
3'0" x 8'0"



Mahogany

CCM303
3'0" x 6'8"



Mahogany

CCR3407SL
12" x 6'8"
14" x 6'8"

CCR8007SL
12" x 8'0"
14" x 8'0"



Mahogany

CCM3303SL
10" x 6'8"
12" x 6'8"
14" x 6'8"



Canvas

CCV05023
3'0" x 6'8"

CCV805023
3'0" x 8'0"

*Not available in brass caming.
Note: See page 299 for important product details that may help with your purchase decision.

For transoms, see pages 122–123.

Lucerna®



Canvas

CCV103SL
12"x 6'8"
14"x 6'8"

CCV8103SL
12"x 8'0"
14"x 8'0"



Mahogany

CCM2802
3'0"x 6'8"

CCM82802
3'0"x 8'0"



Mahogany

CCM204
3'0"x 6'8"



Mahogany

CCM302
3'0"x 6'8"



Mahogany

CCR3412SL
12"x 6'8"
14"x 6'8"

CCR8102SL
12"x 8'0"
14"x 8'0"



Mahogany

CCM3302SL
10"x 6'8"
12"x 6'8"
14"x 6'8"



Oak

CC922
3'0"x 6'8"

CC898
3'0"x 8'0"



Oak

CC3412SL
12"x 6'8"
14"x 6'8"

CC8102SL
12"x 8'0"
14"x 8'0"



Canvas

CCV05022
3'0"x 6'8"

CCV805022
3'0"x 8'0"



Canvas

CCV3412SL
12"x 6'8"
14"x 6'8"

CCV8102SL
12"x 8'0"
14"x 8'0"

Provincial™



Mahogany

CCR3408SL*
12"x 6'8"
14"x 6'8"

CCR8008SL*
12"x 8'0"
14"x 8'0"



Oak

CC97
3'0"x 6'8"

CC897
3'0"x 8'0"



Oak

CC2040SL
12"x 6'8"
14"x 6'8"


CC8007SL
12"x 8'0"
14"x 8'0"



Canvas

CCV05028*
3'0"x 6'8"

CCV805028*
3'0"x 8'0"



Canvas

CCV108SL*
12"x 6'8"
14"x 6'8"

CCV8108SL*
12"x 8'0"
14"x 8'0"

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Oak Grain

Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66–67.

XC = Chord
XN = Granite

Founders Collection

Cambridge™



Mahogany

CCR3406SL
12"x 6'8"
14"x 6'8"

CCR8006SL
12"x 8'0"
14"x 8'0"



Oak

CC96
3'0"x 6'8"

CC896
3'0"x 8'0"



Oak

CC2044SL
12"x 6'8"
14"x 6'8"

CC8006SL
12"x 8'0"
14"x 8'0"



Canvas

CCV05026
3'0"x 6'8"

CCV805026
3'0"x 8'0"



Canvas

CCV106SL
12"x 6'8"
14"x 6'8"

CCV8106SL
12"x 8'0"
14"x 8'0"

Privacy & Textured



Mahogany

CCM200__
3'0"x 6'8"



Mahogany

CCM300__
3'0"x 6'8"

Low-E



Mahogany

CCM200
3'0"x 6'8"



Mahogany

CCM300
3'0"x 6'8"



Mahogany

CCM3300SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

Note: See page 299 for important product details that may help with your purchase decision.

Right Page: Classic Craft Mahogany Grain, Zaha Glass, Door – CCM82803; Low-E Glass Direct Set Sidelites – DRS82131SL, Finish – Lynx

Visionary Collection

For transoms, see pages 122–123.

Zaha®



Mahogany

CCM2803 — 3'0"x 6'8"
CCM82803 — 3'0"x 8'0"




Mahogany

CCM1844 — 3'0"x 6'8"



Mahogany

CCM1842 — 3'0"x 6'8"



Mahogany

CCR1851SL — 12"x 6'8", 14"x 6'8"
CCR81851SL — 12"x 8'0", 14"x 8'0"



Mahogany

CCM1843SL — 10"x 6'8", 12"x 6'8", 14"x 6'8"



Canvas

CCV1843 — 3'0"x 6'8"
CCV81843 — 3'0"x 8'0"



Canvas

CCV1851SL — 12"x 6'8", 14"x 6'8"
CCV81851SL — 12"x 8'0", 14"x 8'0"



2/3 Lites

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Canvas

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66–67.

XC = Chord
XN = Granite

Artíssa Collection

Homeward™



Mahogany*

CCR9921 3'0"x 6'8" | CCR89921 3'0"x 8'0" 3'6"x 8'0"



Mahogany*

CCR9919 3'0"x 6'8" | CCR89919 3'0"x 8'0" 3'6"x 8'0"



Mahogany*

CCR9918 3'0"x 6'8" | CCR89918 3'0"x 8'0"



Mahogany*

CCR822218 3'0"x 8'0" 3'6"x 8'0"



Canvas

CCV9919 3'0"x 6'8" | CCV89919 3'0"x 8'0"



Canvas

CCV9918 3'0"x 6'8" | CCV89918 3'0"x 8'0"

Arborwatch®



Mahogany*

CCR1417 3'0"x 6'8" | CCR81417 3'0"x 8'0" 3'6"x 8'0"



Mahogany*

CCR1415 3'0"x 6'8" | CCR81415 3'0"x 8'0" 3'6"x 8'0"



Mahogany*

CCR1414 3'0"x 6'8" | CCR81414 3'0"x 8'0"

*Formerly Classic-Craft Rustic.
Note: See page 299 for important product details that may help with your purchase decision.


Right Page, Left: Classic Craft Mahogany Grain, Low-E Glass, Door – CCR20520
Right Page, Right: Classic Craft Mahogany Grain, Arborwatch Glass, Door – CCR1415, Sidelites – CCR1423SL, Finish – Mulberry

For transoms, see pages 122–123.



Mahogany*

CCR822214
3'0" x 8'0"
3'6" x 8'0"



Canvas

CCV1415
3'0" x 6'8"

CCV81415
3'0" x 8'0"



Canvas

CCV1414
3'0" x 6'8"

CCV81414
3'0" x 8'0"

Privacy & Textured



Mahogany*

CCR20520__
3'0" x 6'8"

CCR820520__
3'0" x 8'0"



Mahogany*

CCR822220__
3'0" x 8'0"



Canvas

CCV20520__
3'0" x 6'8"

CCV820520__
3'0" x 8'0"

Low-E



Mahogany*

CCR20520 ✸
3'0" x 6'8"

CCR820520 ✸
3'0" x 8'0"
3'6" x 8'0"



Canvas

CCV20520 ✸
3'0" x 6'8"

CCV820520 ✸
3'0" x 8'0"





2/3 Lites

continued

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Canvas

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Wrought Iron (W)

Optional Accessories

Clavos



Strap Hinge

Founders Collection

Arcadia™



Mahogany*
CCR804029
3'0" x 8'0"



Mahogany*
CCR820529
3'0" x 8'0"



Mahogany*
CCR820029
3'0" x 8'0"



Mahogany*
CCR822229
3'0" x 8'0"



Canvas
CCV820529
3'0" x 8'0"



Canvas
CCV822029
3'0" x 8'0"

Augustine®



Mahogany*
CCR04027 3'0" x 6'8"
CCR804027 3'0" x 8'0" | 3'6" x 8'0"



Mahogany*
CCR20527 3'0" x 6'8"
CCR820527 3'0" x 8'0" | 3'6" x 8'0"



Mahogany*
CCR20027 3'0" x 6'8"
CCR820027 3'0" x 8'0"



Mahogany*
CCR822227
3'0" x 8'0"
3'6" x 8'0"

*Formerly Classic-Craft Rustic.
Note: See page 299 for important product details that may help with your purchase decision.

For transoms, see pages 122–123.



Mahogany*

CCR04037 3'0"x 6'8" | CCR804037 3'0"x 8'0" 3'6"x 8'0"



Mahogany*

CCR20537 3'0"x 6'8" | CCR820537 3'0"x 8'0" 3'6"x 8'0"



Mahogany*

CCR20037 3'0"x 6'8" | CCR820037 3'0"x 8'0"



Mahogany*

CCR20537A 3'0"x 6'8" | CCR820537A 3'0"x 8'0" 3'6"x 8'0"



Mahogany*

CCR20037A 3'0"x 6'8" | CCR820037A 3'0"x 8'0"



Canvas

CCV20527 3'0"x 6'8" | CCV820527 3'0"x 8'0"



Canvas

CCV22027 3'0"x 6'8" | CCV822027 3'0"x 8'0"



Canvas

CCV20537 3'0"x 6'8" | CCV820537 3'0"x 8'0"

Borrassa®



Mahogany*

CCR1518 3'0"x 6'8" | CCR81518 3'0"x 8'0" 3'6"x 8'0"



Mahogany*

CCR1516 3'0"x 6'8" | CCR81516 3'0"x 8'0" 3'6"x 8'0"



Mahogany*

CCR1515 3'0"x 6'8" | CCR81515 3'0"x 8'0"



Mahogany*

CCR822215 3'0"x 8'0" 3'6"x 8'0"

Borrassa *Continues on next page.*

2/3 Lites

continued

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Canvas

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (W)

Optional Accessories



Clavos



Strap Hinge

Founders Collection

Borrassa®



Mahogany*

CCR1514 3'0"x 6'8" | CCR81514 3'0"x 8'0" 3'6"x 8'0"



Mahogany*

CCR1512 3'0"x 6'8" | CCR81512 3'0"x 8'0" 3'6"x 8'0"



Mahogany*

CCR1511 3'0"x 6'8" | CCR81511 3'0"x 8'0"



Mahogany*

CCR1512A 3'0"x 6'8" | CCR81512A 3'0"x 8'0" 3'6"x 8'0"



Mahogany*

CCR1511A 3'0"x 6'8" | CCR81511A 3'0"x 8'0"



Canvas

CCV1516 3'0"x 6'8" | CCV81516 3'0"x 8'0"



Canvas

CCV1515 3'0"x 6'8" | CCV81515 3'0"x 8'0"



Canvas

CCV1512 3'0"x 6'8" | CCV81512 3'0"x 8'0"

Provincial™



Mahogany*

CCR804028 3'0"x 8'0"

*Formerly Classic-Craft Rustic.
Note: See page 299 for important product details that may help with your purchase decision.

For transoms, see pages 122–123.



Mahogany*

CCR820528
3'0" x 8'0"



Mahogany*

CCR820028
3'0" x 8'0"



Mahogany*

CCR822228
3'0" x 8'0"



Canvas

CCV820528
3'0" x 8'0"



Canvas

CCV822028
3'0" x 8'0"

Longford™



Mahogany*

CCR04023
3'0" x 6'8"

CCR804023
3'0" x 8'0"



Mahogany*

CCR20523
3'0" x 6'8"

CCR820523
3'0" x 8'0"



Mahogany*

CCR20023
3'0" x 6'8"

CCR820023
3'0" x 8'0"



Mahogany*

CCR822223
3'0" x 8'0"



Canvas

CCV20523
3'0" x 6'8"

CCV820523
3'0" x 8'0"



Canvas

CCV22023
3'0" x 6'8"

CCV822023
3'0" x 8'0"

Cambridge™



Mahogany*

CCR804026
3'0" x 8'0"



Mahogany*

CCR820526
3'0" x 8'0"

Cambridge *Continues on next page.*

2/3 Lites

continued

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Canvas

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66–67.

XC = Chord
XN = Granite

Optional Accessories



Clavos



Strap Hinge

Founders Collection

Cambridge™



Mahogany*
CCR820026
3'0" x 8'0"



Mahogany*
CCR822226
3'0" x 8'0"



Canvas
CCV820526
3'0" x 8'0"



Canvas
CCV822026
3'0" x 8'0"

Lucerna®



Mahogany*
CCR04022
3'0" x 6'8"
CCR804022
3'0" x 8'0"
3'6" x 8'0"



Mahogany*
CCR20522
3'0" x 6'8"
CCR820522
3'0" x 8'0"
3'6" x 8'0"



Mahogany*
CCR20022
3'0" x 6'8"
CCR820022
3'0" x 8'0"



Mahogany*
CCR822222
3'0" x 8'0"
3'6" x 8'0"



Mahogany*
CCR804032
3'0" x 8'0"



Mahogany*
CCR820532
3'0" x 8'0"



Mahogany*
CCR820032
3'0" x 8'0"

*Formerly Classic-Craft Rustic.
Note: See page 299 for important product details that may help with your purchase decision.

For transoms, see pages 122–123.



Mahogany*

CCR820532A
3'0" x 8'0"



Mahogany*

CCR820032A
3'0" x 8'0"



Canvas

CCV20522
3'0" x 6'8"

CCV820522
3'0" x 8'0"



Canvas

CCV22022
3'0" x 6'8"

CCV822022
3'0" x 8'0"



Canvas

CCV820532
3'0" x 8'0"

Privacy & Textured



Mahogany*

CCR04020__
3'0" x 6'8"

CCR804020__
3'0" x 8'0"



Mahogany*

CCR20020__
3'0" x 6'8"

CCR820020__
3'0" x 8'0"



Mahogany*

CCR804030__
3'0" x 8'0"



Mahogany*

CCR820530__
3'0" x 8'0"



Mahogany*

CCR820030__
3'0" x 8'0"



Mahogany*

CCR820530A__
3'0" x 8'0"



Canvas

CCV22020__
3'0" x 6'8"

CCV822020__
3'0" x 8'0"



Canvas

CCV820530__
3'0" x 8'0"

 Continues on next page.

2/3 Lites

continued

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Canvas

Key

- **Flush-Glazed Glass with Square Sticking (FG)**
- **Low-E Glass (LE)**
- **Simulated Divided Lites (SDLF6)**

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66–67.

XE = Satin Etch **XR = Rainglass**
XC = Chord **XN = Granite**

Optional Accessories



Clavos



Strap Hinge

Founders Collection

Privacy & Textured



Mahogany

CCM302L_ 3'0"x 6'8"
CCM302R_ 3'0"x 6'8"



Mahogany

CCM8302L_ 3'0"x 8'0"
CCM8302R_ 3'0"x 8'0"



Mahogany

CCM304L_ 3'0"x 6'8"
CCM304R_ 3'0"x 6'8"



Mahogany

CCM8304L_ 3'0"x 8'0"
CCM8304R_ 3'0"x 8'0"



Mahogany

CCM303L_ 3'0"x 6'8"
CCM303R_ 3'0"x 6'8"



Mahogany

CCM8303L_ 3'0"x 8'0"
CCM8303R_ 3'0"x 8'0"

*Formerly Classic-Craft Rustic.
Note: See page 299 for important product details that may help with your purchase decision.

For transoms, see pages 122–123.



Mahogany

CCM301CAL_
3'0" x 6'8"

CCM301CAR_
3'0" x 6'8"



Mahogany

CCM8301CAL_
3'0" x 8'0"

CCM8301CAR_
3'0" x 8'0"



Mahogany

CCM305CAL_
3'0" x 6'8"

CCM305CAR_
3'0" x 6'8"



Mahogany

CCM8305CAL_
3'0" x 8'0"

CCM8305CAR_
3'0" x 8'0"



Mahogany

CCM306CAL_
3'0" x 6'8"

CCM306CAR_
3'0" x 6'8"



Mahogany

CCM8306CAL_
3'0" x 8'0"

CCM8306CAR_
3'0" x 8'0"

Low-E



Mahogany*

CCR04020
3'0" x 6'8"

CCR804020
3'0" x 8'0"
3'6" x 8'0"



Mahogany*

CCR20020
3'0" x 6'8"

CCR820020
3'0" x 8'0"



Mahogany*

CCR822220
3'0" x 8'0"
3'6" x 8'0"



Mahogany*

CCR804030
3'0" x 8'0"

Low-E Glass *Continues on next page.*

2/3 Lites

continued

Mahogany Grain
Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDLF6)

Optional Accessories



Clavos



Strap Hinge

Founders Collection

Low-E



Mahogany*

CCR820530
3'0" x 8'0"



Mahogany*

CCR820030
3'0" x 8'0"



Mahogany*

CCR820530A
3'0" x 8'0"



Mahogany*

CCR820030A
3'0" x 8'0"



Canvas

CCV22020
3'0" x 6'8"

CCV822020
3'0" x 8'0"



Canvas

CCV820530
3'0" x 8'0"



Mahogany

CCM302L
3'0" x 6'8"

CCM302R
3'0" x 6'8"



Mahogany

CCM8302L
3'0" x 8'0"

CCM8302R
3'0" x 8'0"



Mahogany

CCM304L
3'0" x 6'8"

CCM304R
3'0" x 6'8"

*Formerly Classic-Craft Rustic.
Note: See page 299 for important product details that may help with your purchase decision.

For transoms, see pages 122–123.



Mahogany

CCM8304L
3'0" x 8'0"

CCM8304R
3'0" x 8'0"



Mahogany

CCM303L
3'0" x 6'8"

CCM303R
3'0" x 6'8"



Mahogany

CCM8303L
3'0" x 8'0"

CCM8303R
3'0" x 8'0"



Mahogany

CCM301CAL
3'0" x 6'8"

CCM301CAR
3'0" x 6'8"



Mahogany

CCM8301CAL
3'0" x 8'0"

CCM8301CAR
3'0" x 8'0"



Mahogany

CCM305CAL
3'0" x 6'8"

CCM305CAR
3'0" x 6'8"



Mahogany

CCM8305CAL
3'0" x 8'0"

CCM8305CAR
3'0" x 8'0"



Mahogany

CCM306CAL
3'0" x 6'8"

CCM306CAR
3'0" x 6'8"



Mahogany

CCM8306CAL
3'0" x 8'0"

CCM8306CAR
3'0" x 8'0"

Mahogany Grain
Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

Visionary Collection

Zaha®



Mahogany*

CCR1841 3'0" x 6'8" | CCR81841 3'0" x 8'0"



Mahogany*

CCR1839 3'0" x 6'8" | CCR81839 3'0" x 8'0"



Mahogany*

CCR1838 3'0" x 6'8" | CCR81838 3'0" x 8'0"



Mahogany*

CCR822238
3'0" x 8'0"



Mahogany*

CCR81847
3'0" x 8'0"



Mahogany*

CCR81846
3'0" x 8'0"



Mahogany*

CCR81845
3'0" x 8'0"



Mahogany*

CCR81846A
3'0" x 8'0"



Mahogany*

CCR81845A
3'0" x 8'0"

*Formerly Classic-Craft Rustic.
Note: See page 299 for important product details that may help with your purchase decision.
Right Page: Classic Craft Canvas, Zaha Glass, Door – CCV1839; Clear Glass, Transom – 19200T

For transoms, see pages 122–123.



Canvas

CCV1839
3'0" x 6'8"

CCV81839
3'0" x 8'0"



Canvas

CCV1838
3'0" x 6'8"

CCV81838
3'0" x 8'0"



Canvas

CCV81846
3'0" x 8'0"



Artíssa Collection

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Oak Grain

Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)

Homeward™



Mahogany
CCM9926
3'0"x 6'8"



Oak
CC9926
3'0"x 6'8"



Canvas
CCV9926
3'0"x 6'8"

Arborwatch®



Mahogany
CCM1424
3'0"x 6'8"



Oak
CC1424
3'0"x 6'8"



Canvas
CCV1424
3'0"x 6'8"



*Not available in brass caming.
Note: See page 299 for important product details that may help with your purchase decision.
Bottom: Classic Craft Canvas, Homeward Glass, Door – CCV9926, Sidelites – CCV911SL, Finish – Cabernet

Founders Collection

For transoms, see pages 122–123.

Arcadia™



Mahogany

CCM609*
3'0" x 6'8"



Oak

CC45
2'8" x 6'8"
3'0" x 6'8"



Oak

CC2160SL
12" x 6'8"
14" x 6'8"



Canvas

CCV06029*
3'0" x 6'8"

Provincial™



Oak

CC47
2'8" x 6'8"
3'0" x 6'8"



Oak

CC2140SL
12" x 6'8"
14" x 6'8"



Canvas

CCV06028*
3'0" x 6'8"

Longford™



Mahogany

CCM603
3'0" x 6'8"



Canvas

CCV06023
3'0" x 6'8"

Cambridge™



Oak

CC44
2'8" x 6'8"
3'0" x 6'8"



Oak

CC2144SL
12" x 6'8"
14" x 6'8"



Canvas

CCV06026
3'0" x 6'8"

1/2 Lites

continued

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Oak Grain

Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66–67.

XE = Satin Etch

Founders Collection

Lucerna®



Mahogany

CCM612
3'0" x 6'8"



Oak

CC612
3'0" x 6'8"



Oak

CC2122SL
12" x 6'8"
14" x 6'8"



Canvas

CCV06022
3'0" x 6'8"

Privacy & Textured



Mahogany

CCM600XE
3'0" x 6'8"



Oak

CC48XE
3'0" x 6'8"



Canvas

CCV06020XE
3'0" x 6'8"

Low-E



Mahogany

CCM600
3'0" x 6'8"



Oak

CC48
2'8" x 6'8"
3'0" x 6'8"



Oak

CC2120SL
12" x 6'8"
14" x 6'8"



Canvas

CCV06020
3'0" x 6'8"

Note: See page 299 for important product details that may help with your purchase decision.

Right Page: Classic Craft Mahogany Grain, Lucerna Glass, Door – CCM702, Sidelites – CCM3412SL, Finish – Mulberry

Oval Lites

Founders Collection

For transoms, see pages 122–123.

Arcadia™



Mahogany

CCM709
3'0" x 6'8"

Longford™



Mahogany

CCM703
3'0" x 6'8"

Lucerna®



Mahogany

CCM702
3'0" x 6'8"

Low-E



Mahogany

CCM700
✹
3'0" x 6'8"



Artíssa Collection

Fir Grain
Formerly Classic-Craft American Style

Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDL)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66–67.

XC = Chord
XR = Rainglass
XJ = Chinchilla
XN = Granite

Optional Dentil Shelves

Available for all Classic Craft Craftsman Lite doors.



16-Block Dentil Shelf



4-Block Dentil Shelf



4-Block Dentil Shelf
Pairs with 3'6" wide doors.



4-Block Dentil Shelf

Homeward™



Fir*

CCA211 — 3'0" x 6'8"
CCA8211 — 3'0" x 8'0"



Fir*

CCA87112 — 3'6" x 8'0"



Fir*

CCA231 — 3'0" x 6'8"
CCA8231 — 3'0" x 8'0"



Fir*

CCA87132 — 3'6" x 8'0"




Fir*

CCA3401SL — 12" x 6'8", 14" x 6'8"
CCA3501SL — 12" x 8'0", 14" x 8'0"




Fir*

CCA211SL — 12" x 6'8", 14" x 6'8"



Canvas

CCV911 — 3'0" x 6'8"



Canvas

CCV931 — 3'0" x 6'8"

Arborwatch®



Canvas

CCV911SL — 12" x 6'8", 14" x 6'8"



Canvas

CCV9011SL — 12" x 6'8", 14" x 6'8"



Fir*

CCA9100 — 3'0" x 6'8"
CCA89100 — 3'0" x 8'0"



Fir*

CCA87111 — 3'6" x 8'0"

*Formerly Classic-Craft American Style.
Note: See page 299 for important product details that may help with your purchase decision.

For transoms, see pages 122–123.



Fir*

CCA9300
3'0"x 6'8"

CCA89300
3'0"x 8'0"



Fir*

CCA87131
3'6"x 8'0"



Fir*

CCA1423SL
12"x 6'8"
14"x 6'8"

CCA81423SL
12"x 8'0"
14"x 8'0"



Fir*

CCA9100SL
12"x 6'8"
14"x 6'8"



Canvas

CCV4100
3'0"x 6'8"



Canvas

CCV4300
3'0"x 6'8"



Canvas

CCV1423SL
12"x 6'8"
14"x 6'8"



Canvas

CCV4100SL
12"x 6'8"
14"x 6'8"

Privacy & Textured



Fir*

CCA210__
3'0"x 6'8"

CCA8210__
3'0"x 8'0"



Fir*

CCA87100XR
3'6"x 8'0"



Fir*

CCA220__
3'0"x 6'8"

CCA8220__
3'0"x 8'0"



Fir*

CCA87200XR
3'6"x 8'0"



Fir*

CCA230__
3'0"x 6'8"

CCA8230__
3'0"x 8'0"



Fir*

CCA87300XR
3'6"x 8'0"



Fir*

CCA240__
3'0"x 6'8"

CCA8240__
3'0"x 8'0"

Privacy & Textured Glass *Continues on next page.*

continued

Fir Grain
Formerly Classic-Craft American Style

Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66–67.

XG = Geometric	XJ = Chinchilla
XE = Satin Etch	XR = Rainglass
XC = Chord	XN = Granite

Optional Dentil Shelves

Available for all Classic Craft Craftsman Lite doors.



16-Block Dentil Shelf



4-Block Dentil Shelf



4-Block Dentil Shelf
Pairs with 3'6" wide doors.



4-Block Dentil Shelf

Artíssa Collection

Privacy & Textured



Fir*

CCA87400XR
3'6" x 8'0"



Fir*

CCA260__***
3'0" x 6'8"

CCA8260__***
3'0" x 8'0"



Fir*

CCA87600XR
3'6" x 8'0"



Fir*

CCA3450__SL**
12" x 6'8"
14" x 6'8"

CCA3560__SL**
12" x 8'0"
14" x 8'0"



Fir*

CCA3400__SL**
12" x 6'8"
14" x 6'8"

CCA3500__SL**
12" x 8'0"
14" x 8'0"



Fir*

CCA220__SL***
12" x 6'8"
14" x 6'8"



Fir*

CCA210__SL***
12" x 6'8"
14" x 6'8"



Canvas

CCV910__***
3'0" x 6'8"



Canvas

CCV920__***
3'0" x 6'8"



Canvas

CCV930__***
3'0" x 6'8"



Canvas

CCV940__***
3'0" x 6'8"

*Formerly Classic-Craft American Style.
**Not available with Satin Etch (XE) glass.
***Not available with Geometric (XG) or Satin Etch (XE) glass.
Note: See page 299 for important product details that may help with your purchase decision.

For transoms, see pages 122–123.



Canvas

CCV960__***
3'0" x 6'8"



Canvas

CCV950__SL
12" x 6'8"
14" x 6'8"

CCV8950__SL**
12" x 8'0"
14" x 8'0"



Canvas

CCV100__SL
12" x 6'8"
14" x 6'8"

CCV8100__SL**
12" x 8'0"
14" x 8'0"



Canvas

CCV920__SL***
12" x 6'8"
14" x 6'8"



Canvas

CCV910__SL***
12" x 6'8"
14" x 6'8"

Low-E



Fir*

CCA220
3'0" x 6'8"

CCA8220
3'0" x 8'0"



Fir*

CCA87200
3'6" x 8'0"



Fir*

CCA230
3'0" x 6'8"

CCA8230
3'0" x 8'0"



Fir*

CCA87300
3'6" x 8'0"



Fir*

CCA240
3'0" x 6'8"

CCA8240
3'0" x 8'0"



Fir*

CCA87400
3'6" x 8'0"



Fir*

CCA260
3'0" x 6'8"

CCA8260
3'0" x 8'0"



Fir*

CCA87600
3'6" x 8'0"

 Continues on next page.

Craftsman Lites

continued

Fir Grain
Formerly Classic-Craft
American Style

Mahogany Grain
Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDL)

Optional Dentil Shelves

Available for all Classic Craft Craftsman Lite doors.



16-Block Dentil Shelf



4-Block Dentil Shelf



4-Block Dentil Shelf
Pairs with 3'6" wide doors.



4-Block Dentil Shelf

Artíssa Collection

Low-E



Fir*

CCA210 — 3'0" x 6'8"

CCA8210 — 3'0" x 8'0"



Fir*

CCA87100 — 3'6" x 8'0"



Fir*

CCA3450SL — 12" x 6'8", 14" x 6'8"

CCA3560SL — 12" x 8'0", 14" x 8'0"



Fir*

CCA3400SL — 12" x 6'8", 14" x 6'8"

CCA3500SL — 12" x 8'0", 14" x 8'0"



Fir*

CCA220SL — 12" x 6'8", 14" x 6'8"



Fir*

CCA210SL — 12" x 6'8", 14" x 6'8"



Canvas

CCV920 — 3'0" x 6'8"



Canvas

CCV930 — 3'0" x 6'8"



Canvas

CCV940 — 3'0" x 6'8"



Canvas

CCV960 — 3'0" x 6'8"



Canvas

CCV910 — 3'0" x 6'8"

*Formerly Classic-Craft American Style.
Note: See page 299 for important product details that may help with your purchase decision.
Right Page: Classic Craft Mahogany Grain, Longford Glass, Door – CCM803, Finish – New Earth

For transoms, see pages 122–123.



Canvas

CCV950SL
12"x 6'8"
14"x 6'8"

CCV8950SL
12"x 8'0"
14"x 8'0"



Canvas

CCV100SL
12"x 6'8"
14"x 6'8"

CCV8100SL
12"x 8'0"
14"x 8'0"



Canvas

CCV9020SL
12"x 6'8"
14"x 6'8"



Canvas

CCV9010SL
12"x 6'8"
14"x 6'8"

Center Lites

Founders Collection

Arcadia™



Mahogany

CCM809
3'0"x 6'8"



Mahogany

CCM3509SL
12"x 6'8"
14"x 6'8"

Longford™



Mahogany

CCM803
3'0"x 6'8"



Mahogany

CCM3503SL
12"x 6'8"
14"x 6'8"

Lucerna®



Mahogany

CCM822
3'0"x 6'8"



Mahogany

CCM3502SL
12"x 6'8"
14"x 6'8"

Low-E



Mahogany

CCM800
3'0"x 6'8"



Mahogany

CCM3500SL
12"x 6'8"
14"x 6'8"



Fir Grain*

Fir Grain
Formerly Classic-Craft
American Style

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- 3 Door Divider Bars (DDBF3)
- 4 Door Divider Bars (DDBF4)
- 5 Door Divider Bars (DDBF5)
- 6 WBDR Options
- E Elevated 10" Bottom Rail Options



Artíssa

CCA1125 — 5 6 — 3'0"x 6'8"
CCA81125 — 5 6 E — 3'0"x 8'0"



Artíssa

CCA1149 — 5 6 — 3'0"x 6'8"
CCA81149 — 5 6 E — 3'0"x 8'0"



Artíssa

CCA1127 — 4 6 — 3'0"x 6'8"
CCA81127 — 4 6 E — 3'0"x 8'0"




Artíssa

CCA4905 — 3 6 — 3'0"x 6'8"
CCA84905 — 3 6 E — 3'0"x 8'0"



Artíssa

CCA4915L — 3 6 — 3'0"x 6'8"
CCA4915R — 3 6 — 3'0"x 6'8"



Artíssa

CCA84915L — 3 6 E — 3'0"x 8'0"
CCA84915R — 3 6 E — 3'0"x 8'0"



Artíssa

CCA4925L — 5 6 — 3'0"x 6'8"
CCA4925R — 5 6 — 3'0"x 6'8"

*Formerly Classic-Craft American Style.
Note: See page 299 for important product details that may help with your purchase decision.

For transoms, see pages 122–123.



Artíssa

CCA84925L 5 E 3'0" x 8'0"
CCA84925R 5 E 3'0" x 8'0"



Artíssa

CCA4935 5 3'0" x 6'8"
CCA84935 5 E 3'0" x 8'0"



Artíssa

CCA4945 5 3'0" x 6'8"
CCA84945 5 E 3'0" x 8'0"



Artíssa

CCA1166 5 3'0" x 6'8"
CCA81166 5 E 3'0" x 8'0"



Artíssa

CCA1158 3 3'0" x 6'8"
CCA81158 3 E 3'0" x 8'0"



Artíssa

CCA1147 5 3'0" x 6'8"
CCA81147 5 E 3'0" x 8'0"

Homeward™



Artíssa

CCA2420SL 12" x 6'8" 14" x 6'8"
CCA82420SL 12" x 8'0" 14" x 8'0"

Arborwatch®



Artíssa


CCA2410SL 12" x 6'8" 14" x 6'8"
CCA82410SL 12" x 8'0" 14" x 8'0"

Pair full-lite Shaker flush-glazed sidelites, also available in privacy and textured and Low-E glass, with solid-panel doors for natural light in the entry.



Visionary

CCA1100 3'0" x 6'8"
CCA81100 E 3'0" x 8'0"



Visionary

CCA1133 4 3'0" x 6'8"
CCA81133 4 E 3'0" x 8'0"




Visionary

CCA1145 4 3'0" x 6'8"
CCA81145 4 E 3'0" x 8'0"



Visionary

CCA1150 3 3'0" x 6'8"
CCA81150 3 E 3'0" x 8'0"



Key

- Low-E Glass (LE)
- WBDR Options
- E Elevated 10" Bottom Rail Options

Walnut Grain



Visionary

CCW1000	CCW81000
E	E
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Visionary

CCW900L	CCW8900L
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Visionary

CCW900R	CCW8900R
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Visionary

CCW901L	CCW8901L
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Visionary

CCW901R	CCW8901R
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Visionary

CCW902L	CCW8902L
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Note: See page 299 for important product details that may help with your purchase decision.

Bottom: Classic Craft Walnut Grain Door – CCW902R; Low-E Glass Direct Set Sidelites – DRS82131SL, Transoms – 19200T, 19210T, Finish – Shale
Right Page: Classic Craft Walnut Grain Door – CCW903, Finish – Ashburn



Visionary

CCW902R	CCW8902R
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Visionary

CCW903	CCW8903
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Visionary

CCW904L	CCW8904L
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"




Visionary

CCW904R	CCW8904R
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Visionary

CCW905	CCW8905
E	E
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Visionary

CCW906L	CCW8906L
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Visionary


CCW906R	CCW8906R
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Visionary

CCW907L	CCW8907L
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"





Visionary

CCW907R	CCW8907R
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"


Low-E



Direct Set

DRS2131SL	DRS82131SL
✷	✷
12"x 6'8" (7'0")	12"x 8'0"
14"x 6'8" (7'0")	14"x 8'0"





Key

- Flush-Glazed Glass with Square Sticking (FG)
- Simulated Divided Lites (SDLF6)
- WBDR Options
- WBDR / HVHZ Options

Optional Accessories



Clavos



Strap Hinge

Mahogany Grain*



Artíssa

CCR100
3'0" x 6'8"
3'6" x 6'8"

CCR8100
3'0" x 8'0"
3'6" x 8'0"



Artíssa

CCM890
3'0" x 8'0"



Artíssa

CCR8222
3'0" x 8'0"
3'6" x 8'0"



Founders

CCR100R
3'0" x 6'8"
3'6" x 6'8"

CCR8100R
3'0" x 8'0"
3'6" x 8'0"



Founders

CCR040R
3'0" x 6'8"

CCR8040R
3'0" x 8'0"
3'6" x 8'0"



Founders

CCR8225R
3'0" x 8'0"
3'6" x 8'0"



Founders

CCR8005A
3'0" x 8'0"



Founders

CCR205A
3'0" x 6'8"

CCR8205A
3'0" x 8'0"
3'6" x 8'0"



Founders

CCR200A
3'0" x 6'8"

CCR8200A
3'0" x 8'0"

*Formerly Classic-Craft Mahogany and Rustic.
Note: See page 299 for important product details that may help with your purchase decision.

For transoms, see pages 122–123.



Founders

CCR8225
3'0"x 8'0"
3'6"x 8'0"



Founders

CCR8005
3'0"x 8'0"



Founders

CCR040
3'0"x 6'8"

CCR8040
3'0"x 8'0"
3'6"x 8'0"



Founders

CCR205
3'0" x 6'8"

CCR8205
3'0"x 8'0"
3'6"x 8'0"



Founders

CCR200
3'0"x 6'8"

CCR8200
3'0"x 8'0"



Founders

CCM60
3'0"x 6'8"



Founders

CCM801
3'0"x 6'8"



Founders

CCM701
3'0"x 6'8"

Hammered



Mahogany

CCR2025XHSL
12"x 6'8"
14"x 6'8"

CCR82035XHSL
12"x 8'0"
14"x 8'0"

Oak Grain



Artíssa

CC91
3'0"x 6'8"



Founders

CC831
3'0"x 8'0"



Founders

CC60
2'8"x 6'8"
3'0"x 6'8"

CC860
3'6"x 8'0"



Founders

CC40
3'6"x 6'8"

Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Simulated Divided Lites (SDLF6)
- WBDR / HVHZ Options

Optional Accessories

Clavos



Strap Hinge



Artíssa

CCV200
3'0"x 6'8"



Founders

CCV205
3'0"x 6'8"


CCV8205
3'0"x 8'0"



Founders

CCV220
3'0"x 6'8"

CCV8220
3'0"x 8'0"



Founders

CCV831
3'0"x 8'0"



Founders

CCV060
3'0"x 6'8"



Founders

CCV050
3'0"x 6'8"

Hammered



Canvas

CCV950XHSL
12"x 6'8"
14"x 6'8"

CCV8950XHSL
12"x 8'0"
14"x 8'0"

Note: See page 299 for important product details that may help with your purchase decision.
Right Page: Classic Craft Canvas Door – CCV050



Transoms

Transoms can be stained or painted to match Classic Craft door systems.

Homeward™



HWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



HW30T
3'0" Door Only

Arborwatch®



ABRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



AB30T
3'0" Door Only

Arcadia™



CC060T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC620T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC600T
3'0" Door Only

Longford™



LFET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LFRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LF30T
3'0" Door Only

Provincial™



CC040T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC420T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC400T
3'0" Door Only

Lucerna®



LCET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LCRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LC30T
3'0" Door Only

Cambridge™



CC090T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC920T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC900T
3'0" Door Only

Zaha®



ZHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Note: See page 299 for important product details that may help with your purchase decision.

Right Page: Classic Craft Canvas, Homeward Glass, Door – CCV9925, Sidelites – CCV911SL, Transom – HWRT

Low-E



Grille Sticks Applied



19020T

3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T

3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19200T

3'0" Door Only



19210T

12" & 14"
Sidelite Only

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)

Classic Craft® Hinged Patio Doors



A premium entrance to outdoor living.

The unmatched craftsmanship of Classic Craft premium entryways extends to the patio as an uncompromising entrance to the outdoors. Select from remarkably authentic wood grains and premium smooth surfaces to create a seamless indoor-outdoor connection.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.


Top: Classic Craft Mahogany Grain, Low-E Glass, Doors – CCM82800, Sidelitess – CCR8000SL, Finish – Lynx

Grain & Texture Options









Glass Options



Low-E Glass



Flush-Glazed Glass


Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

EnLiten™ Flush-Glazed Warranty Riders

See page 33 for details on the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners.

■ = Available	Classic Craft®
Door Selections	
Material	Fiberglass
Warranty	1x Transferable Lifetime
Finish Options	Stain or Paint
Flush-Glazed Glass Selections	
Low-E Glass with and without Divided Lites	■
Privacy & Textured Glass with and without Divided Lites	■
Lip-Lite Glass Selections	
Low-E Glass with and without Divided Lites	■
Privacy & Textured Glass with and without Divided Lites	■
Available Sizes	
Heights	6'8", 8'0"
Single Widths	3'0"
Double Widths	6'0"
Triple Widths	9'0"
Retrofit Openings	
Additional Options	
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame
Impact-Rated Options	
Tru-Defense Eligible	■

Available Configurations



ENERGY STAR PARTNER

EnLiten™ Flush-Glazed Low-E Glass




Available Collections

- Classic Craft® Fir Grain
- Classic Craft® Mahogany Grain

Available Door Styles

Available Configurations



EnLiten™ Flush-Glazed Low-E Glass with Divided Lites




Available Collections

- Classic Craft® Mahogany Grain

Available Door Styles

Available Configurations



Note: See page 299 for important product details that may help with your purchase decision.

Right Page: Classic Craft Fir Grain, Low-E Glass, Doors – CCA82400, Finish – Acorn, Retractable Screens – White

Low-E Glass




Available Collections

- Classic Craft® Mahogany Grain
- Classic Craft® Oak Grain
- Classic Craft® Canvas

Available Door Styles


Available Configurations





Fiber-Classic® & Smooth-Star®
Fiberglass Doors





Great style for any home.

With many door styles in common and glass families that cross over between door collections, Fiber-Classic and Smooth-Star offers flexible options to fit virtually every entrance from front entry to patio to utility doors at an excellent value.

Top: Smooth-Star, Maple Park Glass, Doors – S86107
Bottom: Fiber-Classic Oak Collection, Internal Blinds, Door – FC678, Finish – Barley
Right Page: Fiber-Classic Mahogany Collection, Low-E Glass with SDLs, Door – FCM4813, Sidelites – FCM2000SL, Transom – 19220T, Finish – Mulberry

















Fiber-Classic® Mahogany Collection™

Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.



Fiber-Classic® Oak Collection™

Fiber-Classic Oak is the door that started the fiberglass revolution and features the warm look and feel of natural Oak graining.



Smooth-Star®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.



See the difference color can make.

Therma-Tru offers a wide variety of finish options for our doors. Explore PrismaGuard® premium finish and Same-Day® Stain color options on pages 274–278.

Glass Options

- Explore a portfolio of interchangeable decorative glass designs, and privacy and textured glass options starting on page 134.
- Invite light into the home for a more brilliant interior with 22" wide glass in a Lip-lite frame, as well as flush-glazed options with 25–27" wide glass – starting on page 152.
- Lite frames are heat and fade resistant, and suitable for use with a storm door.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.



Door Construction

Fiber-Classic® and Smooth-Star® doors set the standard for beauty, quality and performance at an excellent value. Explore the craftsmanship and innovation of doors designed for long-lasting energy efficiency, durability and security.



1 Weather Resistance

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

2 Security

An enhanced lock block combined with a 1-¼" engineered lumber lock stile increases rigidity and stability.


3 Durability

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

4 R-Values

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood*, Therma-Tru fiberglass doors insulate against cold and heat for exceptional energy efficiency.

ENERGY STAR® Qualified Options Available



*Comparison of fiberglass to wood doors (both without glass).



Vented Sidelites

More than a sidelite. Vented sidelites from Therma-Tru let the homeowner enjoy the added curb appeal of an elegant front entry unobstructed by a screen door. Choose from convenient specialty glass options or eye-catching decorative designs. In fact, only Therma-Tru offers vented sidelites with decorative glass. Look for the (●) icon.

- Sturdy stiles and hinges make the unit work as a small swinging door.
- Wide patio mullions provide dependable operation.
- Multi-point lock and continuous system help provide security and stability.
- Convenient removable screens – available in bronze and white – are designed for worry-free use.

Available Sizes:

	Width	
Height	12"	14"
6'6"	■	■
6'8"	■	■
8'0"		■



Available Configurations:



Single Door with Vented Sidelites (Inswing Only)



Double Doors with Vented Sidelites (Inswing Only)

Note: No Impact-rated options available for vented sidelites.

Top: Smooth-Star, Granite Glass with SDLs, Door – S2103XN, Sidelites – S2000XNSL

■ = Available
• = Not Applicable
S = Stain
P = Paint

	Fiber-Classic® Mahogany Collection™	Fiber-Classic® Oak Collection™	Smooth-Star®
Door Widths			
2'0"	■	■	■
2'4"	■	■	■
2'6"	■	■	■
2'8"	■	■	■
2'10"	■	■	■
3'0"	■	■	■
3'6"	•	•	■
Door Heights			
6'6"	•	■	■
6'8"	■	■	■
7'0"	■	■	■
8'0"	■	■	■
Glass Options			
Decorative	15	15	15
Privacy & Textured	7	7	7
Internal Blinds	■	■	■
Flush-Glazed	■	■	■
Screen Vented	•	•	■
Simulated Divided Lites	■	■	■
Grilles Between Glass	■	■	■
Low-E	■	■	■
Clear	■	■	■
Additional Options			
Finish	S / P	S / P	P
Vented Sidelites	■	■	■

Retrofit Hinged Patio Doors

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 222–227.

5'0" Patio Opening = (2) 2'4" Doors
6'0" Patio Opening = (2) 2'10" Doors

Additional Options

WBDR Options: Look for this icon to find door styles that can be configured for WBDR.*

WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*

Fire-Rated Options: Available on solid-panel doors. See pages 254–259.

Flush-Glazed Options: Look for these icons and / or a blue highlight to find door styles with flush-glazed glass.

Warranties

LIFETIME LIMITED WARRANTY

Fiber-Classic® and Smooth-Star® products are backed by a lifetime limited warranty. See page 299 for more information.

Fiber-Classic® and Smooth-Star® products with flush-glazed glass are also backed by the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners. See page 33 for more information.

Fiber-Classic® and Smooth-Star® door systems are eligible for the Tru-Defense® Warranty Rider when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider. See page 26–27 for details.



*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for more, including details on limited warranties and exclusions, Riders, ENERGY STAR qualified products and product approvals.

Right: Smooth-Star, Clear Glass, Door – S8140


Decorative & Specialty Glass Designs

Blackstone®

Traditional English design meets ❶ clear curved bevels, ❷ rainglass and caming to create the distinctive styling of Blackstone. Entries get the best of both privacy and simple refinement.

1 — 7 — 10

Glass Privacy Rating



Black Nickel



Brushed Nickel

Crystalline™

This time-honored design features geometric styling brought to life with ❶ glue chip glass, ❷ glue chip bevels, ❸ clear bevels and caming. Offering modest privacy, Crystalline is a shining example of traditional decorative glass with lasting beauty.

1 — 7 — 10

Glass Privacy Rating



Black Nickel



Brushed Nickel

Sedona

Art meets glass in Sedona where Arts and Crafts simplicity is designed with ❶ slump glass, ❷ clear bevels, ❸ clear artique glass and caming.

1 — 7 — 10

Glass Privacy Rating



Black Nickel




Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Salinas®

❶ Oceana glass and wrought iron come together to create a cheerful entry glass design that offers the ultimate in privacy with yesterday's charm.

1 — 10
Glass Privacy Rating



Wrought Iron

Maple Park®

With hints of Mission style and the American Southwest, Maple Park provides a sophisticated appearance with ❶ waterglass, ❷ clear bevels, ❸ granite glass and caming. The curved design adds unique appeal.

1 — 6 — 10
Glass Privacy Rating



Black Nickel



Brushed Nickel

Avonlea®

The dainty leaf design seemingly grows upward in this elegant glass design. Light pours through Avonlea's ❶ clear baroque glass and ❷ bronze waterglass surrounded by black nickel caming.

1 — 4 — 10
Glass Privacy Rating



Black Nickel

Saratoga™


Saratoga evokes a certain urban sophistication while offering modest privacy with its ❶ clear bevels, ❷ diamond glass, ❸ reeded glass and caming. The geometric pattern bridges both modern and traditional designs.

1 — 7 — 10

Glass Privacy Rating



Black Nickel



Brushed Nickel

Texas Star

Beautifully crafted with ❶ clear bevels, ❷ curved bevels, ❸ clear waterglass, ❹ granite glass, ❺ glue chip glass, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.

1 — 5 — 10

Glass Privacy Rating



Black Nickel




Brushed Nickel

Wellesley™

Simple yet charming, Wellesley's Victorian-inspired design uses ❶ clear baroque glass, ❷ clear curved bevels, ❸ waterglass, ❹ granite glass and caming to add beauty to any entry.

1 — 6 — 10

Glass Privacy Rating



Black Nickel



Brushed Nickel




Brass

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Riserva®

Riserva decorative glass features a combination of linear and curved wrought iron elements that create a simple yet graceful design. Riserva features 1 oceana glass for privacy with a look that enhances a wide variety of home styles, including Mediterranean, Old World and Southwest.

1 — 10
Glass Privacy Rating



Wrought Iron

Concorde™

There's just something friendly about Concorde's cheery four-leaf design. 1 Glue chip glass, 2 clear curved bevels, 3 clear glass and caming make up its Old World charm.

1 — 8 — 10
Glass Privacy Rating



Black Nickel



Brushed Nickel



Brass

Kensington™

Kensington speaks European elegance while offering modest privacy with its 1 clear bevels, 2 glue chip glass, 3 granite glass and caming.

1 — 8 — 10
Glass Privacy Rating



Black Nickel




Brushed Nickel

Pembridge™

Simplistic in its design, Pembridge features a field of 1 hammered glass framed by 2 gray baroque glass and 3 multifaceted bevels. A central diamond shape adds a decorative touch.

1 7 10
Glass Privacy Rating

Note: The use of gray baroque glass varies based on glass size.



Black Nickel



Brushed Nickel


Brass*

Axis®

Simple and smart, Axis combines 1 narrow reeded glass in horizontal and vertical arrangements to create contrast and modest privacy. A vertical band of 2 clear glass bevels completes this linear design, ideal for Modern home styles.

1 7 10
Glass Privacy Rating



Black Nickel

Frosted Images®

Delicate and ornate, Frosted Images offers a high privacy rating with an elegant aesthetic achieved with the simplicity of 1 white-frosted glass.

1 8 10
Glass Privacy Rating



*Brass caming not available for Impact-rated products.
Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Internal Blinds

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.

1. Single-Hand Operator
2. Privacy Bar



Screen Vented

Screen vented lites offer a built-in screen for ventilation, featuring a gliding operation and sash locking system.



Privacy & Textured Glass



Reeded

1 7 10

Glass Privacy Rating



Geometric

1 7 10

Glass Privacy Rating



Satin Etch

1 10

Glass Privacy Rating



Chord

1 10

Glass Privacy Rating



Chinchilla

1 10

Glass Privacy Rating



Rainglass

1 8 10

Glass Privacy Rating



Granite

1 10

Glass Privacy Rating

Also Available:
Low-E & Clear Glass

Divided Lites



Shown with flat bronze GBGs, recommended.

Simulated Divided Lites (SDLs) with Grilles Between Glass (GBGs)

Choose wood-grained or smooth-textured SDL bars layered over flat bronze GBG bars to achieve the most authentic divided lite look.

Look for the ( ) icons.



Simulated Divided Lites (SDLs)

Wood-grained or smooth SDL bars are adhered to the interior and exterior panes of tempered glass. Can be stained or painted any color to complement the door and home.

Look for the (1 2) icons.



*Available in Special Quote Program.
Note: See page 299 for important product details that may help with your purchase decision.
Bottom: Smooth-Star, Clear Glass with SDLs, Door – S82103, Sidelites – S8000SL

Grilles Between Glass (GBGs)



Contour or flat GBG bars are thermally sealed between two panes of tempered glass for the convenience of a smooth, easy-to-clean glass surface.

Look for the (♦♦♦♦) icons.

Fixed Grilles




Fixed grilles are molded as part of the lite frame on the interior and exterior panes of tempered glass. Can be stained or painted to complement the home décor.

Look for the (◆) icon.

SDL Bar Options

Grained




Smooth




(28.6 mm / 1.125 in.)
Look for the ( ) icon.

Grained



Smooth



(28.6 mm / 1.125 in.)
Look for the (1) icon.

Grained




Smooth



(88.9 mm / 3.5 in.)
Look for the (2) icon.

GBG Bar Options

Flat



(20 mm / 0.787 in.)

Contour



(18 mm / 0.708 in.)

GBG Color Options




Key

- Simulated Divided Lites (SDL)
- 1 Simulated Divided Lites (SDLF1)
- 2 Simulated Divided Lites (SDLF2)
- ♦ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ♦ Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- ♦ Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- ♦ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ◆ Fixed Grilles (FXG)

Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware.





Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal.



Fiber-Classic® 4-Block Dentil Shelf*



Smooth-Star® 4-Block Dentil Shelf*



*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Bottom: Fiber-Classic Mahogany Collection, Clear Glass with SDLs, Door – FCM4816, Dentil Shelf, Finish – Acorn
Right Page: Fiber-Classic Oak Collection, Riserva Glass, Door – FC574, Sidelites – FC573SL, Finish – Wildflower Honey

Full Lites



Transoms

For transoms, see page 221.

Blackstone®



Mahogany

FCM108 — 2'8"x 6'8", 2'10"x 6'8", 3'0"x 6'8"

FCM871 — 2'8"x 8'0", 2'10"x 8'0", 3'0"x 8'0"



Mahogany

FCM310 — 2'6"x 6'8" (7'0"), 2'8"x 6'8" (7'0"), 2'10"x 6'8" (7'0"), 3'0"x 6'8" (7'0")

FCM816 — 2'6"x 8'0", 2'8"x 8'0", 2'10"x 8'0", 3'0"x 8'0"



Mahogany

FCM871SL — 12"x 8'0", 14"x 8'0"



Mahogany

FCM808SL — 10"x 6'8", 12"x 6'8" (7'0"), 14"x 6'8" (7'0")

FCM81918SL — 12"x 8'0", 14"x 8'0"



Oak

FC108 — 2'6"x 6'8", 2'8"x 6'8" (7'0"), 2'10"x 6'8" (7'0"), 3'0"x 6'8" (7'0")

81918P — 2'8"x 8'0", 2'10"x 8'0", 3'0"x 8'0"



Oak

FC310 — 2'6"x 6'8" (7'0"), 2'8"x 6'8" (7'0"), 2'10"x 6'8" (7'0"), 3'0"x 6'8" (7'0")

FC816 — 2'6"x 8'0", 2'8"x 8'0", 2'10"x 8'0", 3'0"x 8'0"



Oak

FC108SL — 10"x 6'8", 12"x 6'8", 14"x 6'8"

81918PSL — 12"x 8'0", 14"x 8'0"



Oak

FC808SL — 12"x 6'8" (7'0"), 14"x 6'8" (7'0")

81918SL — 12"x 8'0", 14"x 8'0"



Smooth

S6002 — 2'6"x 6'8", 2'8"x 6'8" (7'0"), 2'10"x 6'8" (7'0"), 3'0"x 6'8" (7'0")

S85892 — 2'6"x 8'0", 2'8"x 8'0", 2'10"x 8'0", 3'0"x 8'0"



Smooth

S310 — 2'6"x 6'8", 2'8"x 6'8" (7'0"), 2'10"x 6'8" (7'0"), 3'0"x 6'8" (7'0"), 3'6"x 6'8"

S816 — 2'6"x 8'0", 2'8"x 8'0", 2'10" x 8'0", 3'0"x 8'0", 3'6"x 8'0"



Smooth

S6002SL — 12" x 6'8", 14" x 6'8"

S85892SL — 12"x 8'0", 14"x 8'0"



Smooth

S4570SL — 10"x 6'8", 12"x 6'8" (7'0"), 14"x 6'8" (7'0")

S85927SL — 12"x 8'0", 14"x 8'0"

Key

- No Stile Lines
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- NEW Scrolled & Flat Advanta Lite Frame
- Flat Lite Frame
- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- 6'6" Height Available

Crystalline™



Mahogany

FCM16
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM8114
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM668
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

FCM814
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM8114SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM18101SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

FCM81800SL
12"x 8'0"
14"x 8'0"



Oak

FC16
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

81800P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC668
2'8"x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0"x 6'8" ♿ (7'0")

FC814
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC46SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

81800PSL
12"x 8'0"
14"x 8'0"



Oak

18101SL
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")

81800SL
12"x 8'0"
14"x 8'0"



Smooth

S916
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S814
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S668
2'8"x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0"x 6'8" ♿ (7'0")
3'6"x 6'8"

S815
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"
3'6"x 8'0"



Smooth

S916SL
12"x 6'8"
14"x 6'8"

S814SL
12"x 8'0"
14"x 8'0"



Smooth

S6130SL
10"x 6'8"
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")

S84586SL
12"x 8'0"
14"x 8'0"

Sedona



Mahogany

FCM100
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM872
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM241
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

FCM822
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM872SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM816SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

FCM81968SL
12"x 8'0"
14"x 8'0"



Oak

FC100
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

81968P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC241
2'6"x 6'8" ♿ (7'0")
2'8"x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0"x 6'8" ♿ (7'0")

FC822
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Note: See page 299 for important product details that may help with your purchase decision.



Oak

FC100SL
10" x 6'8"
12"x 6'8"
14"x 6'8"

81968PSL
12"x 8'0"
14"x 8'0"



Oak

FC816SL
12"x 6'8" (7'0")
14"x 6'8" (7'0")

81968SL
12"x 8'0"
14"x 8'0"



Smooth

S139
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Smooth

S241
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8"



Smooth

S139SL
12"x 6'8"
14"x 6'8"



Smooth

S604SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Salinas® x



Mahogany

FCM113
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM873
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM369
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

FCM817
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM814SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

FCM81919SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM873SL
12"x 8'0"
14"x 8'0"



Oak

FC113
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

81919P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC369
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

FC817
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC113SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

81919PSL
12"x 8'0"
14"x 8'0"



Oak

FC814SL
12"x 6'8" (7'0")
14"x 6'8" (7'0")

81919SL
12"x 8'0"
14"x 8'0"



Smooth

S6008
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S85893
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S369
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8"

S817
2'6"x 8'0"
2'8"x 8'0"
2'10" x 8'0"
3'0"x 8'0"
3'6"x 8'0"



Smooth

S6008SL
12"x 6'8"
14"x 6'8"

S85893SL
12"x 8'0"
14"x 8'0"



Smooth

S6134SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

S85931SL
12"x 8'0"
14"x 8'0"

Key

- No Stile Lines
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Wrought Iron (1W)
- NEW Scrolled & Flat Advanta Lite Frame
- Flat Lite Frame
- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- 6'6" Height Available

Maple Park®



Mahogany

FCM900
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM1006
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Mahogany

FCM812SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



Oak

FC900
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Oak

FC1006
2'8"x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0"x 6'8" ♿ (7'0")



Oak

FC900SL
10"x 6'8"
12"x 6'8"
14"x 6'8"



Oak

FC812SL
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")



Smooth

S6100
2'8"x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0"x 6'8" (7'0")



Smooth

S1006
2'8"x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0"x 6'8" ♿ (7'0")
3'6"x 6'8"



Smooth


S6100SL
12"x 6'8"
14"x 6'8"



Smooth

S6131SL
10"x 6'8"
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")

Avonlea®



Mahogany

FCM758
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM1027
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Mahogany

FCM807SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



Oak

FC758
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Oak

FC1027
2'8"x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0"x 6'8" ♿ (7'0")



Oak

FC758SL
10"x 6'8"
12"x 6'8"
14"x 6'8"



Oak

FC807SL
12"x 6'8" (7'0")
14"x 6'8" (7'0")



Smooth

S962
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Smooth

S1027
2'8"x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0"x 6'8" ♿ (7'0")
3'6"x 6'8"



Smooth

S962SL
12"x 6'8"
14"x 6'8"



Smooth

S6127SL
10"x 6'8"
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")

Note: See page 299 for important product details that may help with your purchase decision.

Saratoga™



Mahogany

FCM905
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM6093
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Mahogany

FCM815SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

FCM81986SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM893SL
12"x 8'0"
14"x 8'0"



Oak

FC905
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Oak

FC6093
2'6"x 6'8" ♙ (7'0")
2'8"x 6'8" ♙ (7'0")
2'10"x 6'8" ♙ (7'0")
3'0"x 6'8" ♙ (7'0")



Oak

FC905SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

81986PSL
12"x 8'0"
14"x 8'0"



Oak

FC815SL
12"x 6'8" ♙ (7'0")
14"x 6'8" ♙ (7'0")

81986SL
12"x 8'0"
14"x 8'0"



Smooth

S154
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Smooth

S6093
2'6"x 6'8" ♙
2'8"x 6'8" ♙ (7'0")
2'10"x 6'8" ♙ (7'0")
3'0"x 6'8" ♙ (7'0")
3'6"x 6'8"



Smooth

S154SL
12"x 6'8"
14"x 6'8"

S8602SL
12"x 8'0"
14"x 8'0"



Smooth

S602SL
10"x 6'8"
12"x 6'8" ♙ (7'0")
14"x 6'8" ♙ (7'0")

S85932SL
12"x 8'0"
14"x 8'0"

Texas Star



Mahogany

FCM142
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM1029
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Mahogany

FCM817SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



Oak

FC142
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Oak

FC1029
2'8"x 6'8" ♙ (7'0")
2'10"x 6'8" ♙ (7'0")
3'0"x 6'8" ♙ (7'0")



Oak

FC142SL
10"x 6'8"
12"x 6'8"
14"x 6'8"



Oak

FC817SL
12"x 6'8" ♙ (7'0")
14"x 6'8" ♙ (7'0")



Smooth

S6070
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Smooth

S1029
2'8"x 6'8" ♙ (7'0")
2'10"x 6'8" ♙ (7'0")
3'0"x 6'8" ♙ (7'0")

Texas Star *Continues on next page.*

Key

- No Stile Lines
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Flat Lite Frame
- NEW Scrolled & Flat Advanta Lite Frame
- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options
- 6'6" Height Available

Texas Star ◆ ⁘ *Continued*



Smooth

S6070SL
12"x 6'8"
14"x 6'8"



Smooth

S6135SL
10"x 6'8"
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")

Wellesley™ ◆ ⁘ ❖



Mahogany

FCM104
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM874
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM6094 E
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

FCM821
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM818SL
10"x 6'8"
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")

FCM81921SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM874SL
12"x 8'0"
14"x 8'0"



Oak

FC104 E
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

81921P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC6094 E
2'6"x 6'8" ♿ (7'0")
2'8"x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0"x 6'8" ♿ (7'0")

FC821
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC104SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

81921PSL
12"x 8'0"
14"x 8'0"



Oak

FC818SL
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")

81921SL
12"x 8'0"
14"x 8'0"



Smooth

S155 E
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S85896
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6094 E
2'6"x 6'8" ♿
2'8"x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0"x 6'8" ♿ (7'0")
3'6"x 6'8"

S821
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"
3'6"x 8'0"



Smooth

S155SL
12"x 6'8"
14"x 6'8"

S85896SL
12"x 8'0"
14"x 8'0"



Smooth

S5870SL
10"x 6'8"
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")

S85934SL
12"x 8'0"
14"x 8'0"

Riserva® x



Mahogany

FCM574
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM8574
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM571 E
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

FCM8571
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Note: See page 299 for important product details that may help with your purchase decision.



Mahogany

FCM572SL
10"x 6'8"
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")

FCM8572SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM8573SL
12"x 8'0"
14"x 8'0"



Oak

FC574
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

FC8574
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC571
2'6"x 6'8" ♿ (7'0")
2'8"x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0"x 6'8" ♿ (7'0")

FC8571
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC573SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

FC8573SL
12"x 8'0"
14"x 8'0"



Oak

FC572SL
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")

FC8572SL
12"x 8'0"
14"x 8'0"



Smooth

S574
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S8574
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S571
2'6"x 6'8" ♿
2'8"x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0"x 6'8" ♿ (7'0")
3'6"x 6'8"

S8571
2'6"x 8'0"
2'8"x 8'0"
2'10" x 8'0"
3'0"x 8'0"
3'6"x 8'0"



Smooth

S573SL
12"x 6'8"
14"x 6'8"

S8573SL
12"x 8'0"
14"x 8'0"



Smooth

S572SL
10"x 6'8"
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")

S8572SL
12"x 8'0"
14"x 8'0"

Concorde™



Mahogany

FCM910
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM890
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM6095
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

FCM820
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM809SL
10"x 6'8"
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")

FCM81928SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM890SL
12"x 8'0"
14"x 8'0"



Oak

FC910
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

81928P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC6095
2'6"x 6'8" ♿ (7'0")
2'8"x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0"x 6'8" ♿ (7'0")

FC820
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Concorde *Continues on next page.*

Key

- No Stile Lines
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Flat Lite Frame
- NEW Scrolled & Flat Advanta Lite Frame
- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- ♿ 6'6" Height Available

Concorde™ *Continued*



Oak

FC910SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

81928PSL
12"x 8'0"
14"x 8'0"



Oak

FC809SL
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")

81928SL
12"x 8'0"
14"x 8'0"



Smooth

S6090
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S85895
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6095
2'6"x 6'8" ♿
2'8"x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0"x 6'8" ♿ (7'0")
3'6"x 6'8"

S820
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"
3'6"x 8'0"



Smooth

S416SL
12"x 6'8"
14"x 6'8"

S85895SL
12"x 8'0"
14"x 8'0"



Smooth

S4070SL
10"x 6'8"
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")

S85930SL
12"x 8'0"
14"x 8'0"

Kensington™



Mahogany

FCM148
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM626
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Mahogany

FCM813SL
10"x 6'8"
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")



Oak

FC148
2'8"x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0"x 6'8" (7'0")



Oak

FC626
2'8"x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0"x 6'8" ♿ (7'0")



Oak

FC148SL
10"x 6'8"
12"x 6'8"
14"x 6'8"



Oak

FC813SL
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")



Smooth

S160
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Smooth

S626
2'8"x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0"x 6'8" ♿ (7'0")
3'6"x 6'8"



Smooth

S160SL
12"x 6'8"
14"x 6'8"



Smooth

S6132SL
10"x 6'8"
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")

Pembridge™



Mahogany

FCM6550
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM86550
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM6500
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

FCM86500
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM86550SL
12"x 8'0"
14"x 8'0"

Note: See page 299 for important product details that may help with your purchase decision.



Mahogany

FCM6500SL
10"x 6'8"
12"x 6'8" ⅄ (7'0")
14"x 6'8" ⅄ (7'0")

FCM86500SL
12"x 8'0"
14"x 8'0"



Oak

FC6550 E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

FC86550
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC6500 E
2'8"x 6'8" ⅄ (7'0")
2'10"x 6'8" ⅄ (7'0")
3'0"x 6'8" ⅄ (7'0")

FC86500
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC6550SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

FC86550SL
12"x 8'0"
14"x 8'0"



Oak

FC6500SL
12"x 6'8" ⅄ (7'0")
14"x 6'8" ⅄ (7'0")

FC86500SL
12"x 8'0"
14"x 8'0"



Smooth

S6550 E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S86550
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6500 E
2'8"x 6'8" ⅄ (7'0")
2'10"x 6'8" ⅄ (7'0")
3'0"x 6'8" ⅄ (7'0")
3'6"x 6'8"

S86500
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"
3'6"x 8'0"



Smooth

S6550SL
12"x 6'8"
14"x 6'8"

S86550SL
12"x 8'0"
14"x 8'0"



Smooth

S6500SL
10"x 6'8"
12"x 6'8" ⅄ (7'0")
14"x 6'8" ⅄ (7'0")

S86500SL
12"x 8'0"
14"x 8'0"

Axis® ◆



Mahogany

FCM1652
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM81652
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM1651 E
2'4"x 6'8"
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

FCM81651
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM1651SL
10"x6'8"
12"x 6'8" ⅄ (7'0")
14"x 6'8" ⅄ (7'0")

FCM81651SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM81652SL
12"x 8'0"
14"x 8'0"



Oak

FC1652 E
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

FC81652
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC1651 E
2'4"x 6'8" ⅄
2'6"x 6'8" ⅄ (7'0")
2'8"x 6'8" ⅄ (7'0")
2'10"x 6'8" ⅄ (7'0")
3'0"x 6'8" ⅄ (7'0")

FC81651
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC1652SL
10"x6'8"
12"x 6'8"
14"x 6'8"

FC81652SL
12"x 8'0"
14"x 8'0"

Axis *Continues on next page.*

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Flat Lite Frame
- NEW Scrolled & Flat Advanta Lite Frame
- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- ⅄ 6'6" Height Available

Axis® ◆ *Continued*



Oak

FC1651SL
12"x 6'8" (7'0")
14"x 6'8" (7'0")

FC81651SL
12"x 8'0"
14"x 8'0"



Smooth

S1652
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S81652
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S1651
2'4"x 6'8"
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8"

S81651
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"
3'6"x 8'0"



Smooth

S1652SL
12"x 6'8"
14"x 6'8"

S81652SL
12"x 8'0"
14"x 8'0"



Smooth

S1651SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

S81651SL
12"x 8'0"
14"x 8'0"

EnLiten™ Flush-Glazed Privacy & Textured Glass with Divided Lites



Oak

FC1205_
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"



Oak

FC1207_
2'6" x 6'8"
2'8"x 6'8"
3'0"x 6'8"



Oak

2010_
2'6" x 6'8"
2'8"x 6'8"
3'0"x 6'8"



Oak

2050_
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"



Oak

2050_SL
12"x 6'8"
14"x 6'8"



Oak

FC5700_
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"

FC85700_
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC5710_
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"


FC85710_
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC5720_
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"

FC85720_
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC691_
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"


FC8691_
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC685L_
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"

FC8685L_
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC685R_
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"

FC8685R_
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = Reeded
XG = Geometric
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

*Not available with Reeded (XK) or Geometric (XG) glass.

Note: See page 299 for important product details that may help with your purchase decision.



Oak

FC5700_SL

12"x 6'8"
14"x 6'8"



Oak

FC5710_SL

12"x 6'8"
14"x 6'8"



Oak

FC5720_SL

12"x 6'8"
14"x 6'8"



Smooth

S1205_

2'6"x 6'8" ♿
2'8"x 6'8" ♿
2'10"x 6'8" ♿
3'0"x 6'8" ♿



Smooth

S1207_

2'6"x 6'8" ♿
2'8"x 6'8" ♿
2'10"x 6'8" ♿
3'0"x 6'8" ♿



Smooth

S2010_

2'6"x 6'8" ♿
2'8"x 6'8" ♿
2'10"x 6'8" ♿
3'0"x 6'8" ♿



Smooth

S2050_

2'6"x 6'8" ♿
2'8"x 6'8" ♿
2'10"x 6'8" ♿
3'0"x 6'8" ♿



Smooth

S5705_

2'6"x 6'8" ♿
2'8"x 6'8" ♿
2'10"x 6'8" ♿
3'0"x 6'8" ♿

S85705_

2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S5715_

2'6"x 6'8" ♿
2'8"x 6'8" ♿
2'10"x 6'8" ♿
3'0"x 6'8" ♿

S85715_

2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S5725_

2'6"x 6'8" ♿
2'8"x 6'8" ♿
2'10"x 6'8" ♿
3'0"x 6'8" ♿

S85725_

2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S2010_SL

10"x 6'8" ♿
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")

S84886_SL

12"x 8'0" ♿
14"x 8'0" ♿



Smooth

S2000_SL-2C*

10"x 6'8" ♿
12"x 6'8" ♿
14"x 6'8" ♿



Smooth

S2000_SL-4C*

10"x 6'8" ♿
12"x 6'8" ♿
14"x 6'8" ♿



Smooth

S5700_

2'6"x 6'8" ♿
2'8"x 6'8" ♿
2'10"x 6'8" ♿
3'0"x 6'8" ♿

S85700_

2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S5710_

2'6"x 6'8" ♿
2'8"x 6'8" ♿
2'10"x 6'8" ♿
3'0"x 6'8" ♿

S85710_

2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S5720_

2'6"x 6'8" ♿
2'8"x 6'8" ♿
2'10"x 6'8" ♿
3'0"x 6'8" ♿

S85720_

2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S691_

2'6"x 6'8" ♿
2'8"x 6'8" ♿
2'10"x 6'8" ♿
3'0"x 6'8" ♿

S8691_

2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

EnLiten Flush-Glazed Privacy & Textured Glass with Divided Lites

Continues on next page.

Key

- No Stile Lines
- Flush-Glazed Glass with Detailed Sticking (FG)
- Black Nickel Caming (1D)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Flat Lite Frame
- NEW Scrolled & Flat Advanta Lite Frame
- Vented Sidelite Options
- E Elevated 10" Bottom Rail Options
- WBDR Options
- WBDR / HVHZ Options
- ♿ 6'6" Height Available

EnLiten™ Flush-Glazed Privacy & Textured Glass with Divided Lites *Continued*



Smooth

S685L__ | S8685L__
2'6"x 6'8" ♿
2'8"x 6'8" ♿
2'10"x 6'8" ♿
3'0"x 6'8" ♿

2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S685R__ | S8685R__
2'6"x 6'8" ♿
2'8"x 6'8" ♿
2'10"x 6'8" ♿
3'0"x 6'8" ♿

2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S5700_SL | S85700_SL
10"x 6'8" | 12"x 8'0"
12"x 6'8" | 14"x 8'0"
14"x 6'8"



Smooth

S5710_SL | S85710_SL
10"x 6'8" | 12"x 8'0"
12"x 6'8" | 14"x 8'0"
14"x 6'8"



Smooth


S5720_SL | S85720_SL
10"x 6'8" | 12"x 8'0"
12"x 6'8" | 14"x 8'0"
14"x 6'8"

Privacy & Textured Glass with Divided Lites



Mahogany

FCM138__
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM1285__
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Mahogany

FCM18__
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM1284__
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Mahogany

FCM12102_SL
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")



Mahogany

FCM6124_SL*
10"x 6'8"
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")



Mahogany

FCM6125_SL*
10"x 6'8"
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")



Mahogany

FCM6126_SL*
10"x 6'8"
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")



Oak

FC138__
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Oak

1285__
2'8"x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0"x 6'8" ♿ (7'0")



Oak

FC18__
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Oak

1284__
2'8"x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0"x 6'8" ♿ (7'0")



Oak

FC18_SL
12"x 6'8"
14"x 6'8"



Oak

12102_SL
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = Reeded
XG = Geometric
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

*Not available with Reeded (XK) or Geometric (XG) glass.

Note: See page 299 for important product details that may help with your purchase decision.



Oak

FC06188_SL*
10"x 6'8"
12"x 6'8"
14"x 6'8"



Oak

FC06184_SL*
12"x 6'8" (7'0")
14"x 6'8" (7'0")



Oak

FC06189_SL*
10"x 6'8"
12"x 6'8"
14"x 6'8"



Oak

FC06185_SL*
12"x 6'8" (7'0")
14"x 6'8" (7'0")



Oak

FC06190_SL*
10"x 6'8"
12"x 6'8"
14"x 6'8"



Oak

FC06186_SL*
12"x 6'8" (7'0")
14"x 6'8" (7'0")



Smooth

S128_
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Smooth

S141_
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8"



Smooth

S108_
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Smooth

S6063_
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8"



Smooth

S308_SL
12"x 6'8"
14"x 6'8"



Smooth

S1170_SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



Smooth

S605_SL*
12"x 6'8"
14"x 6'8"



Smooth

S6124_SL*
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



Smooth

S606_SL*
12"x 6'8"
14"x 6'8"



Smooth

S6125_SL*
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



Smooth

S607_SL*
12"x 6'8"
14"x 6'8"



Smooth

S6126_SL*
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

EnLiten™ Flush-Glazed Privacy & Textured Glass



Oak

2000_
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"

8000_
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

2000_SL
12"x 6'8"
14"x 6'8"



Smooth

S2000_
E
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8000_
E
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S2000_SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

S8000_SL
12"x 8'0"
14"x 8'0"

Key

- No Stile Lines
- Flush-Glazed Glass with Detailed Sticking (FG)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF2)
- NEW Scrolled Advanta Lite Frame
- Vented Sidelite Options
- E Elevated 10" Bottom Rail Options
- 6'6" Height Available

Privacy & Textured Glass



Mahogany

FCM10_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM870_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM1283_ E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

FCM81200_
2'6"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM870_SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM12101_SL
10"x 6'8"
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")

FCM81200_SL
12"x 8'0"
14"x 8'0"



Oak

FC10_ E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")


81200P_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

1283_ E
2'8"x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0"x 6'8" ♿ (7'0")

81200_
2'6"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC47_SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

81200P_SL
12"x 8'0"
14"x 8'0"



Oak

12101_SL
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")

81200_SL
12"x 8'0"
14"x 8'0"



Smooth

S118_ E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S818_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S140_ E
2'8"x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0"x 6'8" ♿ (7'0")
3'6"x 6'8"

S8140_
2'6"x 8'0"
2'10"x 8'0"
3'0"x 8'0"
3'6"x 8'0"



Smooth

S100_SL
12"x 6'8"
14"x 6'8"

S8601_SL
12"x 8'0"
14"x 8'0"



Smooth

S601_SL
10"x 6'8"
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")

S81086_SL
12"x 8'0"
14"x 8'0"

EnLiten™ Flush-Glazed Internal Blinds



Smooth

S2600 E
2'6"x 6'8" ♿
2'8"x 6'8" ♿
2'10"x 6'8" ♿
3'0"x 6'8" ♿

S82600
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = Reeded
XE = Satin Etch
XJ = Chinchilla
XN = Granite
XG = Geometric
XC = Chord
XR = Rainglass

Note: See page 299 for important product details that may help with your purchase decision.

Internal Blinds



Mahogany

FCM141
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM8115
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM1286 E
2'4"x 6'8"
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

FCM81225
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM8115SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM1286SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

FCM81225SL
12"x 8'0"
14"x 8'0"



Oak

FC141 E
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")


81225P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

1286 E
2'4"x 6'8"
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")


81225
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC141SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

81225PSL
12"x 8'0"
14"x 8'0"



Oak

1286SL
12"x 6'8" (7'0")
14"x 6'8" (7'0")

81225SL
12"x 8'0"
14"x 8'0"



Smooth

S130
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S829
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6061 E
2'4"x 6'8"
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8"

S81225
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"
3'6"x 8'0"



Smooth

S130SL
12"x 6'8"
14"x 6'8"

S829SL
12"x 8'0"
14"x 8'0"



Smooth

S6128SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

S85928SL
12"x 8'0"
14"x 8'0"

EnLiten™ Flush-Glazed Clear Glass with Divided Lites



Mahogany

FCM1205SL
12"x 6'8"
14"x 6'8"




Mahogany

FCM1206SL
12"x 6'8"
14"x 6'8"



Mahogany

FCM1204SL
12"x 6'8"
14"x 6'8"



Mahogany

FCM2009SL
12"x 6'8"
14"x 6'8"



Oak


FC1205
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"

EnLiten Flush-Glazed Clear Glass with Divided Lites *Continues on next page.*

Key

- No Stile Lines
- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Flat Lite Frame
- NEW Scrolled & Flat Advanta Lite Frame
- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- 6'6" Height Available

EnLiten™ Flush-Glazed Clear Glass with Divided Lites *Continued*



Oak

FC1206
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"




Oak

FC1207
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"



Oak

2010
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"



Oak

FC1204
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"




Oak

2050
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"



Oak

8000-12
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

8000-18
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC1205SL
12" x 6'8"
14" x 6'8"



Oak

FC1206SL
12" x 6'8"
14" x 6'8"



Oak

FC1204SL
12" x 6'8"
14" x 6'8"



Oak


2050SL
12" x 6'8"
14" x 6'8"



Oak

2009
2'0" x 6'8"
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

8000-9
2'0" x 8'0"
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

2009SL
12" x 6'8"
14" x 6'8"



Oak

FC5700
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

FC85700
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC5710
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

FC85710
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC5720
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

FC85720
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC691
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"


FC8691
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC685L
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

FC8685L
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC685R
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

FC8685R
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Note: See page 299 for important product details that may help with your purchase decision.



Oak

FC5700SL
2
12"x 6'8"
14"x 6'8"



Oak

FC5710SL
2
12"x 6'8"
14"x 6'8"



Oak

FC5720SL
2
12"x 6'8"
14"x 6'8"



Smooth

S1205
1 E
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S1206
E
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S1207
1 E
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S2010
1 E
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"




Smooth

S1204
E
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"




Smooth

S2050
1 E
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S8000-12
E
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S8000-18
E
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S5705
1 E
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S85705
1 E
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S5715
1 E
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S85715
1 E
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S5725
1 E
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S85725
1 E
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S1205SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



Smooth

S1206SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



Smooth

S1204SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



Smooth

S2010SL
1
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

S84886SL
1
12"x 8'0"
14"x 8'0"



Smooth

S2000SL-2C
10"x 6'8"
12"x 6'8"
14"x 6'8"



Smooth

S2000SL-4C
10"x 6'8"
12"x 6'8"
14"x 6'8"

EnLiten Flush-Glazed Clear Glass with Divided Lites *Continues on next page.*

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- 1 Simulated Divided Lites (SDLF1)
- 2 Simulated Divided Lites (SDLF2)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite Options
- E Elevated 10" Bottom Rail Options
- 6'6" Height Available

EnLiten™ Flush-Glazed Clear Glass with Divided Lites *Continued*



Smooth

S2009
2'0"x 6'8"
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8000-9
2'0"x 8'0"
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S2009SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



Smooth

S5700
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S85700
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S5710
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S85710
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S5720
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S85720
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S691
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8691
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S685L
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8685L
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S685R
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8685R
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S5700SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

S85700SL
12"x 8'0"
14"x 8'0"



Smooth

S5710SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

S85710SL
12"x 8'0"
14"x 8'0"



Smooth

S5720SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

S85720SL
12"x 8'0"
14"x 8'0"



Note: See page 299 for important product details that may help with your purchase decision.

Bottom: Smooth-Star, Clear Glass with SDLs, Doors – S85715, Finish – Alpine

Clear Glass with Divided Lites



Mahogany

FCM1209
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1201
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Mahogany

FCM1211
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




Mahogany

FCM1202
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Mahogany

FCM1212
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




Mahogany

FCM1203
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Mahogany

FCM138
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1285
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Mahogany

FCM1208
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1200
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Mahogany

FCM18
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1284
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Mahogany

FCM828
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM81828
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM81208P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"




Mahogany

FCM81829
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM1201SL
10"x 6'8"
12"x 6'8" ⅄ (7'0")
14"x 6'8" ⅄ (7'0")



Mahogany

FCM1202SL
10"x 6'8"
12"x 6'8" ⅄ (7'0")
14"x 6'8" ⅄ (7'0")



Mahogany

FCM1200SL
10"x 6'8"
12"x 6'8" ⅄ (7'0")
14"x 6'8" ⅄ (7'0")



Mahogany

FCM12102SL
10"x 6'8"
12"x 6'8" ⅄ (7'0")
14"x 6'8" ⅄ (7'0")



Mahogany

FCM81208PSL
12"x 8'0"
14"x 8'0"



Mahogany


FCM81208SL
12"x 8'0"
14"x 8'0"

Clear Glass with Divided Lites *Continues on next page.*

Key

- No Stile Lines
- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF2)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- NEW Scrolled & Flat Advanta Lite Frame
- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- ⅄ 6'6" Height Available


Clear Glass with Divided Lites *Continued*



Mahogany

FCM6124SL


10"x 6'8"
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")



Mahogany

FCM6125SL

10"x 6'8"
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")



Mahogany

FCM6126SL

10"x 6'8"
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")



Mahogany

FCM198


2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1289

2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Mahogany

FCM1289SL

10"x 6'8"
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")



Oak

FC1209

2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Oak

FC1201

2'6"x 6'8" ♿ (7'0")
2'8"x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0"x 6'8" ♿ (7'0")



Oak

FC1211

2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Oak

FC1202

2'6"x 6'8" ♿ (7'0")
2'8"x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0"x 6'8" ♿ (7'0")



Oak

FC1212

2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Oak

FC1203

2'6"x 6'8" ♿ (7'0")
2'8"x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0"x 6'8" ♿ (7'0")



Oak

FC138

2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Oak

1285

2'6"x 6'8" ♿ (7'0")
2'8"x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0"x 6'8" ♿ (7'0")



Oak

FC1208

2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Oak

FC1200

2'6"x 6'8" ♿ (7'0")
2'8"x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0"x 6'8" ♿ (7'0")



Oak

FC18

2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Oak

1284

2'6"x 6'8" ♿ (7'0")
2'8"x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0"x 6'8" ♿ (7'0")



Oak

FC828

2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

81828

2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

81208P


2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Note: See page 299 for important product details that may help with your purchase decision.



Oak

81208
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC1209SL
10"x 6'8"
12"x 6'8"
14"x 6'8"



Oak

FC1201SL
12"x 6'8" (7'0")
14"x 6'8" (7'0")



Oak

FC1211SL
10"x 6'8"
12"x 6'8"
14"x 6'8"



Oak

FC1202SL
12"x 6'8" (7'0")
14"x 6'8" (7'0")



Oak

FC1208SL
10"x 6'8"
12"x 6'8"
14"x 6'8"



Oak

FC1200SL
12"x 6'8" (7'0")
14"x 6'8" (7'0")



Oak

FC18SL
10"x 6'8"
12"x 6'8"
14"x 6'8"



Oak

12102SL
12"x 6'8" (7'0")
14"x 6'8" (7'0")




Oak

81208PSL
12"x 8'0"
14"x 8'0"




Oak

81208SL
12"x 8'0"
14"x 8'0"




Oak

FC06188SL
10"x 6'8"
12"x 6'8"
14"x 6'8"



Oak

FC06184SL
12"x 6'8" (7'0")
14"x 6'8" (7'0")




Oak

FC06189SL
10"x 6'8"
12"x 6'8"
14"x 6'8"




Oak

FC06185SL
12"x 6'8" (7'0")
14"x 6'8" (7'0")



Oak

FC06190SL
10"x 6'8"
12"x 6'8"
14"x 6'8"



Oak

FC06186SL
12"x 6'8" (7'0")
14"x 6'8" (7'0")




Oak

FC198
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")




Oak

1289
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Oak

FC198SL
10"x 6'8"
12"x 6'8"
14"x 6'8"



Oak

FC1289SL
12"x 6'8" (7'0")
14"x 6'8" (7'0")



Smooth

S1209
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Smooth

S1201
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8"



Smooth

S1211
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Key

- No Stile Lines
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- NEW Scrolled & Flat Advanta Lite Frame
- NEW Scrolled Advanta Lite Frame
- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options
- 6'6" Height Available
- E Elevated 10" Bottom Rail Options

Clear Glass with Divided Lites *Continued*



Smooth

S1202

2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8"



Smooth

S1212

2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Smooth

S1203

2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8"



Smooth

S128

2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Smooth

S141

2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8"



Smooth

S1208

2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Smooth

S1200

2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8"



Smooth

S108

2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Smooth

S6063

2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8"



Smooth

S828

2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S81828

2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"
3'6"x 8'0"



Smooth

S808

2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S81208

2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"
3'6"x 8'0"



Smooth

S1209SL

12"x 6'8"
14"x 6'8"



Smooth

S1201SL

10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



Smooth

S1211SL

12"x 6'8"
14"x 6'8"



Smooth

S1202SL

10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



Smooth

S1208SL

12"x 6'8"
14"x 6'8"



Smooth

S1200SL

10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



Smooth

S308SL

12"x 6'8"
14"x 6'8"



Smooth

S1170SL

10" x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



Smooth

S808SL

12"x 8'0"
14"x 8'0"

Note: See page 299 for important product details that may help with your purchase decision.



Smooth

S81186SL
12"x 8'0"
14"x 8'0"



Smooth

S605SL
12"x 6'8"
14"x 6'8"

S8605SL
12"x 8'0"
14"x 8'0"



Smooth

S6124SL
10"x 6'8"
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")

S85924SL
12"x 8'0"
14"x 8'0"



Smooth

S606SL
12"x 6'8"
14"x 6'8"

S8606SL
12"x 8'0"
14"x 8'0"



Smooth

S6125SL
10"x 6'8"
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")

S85925SL
12"x 8'0"
14"x 8'0"



Smooth

S607SL
12"x 6'8"
14"x 6'8"

S8607SL
12"x 8'0"
14"x 8'0"



Smooth

S6126SL
10"x 6'8"
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")

S85926SL
12"x 8'0"
14"x 8'0"



Smooth

S198
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Smooth

S6062
2'6"x 6'8" ♿
2'8"x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0"x 6'8" ♿ (7'0")
3'6"x 6'8"



Smooth

S198SL
12"x 6'8"
14"x 6'8"



Smooth

S6062SL
10"x 6'8"
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")

EnLiten™ Flush-Glazed Clear Glass



Oak

2000
2'0"x 6'8"
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"

8000
2'0"x 8'0"
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

2000SL
12"x 6'8"
14"x 6'8"



Smooth

S2000
2'0"x 6'8" ♿
2'6"x 6'8" ♿
2'8"x 6'8" ♿
2'10"x 6'8" ♿
3'0"x 6'8" ♿

S8000
2'0"x 8'0"
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S2000SL
10"x 6'8" ♿
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")

S8000SL
12"x 8'0"
14"x 8'0"

Key

- No Stile Lines
- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options
- NEW Scrolled & Flat Advanta Lite Frame
- NEW Scrolled Advanta Lite Frame
- E Elevated 10" Bottom Rail Options
- ♿ 6'6" Height Available

Clear Glass



Mahogany

FCM10
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM870
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM1283 E
2'0" x 6'8"
2'4" x 6'8"
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM81200
2'0" x 8'0"
2'4" x 8'0"
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM12101SL
10" x 6'8"
12" x 6'8" ♿ (7'0")
14" x 6'8" ♿ (7'0")

FCM81200SL
12" x 8'0"
14" x 8'0"



Mahogany

FCM870SL
12" x 8'0"
14" x 8'0"



Oak

FC10 E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

81200P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

1283 E
2'0" x 6'8"
2'4" x 6'8" ♿
2'6" x 6'8" ♿ (7'0")
2'8" x 6'8" ♿ (7'0")
2'10" x 6'8" ♿ (7'0")
3'0" x 6'8" ♿ (7'0")

81200
2'0" x 8'0"
2'4" x 8'0"
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC47SL
10" x 6'8"
12" x 6'8"
14" x 6'8"

81200PSL
12" x 8'0"
14" x 8'0"



Oak

12101SL
12" x 6'8" ♿ (7'0")
14" x 6'8" ♿ (7'0")

81200SL
12" x 8'0"
14" x 8'0"



Smooth

S118 E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S818
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S140 E
2'0" x 6'8"
2'4" x 6'8" ♿
2'6" x 6'8" ♿
2'8" x 6'8" ♿ (7'0")
2'10" x 6'8" ♿ (7'0")
3'0" x 6'8" ♿ (7'0")
3'6" x 6'8"

S8140
2'0" x 8'0"
2'4" x 8'0"
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"



Smooth

S100SL
12" x 6'8"
14" x 6'8"

S8601SL
12" x 8'0"
14" x 8'0"



Smooth

S601SL
10" x 6'8"
12" x 6'8" ♿ (7'0")
14" x 6'8" ♿ (7'0")

S81086SL
12" x 8'0"
14" x 8'0"



Direct Set

DRS2131SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

DRS82131SL
12" x 8'0"
14" x 8'0"

*Not recommended for use behind storm doors to be painted dark colors, if exposed to direct sunlight.
Note: See page 299 for important product details that may help with your purchase decision.

Right Page: Smooth-Star, Chinchilla Glass, Door – S2104XJ, Finish – Granite

3/4 Lites



Transoms

For transoms, see page 221.

Blackstone®



Mahogany
FCM765
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Mahogany
FCM765SL
12"x 6'8"
14"x 6'8"

FCM882SL
12"x 8'0"
14"x 8'0"

Oak
FC765
2'8"x 6'8"
2'10"x 6'8"
3'0" x 6'8"

Oak
FC770
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"

81952P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Oak
FC765SL
12"x 6'8"
14"x 6'8"

81952PSL
12"x 8'0"
14"x 8'0"

Smooth
S975
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth
S979
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S894
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Smooth
S975SL
12"x 6'8"
14"x 6'8"

S894SL
12"x 8'0"
14"x 8'0"

Crystalline™



Mahogany
FCM38
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Mahogany
FCM38SL
12"x 6'8"
14"x 6'8"

FCM8105SL
12"x 8'0"
14"x 8'0"

Oak
FC38
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"

Oak
FC772
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"

81953P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Crystalline *Continues on next page.*

Key

- No Stile Lines
- Low-E Glass (LE)
- Turtle Glass
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Flat Lite Frame
- NEW Scrolled & Flat Advanta Lite Frame
- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- 6'6" Height Available
- PVC Doorlite Frame*

Crystalline ◆ ⁘ *Continued*



Oak

FC38SL
12"x 6'8"
14"x 6'8"

81953PSL
12"x 8'0"
14"x 8'0"



Smooth

S977
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S981
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"

S888
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"




Smooth

S758SL
12"x 6'8"
14"x 6'8"

S888SL
12"x 8'0"
14"x 8'0"

Sedona ◆ ⁘



Mahogany

FCM131
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM131SL
12"x 6'8"
14"x 6'8"

FCM883SL
12"x 8'0"
14"x 8'0"



Oak

FC131
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC773
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

81954P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC131SL
12"x 6'8"
14"x 6'8"

81954PSL
12"x 8'0"
14"x 8'0"



Smooth

S95
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S91
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S887
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S91SL
12"x 6'8"
14"x 6'8"

S887SL
12"x 8'0"
14"x 8'0"

Salinas® x



Mahogany

FCM115
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM115SL
12"x 6'8"
14"x 6'8"

FCM884SL
12"x 8'0"
14"x 8'0"



Oak

FC115
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC775
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

81955P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC115SL
12"x 6'8"
14"x 6'8"

81955PSL
12"x 8'0"
14"x 8'0"



Smooth

S6009
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Note: See page 299 for important product details that may help with your purchase decision.

Maple Park®



Smooth

S6010
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S895
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6009SL
12"x 6'8"
14"x 6'8"

S895SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM902
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM902SL
12"x 6'8"
14"x 6'8"

FCM887SL
12"x 8'0"
14"x 8'0"



Oak

FC902
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC777
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"

81957P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Avonlea®



Oak

FC902SL
12"x 6'8"
14"x 6'8"

81957PSL
12"x 8'0"
14"x 8'0"



Smooth

S6102
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6103
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S85898
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6102SL
12"x 6'8"
14"x 6'8"

S85898SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM764
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM764SL
12"x 6'8"
14"x 6'8"

FCM8104SL
12"x 8'0"
14"x 8'0"



Oak

FC764
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC769
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

81967P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC764SL
12"x 6'8"
14"x 6'8"

81967PSL
12"x 8'0"
14"x 8'0"



Smooth

S976
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



Smooth

S980
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"

S85900
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S976SL
12"x 6'8"
14"x 6'8"

S85900SL
12"x 8'0"
14"x 8'0"

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Wrought Iron (1W)
- NEW Scrolled & Flat Advanta Lite Frame
- WBDR Options
- WBDR / HVHZ Options

Saratoga™



Mahogany

FCM907
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM907SL
12" x 6'8"
14" x 6'8"

FCM889SL
12" x 8'0"
14" x 8'0"



Oak

FC907
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC776
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81956P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC907SL
12" x 6'8"
14" x 6'8"

81956PSL
12" x 8'0"
14" x 8'0"



Smooth

S6092
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Texas Star



Smooth

S982
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S891
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6092SL
12" x 6'8"
14" x 6'8"

S891SL
12" x 8'0"
14" x 8'0"



Mahogany

FCM143
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM143SL
12" x 6'8"
14" x 6'8"

FCM8103SL
12" x 8'0"
14" x 8'0"



Oak

FC143
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC778
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81958P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC143SL
12" x 6'8"
14" x 6'8"

81958PSL
12" x 8'0"
14" x 8'0"



Smooth

S6071
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6072
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85901
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6071SL
12" x 6'8"
14" x 6'8"

85901SL
12" x 8'0"
14" x 8'0"

Wellesley™



Mahogany

FCM147
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM147SL
12" x 6'8"
14" x 6'8"

FCM885SL
12" x 8'0"
14" x 8'0"

Note: See page 299 for important product details that may help with your purchase decision.



Oak

FC147
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC779
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

81959P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC147SL
12"x 6'8"
14"x 6'8"

81959PSL
12"x 8'0"
14"x 8'0"



Smooth

S6091
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S983
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S892
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6091SL
12"x 6'8"
14"x 6'8"

S892SL
12"x 8'0"
14"x 8'0"

Riserva® X



Mahogany

FCM543
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM545SL
12"x 6'8"
14"x 6'8"

FCM8545SL
12"x 8'0"
14"x 8'0"



Oak

FC543
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC529
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FC8529
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC545SL
12"x 6'8"
14"x 6'8"

FC8545SL
12"x 8'0"
14"x 8'0"



Smooth

S543
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S529
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8529
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S545SL
12"x 6'8"
14"x 6'8"

S8545SL
12"x 8'0"
14"x 8'0"

Concorde™ ◆ ⁘ ❖



Mahogany

FCM912
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



Mahogany

FCM912SL
12"x 6'8"
14"x 6'8"

FCM892SL
12"x 8'0"
14"x 8'0"



Oak

FC912
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC780
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

81960P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Concorde *Continues on next page.*

Key

- ◆ Black Nickel Caming (1D)
- ⁘ Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)
- X Wrought Iron (1W)
- NEW Scrolled & Flat Advanta Lite Frame
- WBDR Options
- WBDR / HVHZ Options

Concorde™ *Continued*



Oak

FC912SL
12"x 6'8"
14"x 6'8"

81960PSL
12"x 8'0"
14"x 8'0"



Smooth

S912
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S97
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S85902
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S757SL
12"x 6'8"
14"x 6'8"

S85902SL
12"x 8'0"
14"x 8'0"

Kensington™



Mahogany

FCM156
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



Mahogany

FCM1442SL
12"x 6'8"
14"x 6'8"

FCM8107SL
12"x 8'0"
14"x 8'0"



Oak

FC156
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC20042
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

81961P
2'8"x 8'0"
2'10" x 8'0"
3'0"x 8'0"



Oak

FC1442SL
12"x 6'8"
14"x 6'8"

81961PSL
12"x 8'0"
14"x 8'0"



Smooth

S20042
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S902
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S156
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S1442SL
12"x 6'8"
14"x 6'8"

S902SL
12"x 8'0"
14"x 8'0"

Pembridge™



Mahogany

FCM6582
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM6580SL
12"x 6'8"
14"x 6'8"

FCM86580SL
12"x 8'0"
14"x 8'0"



Oak

FC6582
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC6580
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FC86580
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC6580SL
12"x 6'8"
14"x 6'8"

FC86580SL
12"x 8'0"
14"x 8'0"



Smooth

S6582
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Note: See page 299 for important product details that may help with your purchase decision.

Right Page: Fiber-Classic Oak Collection, Axis Glass, Door – FC1646, Finish – Barley

Axis®



Smooth

S6580
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S86580
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6580SL
12"x 6'8"
14"x 6'8"

S86580SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM1647
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM1646SL
12"x 6'8"
14"x 6'8"

FCM81646SL
12"x 8'0"
14"x 8'0"



Oak

FC1647
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC1646
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FC81646
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC1646SL
12"x 6'8"
14"x 6'8"

FC81646SL
12"x 8'0"
14"x 8'0"



Smooth

S1647
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S1646
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S81646
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S1646SL
12"x 6'8"
14"x 6'8"

S81646SL
12"x 8'0"
14"x 8'0"



Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- NEW Scrolled & Flat Advanta Lite Frame
- WBDR Options
- WBDR / HVHZ Options

Frosted Images®



Mahogany

FCM8109SL
12" x 8'0"
14" x 8'0"



Oak

81963PSL
12"x 8'0"
14"x 8'0"



Smooth

S884SL
12"x 8'0"
14"x 8'0"

EnLiten™ Flush-Glazed Privacy & Textured Glass with Divided Lites



Smooth

S2103_
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S82103_
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S2104_
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S82105_
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S82106_
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S2250_
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S82107_
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S2103_SL
12"x 6'8"
14"x 6'8"



Smooth

S2104_SL
12"x 6'8"
14"x 6'8"



Smooth

S2250_SL
12"x 6'8"
14"x 6'8"

Privacy & Textured Glass with Divided Lites



Mahogany

FCM82_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM92_SL
12"x 6'8"
14"x 6'8"



Mahogany

FCM8101_SL
12"x 8'0"
14"x 8'0"



Oak

FC82_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC92_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

81945P_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

81946P_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC92_SL
12"x 6'8"
14"x 6'8"



Oak

81946P_SL
12"x 8'0"
14"x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = Reeded
XG = Geometric
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

*Not available with Geometric (XG) glass.

Note: See page 299 for important product details that may help with your purchase decision.



Smooth

S82_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S92_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S881_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S822_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S82_SL
12"x 6'8"
14"x 6'8"



Smooth

S881_SL
12"x 8'0"
14"x 8'0"

EnLiten™ Flush-Glazed Privacy & Textured Glass



Smooth

S2200_*
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S82200_
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S2200_SL*
12"x 6'8"
14"x 6'8"

Privacy & Textured Glass



Mahogany

FCM32_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM32_SL
12"x 6'8"
14"x 6'8"

FCM881_SL
12"x 8'0"
14"x 8'0"



Oak


FC32_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC766_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

81943P_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC32_SL
12"x 6'8"
14"x 6'8"

81943P_SL
12"x 8'0"
14"x 8'0"



Smooth

S80_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S90_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S880_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S751_SL
12"x 6'8"
14"x 6'8"

S880_SL
12"x 8'0"
14"x 8'0"

Internal Blinds



Mahogany

FCM5425
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM5425SL
12"x 6'8"
14"x 6'8"

FCM8110SL
12"x 8'0"
14"x 8'0"

Internal Blinds *Continues on next page.*

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- NEW Scrolled & Flat Advanta Lite Frame
- NEW Scrolled Advanta Lite Frame
- WBDR Options
- WBDR / HVHZ Options

Internal Blinds



Oak


FC5425
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

1964P
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81964P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC5425SL
12" x 6'8"
14" x 6'8"

81964PSL
12" x 8'0"
14" x 8'0"



Smooth

S5425
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S682
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8682
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S5425SL
12" x 6'8"
14" x 6'8"

S8682SL
12" x 8'0"
14" x 8'0"

EnLiten™ Flush-Glazed Clear Glass with Divided Lites



Smooth

S2103
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82103
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2104
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82104
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2105
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82105
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2250
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82250
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S82106
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S82107
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2103SL
12" x 6'8"
14" x 6'8"



Smooth

S2104SL
12" x 6'8"
14" x 6'8"



Smooth

S92SL
12" x 6'8"
14" x 6'8"



Smooth

S1401
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S81401
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S1401SL
12" x 6'8"
14" x 6'8"

Note: See page 299 for important product details that may help with your purchase decision.

Clear Glass with Divided Lites



Mahogany

FCM2106
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM2107
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM2108
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM82
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM1089SL
12"x 6'8"
14"x 6'8"

FCM8311SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM2101SL
12"x 6'8"
14"x 6'8"

FCM8313SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM92SL
12"x 6'8"
14"x 6'8"

FCM8310SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM8101SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM81900SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM81947SL
12"x 8'0"
14"x 8'0"




Mahogany

FCM81949SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM1402
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM1400SL
12"x 6'8"
14"x 6'8"

FCM81944SL
12"x 8'0"
14"x 8'0"



Oak

FC2106
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



Oak

FC2107
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



Oak

FC2108
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



Oak

FC82
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



Oak

FC1089
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"

FC8311
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC2101
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"

FC8313
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Clear Glass with Divided Lites *Continues on next page.*

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- NEW Scrolled & Flat Advanta Lite Frame
- NEW Scrolled Advanta Lite Frame
- WBDR Options
- WBDR / HVHZ Options

Clear Glass with Divided Lites *Continued*



Oak

FC2102
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC8316
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

81945P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC92
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC8310
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

81946P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC1089SL
12" x 6'8"
14" x 6'8"

FC8311SL
12" x 8'0"
14" x 8'0"



Oak

FC2101SL
12" x 6'8"
14" x 6'8"

FC8313SL
12" x 8'0"
14" x 8'0"



Oak

FC92SL
12" x 6'8"
14" x 6'8"

FC8310SL
12" x 8'0"
14" x 8'0"



Oak

81946PSL
12" x 8'0"
14" x 8'0"



Oak

81900PSL
12" x 8'0"
14" x 8'0"



Oak

81947PSL
12" x 8'0"
14" x 8'0"



Oak

81949PSL
12" x 8'0"
14" x 8'0"



Oak

FC1402
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC1400
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81944P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC1400SL
12" x 6'8"
14" x 6'8"

81944PSL
12" x 8'0"
14" x 8'0"



Smooth

S2106
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S2107
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S2108
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S82
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S1089
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8311
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Note: See page 299 for important product details that may help with your purchase decision.



Smooth

S2101
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8313
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S2102
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8316
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S881
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S92
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S8310
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S882
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S1089SL
12"x 6'8"
14"x 6'8"

S8311SL
12"x 8'0"
14"x 8'0"



Smooth

S2101SL
12"x 6'8"
14"x 6'8"

S8313SL
12"x 8'0"
14"x 8'0"



Smooth

S82SL
12"x 6'8"
14"x 6'8"

S8310SL
12"x 8'0"
14"x 8'0"



Smooth

S881SL
12"x 8'0"
14"x 8'0"



Smooth

S8207SL
12"x 8'0"
14"x 8'0"



Smooth

S8202SL
12"x 8'0"
14"x 8'0"



Smooth

S8204SL
12"x 8'0"
14"x 8'0"



Smooth

S1402
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S1400
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S898
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S1400SL
12"x 6'8"
14"x 6'8"

S898SL
12"x 8'0"
14"x 8'0"

EnLiten™ Flush-Glazed Clear Glass



Smooth

S2200
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S82200
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S90SL
12"x 6'8"
14"x 6'8"

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- NEW Scrolled & Flat Advanta Lite Frame
- NEW Scrolled Advanta Lite Frame
- WBDR Options
- WBDR / HVHZ Options

Clear Glass



Mahogany

FCM32
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM32SL
12" x 6'8"
14" x 6'8"

FCM881SL
12" x 8'0"
14" x 8'0"



Oak

FC32
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC766
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81943P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC32SL
12" x 6'8"
14" x 6'8"

81943PSL
12" x 8'0"
14" x 8'0"



Smooth

S80
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S90
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S880
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S751SL
12" x 6'8"
14" x 6'8"

S880SL
12" x 8'0"
14" x 8'0"



Note: See page 299 for important product details that may help with your purchase decision.

Bottom: Smooth-Star, Clear Glass with GBGs, Doors – S82103, Finish – Onyx
Right Page: Fiber-Classic Mahogany Collection, Concorde Glass, Door – FCM916, Sidelites – FCM809SL, Finish – Rustic Clay

Oval Lites



Transoms

For transoms, see page 221.

Blackstone® ◆ ⁘



Mahogany

FCM110
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM164
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC714
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC164
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC794
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S771
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6085
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S997
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Avonlea® ◆



Mahogany

FCM785
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM788
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC785
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC788
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC792
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S988
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Avonlea *Continues on next page.*

Key

- Low-E Glass (LE)
- Turtle Glass
- ◆ Black Nickel Caming (1D)
- ⁘ Brushed Nickel Caming (1C)
- NEW Scrolled & Flat Advanta Lite Frame
- WBDR Options
- WBDR / HVHZ Options

Avonlea® ◆ *Continued*



Smooth

S991
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S995
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Wellesley™ ◆ ⁘ ❖



Mahogany

FCM106
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM163
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC713
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC163
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC796
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S774
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6082
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S999
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Concorde™ ◆ ⁘ ❖



Mahogany

FCM916
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



Mahogany

FCM915
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



Oak

FC916
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



Oak

FC915
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



Oak

FC797
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S773
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6084
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S1000
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"

Kensington™ ◆ ⁘



Mahogany

FCM151
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM789
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC709
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



Oak

FC151
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



Oak

FC798
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



Smooth

S709
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S163
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S1001
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"

Pembridge™ ◆ ⁘ ❖



Mahogany

FCM6577
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM6575
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Note: See page 299 for important product details that may help with your purchase decision.



Oak

FC6577
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC06575
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC6576
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6577
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6575
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6576
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Frosted Images®



Mahogany

FCM784
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM787
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC784
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC787
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC791
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S989
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6081
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S994
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Clear Glass



Mahogany

FCM80 ✹
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM160 ✹
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC710 ✹
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC160 ✹
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC789 ✹
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S770 ✹
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6080 ✹
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S992 ✹
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Key

✹ Low-E Glass (LE)
◆ Black Nickel Caming (1D)
▪ Brushed Nickel Caming (1C)
❖ Brass Caming (1A)

1/2 Lites



Transoms

For transoms, see page 221.


Blackstone®



Mahogany


FCM109
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM863
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM6032
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM6052
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM109SL
12"x 6'8"
14"x 6'8"

FCM863SL
12"x 8'0"
14"x 8'0"



Oak

FC109 E
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

81933P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

81975P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC109SL
12"x 6'8"
14"x 6'8"

81933PSL
12"x 8'0"
14"x 8'0"



Smooth

S6000 E
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S81933P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6032 E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S86032 E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6052
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S972
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S85905
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6000SL
12"x 6'8"
14"x 6'8"

S85912SL
12"x 8'0"
14"x 8'0"

Note: See page 299 for important product details that may help with your purchase decision.

Top: Impressions Storm & Entry Door System – IM100, Finish – Brown; Fiber-Classic Oak Collection, Clear Glass with SDLs, Door – 2150, Finish – Driftwood

Crystalline™ ◆ ⁘



Mahogany

FCM45
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM898
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM6027
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM6047
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM45SL
12"x 6'8"
14"x 6'8"

FCM898SL
12"x 8'0"
14"x 8'0"



Oak

FC45
E
2'8"x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0"x 6'8" (7'0")

81935P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

81977P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC43SL
12"x 6'8"
14"x 6'8"

81935PSL
12"x 8'0"
14"x 8'0"



Smooth

S926
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81935P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6027
E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S86027
E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6047
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S38
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S85907
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S930SL
12"x 6'8"
14"x 6'8"

S85914SL
12"x 8'0"
14"x 8'0"

Sedona ◆ ⁘



Mahogany

FCM101
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM864
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM6025
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM6045
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM101SL
12"x 6'8"
14"x 6'8"

FCM864SL
12"x 8'0"
14"x 8'0"



Oak

FC101
E
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

81936P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

81978P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Sedona *Continues on next page.*

Key

- ◆ Black Nickel Caming (1D)
- ⁘ Brushed Nickel Caming (1C)
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Sedona ◆ ⠿ *Continued*



Oak

FC101SL 12"x 6'8" 14"x 6'8" | 81936PSL 12"x 8'0" 14"x 8'0"



Smooth

S211 E 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") | S81936P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Smooth

S6025 E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") | S86025 E 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Smooth

S6045 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

S35 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" | S833 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Smooth

S294SL 12"x 6'8" 14"x 6'8" | S85915SL 12"x 8'0" 14"x 8'0"

Salinas® x



Mahogany

FCM114 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" | FCM865 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Mahogany

FCM6031 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM6051 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM114SL 12"x 6'8" 14"x 6'8" | FCM865SL 12"x 8'0" 14"x 8'0"



Oak

FC114 E 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") | 81937P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Oak

81980P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Oak

FC114SL 12"x 6'8" 14"x 6'8" | 81937PSL 12"x 8'0" 14"x 8'0"



Smooth

S6006 E 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") | S81937P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Smooth

S6031 E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") | S86031 E 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Smooth

S6051 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

S973 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" | S893 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Smooth

S6006SL 12"x 6'8" 14"x 6'8" | S85916SL 12"x 8'0" 14"x 8'0"

Note: See page 299 for important product details that may help with your purchase decision.

Maple Park®



Mahogany

FCM901 | FCM886
2'8"x 6'8" | 2'8"x 8'0"
2'10"x 6'8" | 2'10"x 8'0"
3'0"x 6'8" | 3'0"x 8'0"



Mahogany

FCM6107
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM6108
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM901SL | FCM886SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Oak

FC901
E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

81939P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

81982P
2'8"x 8'0"
2'10" x 8'0"
3'0"x 8'0"



Oak

FC901SL | 81939PSL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth

S6101
E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S81939P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6107
E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S86107
E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6108
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6106
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S85897
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth


S6101SL | S85918SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

Avonlea®




Mahogany

FCM761 | FCM896
2'8"x 6'8" | 2'8"x 8'0"
2'10"x 6'8" | 2'10"x 8'0"
3'0"x 6'8" | 3'0"x 8'0"



Mahogany

FCM968
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM966
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM761SL | FCM896SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Oak

FC761
E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

81932P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak


81974P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Avonlea *Continues on next page.*

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Wrought Iron (1W)
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Avonlea® ◆ *Continued*



Oak

FC761SL
12"x 6'8"
14"x 6'8"

81932PSL
12"x 8'0"
14"x 8'0"



Smooth

S964
E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S81932P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S968
E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S8968
E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S966
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S970
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S85906
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S964SL
12"x 6'8"
14"x 6'8"

S85911SL
12"x 8'0"
14"x 8'0"

Saratoga™ ◆ ⠿



Mahogany

FCM906
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM888
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM6029
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM6049
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM906SL
12"x 6'8"
14"x 6'8"

FCM888SL
12"x 8'0"
14"x 8'0"



Oak

FC906
E
2'6" x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

81938P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

81981P
2'8"x 8'0"
2'10" x 8'0"
3'0"x 8'0"



Oak

FC906SL
12"x 6'8"
14"x 6'8"

81938PSL
12"x 8'0"
14"x 8'0"



Smooth

S213
E
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S81938P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6029
E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S86029
E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6049
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S41
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S85908
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S291SL
12"x 6'8"
14"x 6'8"

S85917SL
12"x 8'0"
14"x 8'0"

Note: See page 299 for important product details that may help with your purchase decision.

Texas Star



Mahogany

FCM144
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM899
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM6074
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM6075
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM899SL
12"x 8'0"
14"x 8'0"



Oak

FC144
E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

81940P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

81983P
2'8"x 8'0"
2'10" x 8'0"
3'0"x 8'0"



Oak

81940PSL
12"x 8'0"
14"x 8'0"



Smooth

S6073
E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S81940P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6074
E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S86074
E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6075
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6076
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S81983
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

85919SL
12"x 8'0"
14"x 8'0"

Wellesley™



Mahogany

FCM105
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM866
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM6030
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM6050
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM105SL
12"x 6'8"
14"x 6'8"

FCM866SL
12"x 8'0"
14"x 8'0"



Oak

FC105
E
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

81941P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

81984P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Wellesley *Continues on next page.*

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Wellesley™ ◆ ⁘ ❖ *Continued*



Oak

FC105SL
12"x 6'8"
14"x 6'8"

81941PSL
12"x 8'0"
14"x 8'0"



Smooth

S214 E
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S81941P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6030 E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S86030 E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6050
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S42
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S85909
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S292SL
12"x 6'8"
14"x 6'8"

S85922SL
12"x 8'0"
14"x 8'0"

Riserva® X



Mahogany

FCM581
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM8581
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM575
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM577
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM583SL
12"x 6'8"
14"x 6'8"

FCM8583SL
12"x 8'0"
14"x 8'0"



Oak

FC581 E
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

FC8581
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC8579
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC583SL
12"x 6'8"
14"x 6'8"

FC8583SL
12"x 8'0"
14"x 8'0"



Smooth

S581 E
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S8581
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S575 E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S8575 E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S577
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S579
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8579
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S583SL
12"x 6'8"
14"x 6'8"

S8583SL
12"x 8'0"
14"x 8'0"

Note: See page 299 for important product details that may help with your purchase decision.

Concorde™



Mahogany

FCM911
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM891
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6026
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6046
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM911SL
12" x 6'8"
14" x 6'8"

FCM891SL
12" x 8'0"
14" x 8'0"



Oak

FC911
E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

81942P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

81985P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC911SL
12" x 6'8"
14" x 6'8"

81942PSL
12" x 8'0"
14" x 8'0"



Smooth

S426
E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81942P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6026
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86026
E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6046
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S37
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S837
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S430SL
12" x 6'8"
14" x 6'8"

S85920SL
12" x 8'0"
14" x 8'0"

Kensington™



Mahogany

FCM149
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8149
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6036
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6056
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM149SL
12" x 6'8"
14" x 6'8"

FCM867SL
12" x 8'0"
14" x 8'0"



Oak

FC149
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC8149
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC89701
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Kensington *Continues on next page.*

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Kensington™ *Continued*



Oak

FC149SL
12"x 6'8"
14"x 6'8"

FC8867SL
12"x 8'0"
14"x 8'0"



Smooth

S161
E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S8149
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6036
E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S86036
E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6056
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S43
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S89701
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S161SL
12"x 6'8"
14"x 6'8"

S867SL
12"x 8'0"
14"x 8'0"

Pembridge™



Mahogany

FCM6560
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM86560
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM6565
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM6568
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM6565SL
12"x 6'8"
14"x 6'8"

FCM86560SL
12"x 8'0"
14"x 8'0"



Oak

FC6560
E
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

FC86560
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC86536
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC6565SL
12"x 6'8"
14"x 6'8"

FC86560SL
12"x 8'0"
14"x 8'0"



Smooth

S6560
E
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S86560
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6565
E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S86565
E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6568
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6536
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S86536
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6565SL
12"x 6'8"
14"x 6'8"

S86560SL
12"x 8'0"
14"x 8'0"

Note: See page 299 for important product details that may help with your purchase decision.

Axis®



Mahogany

FCM1654
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM81654
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM1656
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1658
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1656SL
12" x 6'8"
14" x 6'8"

FCM81654SL
12" x 8'0"
14" x 8'0"



Oak


FC1654 E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC81654
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC81653
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC1656SL
12" x 6'8"
14" x 6'8"

FC81654SL
12" x 8'0"
14" x 8'0"



Smooth

S1654 E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81654
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S1656 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81656 E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S1658
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S1653
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S81653
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S1656SL
12" x 6'8"
14" x 6'8"

S81654SL
12" x 8'0"
14" x 8'0"

Frosted Images®



Mahogany

FCM66
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6023
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6043
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM66SL
12" x 6'8"
14" x 6'8"



Mahogany

FCM13101SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Oak

FC66 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC44SL
12" x 6'8"
14" x 6'8"



Oak

FC11SL
10" x 6'8"
12" x 6'8"
14" x 6'8"

Frosted Images *Continues on next page.*

Key

- No Stile Lines
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- NEW Scrolled & Flat Advanta Lite Frame
- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Frosted Images® *Continued*



Oak

13101SL
12"x 6'8" (7'0")
14"x 6'8" (7'0")



Smooth

S206E
E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Smooth

S6023
E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Smooth

S6043
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S34
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S289ESL
12"x 6'8"
14"x 6'8"



Smooth

S138SL
12"x 6'8"
14"x 6'8"



Smooth

S2070SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Privacy & Textured Glass with Divided Lites



Mahogany

FCM65_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM6022_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM6042_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM8321_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM65_SL
12"x 6'8"
14"x 6'8"



Mahogany

FCM3487_SL
12"x 8'0"
14"x 8'0"



Oak

FC65_
E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Oak

FC8321_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC832_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC63_SL
12"x 6'8"
14"x 6'8"



Oak

FC3487_SL
12"x 8'0"
14"x 8'0"



Smooth

S262_
E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Smooth

S6022_
E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Smooth

S6042_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = Reeded
XG = Geometric
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

Note: See page 299 for important product details that may help with your purchase decision.



Smooth

S32_

2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S8321_

2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S86022_

E

2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S832_

2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S263_SL

12"x 6'8"
14"x 6'8"



Smooth

S3487_SL

12"x 8'0"
14"x 8'0"

Privacy & Textured Glass



Mahogany

FCM62_

2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM862_

2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM6021_

2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM6041_

2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM104_

E

2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Mahogany

FCM62_SL

12"x 6'8"
14"x 6'8"

FCM862_SL

12"x 8'0"
14"x 8'0"



Oak

FC62_

E

2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

81929P_

2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC104_

E

2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Oak

81971P_

2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC48_SL

12"x 6'8"
14"x 6'8"

81929P_SL

12"x 8'0"
14"x 8'0"



Smooth

S206_

E

2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S81929P_

2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6021_

E

2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S86021_

E

2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6041_

2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Privacy & Textured Glass *Continues on next page.*

Key

- No Stile Lines
- Simulated Divided Lites (SDL)
- Flat Lite Frame
- NEW Scrolled & Flat Advanta Lite Frame
- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- 6'6" Height Available

Privacy & Textured Glass *Continued*



Smooth

S104_
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S30_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S830_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S210_SL
12" x 6'8"
14" x 6'8"

S85910_SL
12" x 8'0"
14" x 8'0"

Internal Blinds



Mahogany

FCM678
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8678
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6035
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6055
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM116
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Mahogany

FCM678SL
12" x 6'8"
14" x 6'8"

FCM8678SL
12" x 8'0"
14" x 8'0"



Oak

FC678
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC8678
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC116
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC8971
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC678SL
12" x 6'8"
14" x 6'8"

FC8678SL
12" x 8'0"
14" x 8'0"



Smooth

S132
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8132
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6035
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86035
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6055
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S131
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S971
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8971
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S132SL
12" x 6'8"
14" x 6'8"

S8132SL
12" x 8'0"
14" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = Reeded
XE = Satin Etch
XJ = Chinchilla
XN = Granite
XG = Geometric
XC = Chord
XR = Rainglass

*Features a gliding operation and sash locking system.

Note: See page 299 for important product details that may help with your purchase decision.

Screen Vented Lites*



Smooth

S243
E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Smooth

S6034
E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Smooth

S6054
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S137
E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

EnLiten™ **Flush-Glazed Clear** Glass with Divided Lites



Oak

FC1350
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"



Oak

2150
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"



Oak

FC1409
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"



Smooth

S1350
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"



Smooth

S2150
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"



Smooth

S1409
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"

Clear Glass with Divided Lites



Mahogany

FCM8322
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM8323
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM8324
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM65
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"




Mahogany

FCM6022
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM6042
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM8321
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Clear Glass with Divided Lites *Continues on next page.*

Key

- No Stile Lines
- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Clear Glass with Divided Lites *Continued*



Mahogany

FCM8675SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM65SL
12"x 6'8"
14"x 6'8"

FCM7125SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM3487SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM1408
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM8145
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM1405
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM1406
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM1405SL
12"x 6'8"
14"x 6'8"

FCM8145SL
12"x 8'0"
14"x 8'0"



Oak

FC8322
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC8323
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC8324
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC65
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Oak

FC8321
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC8318
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC8319
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC8320
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC832
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC8675SL
12"x 8'0"
14"x 8'0"



Oak

FC63SL
12"x 6'8"
14"x 6'8"

FC7125SL
12"x 8'0"
14"x 8'0"



Oak

FC3487SL
12"x 8'0"
14"x 8'0"



Oak

FC1408
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

FC8145
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC8144
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Note: See page 299 for important product details that may help with your purchase decision.



Oak

FC1408SL | FC8145SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Smooth

S8322
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S8326 E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S8323
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S8327 E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S8324
2'8" x8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S8328 E
2'8" x8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S262 E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S6022 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S6042
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S8321
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S8325 E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S8318
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S8319
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth


S8320
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S32
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S832
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S115 E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S8675SL
12" x 8'0"
14" x 8'0"



Smooth

S263SL
12" x 6'8"
14" x 6'8"

S7125SL
12" x 8'0"
14" x 8'0"



Smooth

S3487SL
12" x 8'0"
14" x 8'0"

Clear Glass with Divided Lites

Continues on next page.

Key

- No Stile Lines
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Clear Glass with Divided Lites *Continued*



Smooth

S1408 E
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S8145
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S1405 E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S81405 E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S1406
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S1407
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8144
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S1405SL
12"x 6'8"
14"x 6'8"

S8145SL
12"x 8'0"
14"x 8'0"

EnLiten™ **Flush-Glazed Clear** Glass



Oak

2100
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"



Smooth

S2100
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"

Clear Glass



Mahogany

FCM62
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM862
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM6021
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM6041
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM670 E
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Mahogany

FCM62SL
12"x 6'8"
14"x 6'8"

FCM862SL
12"x 8'0"
14"x 8'0"



Oak

FC62 E
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

81929P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC670 E
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Oak

81971P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC48SL
12"x 6'8"
14"x 6'8"

81929PSL
12"x 8'0"
14"x 8'0"



Smooth

S206 E
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S81929P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Note: See page 299 for important product details that may help with your purchase decision.

Right Page: Smooth-Star, Clear Glass with GBGs, Door – S8326, Finish – Onyx



Smooth

S6021
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S86021
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6041
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S104
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Smooth

S105
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Smooth

S30
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S830
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S210SL
12"x 6'8"
14"x 6'8"

S85910SL
12"x 8'0"
14"x 8'0"



Key

- No Stile Lines
- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Twin 1/2 Lites



Transoms

For transoms, see page 221.

Blackstone®



Smooth

S6013
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Crystalline™



Smooth

S930
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Sedona



Smooth

S294
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Salinas®



Smooth

S6014
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Maple Park®



Smooth

S6104
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Avonlea®



Smooth

S985
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Saratoga™



Smooth

S291
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Wellesley™



Smooth

S292
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = Reeded
XG = Geometric
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

Note: See page 299 for important product details that may help with your purchase decision.

Top: Smooth-Star, Clear Glass, Door – S289, Finish – Onyx

Riserva®



Smooth

S585
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Concorde™



Smooth

S430
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Kensington™



Smooth

S162
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Pembridge™



Smooth

S6572
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Axis®



Smooth

S1661
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Frosted Images®



Smooth

S289E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Privacy & Textured Glass with Divided Lites



Smooth

S807_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Privacy & Textured Glass



Smooth

S289_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Clear Glass with Divided Lites



Smooth

S807
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S1411
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Clear Glass



Smooth

S289
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)

Center Lites



Transoms

For transoms, see page 221.

Blackstone®



Mahogany

FCM760
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6111
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Crystalline™



Mahogany

FCM124
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6113
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Sedona



Mahogany

FCM126
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S12
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Salinas® x



Mahogany

FCM118
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6012
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Maple Park®



Mahogany

FCM904
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6105
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Avonlea®



Mahogany

FCM800
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6121
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Note: See page 299 for important product details that may help with your purchase decision.
Top: Smooth-Star, Riserva Glass, Door – S506, Sidelites – S573SL, Finish – Cabernet

Saratoga™


Mahogany

FCM909
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


Smooth

S20
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Wellesley™


Mahogany

FCM125
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


Smooth

S6117
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"

Riserva®


Mahogany

FCM506
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


Smooth

S506
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Concorde™


Mahogany

FCM914
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"


Smooth

S17
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"

Kensington™


Mahogany

FCM150
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


Smooth

S6119
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"

Pembridge™


Mahogany

FCM6532
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


Smooth

S6532
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Clear Glass


Mahogany

FCM132
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


Smooth

S10
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Blackstone®


Oak

FC80943
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


Oak

FC86243
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"


Smooth

S9343
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


Smooth

S83143
2'8"x 8'0"
2'10" x 8'0"
3'0"x 8'0"

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- WBDR / HVHZ Options

Crystalline™



Oak

FC80941
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86241
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S9341
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S83141
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Sedona



Oak

FC80952
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86252
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S9352
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Salinas®



Smooth

S83152
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC80953
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86253
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S9353
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S83153
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Maple Park®



Oak

FC80955
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86255
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Avonlea®



Smooth

S9355
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S83155
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC80956
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86256
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S9356
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S83156
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Note: See page 299 for important product details that may help with your purchase decision.

Saratoga™


Oak

FC80954
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"


Oak

FC86254
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"


Smooth

S9354
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"


Smooth

S83154
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Wellesley™


Oak

FC80949
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"


Oak

FC86249
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"


Smooth

S9349
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"


Smooth

S83149
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Riserva® x


Oak

FC507
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"


Oak

FC549
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"


Smooth

S507
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"


Smooth

S549
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Concorde™


Oak

FC80947
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"


Oak

FC86247
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"


Smooth

S9347
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"


Smooth

S83147
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Kensington™


Oak

FC80942
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"


Oak

FC86242
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"


Smooth

S9342
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"


Smooth

S83142
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- WBDR / HVHZ Options

Pembridge™



Oak

FC6534
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86533
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6534
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S86533
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Axis®



Oak

FC1655
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC81649
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S1655
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S81649
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Frosted Images®



Oak

FC80945
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86245
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S9345
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S83145
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass with Divided Lites



Oak

FC809203_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC862203_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass



Smooth

S93203_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S831203_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC80920_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86220_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S9320_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S83120_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = Reeded
XG = Geometric
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

Note: See page 299 for important product details that may help with your purchase decision.

Internal Blinds



Oak

FC925

2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC8972

2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S925

2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S8972

2'8"x 8'0"
2'10" x 8'0"
3'0"x 8'0"

Clear Glass with Divided Lites



Oak

FC809203

2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC862203

2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S93203

2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S831203

2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC1404

2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC8141

2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S1404

2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S8141

2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Clear Glass



Oak

FC80920

2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC86220

2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S9320

2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S83120

2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- WBDR / HVHZ Options


Craftsman Lites




Transoms

For transoms, see page 221.

Optional Dentil Shelves***



4-Block Dentil Shelf
Available for all Craftsman-style Fiber-Classic Mahogany Collection doors.



4-Block Dentil Shelf
Available for all Craftsman-style Smooth-Star doors.

Sedona



Smooth

S2650* E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S82650*
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM604
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S604
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8604
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Maple Park®



Smooth

S2630** E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S82630**
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM609
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S609
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8609
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

EnLiten™ Flush-Glazed Saratoga™



NEW

Mahogany

FCM6240 E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



NEW

Mahogany

FCM6201SL
12"x 6'8"
14"x 6'8"



NEW

Smooth

S6240 E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S86240
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



NEW

Smooth

S6201SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

S86201SL
12"x 8'0"
14"x 8'0"



NEW

Smooth

S6240SL
12"x 6'8"
14"x 6'8"

S86240SL
12"x 8'0"
14"x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

*Available with flat lite frame or Advanta flat lite frame only.
**Available with flat lite frame, Advanta flat lite frame or Impact-rated lite frame only.
***Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 299 for important product details that may help with your purchase decision.

Top: Fiber-Classic Mahogany Collection, Chord Glass with SDLs, Door – FCM4814XC, Sidelites – FCM2050XCSL; Low-E Glass, Transom – 19220T, Finish – Acorn

Saratoga™



Mahogany

FCM602
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S2660** E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82660**
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S602
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8602
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Riserva® X



Mahogany

FCM508
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S2670** E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82670**
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Pembridge™



Smooth

S508
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8508
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6520
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S2640** E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82640**
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6520
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S86520
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Axis®



Mahogany

FCM1650
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S2620** E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82620**
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S1650
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S81650
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

EnLiten™ Flush-Glazed Privacy & Textured Glass with Divided Lites



Mahogany

FCM4812_ E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM4813_ E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM4814_ E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

EnLiten Flush-Glazed Privacy & Textured Glass with Divided Lites *Continues on next page.*

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDLF1)
- Flat Lite Frame
- NEW Scrolled & Flat Advanta Lite Frame
- NEW Flat Advanta Lite Frame
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

EnLiten™ Flush-Glazed Privacy & Textured Glass with Divided Lites *Continued*



Mahogany

FCM4816_*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM2050_SL
12" x 6'8"
14" x 6'8"



Smooth

S4812_*	S84812_*
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Smooth

S4813_*	S84813_*
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Smooth

S4814_*	S84814_*
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Smooth

S4816_*	S84816_*
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Smooth

S4812_SL*	S84812_SL*
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

Privacy & Textured Glass with Divided Lites



Mahogany

FCM605_*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM606_*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM607_ *
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM608_ *
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S605_*	S8605_*
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S606_*	S8606_*
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S607_*	S8607_*
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S608_*	S8608_*
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = Reeded
XG = Geometric
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite


*Not available with Reeded (XK) or Geometric (XG) glass.
**Available with flat lite frame, Advanta flat lite frame or Impact-rated lite frame only.
Note: See page 299 for important product details that may help with your purchase decision.

EnLiten™ Flush-Glazed Privacy & Textured Glass



Mahogany

FCM4810_*
E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM2000_SL
12"x 6'8"
14"x 6'8"



Smooth

S4810_*	S84810_*
E	
2'8"x 6'8" (7'0")	2'8"x 8'0"
2'10"x 6'8" (7'0")	2'10"x 8'0"
3'0"x 6'8" (7'0")	3'0"x 8'0"



Smooth

S4810_SL*	S84810_SL*
12"x 6'8"	12"x 8'0"
14"x 6'8"	14"x 8'0"

Privacy & Textured Glass



Mahogany

FCM601_*
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S2610_*	S82610_*
E	
2'8"x 6'8"	2'8"x 8'0"
2'10"x 6'8"	2'10"x 8'0"
3'0"x 6'8"	3'0"x 8'0"



Smooth

S601_*	S8600_*
2'8"x 6'8"	2'8"x 8'0"
2'10"x 6'8"	2'10"x 8'0"
3'0"x 6'8"	3'0"x 8'0"

EnLiten™ Flush-Glazed Clear Glass with Divided Lites



Mahogany

FCM4812
E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM4813
E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM4814
E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM4816
E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM2050SL
12"x 6'8"
14"x 6'8"



Smooth

S4812	S84812
E	
2'8"x 6'8" (7'0")	2'8"x 8'0"
2'10"x 6'8" (7'0")	2'10"x 8'0"
3'0"x 6'8" (7'0")	3'0"x 8'0"



Smooth

S4813	S84813
E	
2'8"x 6'8" (7'0")	2'8"x 8'0"
2'10"x 6'8" (7'0")	2'10"x 8'0"
3'0"x 6'8" (7'0")	3'0"x 8'0"



Smooth

S4814	S84814
E	
2'8"x 6'8" (7'0")	2'8"x 8'0"
2'10"x 6'8" (7'0")	2'10"x 8'0"
3'0"x 6'8" (7'0")	3'0"x 8'0"



Smooth

S4816	S84816
E	
2'8"x 6'8" (7'0")	2'8"x 8'0"
2'10"x 6'8" (7'0")	2'10"x 8'0"
3'0"x 6'8" (7'0")	3'0"x 8'0"



Smooth

S4812SL	S84812SL
12"x 6'8"	12"x 8'0"
14"x 6'8"	14"x 8'0"

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Flat Lite Frame**
- NEW Scrolled & Flat Advanta Lite Frame
- NEW Flat Advanta Lite Frame**
- NEW Scrolled Advanta Lite Frame
- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options

Clear Glass with Divided Lites



Mahogany

FCM605
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM606
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM607
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM608
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S605
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8605
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S606
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8606
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S607
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8607
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S608
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8608
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

EnLiten™ **Flush-Glazed Clear** Glass



Mahogany

FCM4810 E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM2000SL
12"x 6'8"
14"x 6'8"



Smooth

S4810 E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S84810
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S4810SL
12"x 6'8"
14"x 6'8"

S84810SL
12"x 8'0"
14"x 8'0"

Clear Glass



Mahogany

FCM601
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S2610* E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S82610*
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S601
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8601
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

*Available with flat lite frame, Advanta flat lite frame or Impact-rated lite frame only.
Note: See page 299 for important product details that may help with your purchase decision.

Right Page: Smooth-Star, Wellesley Glass, Door – S721

Minimal Lites



Transoms

For transoms, see page 221.

Maple Park®



Mahogany

FCM736	FCM8736
2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Oak

FC736	FC8736
2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")	2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Smooth

S736 E	S8736
2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")	2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Saratoga™



Mahogany

FCM707	FCM8707
2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Oak

FC707	FC8707
2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")	2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Wellesley™



Smooth

S707 E	S8707
2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")	2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Mahogany

FCM721	FCM8721
2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Oak

FC721	FC8721
2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")	2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Smooth

S721 E	S8721
2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")	2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Flat Lite Frame
- NEW Scrolled & Flat Advanta Lite Frame
- NEW Scrolled Advanta Lite Frame
- NEW Flat Advanta Lite Frame
- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Concorde™



Mahogany

FCM735	FCM8735
2'8"x 6'8"	2'8"x 8'0"
2'10"x 6'8"	2'10"x 8'0"
3'0"x 6'8"	3'0"x 8'0"



Oak

FC735	FC8735
2'8"x 6'8" (7'0")	2'8"x 8'0"
2'10"x 6'8" (7'0")	2'10"x 8'0"
3'0"x 6'8" (7'0")	3'0"x 8'0"



Smooth

S735	S8735
E	2'8"x 8'0"
2'8"x 6'8" (7'0")	2'10"x 8'0"
2'10"x 6'8" (7'0")	3'0"x 8'0"
3'0"x 6'8" (7'0")	

Pembridge™



Mahogany

FCM745	FCM8745
2'8"x 6'8"	2'8"x 8'0"
2'10"x 6'8"	2'10"x 8'0"
3'0"x 6'8"	3'0"x 8'0"



Oak

FC745	FC8745
2'8"x 6'8" (7'0")	2'8"x 8'0"
2'10"x 6'8" (7'0")	2'10"x 8'0"
3'0"x 6'8" (7'0")	3'0"x 8'0"

Clear Glass with Divided Lites



Smooth

S745	S8745
E	2'8"x 8'0"
2'8"x 6'8" (7'0")	2'10"x 8'0"
2'10"x 6'8" (7'0")	3'0"x 8'0"
3'0"x 6'8" (7'0")	



Mahogany

FCM752	FCM8752
2'8"x 6'8"	2'8"x 8'0"
2'10"x 6'8"	2'10"x 8'0"
3'0"x 6'8"	3'0"x 8'0"



Oak

FC752	FC8752
2'8"x 6'8" (7'0")	2'8"x 8'0"
2'10"x 6'8" (7'0")	2'10"x 8'0"
3'0"x 6'8" (7'0")	3'0"x 8'0"



Smooth

S752	S8752
E	2'8"x 8'0"
2'8"x 6'8" (7'0")	2'10"x 8'0"
2'10"x 6'8" (7'0")	3'0"x 8'0"
3'0"x 6'8" (7'0")	



Mahogany

FCM704	FCM8704
2'8"x 6'8"	2'8"x 8'0"
2'10"x 6'8"	2'10"x 8'0"
3'0"x 6'8"	3'0"x 8'0"

Clear Glass



Oak

FC704	FC8704
2'8"x 6'8" (7'0")	2'8"x 8'0"
2'10"x 6'8" (7'0")	2'10"x 8'0"
3'0"x 6'8" (7'0")	3'0"x 8'0"



Smooth

S704	S8704
E	2'8"x 8'0"
2'8"x 6'8" (7'0")	2'10"x 8'0"
2'10"x 6'8" (7'0")	3'0"x 8'0"
3'0"x 6'8" (7'0")	



Mahogany

FCM708	FCM8708
2'8"x 6'8"	2'8"x 8'0"
2'10"x 6'8"	2'10"x 8'0"
3'0"x 6'8"	3'0"x 8'0"



Oak

FC708	FC8708
2'8"x 6'8" (7'0")	2'8"x 8'0"
2'10"x 6'8" (7'0")	2'10"x 8'0"
3'0"x 6'8" (7'0")	3'0"x 8'0"



Smooth

S708	S8708
E	2'8"x 8'0"
2'8"x 6'8" (7'0")	2'10"x 8'0"
2'10"x 6'8" (7'0")	3'0"x 8'0"
3'0"x 6'8" (7'0")	

Note: See page 299 for important product details that may help with your purchase decision.

Crystalline™



Oak

FC21
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6123
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Concorde™



Oak

FC917
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S454
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Clear Glass with Divided Lites



Oak

FC23
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S255
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Clear Glass



Oak

FC803
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



Smooth

S256
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Clear Glass with Divided Lites



Smooth

S236
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8317
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S237
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"
(Scalloped Lite Frame)

Pembridge™



Mahogany

FCM6570
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM86570
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Axis®



Oak

FC6570
E
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

FC86570
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6570
E
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S86570
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM1645
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM81645
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC1645
E
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

FC81645
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S1645
E
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S81645
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- E Elevated 10" Bottom Rail Options

Privacy & Textured Glass



Mahogany

FCM61_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM861_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC61_
E
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

FC861_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S296_
E
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S896_
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Clear Glass



Mahogany

FCM61
✹
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM861
✹
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC61
✹ E
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")


FC861
✹
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S296
✹ E
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S896
✹
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Noise Reduction Doors

Therma-Tru® Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. Ideal for multi-use and urban in-fill projects located near sources of noise pollution, our Noise Reduction doors provide a Sound Transmission Class (STC) rating of 36. Our Noise Reduction lites also offer added security from forced entry with laminated glass surrounded by a standard Lip-lite frame.

Note: Also available in decorative full-lite glass option in aluminum Lip-lite frame.



Smooth

S140STC
■ ✹ E
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S8140STC
■ ✹
2'6"x 8'0"
2'8"x 8'0"
3'0"x 8'0"



Smooth

S141STC
■ ✹ ✦ E
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Smooth

S6063STC
■ ✹ ✦ E
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = Reeded
XG = Geometric
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

Note: See page 299 for important product details that may help with your purchase decision.


Top: Smooth-Star, Clear Glass, Door – S296, Finish – Cypress
Right Page: Smooth-Star Door – S1100, Sidelites – S2000SL, Finish – Granite

Solid Panel



Transoms

For transoms, see page 221.





Mahogany

FCM31
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM220
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM205
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM755
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM600
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM134
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM60
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM860
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM1000 ■ E
2'0"x 6'8"
2'4"x 6'8"
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

FCM81000 ■
2'0"x 8'0"
2'4"x 8'0"
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC31
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC809
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC755
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC862
2'8"x 8'0"
2'10" x 8'0"
3'0"x 8'0"



Oak

FC60 E
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

FC860
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Key

- ■ No Stile Lines
- ✹ Low-E Glass (LE)
- ✦ Flat White Grilles Between Glass Only (GBGFW)
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options



Oak

1000
■ E
2'0" x 6'8"
2'4" x 6'8" ⅄
2'6" x 6'8" ⅄ (7'0")
2'8" x 6'8" ⅄ (7'0")
2'10" x 6'8" ⅄ (7'0")
3'0" x 6'8" ⅄ (7'0")

81000
■
2'0" x 8'0"
2'4" x 8'0"
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S93
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S220
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8200
E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S1100
E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S81100
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S120
E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8120
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S200
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S897
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S205
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8201
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S755
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S31
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S831
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S960
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S4800
E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84800
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S600
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8600
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S11
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S210
E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S810
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S100
■ E
2'0" x 6'8" ⅄
2'4" x 6'8" ⅄
2'6" x 6'8" ⅄
2'8" x 6'8" ⅄ (7'0")
2'10" x 6'8" ⅄ (7'0")
3'0" x 6'8" ⅄ (7'0")
3'6" x 6'8"

S81000
■
2'0" x 8'0"
2'4" x 8'0"
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"

Note: See page 299 for important product details that may help with your purchase decision.

Transoms

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Blackstone®



BSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Crystalline™



19080T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19820T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19800T
3'0" Door Only



19810T
12" & 14" Sidelite Only

Sedona



19055T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



19520T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Salinas®



SART
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Maple Park®



FWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Avonlea®



AVRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Saratoga™



19750T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19740T
3'0" Door Only

Wellesley™



19730T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19720T
3'0" Door Only

Riserva®



RSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Concorde™



CNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Kensington™



KNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Pembridge™



PBRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

Axis®



AXRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

Clear Glass



Grille Sticks Applied



19020T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19200T
3'0" Door Only



19210T
12" & 14" Sidelite Only

Key

- No Stile Lines
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- WBDR Options
- WBDR / HVHZ Options
- 6'6" Height Available
- Elevated 10" Bottom Rail Options

Hinged Patio Doors

Fiber-Classic®, Smooth-Star®, Profiles™ & Traditions





Flexible options for any home.

Our Fiber-Classic, Smooth-Star, Profiles and Traditions product lines extend to the patio with a wide assortment of options that combine form and function. Explore convenient options to control natural light and privacy, complement window grid patterns and more, all backed by Therma-Tru's outstanding warranties.

ENERGY STAR PARTNER

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Smooth-Star, Internal Blinds, Doors – S2600
Bottom: Smooth-Star, Clear Glass, Doors – S118

Door Selections



Fiber-Classic® Mahogany Collection™



Fiber-Classic® Oak Collection™

Smooth-Star®

Profiles™ & Traditions

(Wood-grained images shown in Driftwood stain.)

Glass Selections



Internal Blinds

Low-E / Clear

Divided Lites

For details on divided lite options, see pages 140–141.



Simulated Divided Lites



Grilles Between Glass



Fixed Grilles

Retractable Screen Doors

With a discreet, hidden design, retractable screen doors allow fresh air and natural light inside while keeping debris and insects out. Available for single and french inswing configurations. See pages 42–43 for details.

Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

EnLiten™ Flush-Glazed Warranty Riders

See page 33 for details on the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners.

■ = Available	Fiber-Classic®	Smooth-Star®	Profiles™	Traditions
Door Selections				
Material	Fiberglass	Fiberglass	Steel	Steel
Warranty	Lifetime	Lifetime	10 Years	Door: 5 Years Glass: 10 Years
Finish Options	Stain or Paint	Paint	Paint	Paint
Flush-Glazed Glass Selections				
Internal Blinds	■	■		
Low-E Glass with and without Divided Lites	■	■		
Clear Glass with and without Divided Lites	■	■		
Privacy & Textured Glass with and without Divided Lites	■	■		
Lip-Lite Glass Selections				
Internal Blinds	■	■	■	■
Low-E Glass with and without Divided Lites	■	■	■	■
Clear Glass with and without Divided Lites	■	■	■	■
Privacy & Textured Glass with and without Divided Lites	■	■	■	■
Available Sizes				
Heights	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0"	6'6", 6'8", 8'0"
Single Widths	2'0"–3'0"	2'0"–3'0"	2'0"–3'0"	2'0"–3'0"
Double Widths	4'0"–6'0"	4'0"–6'0"	4'0"–6'0"	4'0"–6'0"
Triple Widths	6'0"–9'0"	6'0"–9'0"	6'0"–9'0"	6'0"–9'0"
Retrofit Openings	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"
Additional Options				
Vented Sidelites (Single / Double Widths)	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths		
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame
Impact-Rated Options	■	■	■	■
Tru-Defense Eligible	■	■		

EnLiten™ Flush-Glazed Internal Blinds




Available Collections

- Smooth-Star®

Available Door Styles

Available Configurations



Internal Blinds




Available Collections

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

Available Door Styles

Available Configurations



Note: See page 299 for important product details that may help with your purchase decision.

EnLiten™ Flush-Glazed Low-E / Clear Glass with Divided Lites


Colonial Style




Available Collections

- Fiber-Classic® Oak
- Smooth-Star®

Available Door Styles



Available Configurations



Prairie Style




Available Collections

- Fiber-Classic® Oak
- Smooth-Star®

Available Door Styles

Available Configurations



EnLiten™ Flush-Glazed Low-E / Clear Glass




Available Collections

- Fiber-Classic® Oak
- Smooth-Star®

Available Door Styles

Available Configurations



Low-E / Clear Glass with Divided Lites


Colonial Style




Available Collections

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

Available Door Styles



Available Configurations



Note: See page 299 for important product details that may help with your purchase decision.

Prairie Style




Available Collections

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

Available Door Styles

Available Configurations



Low-E / Clear Glass




Available Collections

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

Available Door Styles

Available Configurations



Profiles™ Steel Doors





Versatile, affordable options.

Coupling distinctive styling with affordability, Profiles steel doors offer versatile front entry and house-to-garage options. Designed to suit multiple home styles, these doors feature triple-shadowed panel embossments for greater detail.

Top: Profiles, Sedona Glass, Door – 996HD, Sidelite – 139SL
Bottom: Profiles, Screen Vented Glass, Door – 1004HD

Traditions Steel Doors





Back to basics.

It's back to basics with Traditions. This line of steel doors combines attractive designs and value-based options to create a great, cost-conscious alternative for front entry and house-to-garage.

Top: Traditions Door – TS210
Bottom: Traditions, Satin Etch Glass, Doors – TS289XE

Profiles™ & Traditions Steel Doors

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. Fire-rated options on 6'8" solid-panel doors make a perfect choice for house-to-garage.

- 1-¼" lock stiles.
- 12-½" lock blocks.
- No stile lines.
- Primed, ready-to-paint surface.

WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*

20-Minute Fire-rated options available on 6'8" solid-panel doors. See pages 254–259.





■ = Available • = Not Applicable P = Paint	Profiles™	Traditions
Door Widths		
2'0"	■	■
2'4"	■	■
2'6"	■	■
2'8"	■	■
2'10"	■	■
3'0"	■	■
3'6"	■	•
Door Heights		
6'6"	■	■
6'8"	■	■
7'0"	■	•
8'0"	•	■
Glass Options		
Decorative	15	15
Privacy & Textured	7	7
Internal Blinds	■	■
Screen Vented Lites	■	■
Simulated Divided Lites	■	■
Grilles Between Glass	■	■
Fixed Grilles	■	■
Low-E	■	■
Clear	■	■
Additional Options		
Finish	P	P

Profiles™ Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.

10 YEAR LIMITED WARRANTY
Door & Glass

Traditions Steel

Features 25-gauge steel, standard embossed smooth surface.
All 8'0" doors are 24-gauge steel with standard embossments.

5 YEAR LIMITED WARRANTY
Door

10 YEAR LIMITED WARRANTY
Glass

Retrofit Hinged Patio Doors

Replacing common slider sizes?
Find hinged patio door options
on pages 222–227.
5'0" Patio Opening = (2) 2'4" Doors
6'0" Patio Opening = (2) 2'10" Doors

*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.
**Decorative glass designs are shown in Profiles only.
***Brass caming not available for Impact.
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs, limited warranties and exclusions, ENERGY STAR qualified products and product approvals.

Decorative & Specialty Glass Designs**


Black Nickel


Brushed Nickel

Blackstone®
Glass Privacy Rating: **7**


Black Nickel


Brushed Nickel

Crystalline™
Glass Privacy Rating: **7**


Black Nickel


Brushed Nickel

Sedona
Glass Privacy Rating: **7**


Wrought Iron

Salinas®
Glass Privacy Rating: **10**


Black Nickel


Brushed Nickel

Maple Park®
Glass Privacy Rating: **6**


Black Nickel

Avonlea®
Glass Privacy Rating: **4**


Black Nickel


Brushed Nickel

Saratoga™
Glass Privacy Rating: **7**



Black Nickel


Brushed Nickel

Texas Star
Glass Privacy Rating: **5**


Black Nickel


Brushed Nickel


Brass

Wellesley™
Glass Privacy Rating: **6**


Wrought Iron

Riserva®
Glass Privacy Rating: **10**


Black Nickel


Brushed Nickel


Brass

Concorde™
Glass Privacy Rating: **8**



Black Nickel


Brushed Nickel


Kensington™
Glass Privacy Rating: **8**


Black Nickel


Brushed Nickel


Brass***

Pembridge™
Glass Privacy Rating: **7**


Black Nickel

Axis®
Glass Privacy Rating: **7**



Frosted Images®
Glass Privacy Rating: **8**

Also Available:

Internal Blinds
Screen Vented

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear — Opaque

Privacy & Textured Glass




Reeded (XK)
Glass Privacy Rating: **7**



Geometric (XG)
Glass Privacy Rating: **7**



Satin Etch (XE)
Glass Privacy Rating: **10**



Chord (XC)
Glass Privacy Rating: **10**



Chinchilla (XJ)
Glass Privacy Rating: **10**



Rainglass (XR)
Glass Privacy Rating: **8**



Granite (XN)
Glass Privacy Rating: **10**

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear Opaque

Also Available:

Divided Lites
Clear Glass



Note: See page 299 for important product details that may help with your purchase decision.
Bottom: Profiles, Salinas Glass, Door – 968HD, Sidelites – 971SLHD

Full Lites

Blackstone®




310
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8" (7'0")

310SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Crystalline™




916
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8" (7'0")

916SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Sedona




139
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8" (7'0")

139SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Salinas®




369
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8" (7'0")

369SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Maple Park®




1006
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8" (7'0")

1006SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Avonlea®




1027
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8" (7'0")

1027SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Saratoga™




610
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8" (7'0")

610SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Texas Star




1029
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8" (7'0")

1029SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Wellesley™




620
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8" (7'0")

620SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- NEW Scrolled & Flat Advanta Lite Frame
- WBDR / HVHZ Options
- 6'6" Height Available

Riserva®



571
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8" (7'0")



TS572SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Concorde™



1028
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8" (7'0")



416SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Kensington™



626
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8" (7'0")



626SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Pembridge™



6500HD
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8" (7'0")



6500SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Axis®



1651HD
2'4"x 6'8"
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8" (7'0")



1651SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Frosted Images®



138SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Privacy & Textured Glass with Divided Lites



128__
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8" (7'0")



108__
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8" (7'0")



6184__SL*
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



6185__SL*
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



6186__SL*
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



632__SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Privacy & Textured Glass



118__
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8" (7'0")



100__SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 232.

XK = Reeded
XG = Geometric
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

*Not available with Reeded (XK) or Geometric (XG) glass.
**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 299 for important product details that may help with your purchase decision.

Internal Blinds



130
2'4"x 6'8"
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8" (7'0")



130SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Clear Glass with Divided Lites



1201
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8" (7'0")



1202
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8" (7'0")



1203
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8" (7'0")



128
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8" (7'0")



1200
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8" (7'0")



108
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8" (7'0")



1201SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



1202SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



1200SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



632SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



6184SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



6185SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



6186SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



198
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8" (7'0")



198SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Clear Glass



118
2'0"x 6'8"
2'4"x 6'8"
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8" (7'0")



100SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Key

- Low-E Glass (LE)
- Turtle Glass
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- NEW Scrolled & Flat Advanta Lite Frame
- NEW Scrolled Advanta Lite Frame
- WBDR / HVHZ Options
- 6'6" Height Available
- PVC Doorlite Frame**

3/4 Lites

Blackstone®




1037HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1037SLHD
12" x 6'8"
14" x 6'8"

Crystalline™




1042HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

956SLHD
12" x 6'8"
14" x 6'8"

Sedona




965HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

965SLHD
12" x 6'8"
14" x 6'8"

Salinas®




968HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

971SLHD
12" x 6'8"
14" x 6'8"

Maple Park®




1009HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1009SLHD
12" x 6'8"
14" x 6'8"

Avonlea®




1038HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1038SLHD
12" x 6'8"
14" x 6'8"

Saratoga™




1039HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1039SLHD
12" x 6'8"
14" x 6'8"

Texas Star




1040HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1040SLHD
12" x 6'8"
14" x 6'8"

Wellesley™




1041HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1041SLHD
12" x 6'8"
14" x 6'8"

Riserva®




544HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

546SLHD
12" x 6'8"
14" x 6'8"

Concorde™




967HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

967SLHD
12" x 6'8"
14" x 6'8"

Kensington™




03142HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

966SLHD
12" x 6'8"
14" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 232.

XK = Reeded
XG = Geometric
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

Note: See page 299 for important product details that may help with your purchase decision.

Pembridge™



6582HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



6580SLHD
12"x 6'8"
14"x 6'8"

Axis®



1644HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1644SLHD
12"x 6'8"
14"x 6'8"

Privacy & Textured Glass



961HD__
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



959HD__
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



6720HD__SL
12"x 6'8"
14"x 6'8"



959HD__SL
12"x 6'8"
14"x 6'8"

Internal Blinds



5425
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



5425SL
12"x 6'8"
14"x 6'8"

Clear Glass with Divided Lites



2109HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



2110HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



2111HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



961HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1089SLHD
12"x 6'8"
14"x 6'8"



4572SLHD
12"x 6'8"
14"x 6'8"

Clear Glass



6720SLHD
12"x 6'8"
14"x 6'8"



1403HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1400SLHD
12"x 6'8"
14"x 6'8"



959HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



959SLHD
12"x 6'8"
14"x 6'8"

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- WBDR / HVHZ Options

Oval Lites

Blackstone®



1025HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Avonlea®



1047HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Wellesley™



1022HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Concorde™



1024HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Kensington™



630HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Pembridge™



6578HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Frosted Images®



1021HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Clear Glass



1020HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1/2 Lites

Blackstone®



309HD
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



1001HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1117HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



311SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Crystalline™



926HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



991HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1119HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



930SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Note: See page 299 for important product details that may help with your purchase decision.

Sedona


211HD
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")


996HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


1114HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


294SLHD
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Salinas


374HD
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")


1002HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


1115HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


371SLHD
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Maple Park


1007HD
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")


1011HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


1116HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


1007SLHD
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Avonlea


1031HD
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")


1034HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


1107HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


1031SLHD
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Saratoga™


613HD
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")


988HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


1112HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


615SLHD
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Texas Star


1032HD
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")


1035HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


1111HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- WBDR / HVHZ Options

Wellesley™



623HD
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



989HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1120HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



625SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Riserva®



582HD
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



576HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



578HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



584SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Concorde™



426HD
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



999HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1118HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



430SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Kensington™



627HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



631HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1113HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



628SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Pembridge™



6560HD
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



6565HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



6568HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



6565SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Axis®



1660HD
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



1657HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1659HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1657SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 232.

XK = Reeded
XE = Satin Etch
XJ = Chinchilla
XN = Granite
XG = Geometric
XC = Chord
XR = Rainglass

*Features a gliding operation and sash locking system.

Note: See page 299 for important product details that may help with your purchase decision.

Frosted Images®



206EHD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



985HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1110HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



289ESLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Privacy & Textured Glass with Divided Lites



262HD__
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



982HD__
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1123HD__
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



263SLHD__
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Privacy & Textured Glass



206HD__
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



980HD__
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1101__HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



104__
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



210SLHD__
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Internal Blinds



132HD
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



984HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1121HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



131
E
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



132SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Screen Vented Lites*



243HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



1004HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1102HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



137
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Clear Glass with Divided Lites



262HD
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



982HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1123HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



115HD
E
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



263SLHD
12"x 6'8" (7'0")
14"x 6'8" (7'0")



1408HD
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



1405HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1406HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Clear Glass



1405SLHD
12"x 6'8" (7'0")
14"x 6'8" (7'0")



206HD
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



980HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1101HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



104
E
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



105
E
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



210SLHD
12"x 6'8" (7'0")
14"x 6'8" (7'0")



Note: See page 299 for important product details that may help with your purchase decision.
Bottom: Profiles, Frosted Images Glass, Door – 206EHD, Sidelite – 289ESLHD

Twin 1/2 Lites

Blackstone®



311HD
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Crystalline™



930HD
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Sedona



294HD
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Salinas®



371HD
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Maple Park®



1008HD
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Avonlea®



1044HD
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Saratoga™



615HD
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Wellesley™



625HD
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Riserva®



588HD
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Concorde™



430HD
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Kensington™



628HD
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Pembridge™



6572HD
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Axis®



1662HD
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Frosted Images®



289EHD
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Privacy & Textured Glass



263HD__
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



289HD__
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Clear Glass with Divided Lites



263HD
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



1411HD
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Clear Glass



289HD
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Craftsman Lites

Sedona



604HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Maple Park®



609HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Saratoga™



602HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Riserva®



508HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Pembridge™



6520HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Axis®



1650HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Privacy & Textured Glass with Divided Lites



605HD__*
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



606HD__*
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



607HD__*
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



608HD__*
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Privacy & Textured Glass



601__HD*
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 232.

XK = Reeded
XG = Geometric
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

*Not available with Reeded (XK) or Geometric (XG) glass.

Note: See page 299 for important product details that may help with your purchase decision.

Clear Glass with Divided Lites



605HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



606HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



607HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



608HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Clear Glass



601HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Minimal Lites

Maple Park®



736HD
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Saratoga™



707HD
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Wellesley™



721HD
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Concorde™



735HD
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Pembridge™



745HD
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Clear Glass with Divided Lites



752HD
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



704HD
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Clear Glass



708HD
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Crystalline™



1055HD
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Concorde™



454HD
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- WBDR / HVHZ Options
- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- NEW Scrolled & Flat Advanta Lite Frame
- NEW Scrolled Advanta Lite Frame

Clear Glass with Divided Lites



255HD
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Clear Glass



256HD
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Clear Glass with Divided Lites



236HD
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



237HD
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
(Scalloped Lite Frame)

Pembridge™



6570HD
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



6570SLHD
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Axis®



1643HD
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



1643SLHD
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Privacy & Textured Glass



296HD__
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



296SLHD__
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Clear Glass



296HD
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



296SLHD
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Solid Panels



969HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



978HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1005HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



205HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



203HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



210HD
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



100
E
2'0"x 6'8"
2'4"x 6'8"
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 232.

XK = Reeded	XE = Satin Etch	XJ = Chinchilla	XN = Granite
XG = Geometric	XC = Chord	XR = Rainglass	

*Not available with Reeded (XK) or Geometric (XG) glass.
Note: See page 299 for important product details that may help with your purchase decision.

Right Page: Traditions, Clear Glass, Door – TS118, Sidelites – 100SL



Full Lites

Privacy & Textured Glass with Divided Lites



TS128_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS108_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



6184_SL*
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")



6185_SL*
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")



6186_SL*
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")



632_SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Privacy & Textured Glass



TS118_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

818_
2'6" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass *Continue on next page.*

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- NEW Scrolled & Flat Advanta Lite Frame
- NEW Scrolled Advanta Lite Frame
- WBDR / HVHZ Options
- 6'6" Height Available
- E Elevated 10" Bottom Rail Options

Privacy & Textured Glass



100__SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

818__SL
12"x 8'0"
14"x 8'0"

Internal Blinds



TS130
2'4"x 6'8"
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

829
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



130SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

829SL
12"x 8'0"
14"x 8'0"

Clear Glass with Divided Lites



TS1201
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



TS1202
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



TS1203
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



TS128
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



TS1200
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



TS108
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



828
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



808
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



1201SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



1202SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



1200SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



632SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



828SL
12"x 8'0"
14"x 8'0"



6184SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

86184SL
12"x 8'0"
14"x 8'0"



6185SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

86185SL
12"x 8'0"
14"x 8'0"



6186SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

86186SL
12"x 8'0"
14"x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 232.

XK = Reeded **XE = Satin Etch** **XJ = Chinchilla** **XN = Granite**
XG = Geometric **XC = Chord** **XR = Rainglass**

*Features a gliding operation and sash locking system.
**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 299 for important product details that may help with your purchase decision.

Clear Glass



TS198
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



198SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



TS118
2'0"x 6'8"
2'4"x 6'8"
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

818
2'0"x 8'0"
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



100SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

818SL
12"x 8'0"
14"x 8'0"

1/2 Lites

Privacy & Textured Glass with Divided Lites



TS262_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



8321_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



TS263_SL
12"x 6'8"
14"x 6'8"

Privacy & Textured Glass



TS206_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

8206_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



TS104_
E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



TS210_SL
12"x 6'8"
14"x 6'8"

Internal Blinds



TS132
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

8132
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



TS131
E
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



TS132SL
12"x 6'8"
14"x 6'8"

Screen Vented Lites*



TS243
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



TS137
E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Key

- Low-E Glass (LE)
- Turtle Glass
- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- NEW Scrolled & Flat Advanta Lite Frame
- NEW Scrolled Advanta Lite Frame
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- PVC Doorlite Frame**

Clear Glass with Divided Lites



8322
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



8323
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



8324
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



TS262
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



8321
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



TS115
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



TS263SL
12"x 6'8"
14"x 6'8"



TS1408
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

8145
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



TS1405SL
12"x 6'8"
14"x 6'8"

Clear Glass



TS206
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

8206
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"





TS104
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



TS105
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



TS210SL
12"x 6'8"
14"x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 232.

XK = Reeded
XG = Geometric
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

Note: See page 299 for important product details that may help with your purchase decision.

Bottom: Traditions, Sedona Glass, Door – TS211, Sidelites – 139SL
Right Page: Traditions, Satin Etch Glass, Doors – TS289XE

Twin 1/2 Lites

Privacy & Textured Glass with Divided Lites



TS263_
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Privacy & Textured Glass



TS289_
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Clear Glass with Divided Lites



TS263
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



TS1411
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Clear Glass



TS289
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Minimal Lites

Clear Glass with Divided Lites



TS752
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

8752
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



TS704
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

8704
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Clear Glass



TS708
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

8708
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Clear Glass with Divided Lites



TS255
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Clear Glass



TS256
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Key

- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Clear Glass with Divided Lites



TS236
◆
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

8317
◆
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



TS237
✹ ◆
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"
(Scalloped Lite Frame)

Privacy & Textured Glass



TS296_
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

896_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



TS296_SL
12"x 6'8"
14"x 6'8"

Clear Glass



TS296
✹
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

896
✹
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"




TS296SL
✹
12"x 6'8"
14"x 6'8"

Solid Panels



TS210
6
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

810
6
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



TS100
6 E
2'0"x 6'8"
2'4"x 6'8"
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

800
6 E
2'0"x 8'0"
2'4"x 8'0"
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Privacy & Textured Glass Options
Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 232.

XK = Reeded
XG = Geometric
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

Note: See page 299 for important product details that may help with your purchase decision.

Transoms

Transoms can be painted to match a Profiles™ or Traditions door system.

Blackstone®



BSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Crystalline™



19080T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19820T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19800T
3'0" Door Only



19810T
12" & 14" Sidelite Only

Sedona



19055T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



19520T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Salinas® X



SART
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Maple Park®



FWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Avonlea®



AVRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Saratoga™



19750T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19740T
3'0" Door Only

Wellesley™



19730T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19720T
3'0" Door Only

Riserva® X



RSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Concorde™



CNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Kensington™



KNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Pembridge™



PBRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

Axis®



AXRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

Clear Glass



Grille Sticks Applied



19020T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19200T
3'0" Door Only



19210T
12" & 14" Sidelite Only

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Fixed Grilles (FXG)
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Fire Doors

Fiber-Classic®, Smooth-Star® & Steel




Intertek

Therma-Tru offers an industry-leading selection of Fire-rated doors certified to carry the Warnock Hersey Mark.

Therma-Tru® Fire-Rated Doors

From smooth to wood-grained, Therma-Tru offers products to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.* Explore a wide variety of 20-minute Fire-rated fiberglass and steel door styles.

- Fiber-Classic and Smooth-Star 20-minute Fire-rated fiberglass doors are now constructed with a polyurethane foam core that reduces overall door slab weight by 45% for easier handling and installation.**



20-Minute Fire-Rated Fiberglass Doors

- Tested to withstand a minimum of 20-minutes of fire exposure with temperatures that reach more than 1,400 degrees Fahrenheit.
- Features a 20-minute positive pressure rating.
- Certified by Intertek, Warnock Hersey for mortise lock use and features a wide lock stile to provide proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- More durable than steel, and resist dents, scratches and rust, making them ideal for high-traffic, heavy-use environments.
- Features full-length lock side blocking, as well as blocking for panic and closure applications.
- Ideal for hotels, apartments, office buildings and other applications with security locks and card readers.

Additional Options

- Solid-panel steel wood-edge doors also available with the 20-minute Fire-rated label, starting on page 258.


For California Projects

Therma-Tru Fiber-Classic and Smooth-Star 20-minute Fire-rated fiberglass doors meet or exceed building codes and regulations specific to the state of California, including:

✓California Wildland Urban Interface (WUI) requirements.

✓California Air Resources Board (CARB) formaldehyde regulations.

✓California State Fire Marshall test CA SFM 12-7A-1.



For Florida Projects

Therma-Tru Fiber-Classic and Smooth-Star foam core 20-minute Fire-rated fiberglass doors include options to meet building codes and regulations specific to the state of Florida.

✓Approved for structural use in Florida.

✓Approved for Wind-Borne Debris Regions (WBDR).

*To confirm fire door requirements in your jurisdiction, always check with your local building code authority.
**Comparison of 20-minute foam core Fire-rated door to a 20-minute concrete core Fire-rated door with similar style.
Note: To see the full results of third-party Intertek, Warnock-Hersey testing, visit www.thermatru.com/performancedata.
Left: Fiber-Classic Mahogany Collection Door – FMF205, Finish – Driftwood

Adjusta-Fit® 2 Frame



Using the right frame is critical in any top-quality door installation, and never more so than with Fire-rated products. Therma-Tru Adjusta-Fit 2 frame technology helps ensure an optimum fit and long-lasting performance. The frames are constructed with a commercial-grade, 18-gauge base frame; galvanized steel and factory-coated paint finish; and an all-aluminum, thermally broken threshold. These features make them ideal for interior and exterior applications, including corridor openings and outside unit entries.

Therma-Tru® Adjusta-Fit® 2 frames also feature these key benefits:

- 90-Minute positive-pressure Fire-rating, third-party certified by Intertek, Warnock-Hersey.
- Standard 4-⅞" ANSI 115.1, or 2-¾" T-lip strike prep option.
- Choice of standard, public access or no-sill options.
- Minimum 22-gauge closure with 1" of adjustability, suitable for walls from 4"–9-½" deep.

Additional Options

- Therma-Tru® composite door frame also 20-minute Fire-rated, starting on page 280.

Note: See page 299 for important product details that may help with your purchase decision.

Right Page, Left: Profiles Door – 203HD

Right Page, Right: Smooth-Star Door – SSF220

20-Minute Fire-Rated Wood Edge – Fiberglass



Mahogany

FMF31

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FMF220

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FMF205

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FMF755

2'10" x 6'8"
3'0" x 6'8"



Mahogany

FMF600

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FMF134

2'10" x 6'8"
3'0" x 6'8"



Mahogany

FMF60

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FMF860

2'8" x 8'0"
3'0" x 8'0"



Mahogany

FMF100

2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8"
3'0" x 6'8" (7'0")

FMF8100

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FCF31

2'8" x 6'8"
3'0" x 6'8"



Oak

FCF809

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"







Oak

FCF755
WBDR
2'10" x 6'8"
3'0" x 6'8"



Oak

FCF862
WBDR
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FCF160
WBDR E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCF8160
WBDR
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FCF100
■ WBDR E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8"
3'0" x 6'8" (7'0")

FCF8100
■ WBDR E
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

SSF93
WBDR
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

SSF220
WBDR E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

SSF8220
WBDR E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

SSF1100
WBDR E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SSF81100
WBDR
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

SSF120
WBDR E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SSF8120
WBDR
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

SSF200
WBDR
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SSF8200
WBDR
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

SSF205
WBDR
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SSF8205
WBDR
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

SSF755
WBDR
2'10" x 6'8"
3'0" x 6'8"



Smooth

SSF31
WBDR
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SSF831
WBDR
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Key

■ No Stile Lines

WBDR WBDR Options

E Elevated 10" Bottom Rail Options

20-Minute Fire-Rated Wood Edge – Fiberglass *Continued*



Smooth

SSF960
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

SSF4800 E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

SSF84800
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

SSF600
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

SSF8600
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth


SSF11
2'10"x 6'8"
3'0"x 6'8"



Smooth

SSF160 E
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

SSF8160
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

SSF100 E
2'0"x 6'8"
2'4"x 6'8"
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

SSF8100 E
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

20-Minute Fire-Rated Wood Edge – Steel

Profiles™



969HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



978HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1005HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



205HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



203HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



210HD
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



100 E
2'0"x 6'8"
2'4"x 6'8"
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8"

Traditions



TS210
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



TS100 E
2'0"x 6'8"
2'4"x 6'8"
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Key

- No Stile Lines
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Note: See page 299 for important product details that may help with your purchase decision.
Right Page: Smooth-Star Door – SSF120



PULSE

Modern design. Upbeat living.









Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement. With three distinct aesthetic approaches – Ari, Línea and Echo – the entrance becomes modern art.


*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more, including details on limited warranties and exclusions, ENERGY STAR qualified products and product approvals.


Top: Pulse Ari, Reeded Glass with Flat Frame, Door – FC83XK, Finish – Acorn

It's your decision, by design.

Pulse is geometry with energy. Designed to be fun and easy to mix and match with sleek, flush door and sidelite styles, you can create a modern entrance without missing a beat. Explore all the possible combinations at thermatru.com/pulse. Mix and match to get the style numbers needed to order. Turn the page for a glimpse of available styles and sizes.







The creativity is unlimited. Stain or paint the entrance any color.

These doors and sidelites come ready to stain or paint. So there's no limit to the creativity you can use when it comes to finishing touches.

LIFETIME LIMITED WARRANTY
Fiberglass


10 YEAR LIMITED WARRANTY
Steel

ENERGY STAR PARTNER

WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*

1 Start with a STYLE.

Combine doors and sidelites to create an entrance that fits your vision.



Ari | Línea | Echo | Sidelites

2 Choose a MATERIAL.

Each style is available in any of these material choices.



Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.) | Smooth Fiberglass | Steel

3 Select a GLASS.

Find an available glass design to complete the statement you want to make.

Privacy & Textured Glass

Available for all Pulse door styles.



Reeded | Geometric | Satin Etch | Chord | Chinchilla | Rainglass | Granite

Low-E Also Available.


Decorative Glass

Available for Línea.



1 2 3 4 5 6 7 8 9

Available for Ari.



3 6 7 8 9

1 Blackstone®
2 Crystalline™
3 Sedona
4 Salinas®
5 Avonlea®
6 Saratoga™
7 Riserva®
8 Pembridge™
9 Axis®

Available for Echo.



8 9

4 Then select a FRAME.

Choose the flat profile for modern appeal or scrolled profile for vintage style.



Flat Profile Lite Frame | Scrolled Profile Lite Frame

Right Page: Pulse Ari, Reeded Glass with Scrolled Lite Frame, Door – FCM83XK, Sidleites – FCM81200XKSL, Finish – Barley

Pulse® Size Options


	Wood-Grained Fiberglass		Smooth Fiberglass		Steel	
	6'8"	8'0"	6'8"	8'0"	6'8"	8'0"
Doors	2'6" x 6'8" ○ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'6" x 8'0" ○ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'6" x 6'8" ○ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'6" x 6'8"	2'6" x 8'0" ○ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	2'6" x 6'8" ○ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'6" x 6'8"	2'6" x 8'0" ○ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
Sidelites	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"

• Available in full-lite sidelites only.
○ Available in Línea and Echo only.




Ari


Note: Product images show exterior side of door.



S2SN | S83SN



S2SG | S83SG




S2RS | S83RS



S2PB | S83PB



S2AX | S83AX



S2_ S2CL | S83_ S83CL




Línea

Note: Product images show exterior side of door.




S1LBS | S81LBS




S1BS | S81BS




S1RBS | S81RBS




S1LBL | S81LBL




S1BL | S81BL



Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.)



Smooth Fiberglass



Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.


Note: See page 299 for important product details that may help with your purchase decision.

Top: Pulse Ari, Axis Glass with Scrolled Lite Frame, Door – S83AX, ©TheHouseDesigners.com


S1RBL

S81RBL


S1LSN


S1SN


S1RSN


S1LSA | S81LSA



S1SA | S81SA



S1RSA | S81RSA



S1LAV



S1AV



S1RAV


S1LSG | S81LSG


S1SG | S81SG


S1RSG | S81RSG


S1LRS | S81LRS


S1RS | S81RS

Línea *Continues on next page.*

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 262.

XK = Reeded
XG = Geometric
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite


Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- NEW Scrolled & Flat Advanta Lite Frame
- WBDR / HVHZ Options

Línea *Continued*




S1RRS | S81RRS




S1LPB | S81LPB




S1PB | S81PB



S1RPB | S81RPB




S1LAX | S81LAX




S1AX | S81AX



S1RAX | S81RAX



S1L_ S1LCL | S81L_ S81LCL




S1_ S1CL | S81_ S81CL




S1R_ S1RCL | S81R_ S81RCL

Echo


Note: Product images show exterior side of door.




S4LPB | S84LPB




S4PB | S84PB



S4RPB | S84RPB



S5LPB | S85LPB




Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.) | Smooth Fiberglass | Steel

It's your decision, by design.


Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See page 299 for important product details that may help with your purchase decision.



S5PB | S85PB



S5RPB | S85RPB



S86LPB



S86PB



S86RPB



S9LPB



S9PB



S9RPB



S8LPB



S8PB



S8RPB



S811LPB



S811PB



S811RPB



S810LPB



S810PB



S810RPB

Echo *Continues on next page.*

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 262.

XK = Reeded
XG = Geometric
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- NEW Scrolled & Flat Advanta Lite Frame
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Echo *Continued*


Note: Product images show exterior side of door.




S4LAX ◆ | S84LAX ◆




S4AX ◆ | S84AX ◆




S4RAX ◆ | S84RAX ◆




S5LAX ◆ | S85LAX ◆




S5AX ◆ | S85AX ◆



S5RAX ◆ | S85RAX ◆



S86LAX ◆



S86AX ◆



S86RAX ◆



S9LAX ◆ E



S9AX ◆ E



S9RAX ◆ E




S8LAX ◆ E




S8AX ◆ E




S8RAX ◆ E



Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.)



Smooth Fiberglass



Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See page 299 for important product details that may help with your purchase decision.



S811LAX
◆ E



S811AX
◆ E



S811RAX
◆ E




S810LAX
◆ E




S810AX
◆ E




S810RAX
◆ E




S4L_
S4LCL ✹ | S84L_
S84LCL ✹




S4_
S4CL ✹ | S84_
S84CL ✹




S4R_
S4RCL ✹ | S84R_
S84RCL ✹



S5L_
S5LCL ✹ | S85L_
S85LCL ✹



S5_
S5CL ✹ | S85_
S85CL ✹



S5R_
S5RCL ✹ | S85R_
S85RCL ✹



S86L_
S86LCL ✹



S86_
S86CL ✹



S86R_
S86RCL ✹

Echo *Continues on next page.*

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 262.

XK = Reeded
XG = Geometric
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

Key

✹ Low-E Glass (LE)
◆ Black Nickel Caming (1D)
E Elevated 10" Bottom Rail Options

Echo *Continued*

Note: Product images show exterior side of door.



S9L_
S9LCL☀
E



S9_
S9CL☀
E



S9R_
S9RCL☀
E



S8L_
S8LCL☀
E



S8_
S8CL☀
E



S8R_
S8RCL☀
E



S811L_
S811LCL☀
E



S811_
S811CL☀
E



S811R_
S811RCL☀
E



S810L_
S810LCL☀
E




S810_
S810CL☀
E



S810R_
S810RCL☀
E





Wood-Grained Fiberglass:
Mahogany or Oak (Shown in Driftwood stain.)

Smooth Fiberglass

Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See page 299 for important product details that may help with your purchase decision.

Top: Pulse Echo, Low-E Glass with Flat Lite Frame, Door – S85CL

Sidelites

Note: Product images show exterior side of door.



DRS2131SL
12"x 6'8"(7'0")
14"x 6'8"(7'0")

DRS82131SL
12"x 8'0"
14"x 8'0"



S4570SL | S85927SL



S6130SL | S84586SL



S604SL



S6134SL | S85931SL



S6127SL



S602SL | S85932SL



S572SL | S8572SL



S6500SL | S86500SL



S1651SL | S81651SL



S601_SL
S601SL
S81086_SL
S81086SL



S86PBSL



S5PBSL | S85PBSL



S4PBSL | S84PBSL



S811PBSL



S810PBSL



S9PBSL



S10PBSL



S86AXSL

Sidelites *Continue on next page.*

Privacy & Textured Glass Options


Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 262.

XK = Reeded
XG = Geometric
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Vented Sidelite Options
- NEW Scrolled & Flat Advanta Lite Frame
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Sidelites *Continued*



S5AXSL | S85AXSL

S4AXSL | S84AXSL


S811AXSL

S810AXSL

S9AXSL

S10AXSL

S86__SL
S86CLSL



S5__SL
S5CLSL | S85__SL
S85CLSL

S4__SL
S4CLSL | S84__SL
S84CLSL

S811__SL
S811CLSL

S810__SL
S810CLSL

S9__SL
S9CLSL

S10__SL
S10CLSL


Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 262.

XK = Reeded
XG = Geometric
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Vented Sidelite Options



Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.)

Smooth Fiberglass

Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.


Note: See page 299 for important product details that may help with your purchase decision.

Right Page, Top: Pulse Línea, Low-E Glass with Flat Lite Frame, Door – S81RCL, Direct Set Sidelite – DRS82131SL, Finish – Chestnut
Right Page, Bottom: Pulse Echo, Geometric Glass with Flat Lite Frame, Door – S9XG, Sidelite – S9XGSL





Finishing Options













Add Curb Appeal with Color

Stain and paint can make all the difference when it comes to a home's curb appeal. Find inspiration and explore professionally applied premium stains and paints, as well as options for in-field applications.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 299 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

Right Page: Smooth-Star, Clear Glass with SDLs, Doors – S2104, Finish – Cypress

PRISMAGUARD®

Finished for Lasting Beauty

Handcrafted and professionally applied in a controlled environment, a PrismaGuard® premium finish is built to last, giving your customers confidence and peace of mind.

- Designed for optimal performance with Therma-Tru® fiberglass doors and composite door frames.
- Features enhanced durability to protect from everyday wear and tear.
- Backed by a 10-year limited finish warranty. For Classic Craft® doors, the balance of this warranty can transfer to a second owner.
- Enhances the overall beauty of the entry with a nature-inspired color palette of premium stains and paints.

10 YEAR LIMITED WARRANTY TRANSFERABLE
Classic Craft

10 YEAR LIMITED WARRANTY

Durable Topcoat

Professional Application



Tested to meet tough expectations.

PrismaGuard premium finish undergoes rigorous testing with specialized equipment to help ensure it delivers a consistent high-end appearance with a low-maintenance coating that preserves the door's color for years to come.



PrismaGuard® Premium Stain

Bring the authentic look of wood to life with rich tones that add dimension and are designed to enhance the wood grains of Therma-Tru® fiberglass doors and composite door frames.

1. It starts with the realistic wood grains and deep embossments of a Therma-Tru® door or composite door frame.
2. A base coat provides an even, consistent color across the surface.
3. A wiping stain enhances the base coat while adding dimension to reflect the natural beauty of wood.
4. A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
5. A second application of the topcoat provides added durability and optimal sheen for a high-end look.



Shown on Classic Craft Fir Grain.


Wildflower Honey


Rustic Clay


Barley


New Earth


Autumn Harvest


Redwood


Mulberry


Acorn


Driftwood


Raven

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 299 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA2300, Sidelites – CCA2300SL, Finish – Alpine

PrismaGuard® Premium Paint

Add a pop of color to Therma-Tru® doors and composite door frames, and tailor the look of the entry to make a beautiful lasting impression.

1. It starts with the smooth or wood-grained surface of a Therma-Tru® door or composite door frame.
2. A base coat provides an even, consistent color across the surface.
3. A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
4. A second application of the topcoat provides added durability and optimal sheen for a high-end look.



Alpine

Cypress

Granite

Ruby Red

Cabernet

Indigo

Chestnut

Onyx



Order 4" x 4" samples of select PrismaGuard finish colors at **store.thermatru.com**.

SAME-DAY® STAIN

Create the authentic look of real wood in just a few simple steps.

- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Tru® fiberglass doors and composite door frames.



All-Inclusive Kit

Contains everything needed to stain a Therma-Tru fiberglass double door system or a single door with two sidelites.*


Watch easy-to-follow instructions at thermatru.com/samedaystain.



5 YEAR LIMITED WARRANTY

For complete details on the Same-Day Stain and topcoat limited warranty, go to thermatru.com/finishing or ask your seller for more details.


Shown on Classic Craft® Fir Grain.



*Actual coverage may vary based on product selected, application method and desired appearance.
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 299 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the Same-Day Stain limited warranty and exclusions.

Door System Components





Engineered to work together.

A Therma-Tru® door with genuine Therma-Tru components is more than a beautiful door – it's a complete door system engineered with craftsman precision for durability and reliability through the years. And, a Therma-Tru fiberglass door system with genuine Therma-Tru components is backed by the industry's most comprehensive lifetime limited warranty.

Visit our online replacement parts page to maintain the integrity of a complete door system with genuine Therma-Tru components at thermatru.com/parts.

Composite Door Frame*

featuring Tru-Guard™ Composite Technology




TRU GUARD™

COMPOSITE TECHNOLOGY

Composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.

- Delivers extra protection from the damaging effects of outside elements for peace of mind.
- Eliminates the risk of rot and wood-ingesting insects with a durable composite material that is virtually maintenance free. Rot-free door frame does not absorb moisture and resists mold, mildew and fungus.



Reinforced Mullions

Provide additional structural support and stability. All mullions are reinforced with a co-extruded Ⓐ LVL core to provide additional structural support and stability and feature a Ⓑ composite-capped bottom to eliminate the risk of water absorption and maintain a rot-free composite exterior.

Order composite door frame samples at **store.thermatru.com**.

*See your Therma-Tru seller for details on product availability.
**Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.
***To confirm code requirements in your jurisdiction, always check with your local building code authority.
Note: See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Rider. Frame-only warranty option for customers without a Therma-Tru door system.

Available Textures



Ready to finish.

Buff Grained

- Features a universal wood grain to complement a wide range of grain species.
- Stain or paint to complement the entry – no sanding or priming required.



Ready to install.
Ready to finish.

White Smooth

- Features a matte finish similar to painted wood and includes a protective layer with UV inhibitors to help resist yellowing and fading.
- Ready to install as-is – no painting required. Or finish with stain or paint to complement the entry – no sanding or priming required.

The advantage is clear.

Performance	
Resists Moisture & Humidity – Eliminates Risk of Swelling, Warping and Splitting	✓
Resists Mold, Fungus & Rot – Does Not Absorb or Retain Moisture	✓
Resists Insects – Help Protect from Wood-Ingesting Insects	✓
Tested to be up to 50% stronger on average than standard wood door frames against kick-ins.**	✓
Impact and 20-Minute Fire Code Compliant***	✓
Aesthetics	
Ready to Finish – No Sanding or Priming Required	✓
Ready-to-Install Option – No Finishing Required – White Smooth	✓
Universal Grain Complements a Wide Range of Wood Species – Buff Grained	✓
Screw Plugs Match Frame Material and Conceal External Fasteners	✓

Warranty

Therma-Tru Products & Applications	**Warranty** For First Homeowner	**Warranty Riders** Transferable 1x to Second Homeowner
Composite Door Frame + Classic Craft® Door + Components	LIFETIME LIMITED WARRANTY TRANSFERABLE	Lifetime Transferable Full-System Rider
Composite Door Frame + Fiber-Classic®, Smooth-Star®, Pulse® Fiberglass Door + Components	LIFETIME LIMITED WARRANTY	10-Year Transferable Full-System Rider
Composite Door Frame Only	LIFETIME LIMITED WARRANTY	

Composite Door Frame Parts

See your Therma-Tru seller for a full list of available product sizes and options.

Jambs




4-1/8"
4-9/16"
5-1/4"
6-9/16"
7-1/4"

Mullions



2" Entry Narrow
2-1/2" Entry Wide




2" Patio Narrow
2-1/2" Patio Wide

Pre-inserted weatherstrip option available for select white smooth jambs and mullions.


Trim



2" Brickmould WM180




1-5/8" Florida Brickmould WM176



3-1/2" x 1" Flat Casing


Mull Casing



1-15/32" x 1-1/16"



1-7/32" x 7/32"
NEW SIZE 2" x 7/32"



2-15/16" x 1-1/16" *Buff grained only.*
2-15/16" x 3/8" *Buff grained only.*

Storm Door-Ready Mullion Adaptor



2" to 1-11/16"

Storm Door Adaptor



4-9/16" Base Adaptor
Face Adaptor
(Use 1-15/32" x 1-1/16" Mull Casing)



6-9/16" Base Adaptor

Screen Track Cap




1-13/32" x 9/16"

Fasteners, Setting Tool & Screw Plug Covers



Screw plugs are available on a collated strip for ease of installation and finishing.

Storm Door-Ready Mullions



4-9/16"
6-9/16"



7/16" x 5/16" Cove Mould

Transom Sills



4-9/16"
6-9/16"

Engineered as part of Therma-Tru's complete entry door system, our composite door frame is


more reliable and up to 50% stronger on average than standard wood door frames*

when withstanding a simulated forced entry attempt by kicking in the door.*

Pendulum Impact Test



Therma-Tru Wood Jamb



Therma-Tru Composite Jamb

Code-Compliant Options

Therma-Tru composite door frame delivers the durability and reliability you expect from Therma-Tru with options to meet select national and local building code requirements.**

Impact-rated to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.**

20-minute Fire-rated to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.**

*Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.
**To confirm code requirements in your jurisdiction, always check with your local building code authority.
Note: See your Therma-Tru seller or visit www.thermatru.com for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof. To see full results of third-party Intertek, Warnock-Hersey testing, visit www.thermatru.com/performancedata.

Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru seller for a complete list of options.

Inswing Options



Composite Adjustable Sill (Premium)

- Thick wood-grained composite cap and nosing.
- U-shaped weather seal.
- Adjustable flush screws.

Continuous length with spread mullion capability to fill 49"–75" rough openings.*



Hardwood Adjustable Sill

- Durable hardwood cap and nosing can be stained to match door and trim.
- U-shaped weather seal.
- Adjustable flush screws.



Basic Composite Adjustable Sill (Economy)

- Wood-grained composite cap and nosing.
- Adjustable screws with removable screw caps.



Basic Fixed Sill (Economy)

- Slanted cap and nosing mates with the single-bulb bottom sweep.

Outswing Options



Composite Outswing Sill (Premium)

- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.



Aluminum Sill with Thermal Break

- All-aluminum construction.
- Integrated weatherstrip.
- Also available without thermal break.



Coastal Sill (For Coastal Regions)

- All-aluminum construction.
- Extra-high cap profile.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.


Outswing Sill Extender



Finishes:	Sizes:
Lightwood (Premium)	3/4"
Darkwood (Premium)	2"

Shown in 2".

Inswing Sill Extenders



Public Access Sill



Public Access Sill with Thermal Break** (For ADA Applications)

- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements.
- Also available without thermal break.

Key

Tru-Defense Eligible

*See the Therma-Tru Architectural Details & Components manual for actual unit size specifications.
**Door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather. We recommend these systems be installed away from weather under large soffits or overhangs.
***For full details on the Tru-Defense Warranty Rider, visit www.thermatru.com/trudefense.
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 299 for important product details that may help with your purchase decision.

Sill Finishes



Mill



Bronze

Cap Colors



Lightwood (Premium)



Darkwood (Premium)



Lightwood (Economy)



Darkwood (Economy)



Hardwood

■ = Available
• = Not Applicable


	Inswing Options	Composite Adjustable	Hardwood Adjustable	Basic Composite Adjustable	Basic Fixed	**Outswing Options**	Composite Outswing	Aluminum with Thermal Break	Aluminum without Thermal Break	Coastal	**Public Access** (Inswing / Outswing)	Public Access (ADA)**
Sill Finishes												
Mill		■	■	■	■		■	■	■	■		■
Bronze		■	■	■	■		■	■	■	•		■
Cap Colors												
Lightwood		■	•	■	•		■	•	•	•		•
Darkwood		■	•	■	■		■	•	•	•		•
Hardwood		•	■	•	•		•	•	•	•		•
Sill Configurations												
Single		■	■	■	■		■	■	■	■		■
French		■	■	•	■		■	■	■	■		■
Double Patio		■	■	•	•		■	•	•	•		•
Triple Patio		■		•	•		■	•	•	•		•
Lineal		■	■	•	•		•	•	•	•		•
Sidelite Configurations												
Boxed Sidelites		■	•	•	•		•	•	•	•		•
Single with Sidelites		■	■	•	•		■	•	•	•		•
French with Sidelites		■	•	•	•		•	•	•	•		•
Single Vented Sidelites		■	•	•	•		•	•	•	•		•
French Vented Sidelites		■	•	•	•		•	•	•	•		•
Depths												
4-9/16"		■	•	■	■		■		■	■		■
5-¾"		■	■	■	■		■	■	•	•		•
6-9/16"		•	•	•	•		•	•	•	•		■
7-¾"		■	■	■	■		•	■	•	•		•
Substrates												
Composite Extruded		■	•	•	•		■	•	•	•		•
Composite Injection Molded		■	•	■	•		•	•	•	•		•
Treated Pine		•	■	•	■		•	■	■	■		•
Other Options												
Integrated Thermal Break		■	■	■	■		■	■	•	•		■
Screen Rail Available		■	■	•	•		■	•	•	•		•
Sill Extenders Available		■	■	■	•		■	•	•	•		•
Sill Covers Available		■	■	■	■		■	•	•	•		•
Tru-Defense Eligible***		■	•	•	•		■	•	•	•		•
With Anchor Holes		•	•	•	•		•	■	■	•		■
Without Anchor Holes		■	■	■	■		■	■	•	■		•

Note: See your Therma-Tru seller for details on available component and finish color combinations.

Door Bottoms

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.


Inswing Options




Kerf-Applied Dual-Bulb / Dual-Fin Bottom Sweep

Sills:
Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable

Colors:
Bronze
White



Non-kerf-applied option available for replacement applications. Available in bronze only.



Kerf-Applied Single-Bulb Bottom Sweep

Sills:
Basic Fixed

Colors:
Bronze




Inactive Door Bottom

Sills:
Composite Adjustable
Hardwood Adjustable

Colors:
Bronze

Outswing Options



Outswing Bottom Sweep

Sills:
Aluminum
Coastal

Color:
Bronze



Inactive Door Bottom

Sills:
Composite Outswing

Colors:
Bronze

ADA / Replacement



Bottom Sweep

Sills:
Public Access

Color:
Bronze

Sill Protection



Shown over composite adjustable sill.

Sill Covers (Recommended)

- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.

See page 285 for availability.



Sill Pan (Recommended)

- Fits between the sill and subfloor for an added layer of protection against moisture.
- Engineered with sloped channels to help collect and drain moisture away.

Note: See page 299 for important product details that may help with your purchase decision.

Corner Seal Pads (Inswing Only)

Fit securely behind weatherstrip and mate with our inswing sills to help block wind-driven moisture from pushing through the corner and up the frame. (Not required for outswing sills.)

Classic Craft® 7-Shape Pads



Colors:
Bronze
White

Sills:
Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable
Public Access


Fiber-Classic® / Smooth-Star® 7-Shape Pads



Colors:
Bronze
White

Sills:
Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable
Public Access

Basic Fixed Pads



Colors:
Bronze

Sills:
Basic Fixed

Weatherstrip

Engineered in a variety of profiles for a precise seal between the door and frame. Made of a flexible material protected by a durable jacket to resist moisture and wear.

Medium-Reach Weatherstrip



Colors:
Bronze
White

Long-Reach Weatherstrip



Colors:
Bronze
White

Rain Protection (Recommended)

Helps repel moisture away from areas exposed to wind-driven moisture infiltration, enhancing weather protection. Highly recommended for applications directly exposed to wind and rain.

Rain Deflector (Inswing)




Colors:
Bronze
White

Rain Guard (Outswing)



Colors:
Bronze
White



Bottom of door;
exterior view.



Top of door;
exterior view.

Key

Tru-Defense Eligible

Hardware

Multi-Point Locking Systems (MPLS) (Recommended)

Engages the door and frame at three critical points from top to bottom for enhanced stability compared to traditional deadbolt assemblies. Features premium stainless steel construction that resists corrosion.

Grip-Style MPLS ✣

Grip-style handlesets offer an intuitive approach to the multi-point locking system with on-trend aesthetics. A simple 90-degree twist of the thumbturn (interior) or a key (exterior) is all it takes to engage the door frame at three points with no need to lift the handleset lever. An integrated mishandling device protects the door and frame from accidental damage. Features deadbolt located above handleset.

(Highly recommended for 8'0" fiberglass doors. Active option only. Not available for door systems with an astragal. Not recommended for steel doors or Impressions integrated storm and entry door systems. Strike plate package available.)





Tongue

Heights:	Configurations:
6'8"	Inswing
7'0"	Outswing
8'0"	

❶ Self-lubricating locks.
❷ 1" premium stainless steel deadbolt.
❸ Integrated mishandling device.



Exterior view of door.

Key

✣ Tru-Defense Eligible



Exterior view of door.

Lever-Style MPLS

Lever-style handlesets bring form and function together with decorative styles. A convenient upward turn of the handle is required before all three points will engage. An integrated mishandling device helps protect the door and frame from accidental damage. Features deadbolt below the handleset.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors. Strike plate packages available to meet the installation needs of various MPLS applications.)



Tongue

Heights:	Configurations:
6'6"	Inswing
6'8"	Outswing
7'0"	
8'0"	



Shootbolt
(For door systems with an astragal.)

Heights:	Configurations:
6'6"	Inswing
6'8"	Outswing
7'0"	
8'0"	



Vented Sidelite MPLS





Tongue
(Included in vented sidelite units.)
Heights:
6'6"
6'8"
8'0"

Handleset Options for Standard Door MPLS

Designed to complement Therma-Tru® door styles from traditional to contemporary.



Forte **Prospect**



Heirloom **Venture** **Millennium**

Backplates:
Wide
Narrow

Locking:
Active
Inactive

Finish Options



Brushed Nickel | Black Nickel | Oil-Rubbed Bronze

Finish Options



Bright Brass | Brushed Nickel | Black Nickel | Polished Chrome | Oil-Rubbed Bronze

Latch & Deadbolt Strike Plate



Standard vs. Adjustable Security Strike Plate

Adjustable Security Strike Plate

(Recommended for standard lock and deadbolt handlesets only.)

Finish Options:

Brushed Nickel
Black Nickel
Polished Chrome
Oil Rubbed Bronze
Stainless Steel
Zinc Dichomate

A genuine Therma-Tru adjustable security strike plate helps enhance the safety and security of a home, wrapping around the door jamb and fully engaging the frame of the house for added support and strength against forced entry.

❶ Wraps around the door jamb for added support and an exact fit.

❷ 2-½" screws fully engage with the frame of the house for added strength.

Key

Tru-Defense Eligible

*To confirm code requirements in your jurisdiction, always check with your local building authority.
Note: See your Therma-Tru seller for available component options.

Hinges

Adjustable Hinge

(Recommended for Classic-Craft premium entryways.)

Allow the door to be moved horizontally and vertically in the frame, maintaining alignment and keeping the door performing beautifully.



Classic-Craft® Ball-Bearing

(Recommended for Classic-Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability.



Classic-Craft® Ball-Bearing – Staggered Hole Pattern

(Recommended for Classic-Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability. Staggered hole pattern helps simplify assembly process. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



Self-Aligning Ball-Bearing

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to assist in accurate alignment with specific door systems.



Self-Aligning

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to provide accurate alignment with specific door systems. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



Security Tab

Security tabs prevent door from being taken off hinges, providing security on outswing applications.



Spring-Loaded

UL Listed with self-closing spring mechanism that helps pull the door closed for convenience or meets code requirements that may be applicable in Fire-door applications.*



Hinge Finsh Options



Bright Brass | Brushed Nickel | Black Nickel | Polished Chrome | Oil-Rubbed Bronze | Stainless Steel | Zinc Dichromate

■ = Available
• = Not Applicable

Hinge Finish Options	Adjustable	Classic Craft® Ball-Bearing	Classic Craft® Ball-Bearing – Staggered Hole Pattern	Classic Craft® Ball-Bearing – Staggered Hole Pattern (Non-Removable Pin)	Self-Aligning Ball-Bearing	Self-Aligning	Self-Aligning NRP (Non-Removable Pin)	Security Tab	Spring-Loaded
Bright Brass	■	■	■	■	■	•	•	•	•
Brushed Nickel	■	■	■	■	■	■	■	■	■
Black Nickel	■	■	■	■	■	•	■	•	■
Polished Chrome	■	■	■	■	■	•	■	•	■
Oil-Rubbed Bronze	■	■	■	■	■	■	■	•	■
Stainless Steel	•	■	■	■	■	•	■	■	■
Zinc Dichromate	•	■	■	■	■	■	■	■	■

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors. Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.

Astragals

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.



Stainable Astragal



Shown in Oak grain with Redwood stain.

Heights:
6'6"
6'8"
7'0"
8'0"

Width:
7/8"

Configurations:
Inswing
Outswing
Multi-Point Lock
Double Bore
Left-Handed
Right-Handed

Grain Options:
Oak
Fir

Weatherstrip:
Bronze

Aluminum Astragal



Coastal option also available.

Heights:
6'6"
6'8"
7'0"
8'0"

Width:
7/8"

Configurations:
Inswing
Outswing
Multi-Point Lock
Double Bore
Left-Handed
Right-Handed

Finish Colors:
Bronze
White

Weatherstrip:
Bronze



Available with strike plates to receive a latch and deadbolt or multi-point locking system.

Integrated weatherstrip and corner seal pad helps form a tight seal between the astragal and active door when closed.

Spring clips to engage and disengage the shootbolts.

Durable boot engineered to work with the active bottom sweep to complete the seal across the sill.

16-½" locking steel slide bolt can be vertically adjusted for a secure fit with the sill and frame.

Textures Available

Stainable (Shown in Rustic Clay stain.)



Oak Grain



Fir Grain

Aluminum



Bronze

White



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 299 for important product details that may help with your purchase decision.

Bottom: Classic Craft Mahogany Grain, Provincial Glass, Doors – CCR804028
Right Page, Top: Classic Craft Walnut Grain Doors – CCW902R, CCW902L, Finish – Pinecone
Right Page, Bottom Left: Classic Craft Fir Grain, Homeward Glass, Doors – CCA211, Finish – Driftwood
Right Page, Bottom Right: Fiber-Classic Oak Collection, Clear Glass with GBGs, Doors – FC8313, Finish – Barley

Key

Tru-Defense Eligible








Special Quote Program

In addition to thousands of standard glass choices, we offer additional glass options through our Special Quote Program to help you find the right look for virtually any home.



Special Quote SDL Pattern Example





Special Quote
GBG Color Options

Divided Lites

Match various window patterns and home styles with additional grid patterns and color options. Impact-rated options also available.



Privacy & Textured Glass

Achieve the desired look and level of privacy with additional options, including hammered glass doorlites shown above.



Axis® with Standard Black Nickel Caming



Axis® with Special Quote Brushed Nickel Caming

Caming Colors

Pair black nickel, brushed nickel or brass caming with any decorative glass design to complement home hardware and fixtures.

Note: Product availability, size options, lead times and pricing will vary based on the request. Please contact your Therma-Tru seller for details.

3'6" Width Door Style Options

Classic Craft®

8'0" Door Styles

Glass Designs




Glass Designs							
Homeward™	■		■			■	■
Augustine®	◆	◆	◆	◆	◆	◆	
Arborwatch®	■		■			■	■
Borrassa®	◆	◆	◆	◆	◆	◆	
Lucerna®	◆		◆			◆	
Rainglass							■
Low-E	◆		■			◆	■

Key

- ■ Classic Craft® Artíssa Collection™
- ◆ Classic Craft® Founders Collection™
- ▲ Classic Craft® Visionary Collection™
- ✱ Smooth-Star®
- ◗ Profiles™ & Traditions

6'8" & 8'0" Solid-Panel Door Styles




	◆	◆	◆	◆	◆	◆	◆	■	■	◆	◆	◆	◆	▲	▲

Smooth-Star®, Profiles™, Traditions & Pulse®

6'8" & 8'0" Door Styles

All Pulse Styles

Glass Designs



Glass Designs												
Blackstone®	✱◗	✱			✱◗	✱						
Crystalline™	✱◗	✱			✱◗	✱						
Sedona	✱◗		✱◗	✱	✱◗	✱						
Salinas®	✱◗	✱			✱◗	✱						
Maple Park®	✱◗											
Avonlea®	✱◗				✱◗							
Saratoga™	✱◗		✱◗	✱	✱◗	✱						
Texas Star	✱◗											
Wellesley™	✱◗	✱										
Riserva®	✱◗	✱	✱◗	✱	✱◗	✱						
Concorde™	✱◗	✱										
Kensington™	✱◗											
Pembridge™	✱◗	✱	✱◗	✱	✱◗	✱	✱◗	✱	✱◗	✱		
Axis®	✱◗	✱	✱◗	✱	✱◗	✱	✱◗	✱	✱◗	✱		
Privacy & Textured Glass	✱◗	✱	✱◗	✱	✱◗	✱	✱◗	✱	✱◗	✱		
Internal Blinds	✱◗	✱										
Divided Lites	✱◗	✱										
Clear	✱◗	✱	✱◗	✱	✱◗	✱	✱◗	✱	✱◗	✱		
Solid Panel											✱◗	✱

7'0" Height Door Style Options

Glass Designs \ Door Styles											
Blackstone®	▼▲✱◗	▲✱◗	✱		◗						
Crystalline™	▼▲✱◗	▲✱◗	✱		◗				◗		
Sedona	▼▲✱◗	▲✱◗	✱		◗						
Salinas®	▼▲✱◗	▲✱◗	✱		◗						
Maple Park®	▼▲✱◗	▲✱◗	✱		◗			▲✱◗			
Avonlea®	▼▲✱◗	▲✱◗	✱		◗						
Saratoga™	▼▲✱◗	▲✱◗	✱		◗		✱	▲✱◗			
Texas Star	▼▲✱◗	▲✱◗	✱		◗						
Wellesley™	▼▲✱◗	▲✱◗	✱		◗			▲✱◗			
Riserva®	▼▲✱◗	▲✱◗	✱		◗						
Concorde™	▼▲✱◗	▲✱◗	✱		◗			▲✱◗	◗		
Kensington™	▼▲✱◗	▲✱◗	✱		◗						
Pembridge™	▼▲✱◗	▲✱◗	✱		◗			◗		▲◗	
Axis®	▼▲✱◗	▲✱◗	✱		◗					▲✱◗	
Frosted Images®		▲✱◗	✱		◗						
Privacy & Textured Glass	▼▲✱◗	▲✱◗	✱	▼▲✱◗	◗		✱			▲✱◗	
Internal Blinds	▼▲✱◗	▲✱◗	✱	▼▲✱◗							
Screen Vented		✱◗	✱	✱◗							
Divided Lites	▼▲✱◗	▲✱◗	✱		◗	✱◗	✱	▲✱◗	◗		◗
Clear	▼▲✱◗	▲✱◗	✱	▼▲✱◗	◗	✱◗	✱	▲✱◗	◗	▲✱◗	
Solid Panel											

6'6" Height Door Style Options

Glass Designs \ Door Styles					
Blackstone®	▲✱◗			▲✱	
Crystalline™	▲✱◗			▲✱	
Sedona	▲✱◗			▲✱	
Salinas®	▲✱◗			▲✱	
Maple Park®	▲✱◗			▲✱	
Avonlea®	▲✱◗			▲✱	
Saratoga™	▲✱◗			▲✱	
Texas Star	▲✱◗			▲✱	
Wellesley™	▲✱◗			▲✱	
Riserva®	▲✱◗			▲✱	
Concorde™	▲✱◗			▲✱	
Kensington™	▲✱◗			▲✱	
Pembridge™	▲✱◗			▲✱	
Axis®	▲✱◗			▲✱	
Frosted Images®				▲✱	
Privacy & Textured Glass	▲✱◗	◗		▲✱	
Internal Blinds	▲✱◗	◗		▲✱	
Screen Vented		◗			
Divided Lites	▲✱◗		◗	▲✱	
Clear	▲✱◗	◗	◗	▲✱	
Solid Panel					✱◗

Key

- ▲ Classic Craft® Visionary Collection™
- ▼ Fiber-Classic® Mahogany Collection™
- ▲ Fiber-Classic® Oak Collection™
- ✱ Smooth-Star®
- ◗ Profiles™ & Traditions

		▼▲✱◗	◗				
		▼▲✱◗	◗				
		▼▲✱◗	◗				
		▼▲✱◗	◗				
		▼▲✱◗	◗				
		▼▲✱◗	◗				
		▼▲✱◗	◗				
		▼▲✱◗	◗				
		▼▲✱◗	◗				
		▼▲✱◗	◗				
		▼▲✱◗	◗				
		▼▲✱◗	◗				
		▼▲✱◗	◗	◗			
		▼▲✱◗	◗	◗			
		▼▲✱◗	◗				
		▼▲✱◗	◗	◗			
		▼▲✱◗	◗				
	◗	▼▲✱◗	◗				
		▼▲✱◗	◗	◗			
					✱	▲✱◗	▲▼▲✱◗





Top: Smooth-Star, Maple Park Glass, Door – S6107
Bottom: Smooth-Star Door – S210; Clear Glass with GBGs, Sidelites – S308SL

Entry & Patio Door Systems

Feature	Classic Craft®	Fiber-Classic® & Pulse® Wood-Grained	Smooth-Star® & Pulse® Smooth	Profiles™ & Pulse® Steel (6'8")	Traditions & Pulse® Steel (8'0")
Skin Material	Fiberglass	Fiberglass	Fiberglass	24-Gauge Steel	6'8": 25-Gauge Steel / 8'0": 24-Gauge Steel
Skin Texture	Fir, Walnut, Mahogany, Oak Grain; High-Detail Smooth	Mahogany, Oak Grain	High-Detail Smooth	Smooth	Smooth
Exterior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Interior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Panel – Top Rail	Composite	Composite	Composite	Wood	Wood
Panel – Bottom Rail	Composite	Composite	Composite	Composite	Composite
Lock Stile	4" Full-Length Engineered Lumber	6'8": 1-¼" Engineered Lumber 8'0": 3-$^{15}/_{16}$" Full-Length Engineered Lumber	6'8": 1-¼" Engineered Lumber 8'0": 3-$^{15}/_{16}$" Full-Length Engineered Lumber	1-¼" Wood	1-¼" Wood
Lock Block	4" Full-Length Engineered Lumber Stile	22-½" Wood	12-½" Wood	12-½" Wood	6'8": 12-½" Wood / 8'0": 22-½" Wood
Height Options	6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8" & 7'0"	6'8" & 8'0"
Width Options	2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"
Panel Options	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple
Sidelite Options	12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"
Glass Options	SMC Frame; Deco / Privacy & Textured / Low-E IG	Standard Frame, Advanta Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG	Standard Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG	Standard Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG	Standard Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG
Sill*	Inswing: Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Fixed Outswing: Aluminum	Inswing: Basic Fixed Outswing: Aluminum
Weatherstrip – Hinge	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach
Weatherstrip – Lock	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Weatherstrip – Head	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Multi-Point Lock	Recommended	Recommended	Recommended	–	–
Security Strike Plate	Recommended	Recommended	Recommended	Recommended	Recommended
Hinges*	Classic Craft Ball-Bearing	Self-Aligning	Self-Aligning	Self-Aligning	Self-Aligning
Frame*	Composite Door Frame	Composite Door Frame	Composite Door Frame	Rot-Resistant	Primed Pine
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame	2" Frame	2" Frame	2" Frame	2" Frame
Residential Limited Warranty	Transferable Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years / Pulse 8'0": 10 Years

For dimensional data, see your Therma-Tru seller or visit thermatru.com for a copy of the Therma-Tru Unit & Rough Opening Sizing Booklet.

*Standard product recommendations shown; additional options may be available.

Therma-Tru® Door Systems

Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/AAMA/NWWDA 101/I.S.2, AAMA/WDMA 101/I.S.2/NAFS, AAMA/WDMA/CSA 101/I.S.2-A440, ASTM E330, ASTM E547, ASTM E283, ASTM E331, ANSI/BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to www.thermatru.com for design pressure and other performance ratings.

Doors

Recommended Door Overhang – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

Doorlites

Doorlites are insulated, and exposed panes are tempered or laminated. Optional wood grilles available for clear doorlites and transoms.

Inserts – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 degrees Fahrenheit, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Decorative Glass & Wrought Iron – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines and waves within the glass) are normal and are part of the designs character.

Direct Set Sidelites – All Therma-Tru direct set sidelites shall utilize trim components secured and glazed in place in the door jamb.

Condensation occurs naturally in the home, caused by excessive humidity in the air. Often this harmless water vapor can be seen collecting on glass surfaces, such as doorlites. Energy-efficient glass units in Therma-Tru door systems are constructed to keep the glass as warm as possible, reducing condensation build-up. However, there is no such thing as a condensation-free window or doorlite in high-humidity conditions.

A common attribute of true wrought iron doorlites is that a rattle sound may be heard when closing the door. This is solely a function of having real wrought iron which is heavy and has the ability to flex, moving back and forth within a narrow airspace surrounded by glass that has very little flex. This characteristic is not considered a defect or warranty issue.

NOTE: Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on the glass design and size of the glass that is inserted into the door, sidelite or transom.

Glass designs may differ from depiction due to the size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.

Components

Adjustable Security Strike Plate – Proprietary adjustable type, permitting in-out adjustment of door in frame, up to 3/16".

Hinges – Minimum hinge size 4" x 4" x .098".

Ball-bearing hinges are recommended for 8'0" doors, doors using heavy lites (e.g., wrought iron), all 20-Minute Fire-rated fiberglass doors, Impact-rated doors and glass, and all Classic Craft doors.

Use of the multi-point locking system is highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Use of a sill pan is recommended.

Fiber-Classic and Smooth-Star dentil shelves are not recommended for placement behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Therma-Tru door surrounds must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty.

Impact-Rated Products

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit www.thermatru.com for product approvals and full details on WBDR- (Wind-Borne Debris Region) / HVHZ- (High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Fire-Rating Performance Standards

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS.

Test conducted by Intertek, Warnock-Hersey.

Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at www.thermatru.com:

- Therma-Tru® Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic Craft®, Fiber-Classic®, Smooth-Star® and Pulse® Door Systems; Steel – Pulse®, Profiles™, and Traditions Door Systems
- Therma-Tru® Tru-Defense® Door System Rider to Fiberglass Door Systems Limited Warranty: Classic Craft®, Fiber-Classic®, Smooth-Star® and Pulse® Fiberglass Door Systems
- EnLiten™ Flush-Glazed Construction & Installation Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft®, Fiber-Classic® and Smooth-Star® Flush-Glazed Fiberglass Door Systems
- EnLiten™ Flush-Glazed Homeowner Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft®, Fiber-Classic® and Smooth-Star® Flush-Glazed Fiberglass Door Systems
- PrismaGuard® Limited Warranty Rider to Fiberglass and Steel Door Systems Limited Warranty for Residential and Multi-Resident Premises: Fiberglass – Classic Craft®, Fiber-Classic®, Smooth-Star®, and Pulse® Door Systems; Steel – Pulse®, Profiles™ and Traditions
- Same-Day® Stain 5-Year Limited Warranty: Same-Day® Stain and Topcoat for Use on Therma-Tru® Fiberglass Door Systems and Fypon® Stainable Polyurethane Products
- Therma-Tru® Composite Door Frame featuring Tru-Guard™ Composite Technology Limited Warranty for Residential and Multi-Resident Premises: Classic Craft®, Fiber-Classic®, Smooth-Star® and Pulse® Fiberglass Door Systems
- Therma-Tru® Composite Door Frame featuring Tru-Guard™ Composite Technology Limited Warranty Transferable Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft®, Fiber-Classic®, Smooth-Star® and Pulse® Fiberglass Door Systems

Installation, Finishing & Maintenance

Therma-Tru doors and sidelites come unfinished. Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at www.thermatru.com:

- Installation Instructions (Products that are approved for Coastal and / or high wind applications may require special installation. Always follow the installation instructions in the Product Approval for these products.)
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit www.thermatru.com for more details.

Classic Craft®

19020T 123
19200T 123
19210T 123
19220T 123
AB30T 122
ABRT 122
CC040T 122
CC060T 122
CC090T 122
CC100 78
CC10022 78
CC106 77
CC107 77
CC109 76
CC1418 82
CC1423 72
CC1423SL 72
CC1423SL 83
CC1424 104
CC2020SL 78
CC2020SL 84
CC2020XCSL 83
CC2020XESL 83
CC2020XGSL 83
CC2020XJSL 83
CC2020XNSL 83
CC2020XRSL 83
CC2040SL 77
CC2040SL 87
CC2044SL 77
CC2044SL 88
CC2060SL 76
CC2060SL 85
CC2120SL 106
CC2122SL 106
CC2140SL 105
CC2144SL 105
CC2160SL 105
CC3412SL 78
CC3412SL 87
CC40 119
CC400T 122
CC420T 122
CC44 105
CC45 105
CC47 105
CC48 106
CC48XE 106
CC60 119
CC600T 122
CC612 106
CC620T 122
CC8000SL 84
CC8000XCSL 83
CC8000XGSL 83
CC8000XJSL 83
CC8000XNSL 83
CC8000XRSL 83
CC8006SL 88
CC8007SL 87
CC8009SL 85
CC8102SL 87
CC81418 82
CC81423SL 83
CC831 119
CC860 119
CC890 84
CC896 88
CC897 87
CC898 87
CC899 85
CC89922 82
CC89925SL 82
CC90 84
CC900T 122
CC91 119
CC920T 122
CC922 87
CC96 88
CC97 87
CC99 85
CC9922 82
CC9925 72
CC9925SL 72
CC9925SL 82
CC9926 104
CCA1100 115
CCA1125 114
CCA1127 114
CCA1133 115
CCA1145 115
CCA1147 115
CCA1149 114
CCA1150 115
CCA1158 115
CCA1166 115
CCA1423SL 109
CCA210 112
CCA210SL 112
CCA210XC 109
CCA210XCSL 110
CCA210XJ 109
CCA210XJSL 110
CCA210XN 109
CCA210XNSL 110
CCA210XR 109
CCA210XRSL 110
CCA211 108
CCA211SL 108
CCA220 111
CCA220SL 112
CCA220XC 109
CCA220XCSL 110
CCA220XJ 109
CCA220XJSL 110
CCA220XN 109
CCA220XNSL 110
CCA220XR 109
CCA220XRSL 110
CCA230 111
CCA2300 80
CCA2300SL 81
CCA2300XC 79
CCA2300XCSL 79
CCA2300XE 79
CCA2300XESL 79
CCA2300XG 79
CCA2300XGSL 79
CCA2300XJ 79
CCA2300XJSL 79
CCA2300XK 79
CCA2300XKSL 79
CCA2300XN 79
CCA2300XNSL 79
CCA2300XR 79
CCA2300XRSL 79
CCA230XC 109
CCA230XJ 109
CCA230XN 109
CCA230XR 109
CCA231 108
CCA2310 80
CCA2310SL 81
CCA2310XC 79
CCA2310XCSL 80
CCA2310XE 79
CCA2310XESL 80
CCA2310XG 79
CCA2310XGSL 80
CCA2310XJ 79
CCA2310XJSL 80
CCA2310XK 79
CCA2310XKSL 80
CCA2310XN 79
CCA2310XNSL 80
CCA2310XR 79
CCA2310XRSL 80
CCA2320 80
CCA2320SL 81
CCA2320XC 79
CCA2320XCSL 80
CCA2320XE 79
CCA2320XESL 80
CCA2320XG 79
CCA2320XGSL 80
CCA2320XJ 79
CCA2320XJSL 80
CCA2320XK 79
CCA2320XKSL 80
CCA2320XN 79
CCA2320XNSL 80
CCA2320XR 79
CCA2320XRSL 80
CCA2330 80
CCA2330SL 81
CCA2330XC 79
CCA2330XCSL 80
CCA2330XE 79
CCA2330XESL 80
CCA2330XG 79
CCA2330XGSL 80
CCA2330XJ 79
CCA2330XJSL 80
CCA2330XK 79
CCA2330XKSL 80
CCA2330XN 79
CCA2330XNSL 80
CCA2330XR 79
CCA2330XRSL 80
CCA2340 81
CCA2340SL 81
CCA2340XC 79
CCA2340XCSL 80
CCA2340XE 79
CCA2340XESL 80
CCA2340XG 79
CCA2340XGSL 80
CCA2340XJ 79
CCA2340XJSL 80
CCA2340XK 79
CCA2340XKSL 80
CCA2340XN 79
CCA2340XNSL 80
CCA2340XR 79
CCA2340XRSL 80
CCA2350 74
CCA2350XC 73
CCA2350XE 73
CCA2350XJ 73
CCA2350XN 73
CCA2350XR 73
CCA2360 74
CCA2360XC 73
CCA2360XE 73
CCA2360XJ 73
CCA2360XN 73
CCA2360XR 73
CCA2370 74
CCA2370XC 73
CCA2370XE 73
CCA2370XJ 73
CCA2370XN 73
CCA2370XR 73
CCA2380 81
CCA2380XC 79
CCA2380XE 79
CCA2380XG 79
CCA2380XJ 79
CCA2380XK 79
CCA2380XN 79
CCA2380XR 79
CCA240 111
CCA2400 80
CCA2400SL 75
CCA2400SL 81
CCA2400XC 79
CCA2400XCSL 73
CCA2400XCSL 79
CCA2400XE 79
CCA2400XESL 73
CCA2400XESL 79
CCA2400XG 79
CCA2400XGSL 73
CCA2400XGSL 79
CCA2400XJ 79
CCA2400XJSL 73
CCA2400XJSL 79
CCA2400XK 79
CCA2400XKSL 73
CCA2400XKSL 79
CCA2400XN 79
CCA2400XNSL 73
CCA2400XNSL 79
CCA2400XR 79
CCA2400XRSL 73
CCA2400XRSL 79
CCA240XC 109
CCA240XJ 109
CCA240XN 109
CCA240XR 109
CCA2410SL 115
CCA2420SL 115
CCA260 111
CCA260XC 110
CCA260XJ 110
CCA260XN 110
CCA260XR 110
CCA3400SL 112
CCA3400XCSL 110
CCA3400XGSL 110
CCA3400XJSL 110
CCA3400XNSL 110
CCA3400XRSL 110
CCA3401SL 108
CCA3450SL 112
CCA3450XCSL 110
CCA3450XGSL 110
CCA3450XJSL 110
CCA3450XNSL 110
CCA3450XRSL 110
CCA3500SL 112
CCA3500XCSL 110
CCA3500XGSL 110
CCA3500XJSL 110
CCA3500XNSL 110
CCA3500XRSL 110
CCA3501SL 108
CCA3560SL 112
CCA3560XCSL 110
CCA3560XGSL 110
CCA3560XJSL 110
CCA3560XNSL 110
CCA3560XRSL 110
CCA4900 74
CCA4900XC 73
CCA4900XE 73
CCA4900XJ 73
CCA4900XN 73
CCA4900XR 73
CCA4905 114
CCA4910L 74
CCA4910LXC 73
CCA4910LXE 73
CCA4910LXJ 73
CCA4910LXN 73
CCA4910LXR 73
CCA4910R 74
CCA4910RXC 73
CCA4910RXE 73
CCA4910RXJ 73
CCA4910RXN 73
CCA4910RXR 73
CCA4915L 114
CCA4915R 114
CCA4920L 74
CCA4920LXC 73
CCA4920LXE 73
CCA4920LXJ 73
CCA4920LXN 73
CCA4920LXR 73
CCA4920R 74
CCA4920RXC 73
CCA4920RXE 73
CCA4920RXJ 73
CCA4920RXN 73
CCA4920RXR 73
CCA4925L 114
CCA4925R 114
CCA4930 75
CCA4930XC 73
CCA4930XE 73
CCA4930XJ 73
CCA4930XN 73
CCA4930XR 73
CCA4935 115
CCA4940 75
CCA4940XC 73
CCA4940XE 73
CCA4940XJ 73
CCA4940XN 73
CCA4940XR 73
CCA4945 115
CCA81100 115
CCA81125 114
CCA81127 114
CCA81133 115
CCA81145 115
CCA81147 115
CCA81149 114
CCA81150 115
CCA81158 115
CCA81166 115
CCA81423SL 109
CCA8210 112
CCA8210XC 109
CCA8210XJ 109
CCA8210XN 109
CCA8210XR 109
CCA8211 108
CCA8220 111
CCA8220XC 109
CCA8220XJ 109
CCA8220XN 109
CCA8220XR 109
CCA8230 111
CCA82300 80
CCA82300SL 81
CCA82300XC 79
CCA82300XCSL 79
CCA82300XE 79
CCA82300XESL 79
CCA82300XG 79
CCA82300XGSL 79
CCA82300XJ 79
CCA82300XJSL 79
CCA82300XK 79
CCA82300XKSL 79
CCA82300XN 79
CCA82300XNSL 79
CCA82300XR 79
CCA82300XRSL 79
CCA8230XC 109
CCA8230XJ 109
CCA8230XN 109
CCA8230XR 109
CCA8231 108
CCA82310 80
CCA82310SL 81
CCA82310XC 79
CCA82310XCSL 80
CCA82310XE 79
CCA82310XESL 80
CCA82310XG 79
CCA82310XGSL 80
CCA82310XJ 79
CCA82310XJSL 80
CCA82310XK 79
CCA82310XKSL 80
CCA82310XN 79
CCA82310XNSL 80
CCA82310XR 79
CCA82310XRSL 80
CCA82320 80
CCA82320SL 81
CCA82320XC 79
CCA82320XCSL 80
CCA82320XE 79
CCA82320XESL 80
CCA82320XG 79
CCA82320XGSL 80
CCA82320XJ 79
CCA82320XJSL 80
CCA82320XK 79
CCA82320XKSL 80
CCA82320XN 79
CCA82320XNSL 80
CCA82320XR 79
CCA82320XRSL 80
CCA82330 80
CCA82330SL 81
CCA82330XC 79
CCA82330XCSL 80
CCA82330XE 79
CCA82330XESL 80
CCA82330XG 79
CCA82330XGSL 80
CCA82330XJ 79
CCA82330XJSL 80
CCA82330XK 79
CCA82330XKSL 80
CCA82330XN 79
CCA82330XNSL 80
CCA82330XR 79
CCA82330XRSL 80
CCA82340 81
CCA82340SL 81
CCA82340XC 79
CCA82340XCSL 80
CCA82340XE 79
CCA82340XESL 80
CCA82340XG 79
CCA82340XGSL 80
CCA82340XJ 79
CCA82340XJSL 80
CCA82340XK 79
CCA82340XKSL 80
CCA82340XN 79
CCA82340XNSL 80
CCA82340XR 79
CCA82340XRSL 80
CCA82350 74
CCA82350XC 73
CCA82350XE 73
CCA82350XJ 73
CCA82350XN 73
CCA82350XR 73
CCA82360 74
CCA82360XC 73
CCA82360XE 73
CCA82360XJ 73
CCA82360XN 73
CCA82360XR 73

CCA82370 74
CCA82370XC 73
CCA82370XE 73
CCA82370XJ 73
CCA82370XN 73
CCA82370XR 73
CCA82380 81
CCA82380XC 79
CCA82380XE 79
CCA82380XG 79
CCA82380XJ 79
CCA82380XK 79
CCA82380XN 79
CCA82380XR 79
CCA8240 111
CCA82400 80
CCA82400SL 75
CCA82400SL 81
CCA82400XC 79
CCA82400XCSL 73
CCA82400XCSL 79
CCA82400XE 79
CCA82400XESL 73
CCA82400XESL 79
CCA82400XG 79
CCA82400XGSL 73
CCA82400XGSL 79
CCA82400XJ 79
CCA82400XJSL 73
CCA82400XJSL 79
CCA82400XK 79
CCA82400XKSL 73
CCA82400XKSL 79
CCA82400XN 79
CCA82400XNSL 73
CCA82400XNSL 79
CCA82400XR 79
CCA82400XRSL 73
CCA82400XRSL 79
CCA8240XC 109
CCA8240XJ 109
CCA8240XN 109
CCA8240XR 109
CCA82410SL 115
CCA82420SL 115
CCA8260 111
CCA8260XC 110
CCA8260XJ 110
CCA8260XN 110
CCA8260XR 110
CCA84900 74
CCA84900XC 73
CCA84900XE 73
CCA84900XJ 73
CCA84900XN 73
CCA84900XR 73
CCA84905 114
CCA84910L 74
CCA84910LXC 73
CCA84910LXE 73
CCA84910LXJ 73
CCA84910LXN 73
CCA84910LXR 73
CCA84910R 74
CCA84910RXC 73
CCA84910RXE 73
CCA84910RXJ 73
CCA84910RXN 73
CCA84910RXR 73
CCA84915L 114
CCA84915R 114
CCA84920L 75
CCA84920LXC 73
CCA84920LXE 73
CCA84920LXJ 73
CCA84920LXN 73
CCA84920LXR 73
CCA84920R 75
CCA84920RXC 73
CCA84920RXE 73
CCA84920RXJ 73
CCA84920RXN 73
CCA84920RXR 73
CCA84925L 115
CCA84925R 115
CCA84930 75
CCA84930XC 73
CCA84930XE 73
CCA84930XJ 73
CCA84930XN 73
CCA84930XR 73
CCA84935 115
CCA84940 75
CCA84940XC 73
CCA84940XE 73
CCA84940XJ 73
CCA84940XN 73
CCA84940XR 73
CCA84945 115
CCA87100 112
CCA87100XR 109
CCA87111 108
CCA87112 108
CCA87131 109
CCA87132 108
CCA87200 111
CCA87200XR 109
CCA87300 111
CCA87300XR 109
CCA87400 111
CCA87400XR 110
CCA87600 111
CCA87600XR 110
CCA89100 108
CCA89300 109
CCA9100 108
CCA9100SL 109
CCA9300 109
CCM1419 82
CCM1424 104
CCM1465 86
CCM1475 86
CCM1485 85
CCM1495 85
CCM1842 89
CCM1843SL 89
CCM1844 89
CCM200 88
CCM200XC 88
CCM200XN 88
CCM203 86
CCM204 87
CCM209 85
CCM2800 83
CCM2800XC 83
CCM2800XE 83
CCM2800XG 83
CCM2800XJ 83
CCM2800XK 83
CCM2800XN 83
CCM2800XR 83
CCM2801 82
CCM2802 87
CCM2803 89
CCM2804 84
CCM2804XC 83
CCM2804XE 83
CCM2804XK 83
CCM2804XN 83
CCM2804XR 83
CCM2806 84
CCM2806XC 83
CCM2806XE 83
CCM2806XK 83
CCM2806XN 83
CCM2806XR 83
CCM2812 84
CCM2812XC 83
CCM2812XE 83
CCM2812XK 83
CCM2812XN 83
CCM2812XR 83
CCM300 88
CCM300XC 88
CCM300XN 88
CCM301CAL 101
CCM301CALXC 99
CCM301CALXE 99
CCM301CALXN 99
CCM301CALXR 99
CCM301CAR 101
CCM301CARXC 99
CCM301CARXE 99
CCM301CARXN 99
CCM301CARXR 99
CCM302 87
CCM302L 100
CCM302LXC 98
CCM302LXE 98
CCM302LXN 98
CCM302LXR 98
CCM302R 100
CCM302RXC 98
CCM302RXE 98
CCM302RXN 98
CCM302RXR 98
CCM303 86
CCM303L 101
CCM303LXC 98
CCM303LXE 98
CCM303LXN 98
CCM303LXR 98
CCM303R 101
CCM303RXC 98
CCM303RXE 98
CCM303RXN 98
CCM303RXR 98
CCM304L 100
CCM304LXC 98
CCM304LXE 98
CCM304LXN 98
CCM304LXR 98
CCM304R 100
CCM304RXC 98
CCM304RXE 98
CCM304RXN 98
CCM304RXR 98
CCM305CAL 101
CCM305CALXC 99
CCM305CALXE 99
CCM305CALXN 99
CCM305CALXR 99
CCM305CAR 101
CCM305CARXC 99
CCM305CARXE 99
CCM305CARXN 99
CCM305CARXR 99
CCM306CAL 101
CCM306CALXC 99
CCM306CALXE 99
CCM306CALXN 99
CCM306CALXR 99
CCM306CAR 101
CCM306CARXC 99
CCM306CARXE 99
CCM306CARXN 99
CCM306CARXR 99
CCM309 85
CCM3300SL 88
CCM3302SL 87
CCM3303SL 86
CCM3309SL 85
CCM3500SL 113
CCM3502SL 113
CCM3503SL 113
CCM3509SL 113
CCM60 119
CCM600 106
CCM600XE 106
CCM603 105
CCM609 105
CCM612 106
CCM700 107
CCM701 119
CCM702 107
CCM703 107
CCM709 107
CCM800 113
CCM801 119
CCM803 113
CCM805027 85
CCM809 113
CCM81418 82
CCM81519 86
CCM822 113
CCM82800 83
CCM82800XC 83
CCM82800XE 83
CCM82800XG 83
CCM82800XJ 83
CCM82800XK 83
CCM82800XN 83
CCM82800XR 83
CCM82801 82
CCM82802 87
CCM82803 89
CCM82804 84
CCM82804XC 83
CCM82804XE 83
CCM82804XK 83
CCM82804XN 83
CCM82804XR 83
CCM82806 84
CCM82806XC 83
CCM82806XE 83
CCM82806XK 83
CCM82806XN 83
CCM82806XR 83
CCM82815 84
CCM82815XC 83
CCM82815XE 83
CCM82815XK 83
CCM82815XN 83
CCM82815XR 83
CCM8301CAL 101
CCM8301CALXC 99
CCM8301CALXE 99
CCM8301CALXN 99
CCM8301CALXR 99
CCM8301CAR 101
CCM8301CARXC 99
CCM8301CARXE 99
CCM8301CARXN 99
CCM8301CARXR 99
CCM8302L 100
CCM8302LXC 98
CCM8302LXE 98
CCM8302LXN 98
CCM8302LXR 98
CCM8302R 100
CCM8302RXC 98
CCM8302RXE 98
CCM8302RXN 98
CCM8302RXR 98
CCM8303L 101
CCM8303LXC 98
CCM8303LXE 98
CCM8303LXN 98
CCM8303LXR 98
CCM8303R 101
CCM8303RXC 98
CCM8303RXE 98
CCM8303RXN 98
CCM8303RXR 98
CCM8304L 101
CCM8304LXC 98
CCM8304LXE 98
CCM8304LXN 98
CCM8304LXR 98
CCM8304R 101
CCM8304RXC 98
CCM8304RXE 98
CCM8304RXN 98
CCM8304RXR 98
CCM8305CAL 101
CCM8305CALXC 99
CCM8305CALXE 99
CCM8305CALXN 99
CCM8305CALXR 99
CCM8305CAR 101
CCM8305CARXC 99
CCM8305CARXE 99
CCM8305CARXN 99
CCM8305CARXR 99
CCM8306CAL 101
CCM8306CALXC 99
CCM8306CALXE 99
CCM8306CALXN 99
CCM8306CALXR 99
CCM8306CAR 101
CCM8306CARXC 99
CCM8306CARXE 99
CCM8306CARXN 99
CCM8306CARXR 99
CCM890 118
CCM892 86
CCM894 85
CCM9923 82
CCM9926 104
CCR040 119
CCR04020 99
CCR04020XC 97
CCR04020XN 97
CCR04022 96
CCR04023 95
CCR04027 92
CCR04037 93
CCR040R 118
CCR100 118
CCR10022 78
CCR100R 118
CCR1414 90
CCR1415 90
CCR1417 90
CCR1423 72
CCR1423SL 72
CCR1423SL 82
CCR1511 94
CCR1511A 94
CCR1512 94
CCR1512A 94
CCR1514 94
CCR1515 93
CCR1516 93
CCR1518 93
CCR1528 76
CCR1838 102
CCR1839 102
CCR1841 102
CCR1851 79
CCR1851SL 79
CCR1851SL 89
CCR200 119
CCR20020 99
CCR20020XC 97
CCR20020XN 97
CCR20022 96
CCR20023 95
CCR20027 92
CCR20037 93
CCR20037A 93
CCR200A 118
CCR2025SL 78
CCR2025SL 84
CCR2025XCSL 83
CCR2025XESL 83
CCR2025XGSL 83
CCR2025XHSL 119
CCR2025XJSL 83
CCR2025XKSL 83
CCR2025XNSL 83
CCR2025XRSL 83
CCR205 119
CCR20520 91
CCR20520XC 91
CCR20520XN 91
CCR20522 96
CCR20523 95
CCR20527 92
CCR20537 93
CCR20537A 93
CCR205A 118
CCR30020 78
CCR30023 77
CCR30026 77
CCR30027 76
CCR30028 77
CCR30029 76
CCR3400SL 78
CCR3400SL 84
CCR3400XCSL 83
CCR3400XESL 83
CCR2400XGSL 83
CCR3400XHSL 76
CCR3400XHSL 86
CCR3400XJSL 83
CCR3400XKSL 83
CCR3400XNSL 76
CCR3400XNSL 83
CCR3400XNSL 85
CCR3400XRSL 83
CCR3406SL 77
CCR3406SL 88
CCR3407SL 77
CCR3407SL 86
CCR3408SL 77
CCR3408SL 87
CCR3409SL 76
CCR3409SL 85
CCR3412SL 78
CCR3412SL 87
CCR8000SL 84
CCR8000XCSL 83
CCR8000XESL 83
CCR8000XGSL 83
CCR8000XHSL 86
CCR8000XJSL 83
CCR8000XKSL 83
CCR8000XNSL 83
CCR8000XNSL 85
CCR8000XRSL 83
CCR8005 119
CCR8005A 118
CCR8006SL 88
CCR8007SL 86
CCR8008SL 87
CCR8009SL 85
CCR8040 119
CCR804020 99
CCR804020XC 97
CCR804020XN 97
CCR804022 96

Continues on next page.

Classic Craft® *Continued*

CCR804023 95
CCR804026 95
CCR804027 92
CCR804028 94
CCR804029 92
CCR804030 99
CCR804030XC 97
CCR804030XN 97
CCR804032 96
CCR804037 93
CCR8040R 118
CCR8100 118
CCR8100R 118
CCR8102SL 87
CCR81414 90
CCR81415 90
CCR81417 90
CCR81423SL 82
CCR81511 94
CCR81511A 94
CCR81512 94
CCR81512A 94
CCR81514 94
CCR81515 93
CCR81516 93
CCR81518 93
CCR81838 102
CCR81839 102
CCR81841 102
CCR81845 102
CCR81845A 102
CCR81846 102
CCR81846A 102
CCR81847 102
CCR81851SL 89
CCR8200 119
CCR820020 99
CCR820020XC 97
CCR820020XN 97
CCR820022 96
CCR820023 95
CCR820026 96
CCR820027 92
CCR820028 95
CCR820029 92
CCR820030 100
CCR820030A 100
CCR820030XC 97
CCR820030XN 97
CCR820032 96
CCR820032A 97
CCR820037 93
CCR820037A 93
CCR8200A 118
CCR82035SL 84
CCR82035XCSL 83
CCR82035XESL 83
CCR82035XGSL 83
CCR82035XHSL 119
CCR82035XJSL 83
CCR82035XKSL 83
CCR82035XNSL 83
CCR82035XRSL 83
CCR8205 119
CCR820520 91
CCR820520XC 91
CCR820520XN 91
CCR820522 96
CCR820523 95
CCR820526 95
CCR820527 92
CCR820528 95
CCR820529 92
CCR820530 100
CCR820530A 100
CCR820530AXC 97
CCR820530AXN 97
CCR820530XC 97
CCR820530XN 97
CCR820532 96
CCR820532A 97
CCR820537 93
CCR820537A 93
CCR8205A 118
CCR8222 118
CCR822214 91
CCR822215 93
CCR822218 90
CCR822220 99
CCR822220XC 91
CCR822220XN 91
CCR822222 96
CCR822223 95
CCR822226 96
CCR822227 92
CCR822228 95
CCR822229 92
CCR822238 102
CCR8225 119
CCR8225R 118
CCR89918 90
CCR89919 90
CCR89921 90
CCR89925SL 82
CCR9918 90
CCR9919 90
CCR9921 90
CCR9925 72
CCR9925SL 72
CCR9925SL 82
CCV050 120
CCV05020 84
CCV05020XC 83
CCV05020XN 83
CCV05022 87
CCV05023 86
CCV05026 88
CCV05027 85
CCV05028 87
CCV05029 85
CCV060 120
CCV06020 106
CCV06020XE 106
CCV06022 106
CCV06023 105
CCV06026 105
CCV06028 105
CCV06029 105
CCV10020 78
CCV10022 78
CCV10023 77
CCV10026 77
CCV10027 76
CCV10028 77
CCV10029 76
CCV100SL 78
CCV100SL 84
CCV100SL 113
CCV100XCSL 83
CCV100XCSL 111
CCV100XESL 83
CCV100XESL 111
CCV100XGSL 83
CCV100XGSL 111
CCV100XHSL 77
CCV100XHSL 86
CCV100XJSL 83
CCV100XJSL 111
CCV100XNSL 76
CCV100XNSL 83
CCV100XNSL 85
CCV100XNSL 111
CCV100XRSL 83
CCV100XRSL 111
CCV103SL 77
CCV103SL 87
CCV106SL 77
CCV106SL 88
CCV108SL 77
CCV108SL 87
CCV109SL 76
CCV109SL 85
CCV1414 91
CCV1415 91
CCV1418 83
CCV1423 72
CCV1423SL 72
CCV1423SL 83
CCV1423SL 109
CCV1424 104
CCV1512 94
CCV1515 94
CCV1516 94
CCV1519 86
CCV1528 77
CCV1838 103
CCV1839 103
CCV1843 89
CCV1851 79
CCV1851SL 79
CCV1851SL 89
CCV200 120
CCV205 120
CCV20520 91
CCV20520XC 91
CCV20520XN 91
CCV20522 97
CCV20523 95
CCV20527 93
CCV20537 93
CCV220 120
CCV22020 100
CCV22020XC 97
CCV22020XN 97
CCV22022 97
CCV22023 95
CCV22027 93
CCV3412SL 78
CCV3412SL 87
CCV4100 109
CCV4100SL 109
CCV4300 109
CCV805020 84
CCV805022 87
CCV805023 86
CCV805026 88
CCV805027 85
CCV805028 87
CCV805029 85
CCV8100SL 84
CCV8100SL 113
CCV8100XCSL 83
CCV8100XCSL 111
CCV8100XGSL 83
CCV8100XGSL 111
CCV8100XHSL 86
CCV8100XJSL 83
CCV8100XJSL 111
CCV8100XNSL 83
CCV8100XNSL 85
CCV8100XNSL 111
CCV8100XRSL 83
CCV8100XRSL 111
CCV8102SL 87
CCV8103SL 87
CCV8106SL 88
CCV8108SL 87
CCV8109SL 85
CCV8111SL 82
CCV81414 91
CCV81415 91
CCV81418 83
CCV81423SL 83
CCV81512 94
CCV81515 94
CCV81516 94
CCV81519 86
CCV81838 103
CCV81839 103
CCV81843 89
CCV81846 103
CCV81851SL 89
CCV8205 120
CCV820520 91
CCV820520XC 91
CCV820520XN 91
CCV820522 97
CCV820523 95
CCV820526 96
CCV820527 93
CCV820528 95
CCV820529 92
CCV820530 100
CCV820530XC 97
CCV820530XN 97
CCV820532 97
CCV820537 93
CCV8220 120
CCV822020 100
CCV822020XC 97
CCV822020XN 97
CCV822022 97
CCV822023 95
CCV822026 96
CCV822027 93
CCV822028 95
CCV822029 92
CCV831 120
CCV8950SL 84
CCV8950SL 113
CCV8950XCSL 83
CCV8950XCSL 111
CCV8950XGSL 83
CCV8950XGSL 111
CCV8950XHSL 120
CCV8950XJSL 83
CCV8950XJSL 111
CCV8950XNSL 83
CCV8950XNSL 111
CCV8950XRSL 83
CCV8950XRSL 111
CCV89918 90
CCV89919 90
CCV89922 82
CCV9010SL 113
CCV9011SL 108
CCV9020SL 113
CCV910 112
CCV910XC 110
CCV910XCSL 111
CCV910XJ 110
CCV910XJSL 111
CCV910XN 110
CCV910XNSL 111
CCV910XR 110
CCV910XRSL 111
CCV911 108
CCV911SL 72
CCV911SL 82
CCV911SL 108
CCV920 112
CCV920XC 110
CCV920XCSL 111
CCV920XJ 110
CCV920XJSL 111
CCV920XN 110
CCV920XNSL 111
CCV920XR 110
CCV920XRSL 111
CCV930 112
CCV930XC 110
CCV930XJ 110
CCV930XN 110
CCV930XR 110
CCV931 108
CCV940 112
CCV940XC 110
CCV940XJ 110
CCV940XN 110
CCV940XR 110
CCV950SL 78
CCV950SL 84
CCV950SL 113
CCV950XCSL 83
CCV950XCSL 111
CCV950XESL 83
CCV950XESL 111
CCV950XGSL 83
CCV950XGSL 111
CCV950XHSL 120
CCV950XJSL 83
CCV950XJSL 111
CCV950XNSL 83
CCV950XNSL 111
CCV950XRSL 83
CCV950XRSL 111
CCV960 112
CCV960XC 111
CCV960XJ 111
CCV960XN 111
CCV960XR 111
CCV9918 90
CCV9919 90
CCV9922 82
CCV9925 72
CCV9926 104
CCW1000 116
CCW81000 116
CCW8900L 116
CCW8900R 116
CCW8901L 116
CCW8901R 116
CCW8902L 116
CCW8902R 117
CCW8903 117
CCW8904L 117
CCW8904R 117
CCW8905 117
CCW8906L 117
CCW8906R 117
CCW8907L 117
CCW8907R 117
CCW900L 116
CCW900R 116
CCW901L 116
CCW901R 116
CCW902L 116
CCW902R 117
CCW903 117
CCW904L 117
CCW904R 117
CCW905 117
CCW906L 117
CCW906R 117
CCW907L 117
CCW907R 117
DRS2131SL 117
DRS82131SL 117
HW30T 122
HWRT 122
LC30T 122
LCET 122
LCRT 122
LF30T 122
LFET 122
LFRT 122
ZHRT 122

Fiber-Classic® & Smooth-Star®

1000 220
1283 166
1284 162
1285 162
1286 157
1289 163
2000 165
2009 158
2010 158
2050 158
2100 200
2150 197
8000 165
81000 220
81200 166
81208 163
81225 157
81828 162
12101SL 166
12101XCSL 156
12101XESL 156
12101XGSL 156
12101XJSL 156
12101XKSL 156
12101XNSL 156
12101XRSL 156
12102SL 163
12102XCSL 154
12102XESL 154
12102XGSL 154
12102XJSL 154
12102XKSL 154
12102XNSL 154
12102XRSL 154
1283XC 156
1283XE 156
1283XG 156
1283XJ 156
1283XK 156
1283XN 156
1283XR 156
1284XC 154
1284XE 154
1284XG 154
1284XJ 154
1284XK 154
1284XN 154
1284XR 154
1285XC 154
1285XE 154
1285XG 154
1285XJ 154
1285XK 154
1285XN 154
1285XR 154
1286SL 157
13101SL 194
18101SL 144
19020T 221
19055T 221
19080T 221
19200T 221
19210T 221
19220T 221
19520T 221
1964P 176
19720T 221
19730T 221
19740T 221
19750T 221
19800T 221
19810T 221
19820T 221
2000SL 165
2000XC 155
2000XCSL 155
2000XE 155
2000XESL 155
2000XG 155
2000XGSL 155
2000XJ 155
2000XJSL 155
2000XK 155
2000XKSL 155
2000XN 155
2000XNSL 155
2000XR 155
2000XRSL 155
2009SL 158
2010XC 152
2010XE 152
2010XG 152
2010XJ 152
2010XK 152
2010XN 152
2010XNSL 152
2010XR 152
2050SL 158
2050XC 152
2050XCSL 152
2050XE 152
2050XESL 152
2050XG 152
2050XGSL 152
2050XJ 152
2050XJSL 152
2050XK 152
2050XKSL 152
2050XN 152
2050XNSL 152
2050XR 152
2050XRSL 152
8000-12 158
8000-18 158
8000-9 158
8000XC 155
8000XE 155
8000XG 155
8000XJ 155
8000XK 155
8000XN 155
8000XR 155
81200P 166
81200PSL 166
81200PXC 156
81200PXCSL 156
81200PXE 156
81200PXESL 156
81200PXG 156
81200PXGSL 156
81200PXJ 156
81200PXJSL 156
81200PXK 156
81200PXKSL 156
81200PXN 156
81200PXNSL 156
81200PXR 156
81200PXRSL 156
81200SL 166
81200XC 156
81200XCSL 156
81200XE 156
81200XESL 156
81200XG 156
81200XGSL 156
81200XJ 156
81200XJSL 156
81200XK 156
81200XKSL 156
81200XN 156
81200XNSL 156
81200XR 156
81200XRSL 156
81208P 162
81208PSL 163
81208SL 163
81225P 157
81225PSL 157
81225SL 157
81800P 144
81800PSL 144
81800SL 144
81900PSL 178
81918P 143
81918PSL 143
81918SL 143
81919P 145
81919PSL 145
81919SL 145
81921P 148
81921PSL 148
81921SL 148
81928P 149
81928PSL 150
81928SL 150
81929P 200
81929PSL 200
81929PXC 195
81929PXCSL 195
81929PXE 195
81929PXESL 195
81929PXG 195
81929PXGSL 195
81929PXJ 195
81929PXJSL 195
81929PXK 195
81929PXKSL 195
81929PXN 195
81929PXNSL 195
81929PXR 195
81929PXRSL 195
81932P 187
81932PSL 188
81933P 184
81933PSL 184
81935P 185
81935PSL 185
81936P 185
81936PSL 186
81937P 186
81937PSL 186
81938P 188
81938PSL 188
81939P 187
81939PSL 187
81940P 189
81940PSL 189
81941P 189
81941PSL 190
81942P 191
81942PSL 191
81943P 180
81943PSL 180
81943PXC 175
81943PXCSL 175
81943PXE 175
81943PXESL 175
81943PXG 175
81943PXGSL 175
81943PXJ 175
81943PXJSL 175
81943PXK 175
81943PXKSL 175
81943PXN 175
81943PXNSL 175
81943PXR 175
81943PXRSL 175
81944P 178
81944PSL 178
81945P 178
81945PXC 174
81945PXE 174
81945PXG 174
81945PXJ 174
81945PXK 174
81945PXN 174
81945PXR 174
81946P 178
81946PSL 178
81946PXC 174
81946PXCSL 174
81946PXE 174
81946PXESL 174
81946PXG 174
81946PXGSL 174
81946PXJ 174
81946PXJSL 174
81946PXK 174
81946PXKSL 174
81946PXN 174
81946PXNSL 174
81946PXR 174
81946PXRSL 174
81947PSL 178
81949PSL 178
81952P 167
81952PSL 167
81953P 167
81953PSL 168
81954P 168
81954PSL 168
81955P 168
81955PSL 168
81956P 170
81956PSL 170
81957P 169
81957PSL 169
81958P 170
81958PSL 170
81959P 171
81959PSL 171
81960P 171
81960PSL 172
81961P 172
81961PSL 172
81963PSL 174
81964P 176
81964PSL 176
81967P 169
81967PSL 169
81968P 144
81968PSL 145
81968SL 145
81971P 200
81971PXC 195
81971PXE 195
81971PXG 195
81971PXJ 195
81971PXK 195
81971PXN 195
81971PXR 195
81974P 187
81975P 184
81977P 185
81978P 185
81980P 186
81981P 188
81982P 187
81983P 189
81984P 189
81985P 191
81986PSL 147
81986SL 147
85901SL 170
85919SL 189
AVRT 221
AXRT 221
BSRT 221
CNRT 221
DRS2131SL 166
DRS82131SL 166
FC10 166
FC100 144
FC1006 146
FC100SL 145
FC101 185
FC101SL 186
FC1027 146
FC1029 147
FC104 148
FC104SL 148
FC104XC 195
FC104XE 195
FC104XG 195
FC104XJ 195
FC104XK 195
FC104XN 195
FC104XR 195
FC105 189
FC105SL 190
FC108 143
FC1089 177
FC1089SL 178
FC108SL 143
FC109 184
FC109SL 184
FC10XC 156
FC10XE 156
FC10XG 156
FC10XJ 156
FC10XK 156
FC10XN 156
FC10XR 156
FC113 145
FC113SL 145
FC114 186
FC114SL 186
FC115 168
FC115SL 168
FC116 196
FC11SL 193
FC1200 162
FC1200SL 163
FC1201 162
FC1201SL 163
FC1202 162
FC1202SL 163
FC1203 162
FC1204 158
FC1204SL 158
FC1205 157
FC1205SL 158
FC1205XC 152
FC1205XE 152
FC1205XG 152
FC1205XJ 152
FC1205XK 152
FC1205XN 152
FC1205XR 152
FC1206 158
FC1206SL 158
FC1207 158
FC1207XC 152
FC1207XE 152
FC1207XG 152
FC1207XJ 152
FC1207XK 152
FC1207XN 152
FC1207XR 152
FC1208 162
FC1208SL 163
FC1209 162
FC1209SL 163
FC1211 162
FC1211SL 163
FC1212 162
FC1289SL 163
FC131 168
FC131SL 168
FC1350 197
FC138 162
FC138XC 154
FC138XE 154
FC138XG 154
FC138XJ 154
FC138XK 154
FC138XN 154
FC138XR 154
FC1400 178
FC1400SL 178
FC1402 178
FC1404 209
FC1408 198
FC1408SL 199
FC1409 197
FC141 157
FC141SL 157
FC142 147
FC142SL 147
FC143 170
FC143SL 170
FC144 189
FC1442SL 172
FC147 171
FC147SL 171
FC148 150
FC148SL 150
FC149 191
FC149SL 192
FC151 182
FC156 172
FC16 144
FC160 183
FC163 182
FC164 181
FC1645 217
FC1646 173
FC1646SL 173
FC1647 173
FC1651 151
FC1651SL 152
FC1652 151
FC1652SL 151
FC1654 193
FC1655 208
FC1656SL 193
FC18 162
FC18SL 163
FC18XC 154
FC18XCSL 154
FC18XE 154
FC18XESL 154
FC18XG 154
FC18XGSL 154
FC18XJ 154
FC18XJSL 154
FC18XK 154
FC18XKSL 154
FC18XN 154
FC18XNSL 154
FC18XR 154
FC18XRSL 154
FC198 163
FC198SL 163
FC20042 172
FC21 217
FC2101 177
FC2101SL 178
FC2102 178
FC2106 177
FC2107 177
FC2108 177

Continue on next page.

Fiber-Classic® & Smooth-Star® *Continued*

FC23 217
FC241 144
FC31 219
FC310 143
FC32 180
FC32SL 180
FC32XC 175
FC32XCSL 175
FC32XE 175
FC32XESL 175
FC32XG 175
FC32XGSL 175
FC32XJ 175
FC32XJSL 175
FC32XK 175
FC32XKSL 175
FC32XN 175
FC32XNSL 175
FC32XR 175
FC32XRSL 175
FC3487SL 198
FC3487XCSL 194
FC3487XESL 194
FC3487XGSL 194
FC3487XJSL 194
FC3487XKSL 194
FC3487XNSL 194
FC3487XRSL 194
FC369 145
FC38 167
FC38SL 168
FC43SL 185
FC44SL 193
FC45 185
FC46SL 144
FC47SL 166
FC47XCSL 156
FC47XESL 156
FC47XGSL 156
FC47XJSL 156
FC47XKSL 156
FC47XNSL 156
FC47XRSL 156
FC48SL 200
FC48XCSL 195
FC48XESL 195
FC48XGSL 195
FC48XJSL 195
FC48XKSL 195
FC48XNSL 195
FC48XRSL 195
FC507 207
FC529 171
FC5425 176
FC5425SL 176
FC543 171
FC545SL 171
FC549 207
FC5700 158
FC5700SL 159
FC5700XC 152
FC5700XCSL 153
FC5700XE 152
FC5700XESL 153
FC5700XG 152
FC5700XGSL 153
FC5700XJ 152
FC5700XJSL 153
FC5700XK 152
FC5700XKSL 153
FC5700XN 152
FC5700XNSL 153
FC5700XR 152
FC5700XRSL 153
FC571 149
FC5710 158
FC5710SL 159
FC5710XC 152
FC5710XCSL 153
FC5710XE 152
FC5710XESL 153
FC5710XG 152
FC5710XGSL 153
FC5710XJ 152
FC5710XJSL 153
FC5710XK 152
FC5710XKSL 153
FC5710XN 152
FC5710XNSL 153
FC5710XR 152
FC5710XRSL 153
FC5720 158
FC5720SL 159
FC5720XC 152
FC5720XCSL 153
FC5720XE 152
FC5720XESL 153
FC5720XG 152
FC5720XGSL 153
FC5720XJ 152
FC5720XJSL 153
FC5720XK 152
FC5720XKSL 153
FC5720XN 152
FC5720XNSL 153
FC5720XR 152
FC5720XRSL 153
FC572SL 149
FC573SL 149
FC574 149
FC581 190
FC583SL 190
FC60 219
FC6093 147
FC6094 148
FC6095 149
FC61 218
FC61XC 218
FC61XE 218
FC61XG 218
FC61XJ 218
FC61XK 218
FC61XN 218
FC61XR 218
FC62 200
FC626 150
FC62XC 195
FC62XE 195
FC62XG 195
FC62XJ 195
FC62XK 195
FC62XN 195
FC62XR 195
FC63SL 198
FC63XCSL 194
FC63XESL 194
FC63XGSL 194
FC63XJSL 194
FC63XKSL 194
FC63XNSL 194
FC63XRSL 194
FC65 198
FC6500 151
FC6500SL 151
FC6534 208
FC6550 151
FC6550SL 151
FC6560 192
FC6565SL 192
FC6570 217
FC6576 183
FC6577 183
FC6580 172
FC6580SL 172
FC6582 172
FC65XC 194
FC65XE 194
FC65XG 194
FC65XJ 194
FC65XK 194
FC65XN 194
FC65XR 194
FC66 193
FC668 144
FC670 200
FC678 196
FC678SL 196
FC685L 158
FC685LXC 152
FC685LXE 152
FC685LXG 152
FC685LXJ 152
FC685LXK 152
FC685LXN 152
FC685LXR 152
FC685R 158
FC685RXC 152
FC685RXE 152
FC685RXG 152
FC685RXJ 152
FC685RXK 152
FC685RXN 152
FC685RXR 152
FC691 158
FC691XC 152
FC691XE 152
FC691XG 152
FC691XJ 152
FC691XK 152
FC691XN 152
FC691XR 152
FC704 216
FC707 215
FC708 216
FC709 182
FC710 183
FC7125SL 198
FC713 182
FC714 181
FC721 215
FC735 216
FC736 215
FC745 216
FC752 216
FC755 219
FC758 146
FC758SL 146
FC761 187
FC761SL 188
FC764 169
FC764SL 169
FC765 167
FC765SL 167
FC766 180
FC766XC 175
FC766XE 175
FC766XG 175
FC766XJ 175
FC766XK 175
FC766XN 175
FC766XR 175
FC769 169
FC770 167
FC772 167
FC773 168
FC775 168
FC776 170
FC777 169
FC778 170
FC779 171
FC780 171
FC784 183
FC785 181
FC787 183
FC788 181
FC789 183
FC791 183
FC792 181
FC794 181
FC796 182
FC797 182
FC798 182
FC803 217
FC807SL 146
FC808SL 143
FC809 219
FC80920 209
FC809203 209
FC809203XC 208
FC809203XE 208
FC809203XG 208
FC809203XJ 208
FC809203XK 208
FC809203XN 208
FC809203XR 208
FC80920XC 208
FC80920XE 208
FC80920XG 208
FC80920XJ 208
FC80920XK 208
FC80920XN 208
FC80920XR 208
FC80941 206
FC80942 207
FC80943 205
FC80945 208
FC80947 207
FC80949 207
FC80952 206
FC80953 206
FC80954 207
FC80955 206
FC80956 206
FC809SL 150
FC812SL 146
FC813SL 150
FC814 144
FC8141 209
FC8144 198
FC8145 198
FC8145SL 199
FC8149 191
FC814SL 145
FC815SL 147
FC816 143
FC81645 217
FC81646 173
FC81646SL 173
FC81649 208
FC81651 151
FC81651SL 152
FC81652 151
FC81652SL 151
FC81653 193
FC81654 193
FC81654SL 193
FC816SL 145
FC817 145
FC817SL 147
FC818SL 148
FC82 177
FC820 149
FC821 148
FC822 144
FC828 162
FC82XC 174
FC82XE 174
FC82XG 174
FC82XJ 174
FC82XK 174
FC82XN 174
FC82XR 174
FC8310 178
FC8310SL 178
FC8311 177
FC8311SL 178
FC8313 177
FC8313SL 178
FC8316 178
FC8318 198
FC8319 198
FC832 198
FC8320 198
FC8321 198
FC8321XC 194
FC8321XE 194
FC8321XG 194
FC8321XJ 194
FC8321XK 194
FC8321XN 194
FC8321XR 194
FC8322 198
FC8323 198
FC8324 198
FC832XC 194
FC832XE 194
FC832XG 194
FC832XJ 194
FC832XK 194
FC832XN 194
FC832XR 194
FC8529 171
FC8545SL 171
FC85700 158
FC85700XC 152
FC85700XE 152
FC85700XG 152
FC85700XJ 152
FC85700XK 152
FC85700XN 152
FC85700XR 152
FC8571 149
FC85710 158
FC85710XC 152
FC85710XE 152
FC85710XG 152
FC85710XJ 152
FC85710XK 152
FC85710XN 152
FC85710XR 152
FC85720 158
FC85720XC 152
FC85720XE 152
FC85720XG 152
FC85720XJ 152
FC85720XK 152
FC85720XN 152
FC85720XR 152
FC8572SL 149
FC8573SL 149
FC8574 149
FC8579 190
FC8581 190
FC8583SL 190
FC860 219
FC861 218
FC861XC 218
FC861XE 218
FC861XG 218
FC861XJ 218
FC861XK 218
FC861XN 218
FC861XR 218
FC862 219
FC86220 209
FC862203 209
FC862203XC 208
FC862203XE 208
FC862203XG 208
FC862203XJ 208
FC862203XK 208
FC862203XN 208
FC862203XR 208
FC86220XC 208
FC86220XE 208
FC86220XG 208
FC86220XJ 208
FC86220XK 208
FC86220XN 208
FC86220XR 208
FC86241 206
FC86242 207
FC86243 205
FC86245 208
FC86247 207
FC86249 207
FC86252 206
FC86253 206
FC86254 207
FC86255 206
FC86256 206
FC86500 151
FC86500SL 151
FC86533 208
FC86536 192
FC86550 151
FC86550SL 151
FC86560 192
FC86560SL 192
FC86570 217
FC86580 172
FC86580SL 172
FC8675SL 198
FC8678 196
FC8678SL 196
FC8685L 158
FC8685LXC 152
FC8685LXE 152
FC8685LXG 152
FC8685LXJ 152
FC8685LXK 152
FC8685LXN 152
FC8685LXR 152
FC8685R 158
FC8685RXC 152
FC8685RXE 152
FC8685RXG 152
FC8685RXJ 152
FC8685RXK 152
FC8685RXN 152
FC8685RXR 152
FC8691 158
FC8691XC 152
FC8691XE 152
FC8691XG 152
FC8691XJ 152
FC8691XK 152
FC8691XN 152
FC8691XR 152
FC8704 216
FC8707 215
FC8708 216
FC8721 215
FC8735 216
FC8736 215
FC8745 216
FC8752 216
FC8867SL 192
FC89701 191
FC8971 196
FC8972 209
FC900 146
FC900SL 146
FC901 187
FC901SL 187
FC902 169
FC902SL 169
FC905 147

FC905SL..... 147
FC906..... 188
FC906SL..... 188
FC907..... 170
FC907SL..... 170
FC910..... 149
FC910SL..... 150
FC911..... 191
FC911SL..... 191
FC912..... 171
FC912SL..... 172
FC915..... 182
FC916..... 182
FC917..... 217
FC92..... 178
FC925..... 209
FC92SL..... 178
FC92XC 174
FC92XCSL 174
FC92XE..... 174
FC92XESL..... 174
FC92XG 174
FC92XGSL 174
FC92XJ..... 174
FC92XJSL..... 174
FC92XK 174
FC92XKSL..... 174
FC92XN 174
FC92XNSL 174
FC92XR 174
FC92XRSL 174
FCM10..... 166
FCM100..... 144
FCM1000..... 219
FCM1006..... 146
FCM101..... 185
FCM101SL..... 185
FCM1027..... 146
FCM1029..... 147
FCM104..... 148
FCM104XC 195
FCM104XE..... 195
FCM104XG 195
FCM104XJ..... 195
FCM104XK..... 195
FCM104XN 195
FCM104XR 195
FCM105..... 189
FCM105SL..... 189
FCM106..... 182
FCM108..... 143
FCM1089SL..... 177
FCM109..... 184
FCM109SL..... 184
FCM10XC 156
FCM10XE..... 156
FCM10XG 156
FCM10XJ..... 156
FCM10XK..... 156
FCM10XN 156
FCM10XR 156
FCM110..... 181
FCM113..... 145
FCM114..... 186
FCM114SL..... 186
FCM115..... 168
FCM115SL..... 168
FCM116..... 196
FCM118..... 204
FCM1200..... 161
FCM1200SL..... 161
FCM1201..... 161
FCM1201SL..... 161
FCM1202..... 161
FCM1202SL..... 161
FCM1203..... 161
FCM1204SL..... 157
FCM1205SL..... 157
FCM1206SL..... 157
FCM1208..... 161
FCM1209..... 161
FCM12101SL..... 166
FCM12101XCSL..... 156
FCM12101XESL..... 156
FCM12101XGSL 156
FCM12101XJSL..... 156
FCM12101XKSL..... 156
FCM12101XNSL 156
FCM12101XRSL..... 156
FCM12102SL..... 161
FCM12102XCSL..... 154
FCM12102XESL..... 154
FCM12102XGSL 154
FCM12102XJSL..... 154
FCM12102XKSL..... 154
FCM12102XNSL 154
FCM12102XRSL..... 154
FCM1211..... 161
FCM1212..... 161
FCM124..... 204
FCM125..... 205
FCM126..... 204
FCM1283..... 166
FCM1283XC 156
FCM1283XE..... 156
FCM1283XG 156
FCM1283XJ..... 156
FCM1283XK..... 156
FCM1283XN 156
FCM1283XR 156
FCM1284..... 161
FCM1284XC 154
FCM1284XE..... 154
FCM1284XG 154
FCM1284XJ..... 154
FCM1284XK..... 154
FCM1284XN 154
FCM1284XR 154
FCM1285..... 161
FCM1285XC 154
FCM1285XE..... 154
FCM1285XG 154
FCM1285XJ..... 154
FCM1285XK..... 154
FCM1285XN 154
FCM1285XR 154
FCM1286..... 157
FCM1286SL..... 157
FCM1289..... 162
FCM1289SL..... 162
FCM131..... 168
FCM13101SL..... 193
FCM131SL..... 168
FCM132..... 205
FCM134..... 219
FCM138..... 161
FCM138XC 154
FCM138XE..... 154
FCM138XG 154
FCM138XJ..... 154
FCM138XK..... 154
FCM138XN 154
FCM138XR 154
FCM1400SL..... 177
FCM1402..... 177
FCM1405..... 198
FCM1405SL..... 198
FCM1406..... 198
FCM1408..... 198
FCM141..... 157
FCM142..... 147
FCM143..... 170
FCM143SL..... 170
FCM144..... 189
FCM1442SL..... 172
FCM147..... 170
FCM147SL..... 170
FCM148..... 150
FCM149..... 191
FCM149SL..... 191
FCM150..... 205
FCM151..... 182
FCM156..... 172
FCM16..... 144
FCM160..... 183
FCM163..... 182
FCM164..... 181
FCM1645..... 217
FCM1646SL..... 173
FCM1647..... 173
FCM1650..... 211
FCM1651..... 151
FCM1651SL..... 151
FCM1652..... 151
FCM1654..... 193
FCM1656..... 193
FCM1656SL..... 193
FCM1658..... 193
FCM18..... 161
FCM18101SL..... 144
FCM18XC 154
FCM18XE..... 154
FCM18XG 154
FCM18XJ..... 154
FCM18XK..... 154
FCM18XN 154
FCM18XR 154
FCM198..... 162
FCM2000SL..... 214
FCM2000XCSL..... 213
FCM2000XESL..... 213
FCM2000XJSL..... 213
FCM2000XNSL 213
FCM2000XRSL..... 213
FCM2009SL..... 157
FCM205..... 219
FCM2050SL..... 213
FCM2050XCSL..... 212
FCM2050XESL..... 212
FCM2050XJSL..... 212
FCM2050XNSL 212
FCM2050XRSL..... 212
FCM2101SL..... 177
FCM2106..... 177
FCM2107..... 177
FCM2108..... 177
FCM220..... 219
FCM241..... 144
FCM31..... 219
FCM310..... 143
FCM32..... 180
FCM32SL..... 180
FCM32XC 175
FCM32XCSL..... 175
FCM32XE..... 175
FCM32XESL..... 175
FCM32XG 175
FCM32XGSL 175
FCM32XJ..... 175
FCM32XJSL..... 175
FCM32XK..... 175
FCM32XKSL..... 175
FCM32XN 175
FCM32XNSL 175
FCM32XR 175
FCM32XRSL..... 175
FCM3487SL..... 198
FCM3487XCSL..... 194
FCM3487XESL..... 194
FCM3487XGSL 194
FCM3487XJSL..... 194
FCM3487XKSL..... 194
FCM3487XNSL 194
FCM3487XRSL..... 194
FCM369..... 145
FCM38..... 167
FCM38SL..... 167
FCM45..... 185
FCM45SL..... 185
FCM4810..... 214
FCM4810XC 213
FCM4810XE..... 213
FCM4810XJ..... 213
FCM4810XN 213
FCM4810XR 213
FCM4812..... 213
FCM4812XC 211
FCM4812XE..... 211
FCM4812XJ..... 211
FCM4812XN 211
FCM4812XR 211
FCM4813..... 213
FCM4813XC 211
FCM4813XE..... 211
FCM4813XJ..... 211
FCM4813XN 211
FCM4813XR 211
FCM4814..... 213
FCM4814XC 211
FCM4814XE..... 211
FCM4814XJ..... 211
FCM4814XN 211
FCM4814XR 211
FCM4816..... 213
FCM4816XC 212
FCM4816XE..... 212
FCM4816XJ..... 212
FCM4816XN 212
FCM4816XR 212
FCM506..... 205
FCM508..... 211
FCM5425..... 175
FCM5425SL..... 175
FCM543..... 171
FCM545SL..... 171
FCM571..... 148
FCM572SL..... 149
FCM574..... 148
FCM575..... 190
FCM577..... 190
FCM581..... 190
FCM583SL..... 190
FCM60..... 219
FCM600..... 219
FCM601..... 214
FCM601XC 213
FCM601XE..... 213
FCM601XJ..... 213
FCM601XN 213
FCM601XR 213
FCM602..... 211
FCM6021..... 200
FCM6021XC 195
FCM6021XE..... 195
FCM6021XG 195
FCM6021XJ..... 195
FCM6021XK..... 195
FCM6021XN 195
FCM6021XR 195
FCM6022..... 197
FCM6022XC 194
FCM6022XE..... 194
FCM6022XG 194
FCM6022XJ..... 194
FCM6022XK..... 194
FCM6022XN 194
FCM6022XR 194
FCM6023..... 193
FCM6025..... 185
FCM6026..... 191
FCM6027..... 185
FCM6029..... 188
FCM6030..... 189
FCM6031..... 186
FCM6032..... 184
FCM6035..... 196
FCM6036..... 191
FCM604..... 210
FCM6041..... 200
FCM6041XC 195
FCM6041XE..... 195
FCM6041XG 195
FCM6041XJ..... 195
FCM6041XK..... 195
FCM6041XN 195
FCM6041XR 195
FCM6042..... 197
FCM6042XC 194
FCM6042XE..... 194
FCM6042XG 194
FCM6042XJ..... 194
FCM6042XK..... 194
FCM6042XN 194
FCM6042XR 194
FCM6043..... 193
FCM6045..... 185
FCM6046..... 191
FCM6047..... 185
FCM6049..... 188
FCM605..... 214
FCM6050..... 189
FCM6051..... 186
FCM6052..... 184
FCM6055..... 196
FCM6056..... 191
FCM605XC 212
FCM605XE..... 212
FCM605XJ..... 212
FCM605XN 212
FCM605XR 212
FCM606..... 214
FCM606XC 212
FCM606XE..... 212
FCM606XJ..... 212
FCM606XN 212
FCM606XR 212
FCM607..... 214
FCM6074..... 189
FCM6075..... 189
FCM607XC 212
FCM607XE..... 212
FCM607XJ..... 212
FCM607XN 212
FCM607XR 212
FCM608..... 214
FCM608XC 212
FCM608XE..... 212
FCM608XJ..... 212
FCM608XN 212
FCM608XR 212
FCM609..... 210
FCM6093..... 147
FCM6094..... 148
FCM6095..... 149
FCM61..... 218
FCM6107..... 187
FCM6108..... 187
FCM6124SL..... 162
FCM6124XCSL..... 154
FCM6124XESL..... 154
FCM6124XJSL..... 154
FCM6124XNSL 154
FCM6124XRSL..... 154
FCM6125SL..... 162
FCM6125XCSL..... 154
FCM6125XESL..... 154
FCM6125XJSL..... 154
FCM6125XNSL 154
FCM6125XRSL..... 154
FCM6126SL..... 162
FCM6126XCSL..... 154
FCM6126XESL..... 154
FCM6126XJSL 154
FCM6126XNSL 154
FCM6126XRSL..... 154
FCM61XC 218
FCM61XE..... 218
FCM61XG 218
FCM61XJ..... 218
FCM61XK..... 218
FCM61XN 218
FCM61XR 218
FCM62..... 200
FCM6201SL..... 210
FCM6240..... 210
FCM626..... 150
FCM62SL..... 200
FCM62XC 195
FCM62XCSL..... 195
FCM62XE..... 195
FCM62XESL..... 195
FCM62XG 195
FCM62XGSL 195
FCM62XJ..... 195
FCM62XJSL..... 195
FCM62XK..... 195
FCM62XKSL..... 195
FCM62XN 195
FCM62XNSL 195
FCM62XR 195
FCM62XRSL..... 195
FCM65..... 197
FCM6500..... 150
FCM6500SL..... 151
FCM6520..... 211
FCM6532..... 205
FCM6550..... 150
FCM6560..... 192
FCM6565..... 192
FCM6565SL..... 192
FCM6568..... 192
FCM6570..... 217
FCM6575..... 182
FCM6577..... 182
FCM6580SL..... 172
FCM6582..... 172
FCM65SL..... 198
FCM65XC 194
FCM65XCSL..... 194
FCM65XE..... 194
FCM65XESL..... 194
FCM65XG 194
FCM65XGSL 194
FCM65XJ..... 194
FCM65XJSL..... 194
FCM65XK..... 194
FCM65XKSL..... 194
FCM65XN 194
FCM65XNSL 194
FCM65XR 194
FCM65XRSL..... 194
FCM66..... 193
FCM668..... 144
FCM66SL..... 193
FCM670..... 200
FCM678..... 196
FCM678SL..... 196
FCM704..... 216
FCM707..... 215
FCM708..... 216
FCM7125SL..... 198
FCM721..... 215
FCM735..... 216
FCM736..... 215
FCM745..... 216
FCM752..... 216
FCM755..... 219
FCM758..... 146

Continue on next page.

Fiber-Classic® & Smooth-Star® *Continued*

FCM760 204
FCM761 187
FCM761SL 187
FCM764 169
FCM764SL 169
FCM765 167
FCM765SL 167
FCM784 183
FCM785 181
FCM787 183
FCM788 181
FCM789 182
FCM80 183
FCM800 204
FCM807SL 146
FCM808SL 143
FCM809SL 149
FCM81000 219
FCM8101SL 177
FCM8101XCSL 174
FCM8101XESL 174
FCM8101XGSL 174
FCM8101XJSL 174
FCM8101XKSL 174
FCM8101XNSL 174
FCM8101XRSL 174
FCM8103SL 170
FCM8104SL 169
FCM8105SL 167
FCM8107SL 172
FCM8109SL 174
FCM8110SL 175
FCM8114 144
FCM8114SL 144
FCM8115 157
FCM8115SL 157
FCM81200 166
FCM81200SL 166
FCM81200XC 156
FCM81200XCSL 156
FCM81200XE 156
FCM81200XESL 156
FCM81200XG 156
FCM81200XGSL 156
FCM81200XJ 156
FCM81200XJSL 156
FCM81200XK 156
FCM81200XKSL 156
FCM81200XN 156
FCM81200XNSL 156
FCM81200XR 156
FCM81200XRSL 156
FCM81208P 161
FCM81208PSL 161
FCM81208SL 161
FCM81225 157
FCM81225SL 157
FCM812SL 146
FCM813SL 150
FCM814 144
FCM8145 198
FCM8145SL 198
FCM8149 191
FCM814SL 145
FCM815SL 147
FCM816 143
FCM81645 217
FCM81646SL 173
FCM81651 151
FCM81651SL 151
FCM81652 151
FCM81652SL 151
FCM81654 193
FCM81654SL 193
FCM816SL 144
FCM817 145
FCM817SL 147
FCM81800SL 144
FCM81828 161
FCM81829 161
FCM818SL 148
FCM81900SL 177
FCM81918SL 143
FCM81919SL 145
FCM81921SL 148
FCM81928SL 149
FCM81944SL 177
FCM81947SL 177
FCM81949SL 177
FCM81968SL 144
FCM81986SL 147
FCM82 177
FCM820 149
FCM821 148
FCM822 144
FCM828 161
FCM82XC 174
FCM82XE 174
FCM82XG 174
FCM82XJ 174
FCM82XK 174
FCM82XN 174
FCM82XR 174
FCM8310SL 177
FCM8311SL 177
FCM8313SL 177
FCM8321 197
FCM8321XC 194
FCM8321XE 194
FCM8321XG 194
FCM8321XJ 194
FCM8321XK 194
FCM8321XN 194
FCM8321XR 194
FCM8322 197
FCM8323 197
FCM8324 197
FCM8545SL 171
FCM8571 148
FCM8572SL 149
FCM8573SL 149
FCM8574 148
FCM8581 190
FCM8583SL 190
FCM860 219
FCM861 218
FCM861XC 218
FCM861XE 218
FCM861XG 218
FCM861XJ 218
FCM861XK 218
FCM861XN 218
FCM861XR 218
FCM862 200
FCM862SL 200
FCM862XC 195
FCM862XCSL 195
FCM862XE 195
FCM862XESL 195
FCM862XG 195
FCM862XGSL 195
FCM862XJ 195
FCM862XJSL 195
FCM862XK 195
FCM862XKSL 195
FCM862XN 195
FCM862XNSL 195
FCM862XR 195
FCM862XRSL 195
FCM863 184
FCM863SL 184
FCM864 185
FCM864SL 185
FCM865 186
FCM86500 150
FCM86500SL 151
FCM86550 150
FCM86550SL 150
FCM86560 192
FCM86560SL 192
FCM86570 217
FCM86580SL 172
FCM865SL 186
FCM866 189
FCM866SL 189
FCM8675SL 198
FCM8678 196
FCM8678SL 196
FCM867SL 191
FCM870 166
FCM8704 216
FCM8707 215
FCM8708 216
FCM870SL 166
FCM870XC 156
FCM870XCSL 156
FCM870XE 156
FCM870XESL 156
FCM870XG 156
FCM870XGSL 156
FCM870XJ 156
FCM870XJSL 156
FCM870XK 156
FCM870XKSL 156
FCM870XN 156
FCM870XNSL 156
FCM870XR 156
FCM870XRSL 156
FCM871 143
FCM871SL 143
FCM872 144
FCM8721 215
FCM872SL 144
FCM873 145
FCM8735 216
FCM8736 215
FCM873SL 145
FCM874 148
FCM8745 216
FCM874SL 148
FCM8752 216
FCM881SL 180
FCM881XCSL 175
FCM881XESL 175
FCM881XGSL 175
FCM881XJSL 175
FCM881XKSL 175
FCM881XNSL 175
FCM881XRSL 175
FCM882SL 167
FCM883SL 168
FCM884SL 168
FCM885SL 170
FCM886 187
FCM886SL 187
FCM887SL 169
FCM888 188
FCM888SL 188
FCM889SL 170
FCM890 149
FCM890SL 149
FCM891 191
FCM891SL 191
FCM892SL 171
FCM893SL 147
FCM896 187
FCM896SL 187
FCM898 185
FCM898SL 185
FCM899 189
FCM899SL 189
FCM900 146
FCM901 187
FCM901SL 187
FCM902 169
FCM902SL 169
FCM904 204
FCM905 147
FCM906 188
FCM906SL 188
FCM907 170
FCM907SL 170
FCM909 205
FCM910 149
FCM911 191
FCM911SL 191
FCM912 171
FCM912SL 171
FCM914 205
FCM915 182
FCM916 182
FCM92SL 177
FCM92XCSL 174
FCM92XESL 174
FCM92XGSL 174
FCM92XJSL 174
FCM92XKSL 174
FCM92XNSL 174
FCM92XRSL 174
FCM966 187
FCM968 187
FCO6184SL 163
FCO6184XCSL 155
FCO6184XESL 155
FCO6184XJSL 155
FCO6184XNSL 155
FCO6184XRSL 155
FCO6185SL 163
FCO6185XCSL 155
FCO6185XESL 155
FCO6185XJSL 155
FCO6185XNSL 155
FCO6185XRSL 155
FCO6186SL 163
FCO6186XCSL 155
FCO6186XESL 155
FCO6186XJSL 155
FCO6186XNSL 155
FCO6186XRSL 155
FCO6188SL 163
FCO6188XCSL 155
FCO6188XESL 155
FCO6188XJSL 155
FCO6188XNSL 155
FCO6188XRSL 155
FCO6189SL 163
FCO6189XCSL 155
FCO6189XESL 155
FCO6189XJSL 155
FCO6189XNSL 155
FCO6189XRSL 155
FCO6190SL 163
FCO6190XCSL 155
FCO6190XESL 155
FCO6190XJSL 155
FCO6190XNSL 155
FCO6190XRSL 155
FCO6575 183
FWRT 221
KNRT 221
PBRT 221
RSRT 221
S10 205
S100 220
S1000 182
S1001 182
S1006 146
S100SL 166
S100XCSL 156
S100XESL 156
S100XGSL 156
S100XJSL 156
S100XKSL 156
S100XNSL 156
S100XRSL 156
S1027 146
S1029 147
S104 201
S104XC 196
S104XE 196
S104XG 196
S104XJ 196
S104XK 196
S104XN 196
S104XR 196
S105 201
S108 164
S1089 178
S1089SL 179
S108XC 155
S108XE 155
S108XG 155
S108XJ 155
S108XK 155
S108XN 155
S108XR 155
S11 220
S1100 220
S115 199
S1170SL 164
S1170XCSL 155
S1170XESL 155
S1170XGSL 155
S1170XJSL 155
S1170XKSL 155
S1170XNSL 155
S1170XRSL 155
S118 166
S118XC 156
S118XE 156
S118XG 156
S118XJ 156
S118XK 156
S118XN 156
S118XR 156
S12 204
S120 220
S1200 164
S1200SL 164
S1201 163
S1201SL 164
S1202 164
S1202SL 164
S1203 164
S1204 159
S1204SL 159
S1205 159
S1205SL 159
S1205XC 153
S1205XE 153
S1205XG 153
S1205XJ 153
S1205XK 153
S1205XN 153
S1205XR 153
S1206 159
S1206SL 159
S1207 159
S1207XC 153
S1207XE 153
S1207XG 153
S1207XJ 153
S1207XK 153
S1207XN 153
S1207XR 153
S1208 164
S1208SL 164
S1209 163
S1209SL 164
S1211 163
S1211SL 164
S1212 164
S128 164
S128XC 155
S128XE 155
S128XG 155
S128XJ 155
S128XK 155
S128XN 155
S128XR 155
S130 157
S130SL 157
S131 196
S132 196
S132SL 196
S1350 197
S137 197
S138SL 194
S139 145
S139SL 145
S140 166
S1400 179
S1400SL 179
S1401 176
S1401SL 176
S1402 179
S1404 209
S1405 200
S1405SL 200
S1406 200
S1407 200
S1408 200
S1409 197
S140STC 218
S140XC 156
S140XE 156
S140XG 156
S140XJ 156
S140XK 156
S140XN 156
S140XR 156
S141 164
S1411 203
S141STC 218
S141XC 155
S141XE 155
S141XG 155
S141XJ 155
S141XK 155
S141XN 155
S141XR 155
S1442SL 172
S154 147
S154SL 147
S155 148
S155SL 148
S156 172
S160 150
S160SL 150
S161 192
S161SL 192
S162 203
S163 182
S1645 217
S1646 173
S1646SL 173
S1647 173
S1650 211
S1651 152
S1651SL 152
S1652 152
S1652SL 152
S1653 193
S1654 193
S1655 208
S1656 193
S1656SL 193
S1658 193

S1661 203
S17 205
S198 165
S198SL 165
S20 205
S200 220
S2000 165
S2000SL 165
S2000SL-2C 159
S2000SL-4C 159
S2000XC 155
S2000XCSL 155
S2000XCSL-2C 153
S2000XCSL-4C 153
S2000XE 155
S2000XESL 155
S2000XESL-2C 153
S2000XESL-4C 153
S2000XG 155
S2000XGSL 155
S2000XJ 155
S2000XJSL 155
S2000XJSL-2C 153
S2000XJSL-4C 153
S2000XK 155
S2000XKSL 155
S2000XN 155
S2000XNSL 155
S2000XNSL-2C 153
S2000XNSL-4C 153
S2000XR 155
S2000XRSL 155
S2000XRSL-2C 153
S2000XRSL-4C 153
S20042 172
S2009 160
S2009SL 160
S2010 159
S2010SL 159
S2010XC 153
S2010XCSL 153
S2010XE 153
S2010XESL 153
S2010XG 153
S2010XGSL 153
S2010XJ 153
S2010XJSL 153
S2010XK 153
S2010XKSL 153
S2010XN 153
S2010XNSL 153
S2010XR 153
S2010XRSL 153
S205 220
S2050 159
S2050XC 153
S2050XE 153
S2050XG 153
S2050XJ 153
S2050XK 153
S2050XN 153
S2050XR 153
S206 200
S206E 194
S206XC 195
S206XE 195
S206XG 195
S206XJ 195
S206XK 195
S206XN 195
S206XR 195
S2070SL 194
S210 220
S2100 200
S2101 179
S2101SL 179
S2102 179
S2103 176
S2103SL 176
S2103XC 174
S2103XCSL 174
S2103XE 174
S2103XESL 174
S2103XG 174
S2103XGSL 174
S2103XJ 174
S2103XJSL 174
S2103XK 174
S2103XKSL 174
S2103XN 174
S2103XNSL 174
S2103XR 174
S2103XRSL 174
S2104 176
S2104SL 176
S2104XC 174
S2104XCSL 174
S2104XE 174
S2104XESL 174
S2104XG 174
S2104XGSL 174
S2104XJ 174
S2104XJSL 174
S2104XK 174
S2104XKSL 174
S2104XN 174
S2104XNSL 174
S2104XR 174
S2104XRSL 174
S2105 176
S2106 178
S2107 178
S2108 178
S210SL 201
S210XCSL 196
S210XESL 196
S210XGSL 196
S210XJSL 196
S210XKSL 196
S210XNSL 196
S210XRSL 196
S211 186
S213 188
S214 190
S2150 197
S220 220
S2200 179
S2200XC 175
S2200XCSL 175
S2200XE 175
S2200XESL 175
S2200XGSL 175
S2200XJ 175
S2200XJSL 175
S2200XK 175
S2200XKSL 175
S2200XN 175
S2200XNSL 175
S2200XR 175
S2200XRSL 175
S2250 176
S2250XC 174
S2250XCSL 174
S2250XE 174
S2250XESL 174
S2250XG 174
S2250XGSL 174
S2250XJ 174
S2250XJSL 174
S2250XK 174
S2250XKSL 174
S2250XN 174
S2250XNSL 174
S2250XR 174
S2250XRSL 174
S236 217
S237 217
S241 145
S243 197
S255 217
S256 217
S2600 156
S2610 214
S2610XC 213
S2610XE 213
S2610XJ 213
S2610XN 213
S2610XR 213
S262 199
S2620 211
S262XC 194
S262XE 194
S262XG 194
S262XJ 194
S262XK 194
S262XN 194
S262XR 194
S2630 210
S263SL 199
S263XCSL 195
S263XESL 195
S263XGSL 195
S263XJSL 195
S263XKSL 195
S263XNSL 195
S263XRSL 195
S2640 211
S2650 210
S2660 211
S2670 211
S289 203
S289E 203
S289ESL 194
S289XC 203
S289XE 203
S289XG 203
S289XJ 203
S289XK 203
S289XN 203
S289XR 203
S291 202
S291SL 188
S292 202
S292SL 190
S294 202
S294SL 186
S296 218
S296XC 218
S296XE 218
S296XG 218
S296XJ 218
S296XK 218
S296XN 218
S296XR 218
S30 201
S308SL 164
S308XCSL 155
S308XESL 155
S308XGSL 155
S308XJSL 155
S308XKSL 155
S308XNSL 155
S308XRSL 155
S30XC 196
S30XE 196
S30XG 196
S30XJ 196
S30XK 196
S30XN 196
S30XR 196
S31 220
S310 143
S32 199
S32XC 195
S32XE 195
S32XG 195
S32XJ 195
S32XK 195
S32XN 195
S32XR 195
S34 194
S3487SL 199
S3487XCSL 195
S3487XESL 195
S3487XGSL 195
S3487XJSL 195
S3487XKSL 195
S3487XNSL 195
S3487XRSL 195
S35 186
S369 145
S37 191
S38 185
S4070SL 150
S41 188
S416SL 150
S42 190
S426 191
S43 192
S430 203
S430SL 191
S454 217
S4570SL 143
S4800 220
S4810 214
S4810SL 214
S4810XC 213
S4810XCSL 213
S4810XE 213
S4810XESL 213
S4810XJ 213
S4810XJSL 213
S4810XN 213
S4810XNSL 213
S4810XR 213
S4810XRSL 213
S4812 213
S4812SL 213
S4812XC 212
S4812XCSL 212
S4812XE 212
S4812XESL 212
S4812XJ 212
S4812XJSL 212
S4812XN 212
S4812XNSL 212
S4812XR 212
S4812XRSL 212
S4813 213
S4813XC 212
S4813XE 212
S4813XJ 212
S4813XN 212
S4813XR 212
S4814 213
S4814XC 212
S4814XE 212
S4814XJ 212
S4814XN 212
S4814XR 212
S4816 213
S4816XC 212
S4816XE 212
S4816XJ 212
S4816XN 212
S4816XR 212
S506 205
S507 207
S508 211
S529 171
S5425 176
S5425SL 176
S543 171
S545SL 171
S549 207
S5700 160
S5700SL 160
S5700XC 153
S5700XCSL 154
S5700XE 153
S5700XESL 154
S5700XG 153
S5700XGSL 154
S5700XJ 153
S5700XJSL 154
S5700XK 153
S5700XKSL 154
S5700XN 153
S5700XNSL 154
S5700XR 153
S5700XRSL 154
S5705 159
S5705XC 153
S5705XE 153
S5705XG 153
S5705XJ 153
S5705XK 153
S5705XN 153
S5705XR 153
S571 149
S5710 160
S5710SL 160
S5710XC 153
S5710XCSL 154
S5710XE 153
S5710XESL 154
S5710XG 153
S5710XGSL 154
S5710XJ 153
S5710XJSL 154
S5710XK 153
S5710XKSL 154
S5710XN 153
S5710XNSL 154
S5710XR 153
S5710XRSL 154
S5715 159
S5715XC 153
S5715XE 153
S5715XG 153
S5715XJ 153
S5715XK 153
S5715XN 153
S5715XR 153
S5720 160
S5720SL 160
S5720XC 153
S5720XCSL 154
S5720XE 153
S5720XESL 154
S5720XG 153
S5720XGSL 154
S5720XJ 153
S5720XJSL 154
S5720XK 153
S5720XKSL 154
S5720XN 153
S5720XNSL 154
S5720XR 153
S5720XRSL 154
S5725 159
S5725XC 153
S5725XE 153
S5725XG 153
S5725XJ 153
S5725XK 153
S5725XN 153
S5725XR 153
S572SL 149
S573SL 149
S574 149
S575 190
S577 190
S579 190
S581 190
S583SL 190
S585 203
S5870SL 148
S600 220
S6000 184
S6000SL 184
S6002 143
S6002SL 143
S6006 186
S6006SL 186
S6008 145
S6008SL 145
S6009 168
S6009SL 169
S601 214
S6010 169
S6012 204
S6013 202
S6014 202
S601SL 166
S601XC 213
S601XCSL 156
S601XE 213
S601XESL 156
S601XGSL 156
S601XJ 213
S601XJSL 156
S601XKSL 156
S601XN 213
S601XNSL 156
S601XR 213
S601XRSL 156
S602 211
S6021 201
S6021XC 195
S6021XE 195
S6021XG 195
S6021XJ 195
S6021XK 195
S6021XN 195
S6021XR 195
S6022 199
S6022XC 194
S6022XE 194
S6022XG 194
S6022XJ 194
S6022XK 194
S6022XN 194
S6022XR 194
S6023 194
S6025 186
S6026 191
S6027 185
S6029 188
S602SL 147
S6030 190
S6031 186
S6032 184
S6034 197
S6035 196
S6036 192
S604 210
S6041 201
S6041XC 195
S6041XE 195
S6041XG 195
S6041XJ 195
S6041XK 195
S6041XN 195
S6041XR 195
S6042 199
S6042XC 194
S6042XE 194

Continue on next page.

Fiber-Classic® & Smooth-Star® *Continued*

S6042XG 194
S6042XJ 194
S6042XK 194
S6042XN 194
S6042XR 194
S6043 194
S6045 186
S6046 191
S6047 185
S6049 188
S604SL 145
S605 214
S6050 190
S6051 186
S6052 184
S6054 197
S6055 196
S6056 192
S605SL 165
S605XC 212
S605XCSL 155
S605XE 212
S605XESL 155
S605XJ 212
S605XJSL 155
S605XN 212
S605XNSL 155
S605XR 212
S605XRSL 155
S606 214
S6061 157
S6062 165
S6062SL 165
S6063 164
S6063STC 218
S6063XC 155
S6063XE 155
S6063XG 155
S6063XJ 155
S6063XK 155
S6063XN 155
S6063XR 155
S606SL 165
S606XC 212
S606XCSL 155
S606XE 212
S606XESL 155
S606XJ 212
S606XJSL 155
S606XN 212
S606XNSL 155
S606XR 212
S606XRSL 155
S607 214
S6070 147
S6070SL 148
S6071 170
S6071SL 170
S6072 170
S6073 189
S6074 189
S6075 189
S6076 189
S607SL 165
S607XC 212
S607XCSL 155
S607XE 212
S607XESL 155
S607XJ 212
S607XJSL 155
S607XN 212
S607XNSL 155
S607XR 212
S607XRSL 155
S608 214
S6080 183
S6081 183
S6082 182
S6084 182
S6085 181
S608XC 212
S608XE 212
S608XJ 212
S608XN 212
S608XR 212
S609 210
S6090 150
S6091 171
S6091SL 171
S6092 170
S6092SL 170
S6093 147
S6094 148
S6095 150
S6100 146
S6100SL 146
S6101 187
S6101SL 187
S6102 169
S6102SL 169
S6103 169
S6104 202
S6105 204
S6106 187
S6107 187
S6108 187
S6111 204
S6113 204
S6117 205
S6119 205
S6121 204
S6123 217
S6124SL 165
S6124XCSL 155
S6124XESL 155
S6124XJSL 155
S6124XNSL 155
S6124XRSL 155
S6125SL 165
S6125XCSL 155
S6125XESL 155
S6125XJSL 155
S6125XNSL 155
S6125XRSL 155
S6126SL 165
S6126XCSL 155
S6126XESL 155
S6126XJSL 155
S6126XNSL 155
S6126XRSL 155
S6127SL 146
S6128SL 157
S6130SL 144
S6131SL 146
S6132SL 150
S6134SL 145
S6135SL 148
S6201SL 210
S6240 210
S6240SL 210
S626 150
S6500 151
S6500SL 151
S6520 211
S6532 205
S6534 208
S6536 192
S6550 151
S6550SL 151
S6560 192
S6565 192
S6565SL 192
S6568 192
S6570 217
S6572 203
S6575 183
S6576 183
S6577 183
S6580 173
S6580SL 173
S6582 172
S668 144
S682 176
S685L 160
S685LXC 154
S685LXE 154
S685LXG 154
S685LXJ 154
S685LXK 154
S685LXN 154
S685LXR 154
S685R 160
S685RXC 154
S685RXE 154
S685RXG 154
S685RXJ 154
S685RXK 154
S685RXN 154
S685RXR 154
S691 160
S691XC 153
S691XE 153
S691XG 153
S691XJ 153
S691XK 153
S691XN 153
S691XR 153
S704 216
S707 215
S708 216
S709 182
S7125SL 199
S721 215
S735 216
S736 215
S745 216
S751SL 180
S751XCSL 175
S751XESL 175
S751XGSL 175
S751XJSL 175
S751XKSL 175
S751XNSL 175
S751XRSL 175
S752 216
S755 220
S757SL 172
S758SL 168
S770 183
S771 181
S773 182
S774 182
S80 180
S8000 165
S8000-12 159
S8000-18 159
S8000-9 160
S8000SL 165
S8000XC 155
S8000XCSL 155
S8000XE 155
S8000XESL 155
S8000XG 155
S8000XGSL 155
S8000XJ 155
S8000XJSL 155
S8000XK 155
S8000XKSL 155
S8000XN 155
S8000XNSL 155
S8000XR 155
S8000XRSL 155
S807 203
S807XC 203
S807XE 203
S807XG 203
S807XJ 203
S807XK 203
S807XN 203
S807XR 203
S808 164
S808SL 164
S80XC 175
S80XE 175
S80XG 175
S80XJ 175
S80XK 175
S80XN 175
S80XR 175
S810 220
S81000 220
S81086SL 166
S81086XCSL 156
S81086XESL 156
S81086XGSL 156
S81086XJSL 156
S81086XKSL 156
S81086XNSL 156
S81086XRSL 156
S81100 220
S81186SL 165
S8120 220
S81208 164
S81225 157
S8132 196
S8132SL 196
S814 144
S8140 166
S81401 176
S81405 200
S8140STC 218
S8140XC 156
S8140XE 156
S8140XG 156
S8140XJ 156
S8140XK 156
S8140XN 156
S8140XR 156
S8141 209
S8144 200
S8145 200
S8145SL 200
S8149 192
S814SL 144
S815 144
S816 143
S81645 217
S81646 173
S81646SL 173
S81649 208
S81650 211
S81651 152
S81651SL 152
S81652 152
S81652SL 152
S81653 193
S81654 193
S81654SL 193
S81656 193
S817 145
S818 166
S81828 164
S818XC 156
S818XE 156
S818XG 156
S818XJ 156
S818XK 156
S818XN 156
S818XR 156
S81929P 200
S81929PXC 195
S81929PXE 195
S81929PXG 195
S81929PXJ 195
S81929PXK 195
S81929PXN 195
S81929PXR 195
S81932P 188
S81933P 184
S81935P 185
S81936P 186
S81937P 186
S81938P 188
S81939P 187
S81940P 189
S81941P 190
S81942P 191
S81983 189
S82 178
S820 150
S8200 220
S8201 220
S8202SL 179
S8204SL 179
S8207SL 179
S821 148
S82103 176
S82103XC 174
S82103XE 174
S82103XG 174
S82103XJ 174
S82103XK 174
S82103XN 174
S82103XR 174
S82104 176
S82105 176
S82105XC 174
S82105XE 174
S82105XG 174
S82105XJ 174
S82105XK 174
S82105XN 174
S82105XR 174
S82106 176
S82106XC 174
S82106XE 174
S82106XG 174
S82106XJ 174
S82106XK 174
S82106XN 174
S82106XR 174
S82107 176
S82107XC 174
S82107XE 174
S82107XG 174
S82107XJ 174
S82107XK 174
S82107XN 174
S82107XR 174
S82200 179
S82200XC 175
S82200XE 175
S82200XG 175
S82200XJ 175
S82200XK 175
S82200XN 175
S82200XR 175
S82250 176
S822XC 175
S822XE 175
S822XG 175
S822XJ 175
S822XK 175
S822XN 175
S822XR 175
S82600 156
S82610 214
S82610XC 213
S82610XE 213
S82610XJ 213
S82610XN 213
S82610XR 213
S82620 211
S82630 210
S82640 211
S82650 210
S82660 211
S82670 211
S828 164
S829 157
S829SL 157
S82SL 179
S82XC 175
S82XCSL 175
S82XE 175
S82XESL 175
S82XG 175
S82XGSL 175
S82XJ 175
S82XJSL 175
S82XK 175
S82XKSL 175
S82XN 175
S82XNSL 175
S82XR 175
S82XRSL 175
S830 201
S830XC 196
S830XE 196
S830XG 196
S830XJ 196
S830XK 196
S830XN 196
S830XR 196
S831 220
S8310 179
S8310SL 179
S8311 178
S8311SL 179
S83120 209
S831203 209
S831203XC 208
S831203XE 208
S831203XG 208
S831203XJ 208
S831203XK 208
S831203XN 208
S831203XR 208
S83120XC 208
S83120XE 208
S83120XG 208
S83120XJ 208
S83120XK 208
S83120XN 208
S83120XR 208
S8313 179
S8313SL 179
S83141 206
S83142 207
S83143 205
S83145 208
S83147 207
S83149 207
S83152 206
S83153 206
S83154 207
S83155 206
S83156 206
S8316 179
S8317 217
S8318 199
S8319 199
S832 199
S8320 199
S8321 199
S8321XC 195
S8321XE 195
S8321XG 195

S8321XJ 195
S8321XK 195
S8321XN 195
S8321XR 195
S8322 199
S8323 199
S8324 199
S8325 199
S8326 199
S8327 199
S8328 199
S832XC 195
S832XE 195
S832XG 195
S832XJ 195
S832XK 195
S832XN 195
S832XR 195
S833 186
S837 191
S84586SL 144
S84800 220
S84810 214
S84810SL 214
S84810XC 213
S84810XCSL 213
S84810XE 213
S84810XESL 213
S84810XJ 213
S84810XJSL 213
S84810XN 213
S84810XNSL 213
S84810XR 213
S84810XRSL 213
S84812 213
S84812SL 213
S84812XC 212
S84812XCSL 212
S84812XE 212
S84812XESL 212
S84812XJ 212
S84812XJSL 212
S84812XN 212
S84812XNSL 212
S84812XR 212
S84812XRSL 212
S84813 213
S84813XC 212
S84813XE 212
S84813XJ 212
S84813XN 212
S84813XR 212
S84814 213
S84814XC 212
S84814XE 212
S84814XJ 212
S84814XN 212
S84814XR 212
S84816 213
S84816XC 212
S84816XE 212
S84816XJ 212
S84816XN 212
S84816XR 212
S84886SL 159
S84886XCSL 153
S84886XESL 153
S84886XGSL 153
S84886XJSL 153
S84886XKSL 153
S84886XNSL 153
S84886XRSL 153
S8508 211
S8529 171
S8545SL 171
S85700 160
S85700SL 160
S85700XC 153
S85700XCSL 154
S85700XE 153
S85700XESL 154
S85700XG 153
S85700XGSL 154
S85700XJ 153
S85700XJSL 154
S85700XK 153
S85700XKSL 154
S85700XN 153
S85700XNSL 154
S85700XR 153
S85700XRSL 154
S85705 159
S85705XC 153
S85705XE 153
S85705XG 153
S85705XJ 153
S85705XK 153
S85705XN 153
S85705XR 153
S8571 149
S85710 160
S85710SL 160
S85710XC 153
S85710XCSL 154
S85710XE 153
S85710XESL 154
S85710XG 153
S85710XGSL 154
S85710XJ 153
S85710XJSL 154
S85710XK 153
S85710XKSL 154
S85710XN 153
S85710XNSL 154
S85710XR 153
S85710XRSL 154
S85715 159
S85715XC 153
S85715XE 153
S85715XG 153
S85715XJ 153
S85715XK 153
S85715XN 153
S85715XR 153
S85720 160
S85720SL 160
S85720XC 153
S85720XCSL 154
S85720XE 153
S85720XESL 154
S85720XG 153
S85720XGSL 154
S85720XJ 153
S85720XJSL 154
S85720XK 153
S85720XKSL 154
S85720XN 153
S85720XNSL 154
S85720XR 153
S85720XRSL 154
S85725 159
S85725XC 153
S85725XE 153
S85725XG 153
S85725XJ 153
S85725XK 153
S85725XN 153
S85725XR 153
S8572SL 149
S8573SL 149
S8574 149
S8575 190
S8579 190
S8581 190
S8583SL 190
S85892 143
S85892SL 143
S85893 145
S85893SL 145
S85895 150
S85895SL 150
S85896 148
S85896SL 148
S85897 187
S85898 169
S85898SL 169
S85900 169
S85900SL 169
S85901 170
S85902 172
S85902SL 172
S85905 184
S85906 188
S85907 185
S85908 188
S85909 190
S85910SL 201
S85910XCSL 196
S85910XESL 196
S85910XGSL 196
S85910XJSL 196
S85910XKSL 196
S85910XNSL 196
S85910XRSL 196
S85911SL 188
S85912SL 184
S85914SL 185
S85915SL 186
S85916SL 186
S85917SL 188
S85918SL 187
S85920SL 191
S85922SL 190
S85924SL 165
S85925SL 165
S85926SL 165
S85927SL 143
S85928SL 157
S85930SL 150
S85931SL 145
S85932SL 147
S85934SL 148
S8600 220
S8600XC 213
S8600XE 213
S8600XJ 213
S8600XN 213
S8600XR 213
S8601 214
S8601SL 166
S8601XCSL 156
S8601XESL 156
S8601XGSL 156
S8601XJSL 156
S8601XKSL 156
S8601XNSL 156
S8601XRSL 156
S8602 211
S86021 201
S86021XC 195
S86021XE 195
S86021XG 195
S86021XJ 195
S86021XK 195
S86021XN 195
S86021XR 195
S86022XC 195
S86022XE 195
S86022XG 195
S86022XJ 195
S86022XK 195
S86022XN 195
S86022XR 195
S86025 186
S86026 191
S86027 185
S86029 188
S86025SL 147
S86030 190
S86031 186
S86032 184
S86035 196
S86036 192
S8604 210
S8605 214
S8605SL 165
S8605XC 212
S8605XE 212
S8605XJ 212
S8605XN 212
S8605XR 212
S8606 214
S8606SL 165
S8606XC 212
S8606XE 212
S8606XJ 212
S8606XN 212
S8606XR 212
S8607 214
S86074 189
S8607SL 165
S8607XC 212
S8607XE 212
S8607XJ 212
S8607XN 212
S8607XR 212
S8608 214
S8608XC 212
S8608XE 212
S8608XJ 212
S8608XN 212
S8608XR 212
S8609 210
S86107 187
S86201SL 210
S86240 210
S86240SL 210
S86500 151
S86500SL 151
S86520 211
S86533 208
S86536 192
S86550 151
S86550SL 151
S86560 192
S86560SL 192
S86565 192
S86570 217
S86580 173
S86580SL 173
S8675SL 199
S867SL 192
S8682 176
S8682SL 176
S8685L 160
S8685LXC 154
S8685LXE 154
S8685LXG 154
S8685LXJ 154
S8685LXK 154
S8685LXN 154
S8685LXR 154
S8685R 160
S8685RXC 154
S8685RXE 154
S8685RXG 154
S8685RXJ 154
S8685RXK 154
S8685RXN 154
S8685RXR 154
S8691 160
S8691XC 153
S8691XE 153
S8691XG 153
S8691XJ 153
S8691XK 153
S8691XN 153
S8691XR 153
S8704 216
S8707 215
S8708 216
S8721 215
S8735 216
S8736 215
S8745 216
S8752 216
S880 180
S880SL 180
S880XC 175
S880XCSL 175
S880XE 175
S880XESL 175
S880XG 175
S880XGSL 175
S880XJ 175
S880XJSL 175
S880XK 175
S880XKSL 175
S880XN 175
S880XNSL 175
S880XR 175
S880XRSL 175
S881 179
S881SL 179
S881XC 175
S881XCSL 175
S881XE 175
S881XESL 175
S881XG 175
S881XGSL 175
S881XJ 175
S881XJSL 175
S881XK 175
S881XKSL 175
S881XN 175
S881XNSL 175
S881XR 175
S881XRSL 175
S882 179
S884SL 174
S887 168
S887SL 168
S888 168
S888SL 168
S891 170
S891SL 170
S892 171
S892SL 171
S893 186
S894 167
S894SL 167
S895 169
S895SL 169
S896 218
S8968 188
S896XC 218
S896XE 218
S896XG 218
S896XJ 218
S896XK 218
S896XN 218
S896XR 218
S897 220
S89701 192
S8971 196
S8972 209
S898 179
S898SL 179
S90 180
S902 172
S902SL 172
S90SL 179
S90XC 175
S90XE 175
S90XG 175
S90XJ 175
S90XK 175
S90XN 175
S90XR 175
S91 168
S912 172
S916 144
S916SL 144
S91SL 168
S92 179
S925 209
S926 185
S92SL 176
S92XC 175
S92XE 175
S92XG 175
S92XJ 175
S92XK 175
S92XN 175
S92XR 175
S93 220
S930 202
S930SL 185
S9320 209
S93203 209
S93203XC 208
S93203XE 208
S93203XG 208
S93203XJ 208
S93203XK 208
S93203XN 208
S93203XR 208
S9320XC 208
S9320XE 208
S9320XG 208
S9320XJ 208
S9320XK 208
S9320XN 208
S9320XR 208
S9341 206
S9342 207
S9343 205
S9345 208
S9347 207
S9349 207
S9352 206
S9353 206
S9354 207
S9355 206
S9356 206
S95 168
S960 220
S962 146
S962SL 146
S964 188
S964SL 188
S966 188
S968 188
S97 172
S970 188
S971 196
S972 184
S973 186
S975 167
S975SL 167
S976 169
S976SL 169
S977 168
S979 167
S980 169
S981 168
S982 170
S983 171

Continue on next page.

Steel

S985 202
S988 181
S989 183
S991 182
S992 183
S994 183
S995 182
S997 181
S999 182
SART 221
100 246
104 242
105 242
108 235
118 235
128 235
130 235
131 241
137 241
139 233
198 235
310 233
369 233
571 234
610 233
620 233
626 234
800 252
808 248
810 252
818 249
828 248
829 248
896 252
916 233
1006 233
1027 233
1028 234
1029 233
1200 235
1201 235
1202 235
1203 235
5425 237
8132 249
8145 250
8206 250
8317 252
8321 250
8322 250
8323 250
8324 250
8704 251
8708 251
8752 251
03142HD 236
1001HD 238
1002HD 239
1004HD 241
1005HD 246
1006SL 233
1007HD 239
1007SLHD 239
1008HD 243
1009HD 236
1009SLHD 236
100SL 235
100SL 249
100XCSL 234
100XCSL 248
100XESL 234
100XESL 248
100XGSL 234
100XGSL 248
100XJSL 234
100XJSL 248
100XKSL 234
100XKSL 248
100XNSL 234
100XNSL 248
100XRSL 234
100XRSL 248
1011HD 239
1020HD 238
1021HD 238
1022HD 238
1024HD 238
1025HD 238
1027SL 233
1029SL 233
1031HD 239
1031SLHD 239
1032HD 239
1034HD 239
1035HD 239
1037HD 236
1037SLHD 236
1038HD 236
1038SLHD 236
1039HD 236
1039SLHD 236
1040HD 236
1040SLHD 236
1041HD 236
1041SLHD 236
1042HD 236
1044HD 243
1047HD 238
104XC 241
104XE 241
104XG 241
104XJ 241
104XK 241
104XN 241
104XR 241
1055HD 245
1089SLHD 237
108XC 234
108XE 234
108XG 234
108XJ 234
108XK 234
108XN 234
108XR 234
1101HD 242
1101XCHD 241
1101XEHD 241
1101XGHD 241
1101XJHD 241
1101XKHD 241
1101XNHD 241
1101XRHD 241
1102HD 241
1107HD 239
1110HD 241
1111HD 239
1112HD 239
1113HD 240
1114HD 239
1115HD 239
1116HD 239
1117HD 238
1118HD 240
1119HD 238
1120HD 240
1121HD 241
1123HD 242
1123HDXC 241
1123HDXE 241
1123HDXG 241
1123HDXJ 241
1123HDXK 241
1123HDXN 241
1123HDXR 241
115HD 242
118XC 234
118XE 234
118XG 234
118XJ 234
118XK 234
118XN 234
118XR 234
1200SL 235
1200SL 248
1201SL 235
1201SL 248
1202SL 235
1202SL 248
128XC 234
128XE 234
128XG 234
128XJ 234
128XK 234
128XN 234
128XR 234
130SL 235
130SL 248
132HD 241
132SLHD 241
138SL 234
139SL 233
1400SLHD 237
1403HD 237
1405HD 242
1405SLHD 242
1406HD 242
1408HD 242
1411HD 244
1643HD 246
1643SLHD 246
1644HD 237
1644SLHD 237
1650HD 244
1651HD 234
1651SL 234
1657HD 240
1657SLHD 240
1659HD 240
1660HD 240
1662HD 243
19020T 253
19055T 253
19080T 253
19200T 253
19210T 253
19220T 253
19520T 253
19720T 253
19730T 253
19740T 253
19750T 253
19800T 253
19810T 253
19820T 253
198SL 235
198SL 249
203HD 246
205HD 246
206EHD 241
206HD 242
206HDXC 241
206HDXE 241
206HDXG 241
206HDXJ 241
206HDXK 241
206HDXN 241
206HDXR 241
2109HD 237
210HD 246
210SLHD 242
210SLHDXC 241
210SLHDXE 241
210SLHDXG 241
210SLHDXJ 241
210SLHDXK 241
210SLHDXN 241
210SLHDXR 241
2110HD 237
2111HD 237
211HD 239
236HD 246
237HD 246
243HD 241
255HD 246
256HD 246
262HD 242
262HDXC 241
262HDXE 241
262HDXG 241
262HDXJ 241
262HDXK 241
262HDXN 241
262HDXR 241
263HD 244
263HDXC 244
263HDXE 244
263HDXG 244
263HDXJ 244
263HDXK 244
263HDXN 244
263HDXR 244
263SLHD 242
263SLHDXC 241
263SLHDXE 241
263SLHDXG 241
263SLHDXJ 241
263SLHDXK 241
263SLHDXN 241
263SLHDXR 241
289EHD 243
289ESLHD 241
289HD 244
289HDXC 244
289HDXE 244
289HDXG 244
289HDXJ 244
289HDXK 244
289HDXN 244
289HDXR 244
294HD 243
294SLHD 239
296HD 246
296HDXC 246
296HDXE 246
296HDXG 246
296HDXJ 246
296HDXK 246
296HDXN 246
296HDXR 246
296SLHD 246
296SLHDXC 246
296SLHDXE 246
296SLHDXG 246
296SLHDXJ 246
296SLHDXK 246
296SLHDXN 246
296SLHDXR 246
309HD 238
310SL 233
311HD 243
311SLHD 238
369SL 233
371HD 243
371SLHD 239
374HD 239
416SL 234
426HD 240
430HD 243
430SLHD 240
454HD 245
4572SLHD 237
508HD 244
5425SL 237
544HD 236
546SLHD 236
576HD 240
578HD 240
582HD 240
584SLHD 240
588HD 243
601HD 245
601XCHD 244
601XEHD 244
601XJHD 244
601XNHD 244
601XRHD 244
602HD 244
604HD 244
605HD 245
605HDXC 244
605HDXE 244
605HDXJ 244
605HDXN 244
605HDXR 244
606HD 245
606HDXC 244
606HDXE 244
606HDXJ 244
606HDXN 244
606HDXR 244
607HD 245
607HDXC 244
607HDXE 244
607HDXJ 244
607HDXN 244
607HDXR 244
608HD 245
608HDXC 244
608HDXE 244
608HDXJ 244
608HDXN 244
608HDXR 244
609HD 244
610SL 233
613HD 239
615HD 243
615SLHD 239
6184SL 235
6184SL 248
6184XCSL 234
6184XCSL 247
6184XESL 234
6184XESL 247
6184XJSL 234
6184XJSL 247
6184XNSL 234
6184XNSL 247
6184XRSL 234
6184XRSL 247
6185SL 235
6185SL 248
6185XCSL 234
6185XCSL 247
6185XESL 234
6185XESL 247
6185XJSL 234
6185XJSL 247
6185XNSL 234
6185XNSL 247
6185XRSL 234
6185XRSL 247
6186SL 235
6186SL 248
6186XCSL 234
6186XCSL 247
6186XESL 234
6186XESL 247
6186XJSL 234
6186XJSL 247
6186XNSL 234
6186XNSL 247
6186XRSL 234
6186XRSL 247
620SL 233
623HD 240

625HD 243
625SLHD 240
626SL 234
627HD 240
628HD 243
628SLHD 240
630HD 238
631HD 240
632SL 235
632SL 248
632XCSL 234
632XCSL 247
632XESL 234
632XESL 247
632XGSL 234
632XGSL 247
632XJSL 234
632XJSL 247
632XKSL 234
632XKSL 247
632XNSL 234
632XNSL 247
632XRSL 234
632XRSL 247
6500HD 234
6500SL 234
6520HD 244
6560HD 240
6565HD 240
6565SLHD 240
6568HD 240
6570HD 246
6570SLHD 246
6572HD 243
6578HD 238
6580SLHD 237
6582HD 237
6720HDXCSL 237
6720HDXESL 237
6720HDXGSL 237
6720HDXJSL 237
6720HDXKSL 237
6720HDXNSL 237
6720HDXRSL 237
6720SLHD 237
704HD 245
707HD 245
708HD 245
721HD 245
735HD 245
736HD 245
745HD 245
752HD 245
818SL 249
818XC 247
818XCSL 248
818XE 247
818XESL 248
818XG 247
818XGSL 248
818XJ 247
818XJSL 248
818XK 247
818XKSL 248
818XN 247
818XNSL 248
818XR 247
818XRSL 248
8206XC 249
8206XE 249
8206XG 249
8206XJ 249
8206XK 249
8206XN 249
8206XR 249
828SL 248
829SL 248
8321XC 249
8321XE 249
8321XG 249
8321XJ 249
8321XK 249
8321XN 249
8321XR 249
86184SL 248
86185SL 248
86186SL 248
896XC 252
896XE 252
896XG 252
896XJ 252
896XK 252
896XN 252
896XR 252
916SL 233
926HD 238
930HD 243
930SLHD 238
956SLHD 236
959HD 237
959HDXC 237
959HDXCSL 237
959HDXE 237
959HDXESL 237
959HDXG 237
959HDXGSL 237
959HDXJ 237
959HDXJSL 237
959HDXK 237
959HDXKSL 237
959HDXN 237
959HDXNSL 237
959HDXR 237
959HDXRSL 237
959SLHD 237
961HD 237
961HDXC 237
961HDXE 237
961HDXG 237
961HDXJ 237
961HDXK 237
961HDXN 237
961HDXR 237
965HD 236
965SLHD 236
966SLHD 236
967HD 236
967SLHD 236
968HD 236
969HD 246
971SLHD 236
978HD 246
980HD 242
980HDXC 241
980HDXE 241
980HDXG 241
980HDXJ 241
980HDXK 241
980HDXN 241
980HDXR 241
982HD 242
982HDXC 241
982HDXE 241
982HDXG 241
982HDXJ 241
982HDXK 241
982HDXN 241
982HDXR 241
984HD 241
985HD 241
988HD 239
989HD 240
991HD 238
996HD 239
999HD 240
AVRT 253
AXRT 253
BSRT 253
CNRT 253
FWRT 253
KNRT 253
PBRT 253
RSRT 253
SART 253
TS100 252
TS104 250
TS104XC 249
TS104XE 249
TS104XG 249
TS104XJ 249
TS104XK 249
TS104XN 249
TS104XR 249
TS105 250
TS108 248
TS108XC 247
TS108XE 247
TS108XG 247
TS108XJ 247
TS108XK 247
TS108XN 247
TS108XR 247
TS115 250
TS118 249
TS118XC 247
TS118XE 247
TS118XG 247
TS118XJ 247
TS118XK 247
TS118XN 247
TS118XR 247
TS1200 248
TS1201 248
TS1202 248
TS1203 248
TS128 248
TS128XC 247
TS128XE 247
TS128XG 247
TS128XJ 247
TS128XK 247
TS128XN 247
TS128XR 247
TS130 248
TS131 249
TS132 249
TS132SL 249
TS137 249
TS1405SL 250
TS1408 250
TS1411 251
TS198 249
TS206 250
TS206XC 249
TS206XE 249
TS206XG 249
TS206XJ 249
TS206XK 249
TS206XN 249
TS206XR 249
TS210 252
TS210SL 250
TS210XCSL 249
TS210XESL 249
TS210XGSL 249
TS210XJSL 249
TS210XKSL 249
TS210XNSL 249
TS210XRSL 249
TS236 252
TS237 252
TS243 249
TS255 251
TS256 251
TS262 250
TS262XC 249
TS262XE 249
TS262XG 249
TS262XJ 249
TS262XK 249
TS262XN 249
TS262XR 249
TS263 251
TS263SL 250
TS263XC 251
TS263XCSL 249
TS263XE 251
TS263XESL 249
TS263XG 251
TS263XGSL 249
TS263XJ 251
TS263XJSL 249
TS263XK 251
TS263XKSL 249
TS263XN 251
TS263XNSL 249
TS263XR 251
TS263XRSL 249
TS289 251
TS289XC 251
TS289XE 251
TS289XG 251
TS289XJ 251
TS289XK 251
TS289XN 251
TS289XR 251
TS296 252
TS296SL 252
TS296XC 252
TS296XCSL 252
TS296XE 252
TS296XESL 252
TS296XG 252
TS296XGSL 252
TS296XJ 252
TS296XJSL 252
TS296XK 252
TS296XKSL 252
TS296XN 252
TS296XNSL 252
TS296XR 252
TS296XRSL 252
TS572SL 234
TS704 251
TS708 251
TS752 251
100 258
1005HD 258
203HD 258
205HD 258
210HD 258
969HD 258
978HD 258
FCF100 257
FCF160 257
FCF31 256
FCF755 257
FCF809 256
FCF8100 257
FCF8160 257
FCF862 257
FMF100 256
FMF134 256
FMF205 256
FMF220 256
FMF31 256
FMF60 256
FMF600 256
FMF755 256
FMF8100 256
FMF860 256
SSF100 258
SSF11 258
SSF1100 257
SSF120 257
SSF160 258
SSF200 257
SSF205 257
SSF220 257
SSF31 257
SSF4800 258
SSF600 258
SSF755 257
SSF8100 258
SSF81100 257
SSF8120 257
SSF8160 258
SSF8200 257
SSF8205 257
SSF8220 257
SSF831 257
SSF84800 258
SSF8600 258
SSF93 257
SSF960 258
TS100 258
TS210 258
DRS2131SL 271
DRS82131SL 271
S10AXSL 272
S10CLSL 272
S10PBSL 271
S10XCSL 272
S10XESL 272
S10XGSL 272
S10XJSL 272
S10XKSL 272
S10XNSL 272
S10XRSL 272
S1651SL 271
S1AV 265
S1AX 266
S1BL 264
S1BS 264
S1CL 266
S1LAV 265
S1LAX 266
S1LBL 264
S1LBS 264
S1LCL 266
S1LPB 266
S1LRS 265
S1LSA 265
S1LSG 265
S1LSN 265
S1LXC 266
S1LXE 266
S1LXG 266
S1LXJ 266
S1LXK 266
S1LXN 266
S1LXR 266
S1PB 266
S1RAV 265
S1RAX 266
S1RBL 265
S1RBS 264
S1RCL 266
S1RPB 266
S1RRS 266
S1RS 265
S1RSA 265
S1RSG 265
S1RSN 265
S1RXC 266
S1RXE 266
S1RXG 266
S1RXJ 266
S1RXK 266
S1RXN 266
S1RXR 266
S1SA 265
S1SG 265
S1SN 265
S1XC 266
S1XE 266
S1XG 266
S1XJ 266
S1XK 266
S1XN 266
S1XR 266
S2AX 264
S2CL 264
S2PB 264
S2RS 264
S2SG 264
S2SN 264
S2XC 264
S2XE 264
S2XG 264
S2XJ 264
S2XK 264
S2XN 264

Continues on next page.

Pulse *Continued*

S2XR 264
S4570SL 271
S4AX 268
S4AXSL 272
S4CL 269
S4CLSL 272
S4LAX 268
S4LCL 269
S4LPB 266
S4LXC 269
S4LXE 269
S4LXG 269
S4LXJ 269
S4LXK 269
S4LXN 269
S4LXR 269
S4PB 266
S4PBSL 271
S4RAX 268
S4RCL 269
S4RPB 266
S4RXC 269
S4RXE 269
S4RXG 269
S4RXJ 269
S4RXK 269
S4RXN 269
S4RXR 269
S4XC 269
S4XCSL 272
S4XE 269
S4XESL 272
S4XG 269
S4XGSL 272
S4XJ 269
S4XJSL 272
S4XK 269
S4XKSL 272
S4XN 269
S4XNSL 272
S4XR 269
S4XRSL 272
S572SL 271
S5AX 268
S5AXSL 272
S5CL 269
S5CLSL 272
S5LAX 268
S5LCL 269
S5LPB 266
S5LXC 269
S5LXE 269
S5LXG 269
S5LXJ 269
S5LXK 269
S5LXN 269
S5LXR 269
S5PB 267
S5PBSL 271
S5RAX 268
S5RCL 269
S5RPB 267
S5RXC 269
S5RXE 269
S5RXG 269
S5RXJ 269
S5RXK 269
S5RXN 269
S5RXR 269
S5XC 269
S5XCSL 272
S5XE 269
S5XESL 272
S5XG 269
S5XGSL 272
S5XJ 269
S5XJSL 272
S5XK 269
S5XKSL 272
S5XN 269
S5XNSL 272
S5XR 269
S5XRSL 272
S601SL 271
S601XCSL 271
S601XESL 271
S601XGSL 271
S601XJSL 271
S601XKSL 271
S601XNSL 271
S601XRSL 271
S602SL 271
S604SL 271
S6127SL 271
S6130SL 271
S6134SL 271
S6500SL 271
S81086SL 271
S81086XCSL 271
S81086XESL 271
S81086XGSL 271
S81086XJSL 271
S81086XKSL 271
S81086XNSL 271
S81086XRSL 271
S810AX 269
S810AXSL 272
S810CL 270
S810CLSL 272
S810LAX 269
S810LCL 270
S810LPB 267
S810LXC 270
S810LXE 270
S810LXG 270
S810LXJ 270
S810LXK 270
S810LXN 270
S810LXR 270
S810PB 267
S810PBSL 271
S810RAX 269
S810RCL 270
S810RPB 267
S810RXC 270
S810RXE 270
S810RXG 270
S810RXJ 270
S810RXK 270
S810RXN 270
S810RXR 270
S810XC 270
S810XCSL 272
S810XE 270
S810XESL 272
S810XG 270
S810XGSL 272
S810XJ 270
S810XJSL 272
S810XK 270
S810XKSL 272
S810XN 270
S810XNSL 272
S810XR 270
S810XRSL 272
S811AX 269
S811AXSL 272
S811CL 270
S811CLSL 272
S811LAX 269
S811LCL 270
S811LPB 267
S811LXC 270
S811LXE 270
S811LXG 270
S811LXJ 270
S811LXK 270
S811LXN 270
S811LXR 270
S811PB 267
S811PBSL 271
S811RAX 269
S811RCL 270
S811RPB 267
S811RXC 270
S811RXE 270
S811RXG 270
S811RXJ 270
S811RXK 270
S811RXN 270
S811RXR 270
S811XC 270
S811XCSL 272
S811XE 270
S811XESL 272
S811XG 270
S811XGSL 272
S811XJ 270
S811XJSL 272
S811XK 270
S811XKSL 272
S811XN 270
S811XNSL 272
S811XR 270
S811XRSL 272
S81651SL 271
S81AX 266
S81BL 264
S81BS 264
S81CL 266
S81LAX 266
S81LBL 264
S81LBS 264
S81LCL 266
S81LPB 266
S81LRS 265
S81LSA 265
S81LSG 265
S81LXC 266
S81LXE 266
S81LXG 266
S81LXJ 266
S81LXK 266
S81LXN 266
S81LXR 266
S81PB 266
S81RAX 266
S81RBL 265
S81RBS 264
S81RCL 266
S81RPB 266
S81RRS 266
S81RS 265
S81RSA 265
S81RSG 265
S81RXC 266
S81RXE 266
S81RXG 266
S81RXJ 266
S81RXK 266
S81RXN 266
S81RXR 266
S81SA 265
S81SG 265
S81XC 266
S81XE 266
S81XG 266
S81XJ 266
S81XK 266
S81XN 266
S81XR 266
S83AX 264
S83CL 264
S83PB 264
S83RS 264
S83SG 264
S83SN 264
S83XC 264
S83XE 264
S83XG 264
S83XJ 264
S83XK 264
S83XN 264
S83XR 264
S84586SL 271
S84AX 268
S84AXSL 272
S84CL 269
S84CLSL 272
S84LAX 268
S84LCL 269
S84LPB 266
S84LXC 269
S84LXE 269
S84LXG 269
S84LXJ 269
S84LXK 269
S84LXN 269
S84LXR 269
S84PB 266
S84PBSL 271
S84RAX 268
S84RCL 269
S84RPB 266
S84RXC 269
S84RXE 269
S84RXG 269
S84RXJ 269
S84RXK 269
S84RXN 269
S84RXR 269
S84XC 269
S84XCSL 272
S84XE 269
S84XESL 272
S84XG 269
S84XGSL 272
S84XJ 269
S84XJSL 272
S84XK 269
S84XKSL 272
S84XN 269
S84XNSL 272
S84XR 269
S84XRSL 272
S8572SL 271
S85927SL 271
S85931SL 271
S85932SL 271
S85AX 268
S85AXSL 272
S85CL 269
S85CLSL 272
S85LAX 268
S85LCL 269
S85LPB 266
S85LXC 269
S85LXE 269
S85LXG 269
S85LXJ 269
S85LXK 269
S85LXN 269
S85LXR 269
S85PB 267
S85PBSL 271
S85RAX 268
S85RCL 269
S85RPB 267
S85RXC 269
S85RXE 269
S85RXG 269
S85RXJ 269
S85RXK 269
S85RXN 269
S85RXR 269
S85XC 269
S85XCSL 272
S85XE 269
S85XESL 272
S85XG 269
S85XGSL 272
S85XJ 269
S85XJSL 272
S85XK 269
S85XKSL 272
S85XN 269
S85XNSL 272
S85XR 269
S85XRSL 272
S86500SL 271
S86AX 268
S86AXSL 271
S86CL 269
S86CLSL 272
S86LAX 268
S86LCL 269
S86LPB 267
S86LXC 269
S86LXE 269
S86LXG 269
S86LXJ 269
S86LXK 269
S86LXN 269
S86LXR 269
S86PB 267
S86PBSL 271
S86RAX 268
S86RCL 269
S86RPB 267
S86RXC 269
S86RXE 269
S86RXG 269
S86RXJ 269
S86RXK 269
S86RXN 269
S86RXR 269
S86XC 269
S86XCSL 272
S86XE 269
S86XESL 272
S86XG 269
S86XGSL 272
S86XJ 269
S86XJSL 272
S86XK 269
S86XKSL 272
S86XN 269
S86XNSL 272
S86XR 269
S86XRSL 272
S8AX 268
S8CL 270
S8LAX 268
S8LCL 270
S8LPB 267
S8LXC 270
S8LXE 270
S8LXG 270
S8LXJ 270
S8LXK 270
S8LXN 270
S8LXR 270
S8PB 267
S8RAX 268
S8RCL 270
S8RPB 267
S8RXC 270
S8RXE 270
S8RXG 270
S8RXJ 270
S8RXK 270
S8RXN 270
S8RXR 270
S8XC 270
S8XE 270
S8XG 270
S8XJ 270
S8XK 270
S8XN 270
S8XR 270
S9AX 268
S9AXSL 272
S9CL 270
S9CLSL 272
S9LAX 268
S9LCL 270
S9LPB 267
S9LXC 270
S9LXE 270
S9LXG 270
S9LXJ 270
S9LXK 270
S9LXN 270
S9LXR 270
S9PB 267
S9PBSL 271
S9RAX 268
S9RCL 270
S9RPB 267
S9RXC 270
S9RXC 270
S9RXE 270
S9RXJ 270
S9RXK 270
S9RXN 270
S9RXR 270
S9XC 270
S9XCSL 272
S9XE 270
S9XESL 272
S9XG 270
S9XGSL 272
S9XJ 270
S9XJSL 272
S9XK 270
S9XKSL 272
S9XN 270
S9XNSL 272
S9XR 270
S9XRSL 272










Top: Pulse Línea, Geometric Glass with Flat Lite Frame, Doors – FCM81RXG, FCM81LXG
Bottom: Pulse Ari, Pembridge Glass with Flat Lite Frame, Door – S83PB













Top Left: Classic Craft Mahogany Grain, Augustine Glass, Door – CCR20527; Granite Glass, Sidelite – CCR3400XNSL, Finish – Driftwood
Bottom: Smooth-Star, Clear Glass with GBGs, Door – S1211, Sidelites – S1211SL, Finish – Granite

Tools of the Trade

Check out these helpful resources for dealers, builders and remodelers.

Architectural Home Styles Guide

Get inspired to choose entry doors by design with our interactive guide to popular home styles at **thermatru.com/inspiration.**



Education Center

Learn from the experts in fiberglass doors and test your door IQ on a variety of topics at **thermatru.com/learning.**



Certified Door System Installation Program

Build your knowledge, skills and confidence with comprehensive door system installer training from Therma-Tru – the expert in fiberglass door systems – and OSI® – the expert in construction sealants. Get started today at **thermatru.com/installer.**

THERMA-TRU DOORS CERTIFIED DOOR SYSTEM INSTALLER PROGRAM

Digital Vault

Explore the Digital Vault to find logos, images, literature and more to help you promote the Therma-Tru products you offer. Create an account today at **thermatru.widencollective.com/login.**



Trade Professionals Online

Find everything from selling tools and training materials to technical information at **thermatru.com/professionals.**





THERMA-TRU® DOORS

Where Home Begins™

thermatru.com
1-800-THERMA-TRU (843-7628)
1750 Indian Wood Circle
Maumee, OH 43537

#thermatru

Cover: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors – CCM82804, Finish – Driftwood
Top: Classic Craft Fir Grain, Low-E Glass, Doors – CCA82400, Finish – Acorn, Retractable Screens – White

©2022 Therma-Tru Corp. All rights reserved. THERMA-TRU and the Therma-Tru Logo are trademarks of Therma-Tru Corp. Registered trademarks are registered in the U.S. and may be registered internationally.
©2022 Larson Manufacturing Company. All rights reserved. LARSON, QUICKFIT and CLICK&HOLD are trademarks of Larson Manufacturing Company.

Therma-Tru Corp. and Larson Manufacturing Company are part of Fortune Brands Home & Security, Inc. – an industry-leading home and security products company.
ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency.

Part #MAFL2022 HESB / JAN 2022