







Masonite is committed to delivering unsurpassed performance in interior and exterior doors and glass products. We provide much more than a door; we deliver a total experience, giving you a complete line of products, services and support tools designed to enhance curb appeal and the interior aesthetics of a home.

We are your leading source for the latest trend insights and design ideas, delivering distinctive doors that complement any style and personal taste. From the crisp, clean lines of our Heritage Series, to the versatility of our molded panel collection, we offer a breadth of interior doors to meet any design, performance and material need. It's never been easier to find the perfect door for your home.

Solid Core Doors // 02
Interior Doors // 04
Livingston // 06
Heritage Series // 08

Molded Panel Doors // 1:

Flush Series // 16

Emerald "Green" Doors // 19

Attic Stairways // 20

Pocket Door Hardware // 2





A SOUND DECISION SOLID CORE DOORS

We are on a mission to put solid core doors in every home. Made of solid material all the way through, they feel more substantial and block sound more effectively. For minimal cost, solid core doors create a dramatic improvement in overall quality.

- Solid core doors are SOUND REDUCING they block sound more efficiently than hollow doors.
- Solid core doors are simply built better with a strength you can FEEL the moment you open the door.
- ▶ Solid core doors are **DURABLE**, able to withstand the dents and dings of normal wear.

It's time for a better door experience.

Make solid core doors the STANDARD.

Interior Doors

AT A GLANCE

Our dedication to superior craftsmanship allows us to deliver unsurpassed quality and value in interior doors. We offer a comprehensive selection of door styles—all crafted with exacting attention to detail.

LIVINGSTON,,



Unique, versatile, and timeless design perfect

for any style of home.



HERITAGE SERIES.

 Celebrate traditional craftsmanship with clean lines that blend seamlessly with their surroundings.



WEST END COLLECTION.



Embrace the beauty of minimalism with the sophisticated, streamlined look of embossed lines.




MOLDED PANEL DOORS



Add a defining element to any space with familiar designs that offer timeless appeal.





LIVINGSTON_{TO}






- Unique, versatile and timeless design perfect for any style of home
- Smooth, primed surface ideal for painting
- ▶ Full range of passage and bifold doors
- Safe 'N Sound, solid core construction available for better durability, sound reduction and the heft and feel of a wood door
- ▶ 20-minute fire-rating doors available for select heights & designs (1-3/4" width only)



Livingston





Livingston...

HERITAGE SERIES.

AUTHENTIC ARCHITECTURAL DETAIL





- ► Clean lines convey traditional craftsmanship and blend seamlessly into surroundings
- Smooth, primed surface ideal for painting
- ► Full range of passage and bifold doors
- Safe 'N Sound, solid core construction available for better durability and sound reduction with the heft and feel of a wood door
- ▶ 20-minute fire-rated doors available for select heights and designs (1-3/4" width only)





								PASS	AGE								В	IFOL	D	
HERITAGE SEI	RIES®	1/0	1/2	1/3	1/4	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/4	2/6	2/8	3/0
LINCOLN PARK* (1 PA	NEL)																			
6/8 x 1-3/8" Hollow	Core	٠	•	•	•	•	•	•	•	•	•	•	٠	•	•	•		٠		•
6/8 x 1-3/8" Solid	Core	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
6/8 x 1-3/4" Solid Core	e (6)											•	•	•	•					
7/0 x 1-3/8" Solid	Core					•			•		•	•	•		•					
7/0 x 1-3/4" Solid Core	e (6)					•			•		•	•	•		•					
8/0 x 1-3/8" Solid Core	e (1)					•			•		•	•	•		•					

Lincoln Park,

							PASS	AGE								В	IFOL	D	
HERITAGE SERIES*	1/0	1/2	1/3	1/4	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/4	2/6	2/8	3/0
LOGAN® (2 PANELS)																			
6/8 x 1-3/8" Hollow Core	•	•	٠	•	٠	•	•	٠	•	٠	•	•	•	٠	•		•		•
6/8 x 1-3/8" Solid Core	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
6/8 x 1-3/4" Solid Core (1)	•	•	•	•	•	•		•	•	•	•	•	•	•					
7/0 x 1-3/8" Solid Core	•	•	•	•	•	•		•	•	•	•	•	•	•					
7/0 x 1-3/4" Solid Core (d)	•	•	•	•	•	•		•	•	•	•	•	•	•					

Logan™

		_														_				
								PASS									_	IFOL		
	HERITAGE SERIES*	1/0	1/2	1/3	1/4	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/4	2/6	2/8	3/0
	WINSLOW® (3 PANELS)																			
	6/8 x 1-3/8" Hollow Core	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•
	6/8 x 1-3/8" Solid Core					•	•	•	•	•	•	•	•	•	•					
	6/8 x 1-3/4" Solid Core (1)												•	•	•					
Vinslow™	A denotes 20 minute fire r	otina	0.40	lahili	it. (0	alı fa	r 0) (6	الممان	. ai=	۰۵۱										
VIII3IOVV _{TM}	denotes 20-minute fire r	aung	avai	Iabili	ıty (a	SK 10	ı ava	mable	SIZ	es)										

WEST END COLLECTION.





- A streamlined look and sophisticated, embossed lines embody minimalism
- Smooth, primed surface ideal for painting
- ► Full range of passage and bifold doors
- Safe 'N Sound solid core construction available for better durability and sound reduction with the heft and feel of a wood door
- ▶ 20-minute fire-rated doors available for select heights and designs (1-3/4" width only)



Melrose_{*}

Berkley_{*}



							PASS	AGE								В	IFOL	D	
WEST END COLLECTION®	1/0	1/2	1/3	1/4	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/4	2/6	2/8	3/0
BERKLEY***																			
6/8 x 1-3/8" Hollow Core					•			•		•	•	•		•	•		•		•
6/8 x 1-3/8" Solid Core					•			•		•	•	•		•					
6/8 x 1-3/4" Solid Core (1)												•		•					
7/0 x 1-3/8" Solid Core					•			•		•	•	•		•					

Berkley_®

								PASS	AGE								В	IFOL	D	
	WEST END COLLECTION®	1/0	1/2	1/3	1/4	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/4	2/6	2/8	3/0
	MELROSE***																			
	6/8 x 1-3/8" Hollow Core					•			٠		•	•	•		٠	•		•		٠
	6/8 x 1-3/8" Solid Core					•			•		•	•	•		•					
•	6/8 x 1-3/4" Solid Core (🐧)												•		•					
	7/0 x 1-3/8" Solid Core					•			•		•	•	•		•					

 $Melrose_{\ast}$


• - denotes 20-minute fire rating availability (ask for available sizes)

MOLDED PANEL DOORS





- Familiar designs with universal appeal add a defining element to any space
- Perfect for painting
- Full range of passage and bifold doors
- ▶ Safe 'N Sound, solid core construction available for better durability and sound reduction with the heft and feel of a wood door
- ▶ 20-minute fire-rated doors available for select heights and designs (1-3/4" width only)



10+" Bottom Rail Satisfies ADA Requirements

								AGE										BIF	OLD			
MOLDED PANEL DOORS	1/0	1/2	1/3	1/4	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/4	2/6	2/8	3/0	4/0	5/0	6/0
2 PANEL ARCH-TOP																						
6/8 x 1-3/8" Hollow Core (textured only)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
6/8 x 1-3/8" Hollow Core (textured only - fiber edge)								•		•	•	•	•	•								
6/8 x 1-3/8" Solid Core (textured only)	•	•	•	•	•	•	•	•	•	•	•	•	•	•								
6/8 x 1-3/4" Solid Core (textured only)								•		•	•	•		•								

2 Panel Arch-Top Textured


							PASS	AGE										BIF	OLD			
MOLDED PANEL DOORS	1/0	1/2	1/3	1/4	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/4	2/6	2/8	3/0	4/0	5/0	6/0
2 PANEL ROMAN																						
6/8 x 1-3/8" Hollow Core	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
6/8 x 1-3/8" Hollow Core (fiber-edge)								•		•	•	•	•	•								
6/8 x 1-3/8" Solid Core	•	•	•	•	•	•	•	•	•	•	•	•	•	•								
6/8 x 1-3/4" Solid Core (₺)								•		•	•	•		•								
7/0 x 1-3/8" Solid Core	•		•	•	•			•		•	•	•		•								
7/0 x 1-3/4" Solid Core (🔥)								•		•	•	•		•								
8/0 x 1-3/8" Solid Core					•			•		•	•	•		•								
8/0 x 1-3/4" Solid Core (🐧)								•		•	•	•		•								


2 Panel Roman

denotes 20-minute fire rating availability (ask for available sizes)


Molded Panel Doors

STOCK AVAILABILITY AT BWI






2 Panel Smooth



- 4 Panel Smooth
- denotes 20-minute fire rating availability (ask for available sizes)
- denotes 60-minute fire rated availability (ask for available sizes)

For non-stock size availability or doors not shown on this page, please contact your local BWI representative.

NOTE: Sizes shown are reflective of what is in stock at BWI locations, and does not reflect the complete stock availability from Masonite. To view Masonite availability, please ask your BWI sales representative, or look at the full version of the catalog which can be found on our website. www.bwi-distribution.com/resources



Riverside 5 Panel Equal Smooth


							PASS	AGE										BIF	OLD			
MOLDED PANEL DOORS	1/0	1/2	1/3	1/4	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/4	2/6	2/8	3/0	4/0	5/0	6/0
6 PANEL SMOOTH																						
6/6 x 1-3/8" Hollow Core								•			•	•										
6/8 x 1-3/8" Hollow Core	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
6/8 x 1-3/8" Hollow Core					•			•		•	•	•	•	•								
7/0 x 1-3/8" Hollow Core					•			•		•	•	•	•	•								
6/8 x 1-3/8" Solid Core	•	•	•	•	•	•	•	•	•	•	•	•	•	•								
6/8 x 1-3/4" Solid Core (🔥)								•		•	•	•		•								
7/0 x 1-3/8" Solid Core					•			•		•	•	•	•	•								
7/0 x 1-3/4" Solid Core (1)								•		•	•	•		•								
8/0 x 1-3/8" Solid Core					•			•		•	•	•	•	•								
8/0 x 1-3/4" Solid Core (🐧)								•		•	•	•		•								

							PASS	AGI										BIF	OLD			
MOLDED PANEL DOORS	1/0	1/2	1/3	1/4	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/4	2/6	2/8	3/0	4/0	5/0	6/0
6 PANEL TEXTURED																						
6/6 x 1-3/8" Hollow Core					•			•		•	•	•		•								
6/8 x 1-3/8" Hollow Core	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
6/8 x 1-3/8" Hollow Core					•	•		•	•	•	•	•	•	•								
6/8 x 1-3/8" Hollow Core Finished White					•	•		•	•	•	•	•		•	•		•		•			
6/8 x 1-3/8" Solid Core	•	•	•	•	•	•	•	•	•	•	•	•	•	•								
6/8 x 1-3/4" Solid Core (1)								•		•	•	•		•								

denotes 20-minute fire rating availability (ask for available sizes)
 denotes 60-minute fire rated availability (ask for available sizes)

FLUSH SERIES

DURABLE. LOW MAINTENANCE.



4/0 5/0 6/0



STOCK AVAILABILITY AT BWI

								PA	SSA	GE											BIF	OLD			
FLUSH PANEL DOORS	1/0	1/2	1/3	1/4	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	3/4	3/6	4/0	2/0	2/4	2/6	2/8	3/0	4/0	5/0	6/0
FLUSHED PRIMED																									
6/8 x 1-3/8" Hollow Core	•	•	•	•	•	•	•	•	•	•	•	•	•	•											
6/8 x 1-3/8" Hollow Core (fiber-edge)	٠	•	•	٠	•	•	•	•	•	•	•	•	•	•											
6/8 x 1-3/8" Solid Core					•	•		•		•	•	•	•	•	•	•	•								
6/8 x 1-3/4" Solid Core (6)								•		•	•	•	•	•											
7/0 x 1-3/8" Solid Core								•		•	•	•		•											
7/0 x 1-3/4" Solid Core (🔥)														•											
8/0 x 1-3/8" Solid Core					•			•		•	•	•		•											

Primed MDF

																		_				_		
										SSA												BIFO		
	FLUSH PANEL DOORS	1/0	1/2	1/3	1/4	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	3/4	3/6	4/0	2/0	2/4	2/6	2/8	3/0	4
	FLUSHED BIRCH																							
	6/0 x 1-3/8" Hollow Core								•		•	•	•		•									
11000	6/8 x 1-3/8" Hollow Core	•	•	•	•	•	•	•	•	•	•	•	•	•	•									
989	7/0 x 1-3/8" Hollow Core								•		•	•	•		•									
	7/0 x 1-3/4" Hollow Core (6)														•									
300	8/0 x 1-3/8" Hollow Core	•	•	•	•	•			•		•	•	•		•									
	6/8 x 1-3/8" Solid Core	•	•	•	•	•	•	•	•	•	•	•	•	•	•									
	6/8 x 1-3/4" Solid Core (6)								•		•	•	•		•									
Birch	6/8 x 1-3/4" Solid Core (🐧)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•						
	7/0 x 1-3/8" Solid Core								•		•	•	•		•									
	7/0 x 1-3/4" Solid Core (🔥)								•		•	•	•	•	•		•	•						

8/0 x 1-3/8" Solid Core 8/0 x 1-3/4" Solid Core (1)

^{• -} denotes 20-minute fire rating availability (ask for available sizes)

Flush Series

STOCK AVAILABILITY AT BWI

NOTE: Sizes shown are reflective of what is in stock at BWI locations, and does not reflect the complete stock availability from Masonite. To view Masonite availability, please ask your BWI sales representative, or look at the full version of the catalog which can be found on our website. www.bwi-distribution.com/resources

CONTRACTOR OF THE PARTY OF THE									PA	SSA	GE											BIF	OLD			
RESIDENCE OF	FLUSH PANEL DOORS	1/0	1/2	1/3	1/4	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	3/4	3/6	4/0	2/0	2/4	2/6	2/8	3/0	4/0	5/0	6/0
	FLUSHED OAK																									
0 4 2	6/8 x 1-3/8" Hollow Core					٠			٠		•	•	•		٠											
MATTER STATE	6/8 x 1-3/8" Solid Core								•		•	•	•		•											
Yeryeya.	6/8 x 1-3/4" Solid Core (🐧)								•		•	•	•		•		•									
	7/0 x 1-3/4" Solid Core (🔥)								•			•	•		•		•									
THE REAL PROPERTY.																										

Oak

The second			PASSAGE							BIFOLD																
1000	FLUSH PANEL DOORS	1/0	1/2	1/3	1/4	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	3/4	3/6	4/0	2/0	2/4	2/6	2/8	3/0	4/0	5/0	6/0
	FLUSHED LAUAN																									
	6/0 x 1-3/8" Hollow Core								•		•	•	•		•											
	6/8 x 1-3/8" Hollow Core	•	•	•	•	•	•	•	•	•	•	•	•	•	•											
	6/8 x 1-3/4" Hollow Core (6)								•			•	•		•											
	7/0 x 1-3/8" Hollow Core								•		•	•	•	•	•											
	7/0 x 1-3/4" Hollow Core (🔥)														•											
	6/8 x 1-3/8" Solid Core	•	•	•	•	•	•	•	•	•	•	•	•	•	•											
The state of	6/8 x 1-3/4" Solid Core (🔥)	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•									
Hardwood	7/0 x 1-3/4" Solid Core (🔥)								•		•	•	•	•	•		•									

• - denotes 20-minute fire rating availability (ask for available sizes)

Eco-Friendly Engineered Emerald "Green" Doors



LEED V4 CREDIT	SAFE 'N S	OUND, EMERALD,	HOLLOW CORE EMERALD				
	Molded Panel	Flush Primed MDF	Molded Panel	Flush Primed MDF			
Home							
Environmentally preferable products	•	•	•	•			
Low-emitting products	•		•	•			
New Construction							
Building product disclosure and optimization—sourcing of raw materials	•	٠	•	•			
Low-emitting materials	•	•	•	•			
Acoustic performance	•	•					

TECHNICAL & SUPPORT INFORMATION ON EMERALD. "GREEN"

- ► This product contributes to satisfying the credits of the U.S. Green Building Council's LEED. Green Building Rating System.. For current applicable LEED, standards, visit www.usgbc.org.
- ▶ Evaluations of Green Certifications are provided as a courtesy for Masonite customers. Further confirmation should be completed on a project basis by consulting the certification guidelines or contacting an association representative for verification.
- ▶ USGBC, and LEED, are registered trademarks of the U.S. Green Building Council.

Note: Not all designs are available in Emerald, offering; contact Masonite for the complete product offering. The above referenced certifications are based on the following versions: LEED NC-3.0 / LEED H-2008 / LEED V4-2015. For technical specification information, visit masonite.com or contact us at 1-800-663-DOOR (3667).

ATTIC STAIRWAYS

American Stairways from BWI offer many sizes, duty ratings, energy saving, and code compliant options to meet your requirements.



Husky 444 Rated 250 LBS

Husky 655 Rated 300 lbs

- Pre-drilled Installation Holes
- ▶ Full Width Heavy Duty Piano Hinge
- Reaches across the entire width of stairway. Far more strength and rigidity, and does not interfere with trim carpenter.
- ► Easy First Step Out of Attic
- ▶ Steel Ladder Rod Under Each Tread
 - 3/16" Ladder rod with large washers to keep HUSKY stairs rigid and prevent bending or separation under heavier loads.
- ▶ Selected Kiln Dried Southern Pine Lumber
 - All wood parts selected for density and load bearing capability.
- ▶ Re-inforced Door Panel
- Spacer and Runner Construction on Door to Prevent Warpage.
- Safety Locknut to Secure Spring Arm to Ladder Section.
- ▶ Adjustable Spring Tension.
- ▶ Nuts, Bolts, and Hardware Plated or Painted to prevent rust; no welded hardware.
- ▶ Completely Assembled, ready to install.




Husky 1200 Rated 350 lbs

- ▶ 10' 12' Ceiling Height
- ▶ 13 Treads
- ▶ R-5 Insulation Panel Standard
- ▶ Pre-drilled Installation Holes
- ▶ Full Width Heavy Duty Piano Hinge
- Reaches across the entire width of stairway for more strength and rigidity and cuts out air leakage and head of stair and does not interfere with trim carpenter.
- ► Easy First Step Out of Attic
- ▶ Re-inforced Door Panel
- Spacer and Runner Construction on Door to Prevent Warpage.
- Safety Locknut to Secure Spring Arm to Ladder Section.
- ▶ Adjustable Spring Tension.
- Adjustable Feet with Rubber Tread.
- ▶ Completely Assembled, ready to install.



POCKET DOOR HARDWARE



Pocket doors can be used in many applications including entryways, room-to-room, closets, bathrooms and anywhere space is at a premium. Where a traditional swinging door would use up too much space, pocket doors fit right in to solve room planning problems.



of door styles and glass options to

create your dream door.

BWI - PA/Commercial 299 Mulberry Drive Mechanicsburg, PA 17050 P: 866.717.7660 F: 717.766.9321

BWI - NJ 210 Industrial Pkwy Branchburg, NJ 08876 P: 800.242.7207 F: 908.526.5013 BWI - MA 248 Industrial Road Leominster, MA 01453 P: 866.826.3388 F: 978.840.2951

BWI Fine Finish 2689 Rt 522 South Sellinsgrove, PA 17870

▲ WARNING: This product can expose you to chemicals including

wood dust, which is known to the State of California to cause

cancer. For more information go to www.P65Warnings.ca.gov.

BW-IDCAT-PR REV 0922

