

2026

DECKING
& RAILING



FULL PRODUCT GUIDE



PERFORMANCE=ENGINEERED™
FOR YOUR LIFE OUTDOORS

HGTV DREAM HOME

PROUD SPONSOR 2026

Inspired by the natural beauty of Lake Wylie, the HGTV® Dream Home 2026 extends the serenity of its waterfront setting into every outdoor space. With Trex products, the home offers durable beauty that makes lakeside living effortless and inviting.



DECKING:
Trex Transcend® Lineage® in Salt Flat

RAILING:
Trex Signature® X-Series™ Cable Infill

Trex®

DECKING



Fire-Resistant Decking	7
Marine-Grade Decking	9
SunComfortable™ Technology	11
Decking Overview	13
Trex Signature®	15
Trex Transcend® Lineage®	17
Trex Transcend®	19
Trex Select®	21
Trex Enhance® Naturals	23
Trex Enhance® Basics	25
Trex Refuge™	27
Trex Hideaway® Collection	29
Testimonials	30

5

RAILING



Railing Anatomy	33
Railing Overview	35
Trex Signature® X-Series™	37
Trex Signature®	39
Trex Transcend®	41
Trex Select™	43
Trex Enhance™	45

31

INSPIRATION & PLANNING



TrexPro® Builders	47
Online Tools	48
Outdoor Upgrades	49
Product Specs	51
Warranties	65

47

48

49

51

65

Trex is built around a simple idea: outdoor living should be beautiful and easy to maintain. Our composite boards are performance-engineered to take on sun, weather, and everyday use without the upkeep demands of wood.

From small renovations to large-scale builds, professionals rely on Trex for consistent quality and dependable warranties. Our portfolio goes beyond decking, offering railing, shading and privacy, and lifestyle products that bring the same performance and design to every part of your outdoor space. With decades of innovation and industry recognition, Trex remains the trusted choice of professionals and continues to set the standard in composite decking.

Trex - Performance-Engineered for your life outdoors.™





Composite decking designed for lasting beauty and everyday ease

Durability

Composite deck boards that stand up to both weather and weekend mishaps alike - they won't rot, warp, or splinter, and resist stains.**

Easy Cleanup

Our boards need no sanding or staining. Simple soap and water cleanup keeps decking like new.**

Marine-Grade

Water has met its match. Every Trex composite board is 100% submersible and is trusted across oceans, lakes, and everything in between. More than 2 million sq. ft. of Trex decking has been used in waterfront projects since 2010.

Fire-Resistant

Deck colors with these symbols are part of Trex's collection of decking built to rise to the challenge. Fire-resistant by design and Trex-trusted by name, making them an excellent option for areas prone to wildfires.

SunComfortable™ Technology

Deck colors with this symbol are engineered with heat-mitigating technology to help reduce surface temperatures.*



*Trex SunComfortable™ decking stays cooler than our original boards, but like all decking, it will get hot in direct sun, especially darker colors. Care should be taken to avoid extended contact between exposed skin and the deck surface, especially with young children and those with special needs.

**For details, please see the Care & Cleaning Guide available at trex.com/care and the Trex Limited Warranties on pages 65-71.



Fire-resistant decking that's resilient to the core

Trusted to Stand Up to the Elements, Even Fire

Like all Trex decking, our fire-resistant collections are engineered with resilience at the core, with options that meet Class A Flame Spread Rating, IWUIC Ignition Resistance, and WUI-approved requirements, so your deck stays strong and beautiful for decades.*

Built for Beauty Tested for Fire

Backed by decades of leadership in decking technology. Because peace of mind should come standard with your deck.

Fire-Resistant by Design Trex-Trusted by Name

Our collection of fire-resistant decking is an excellent option for areas prone to wildfires, giving homeowners added confidence when it matters most.

DECKING:
Trex Refuge™ in Martis Valley
RAILING:
Trex Enhance™ Steel Railing

*For full details, see the Trex Limited Warranties on pages 65-71.



Designed For Docks

Every Trex board is built with marine-grade strength. Engineered for harsh waterfront conditions with materials that withstand full submersion, salt, and constant moisture.

Less Work More Waterfront

Resists mold, mildew, warping, splintering, rot, and decay. Fade and stain-resistant.*

Made For Builders

Marine-grade decking that works as hard as you do. Product specs are tailored for docks, with full profiles engineered to span up to 24 inches. Less waste. Faster installs. Easy to trust.


Relentless Performance, Effortless Beauty

From Everglades swamp boardwalks to hurricane-tested docks, Trex holds up where others fail. Time-tested and durable, Trex was instrumental in rebuilding 80% of New Jersey's boardwalks after the devastating impact of Hurricane Sandy.

Marine-grade decking that is 100% submersible, saltwater-safe, and built to last

*For full details, see the Trex Limited Warranties on pages 65-71.

© 2025 Warner Bros. Discovery, Inc. or its subsidiaries and affiliates. All trademarks are the property of their respective owners. All rights reserved.



DECKING:
Trex Transcend® Lineage® in Biscayne
RAILING:
Trex Signature® X-Series® Cable Infill

*Step onto a deck that redefines outdoor living
with Trex SunComfortable™ Technology*

Heat-Mitigating Technology

Stays cooler* than our standard composite decking

Thoughtfully-Designed Colors

Finishes engineered to reduce surface temperatures

Splinter-Free Comfort

Resists cracking, warping, and splintering**

*Trex SunComfortable™ decking stays cooler than our original boards, but like all decking, it will get hot in direct sun, especially darker colors. Care should be taken to avoid extended contact between exposed skin and the deck surface, especially with young children and those with special needs.

*Trex SunComfortable™ decking stays cooler than our original boards, but like all decking, it will get hot in direct sun, especially darker colors. Care should be taken to avoid extended contact between exposed skin and the deck surface, especially with young children and those with special needs.

**For details, please see the Care & Cleaning Guide available at trex.com/care and the Trex Limited Warranties on pages 65-71.

Trex Signature®

Setting a new standard for style

\$\$\$\$\$  ★★★★★

Trex Transcend® Lineage®

Our coolest* decking yet

\$\$\$\$\$  ★★★★★

Trex Transcend®

Elevated aesthetics from the original high-performance decking

\$\$\$\$\$  ★★★★★

Trex Select®

Nature inspired with minimal maintenance

\$\$\$\$\$  ★★★★★

Trex Enhance® Naturals

Beauty on a budget

\$\$\$\$\$  ★★★★★

Trex Enhance® Basics

A trade up from wood

\$\$\$\$\$  ★★★★★

Trex Refuge™

Ignition-resistant PVC.
Built for beauty. Tested for fire.

\$\$\$\$\$  ★★★★★

ICON KEY

PRICE

LIMITED RESIDENTIAL WARRANTY COVERAGE

SUNCOMFORTABLE™ TECHNOLOGY

\$-\$\$\$\$\$\$

SCRATCH RESISTANCE RATING

FIRE-RESISTANT

★-★★★★★

BOARD PROFILES

 Solid

 Square edge

 Scalloped

 Grooved edge

Use with Trex Hideaway® Hidden Fastening System for a clean, screw-free appearance.

Trex SunComfortable™ Technology redefines what performance looks like in the heat. Our heat-mitigating* decking is engineered to reflect solar energy and reduce heat absorption, keeping deck surfaces cooler* versus standard composite decking.

*Trex SunComfortable™ decking stays cooler than our original boards, but like all decking, it will get hot in direct sun, especially darker colors. Care should be taken to avoid extended contact between exposed skin and the deck surface, especially with young children and those with special needs.

Available In Select Regions



Boards with these symbols are Wildland Urban Interface (WUI) compliant, making them an excellent option for areas prone to wildfires.

Trex Refuge PVC decking is engineered for ignition resistance with a Class A Flame Spread Rating, giving homeowners added confidence when it matters most.

SCAN TO USE
OUR DECK
DESIGNER



*Trex SunComfortable™ decking stays cooler than our original boards, but like all decking, it will get hot in direct sun, especially darker colors. Care should be taken to avoid extended contact between exposed skin and the deck surface, especially with young children and those with special needs.

\$\$\$\$\$   ★★★★

Inspired by the elegance of
engineered hardwood decking
for the ultimate luxury finish



ICON KEY

PRICE

LIMITED RESIDENTIAL
WARRANTY COVERAGE

SCRATCH
RESISTANCE
RATING


\$-\$\$\$\$\$

★-★★★★★

Trex Signature® in Ocracoke

Performance-Engineered™ decking with
luxury wood aesthetics and natural colors



The crowning
achievement of our
decking innovation,
made with the beauty
of nature in mind

\$\$\$\$

50
YEAR



Stunning, elevated aesthetics that are more heat resistant than standard composite decking*

*Trex SunComfortable™ decking stays cooler than our original boards, but like all decking, it will get hot in direct sun, especially darker colors. Care should be taken to avoid extended contact between exposed skin and the deck surface, especially with young children and those with special needs.



DECKING:
Trex Transcend® Lineage® in Salt Flat
RAILING:
Trex Signature® X-Series™ Cable Infill

ICON KEY

PRICE

LIMITED RESIDENTIAL
WARRANTY COVERAGE

SCRATCH
RESISTANCE
RATING

SUNCOMFORTABLE™
TECHNOLOGY

FIRE-RESISTANT

★ - ★★★★

\$\$\$\$\$

50
YEAR

35
YEAR

25
YEAR



*Cooler under the sun**



*Trex SunComfortable™ decking stays cooler than our original boards, but like all decking, it will get hot in direct sun, especially darker colors. Care should be taken to avoid extended contact between exposed skin and the deck surface, especially with young children and those with special needs.



Winner of Green Builder's 2023
Sustainable Product of the Year

\$\$\$\$

50
YEAR



Deep, wood-grain texture and multi-tonal hues that withstand the elements and accidental spills*

*For details, please see the Care & Cleaning Guide available at trex.com/care



DECKING:
Trex Transcend® in Tiki Torch

ICON KEY

PRICE

LIMITED RESIDENTIAL
WARRANTY COVERAGE

SCRATCH
RESISTANCE
RATING

FIRE-RESISTANT

\$-\$\$\$\$\$



DECKING:
Trex Transcend® in Lava Rock

Transcend decking's deep wood-grain pattern and luxury colors create a premium, ageless look that leave other composites in the dust

Scan the code below to find the perfect fit for your build with our **Trex Color Selector** tool



\$\$\$\$   ★★★★★

The perfect pairing of price and minimal maintenance*

*For details, please see the Care & Cleaning Guide available at trex.com/care



ICON KEY

PRICE

LIMITED RESIDENTIAL WARRANTY COVERAGE

SCRATCH RESISTANCE RATING

SUNCOMFORTABLE™ TECHNOLOGY FIRE-RESISTANT

\$\$\$\$\$

★-★★★★★

*Built to handle real life with low maintenance and proven durability***

**For full details, see the Trex Limited Warranties on pages 65-71.



Trex Select® decking comes in nature-inspired colors that pair smartly with any home, and offers a splinter-free finish. Select decking is also Wildland Urban Interface (WUI) compliant, making it an excellent option for areas prone to wildfires.



Winner of the **LOOP Design Awards**
2025 in the **Outdoor Products Design**
category: Trex Select® Decking with SunComfortable™ Technology


\$\$\$\$\$

25
YEAR




★★★★★

The beauty of wood with the ease of composite, practically priced



Enhance decking offers an authentic wood-grain appearance with the durability of composite and the affordability of wood



Enhance decking boards are scalloped, making them our lightest composite deck boards yet.



ICON KEY

PRICE

LIMITED RESIDENTIAL
WARRANTY COVERAGE

SCRATCH
RESISTANCE
RATING

SUNCOMFORTABLE™
TECHNOLOGY


\$\$\$\$\$

50
YEAR
35
YEAR
25
YEAR

★★★★★



Authentic wood-grain appearance
with the durability of composite
and the affordability of wood



*A smart step up from pressure-treated lumber;
more time living on your deck and less time maintaining*

ICON KEY

PRICE

LIMITED RESIDENTIAL
WARRANTY COVERAGE

SCRATCH
RESISTANCE
RATING

SUNCOMFORTABLE™
TECHNOLOGY

\$-\$\$\$\$\$

50
YEAR
35
YEAR
25
YEAR

★ - ★★★★

\$\$\$\$   ★★★★★

Ignition-resistant PVC decking
engineered to resist flame spread
and fire ignition

Available in Select Regions



DECKING:
Trex Refuge™ in Martis Valley
RAILING:
Trex Enhance™ Steel

ICON KEY

PRICE

LIMITED RESIDENTIAL
WARRANTY COVERAGE

SCRATCH
RESISTANCE
RATING

FIRE-RESISTANT

\$-\$\$\$\$\$

★-★★★★★

*Engineered to Resist Fire Ignition.
Proven to Earn Trust.*



DECKING:
Trex Refuge™ in Martis Valley
RAILING:
Trex Enhance™ Steel

Trex PVC decking delivers Class A
flame-spread performance, backed
by decades of leadership in decking
technology, giving homeowners
added confidence.



When you want a deck that delivers above and beyond, build with the expanded **Trex Hideaway® Collection**, providing solutions for every deck fastening need, including color-match screws, plugs, butt joint clips and more.



Universal Hidden Clips

Crafted specifically for Trex decking, Hideaway® Clips offer a strong and seamless connection for a secure installation, every time.



Hideaway Plugs & Screws


Trex Hideaway® Color Match Composite Deck Screws and Decking Plugs offer both precision and lasting beauty that work across all decking lines.



One-Step Hidden Fastener Install Tool

Created with both the professional and the first time DIY'er in mind, this innovative tool delivers a faster, more precise installation, cutting install time up to half.

Testimonials from real homeowners, contractors, and designers



Nikki Reed
Actress and Founder of Bayou with Love

"I'm forever a lover of beautiful and functional outdoor spaces, and Trex really brought my dreams to life. After seeing how stunning and durable the materials were, I had to keep going and building more!"



"What I've been surprised about with the Trex decking material is how it withstands the abuse it takes down here in low country in the salt marsh. Our dock took on six hurricanes and after 10 years still looks brand new. No splinters, no sanding, no stress."

Rob and Lydia Mondavi
Homeowners



"California culture is all about indoor / outdoor living and Trex embodies that here for us in our backyard."


Shawn Taylor
Co-Owner of Dacotah Studios



"From the Signature X-Series cable system to the Transcend Lineage composite decking with SunComfortable technology, every part of the Trex system is engineered for a no-hassle assembly. Durable and stylish is a combo I'll take any day."

Darren Keefe
HGTV Designer and Host

With railing options for every style, it's never been easier to make the Trex decision that's right for you™



An elevated finish for spaces that feel beautifully complete

Elevated Style

With cable, mesh, glass and baluster infill options, you can achieve a look that suits your style and is a modern alternative to standard wood or vinyl railing.

Install with Confidence

With deck railing kits, pre-assembled panels, clear instructions and the right tools, installing your railing feels straightforward from start to finish.

Durability to Match Our Decking

Built with the same outstanding durability as Trex decking, your railing is engineered to endure whatever Mother Nature sends its way.*

*For full details, see the Trex Limited Warranties on pages 65-71.


More Material Options

From traditional composites to sleek metal offerings, our wide selection of safe and stylish railing options offers more choices for your build.

Think about railing early. Thank yourself later.

Railing belongs in the plan, not as the afterthought. With the **Trex Railing Designer**, design the whole deck, not just the boards. Explore classic composites, sleek metal, glass, cable, and modern infills for a clearer vision from day one.

Transform your vision into a view at railingdesigner.trex.com



BALUSTERS

Ensures your rail's safety and sturdiness. Available in pre-assembled panels for compatible rails, for a hassle-free installation.

FOOT BLOCK

Foot blocks reinforce your rail. Required for certain rail sections.

POST SKIRT

Conceals gaps at post bases for a seamless look. Decorative and simple to install for a polished finish.

COMPOSITE POST SLEEVE

Durable covers protect wood posts from weather while enhancing style with low maintenance and easy installation.

RAILING POST

Vertical supports that secure rails in place. Durable, stylish options for modern or traditional designs with lasting safety and beauty.

GLASS INFILL

Clear panels offer unobstructed views, preserve sightlines, and enhance illumination with a sleek, elegant touch.

MESH INFILL

Structural mesh adds texture, security, and airflow with an industrial look and durable design.

ROD RAIL INFILL

The horizontal rail provides support and frames the system.

POST CAP

Protects posts from weather and adds elegance, blending form and function seamlessly for composite railings.

COCKTAIL RAIL


Adds a convenient surface to your deck for drinks, plates, towels, potted plants, and more.

CABLE INFILL

Sleek stainless-steel cables provide open views, and a modern, minimalist aesthetic with a hassle-free install.

TOP & BOTTOM RAILS

Supports the infill and frames the system. Durable and stylish for a balanced, cohesive design.



Trex Signature® X-Series™ Railing

\$\$\$\$\$  ★★★★★



Charcoal Black

Stainless Steel Cable Infill

Frameless Glass Infill

Stainless Steel Mesh Infill

Glass Infill

ICON KEY

PRICE

LIMITED RESIDENTIAL
WARRANTY COVERAGE

RAILING DESIGN
FLEXIBILITY


\$-\$\$\$\$\$



★★★★★

Trex Signature® Aluminum Railing

\$\$\$\$\$-\$\$\$\$\$\$  ★★★★★



Charcoal Black

Bronze

Classic White

Square or Round Balusters

Rod Rail Infill

Mix & Match Colors

Personalize Your Look

Trex Transcend® Composite Railing

\$\$\$\$\$  ★★★★★



Charcoal Black

Vintage Lantern

Rope Swing

Classic White

Round Aluminum Balusters

Square Composite Balusters

Customize almost any Trex railing with options like cocktail rails, curves, lighting or ADA options

Trex Select® Composite Railing

\$\$\$\$\$  ★★★★★



Charcoal Black

Classic White

Classic Rail With Round Aluminum Balusters


T-Rail With Square Composite Balusters

T-Rail With Round Aluminum Balusters

Classic Rail With Steel Mesh Infill

Trex Select™ Aluminum Railing

\$\$\$\$\$  ★★★★★



Charcoal Black

Burnished Bronze

Square Balusters

Square Balusters

Steel Railing

Trex Enhance™ Steel Railing

\$\$\$\$\$  ★★★★★



Charcoal Black

Steel Railing




SCAN TO USE
OUR RAILING
DESIGNER TOOL

\$\$\$\$\$ 50
YEAR ★★★★★

Charcoal
Black

Outdoor sophistication and X-ponential style



ICON KEY

PRICE

LIMITED RESIDENTIAL
WARRANTY COVERAGE

RAILING DESIGN
FLEXIBILITY

\$ -\$\$\$\$\$

50
YEAR 35
YEAR 25
YEAR 15
YEAR

★★★★★




Two Specialty Infill Options

Choose a modern stainless steel cable or the frameless glass infill
for unobstructed views and streamlined looks.

Cable hardware is made from premium-grade stainless steel for
corrosion resistance in marine and coastal applications, with novel
spring-loaded cables for optimal tension management.


Stainless Steel Cable Infill



Frameless Glass Infill



\$\$\$\$\$ -\$\$\$\$\$ ★★★★★



Effortless style, exceptional strength



*Clean, sleek, and elegant railing
to let your view shine through*



Made from premium aluminum, with four unique infills
to complement any design aesthetic

Square or Round Balusters

Rod Rail Infill

Stainless Steel Mesh Infill

Glass Infill

ICON KEY

PRICE

LIMITED RESIDENTIAL
WARRANTY COVERAGE

RAILING DESIGN
FLEXIBILITY

\$ -\$\$\$\$\$



★★★★★

\$\$\$\$  ★★★★★



Timeless design you can trust and tailor



ICON KEY

PRICE

LIMITED RESIDENTIAL
WARRANTY COVERAGE

RAILING DESIGN
FLEXIBILITY

\$ -\$\$\$\$\$



★★★★★

Round Aluminum Balusters

Mix & Match Colors

Square Composite Balusters

Personalize Your Look

Customize almost any Trex railing with options like
cocktail rails, curves, lighting or ADA compliant options

Mix and match or choose a railing kit

Trex Transcend offers the freedom to mix and match infill and rails putting every color combination within reach. Get style-specific or eliminate the guesswork with pre-designed kits.



\$\$\$\$\$  ★★★★★



The simple choice for your outdoor space.



Affordable **Trex Select®** railing outperforms vinyl and wood options and comes backed by a 25-year limited warranty*. Choose from Classic or T-Rail top rails with round aluminum or square composite baluster options or opt for new Select steel mesh railing infill panels for a rustic, industrial look, crafted from robust carbon steel.

Classic Rail With Round Aluminum Balusters

T-Rail With Round Aluminum Balusters

T-Rail With Square Composite Balusters

Classic Rail With Steel Mesh Infill

ICON KEY

PRICE

LIMITED RESIDENTIAL WARRANTY COVERAGE

RAILING DESIGN FLEXIBILITY

\$ -\$\$\$\$\$



★★★★★


*For full details, see the Trex Limited Warranties on pages 65-71.

\$\$\$\$\$  ★★★★★



Elegance meets simplicity

Square Balusters



Strike a balance of strength, weather resistance and value with **Trex Select™ Aluminum Railing**, crafted from powder-coated aluminum that resists corrosion* for lasting beauty. Affordable, easy-to-install panels offer clean, modern design combined with durability and ease of maintenance.

\$\$\$\$  ★★★★★



Functional design at a budget-friendly cost

Sometimes a simple steel railing is all you need to add a modern touch. Entry-level **Trex Enhance™ Steel Railing** delivers functional design at a budget-friendly price. The simple design highlights your view and withstands weather and arid conditions.*

Square Balusters



DECKING:
Trex Refuge™ in Martis Valley
RAILING:
Trex Enhance™ Steel

ICON KEY

PRICE

LIMITED RESIDENTIAL
WARRANTY COVERAGE


RAILING DESIGN
FLEXIBILITY

\$ -\$\$\$\$\$



★★★★★

*For full details, see the Trex Limited Warranties on pages 65-71.



Lasting beauty, low maintenance.

Finish your backyard paradise with the perfect frame.

Fencing:
Trex® Fencing Horizons in Winchester Grey



Low-Maintenance

No painting or staining;
won't rot, peel, or splinter
like wood.*



True Privacy


Interlocking pickets
create a continuous,
gap-free screen.



Wind-Ready

Performance-Engineered™
system designed to stay
stable through gusty
conditions.

*For full details, see the Trex Railing Limited Warranties at trex.com/customer-support/trex-owners/warranty



High-performance decks
need high-performance deck builders

Has an Independent
Contractor License,
Where Required

Experienced in
Trex Products and
Installation

Carries General
Liability Insurance,
Where Required


GET A
QUOTE




FOLLOW
@buildwithtrex



Bring your projects to life with help from our



Visualize your new deck right in your backyard with
the Trex decking and railing **AR Visualizer App**.
Download the Trex AR Visualizer from any app store.



Our **Deck Designer tool** helps you handpick every
element of your build and preview it in 3D.

Get started with all of our planning tools at trex.com



Scan to Find More
Trex Tools and
Resources



Trex® RainEscape®



Trex® Outdoor Furniture



Trex® Outdoor Kitchens



Trex® Cladding




Trex® Fascia



Trex® Pergola



Trex® Lattice



Trex® Spiral Stairs



Trex® Outdoor Lighting



Trex® Fencing



Trex® Cornhole

Let Trex deliver the finishing touches your project deserves

Trex® RainEscape® products are manufactured and sold by IBP, LLC under a Trademark License Agreement with Trex Company, Inc. RainEscape® is a federally registered trademark of IBP, LLC. A Limited Warranty is provided by the manufacturer. Trex® Outdoor Furniture products are manufactured and sold by POLYWOOD. Under a Trademark License Agreement with Trex Company, Inc. A 20-Year Limited Warranty is provided by the manufacturer. Trex® Outdoor Kitchens is manufactured and sold by Danver Acquisitions, LLC, under a Trademark Agreement with Trex Company, Inc. A Limited Warranty is provided by the manufacturer. Trex® Lattice is manufactured and sold by Home & Leisure, Inc., d/b/a/ Structureworks, under a Trademark License Agreement with Trex Company, Inc. A 12-year Limited Warranty is provided by the manufacturer. Trex® Pergola products are manufactured and sold by Home & Leisure, Inc., d/b/a/ Structureworks, under a Trademark License Agreement with Trex Company, Inc. A 25-year Limited Residential Warranty and a 10-Year Limited Commercial Warranty provided by the manufacturer. Sunbrella® is a registered trademark of Glen Raven, Inc. ShadeTree® Canopy is a registered trademark of Shade Tree Inc. Trex® Spiral Stairs are manufactured and sold by SS Industries dba Paragon Stairs. Trex® is a trademark of Trex Company Inc., and is used by SS Industries dba Paragon Stairs under license with, Trex Company, Inc. Trex® Cornhole products are manufactured and sold by Johnson Enterprises, LLC, under a Trademark License Agreement with Trex Company, Inc. A Limited Warranty provided by manufacturer. For the terms of warranties on Trex® Outdoor Lighting visit trex.com. Cree® is a registered trademark of Cree, Inc.

Trex® Decking

Performance-Engineered™ for Your Life Outdoors

PRODUCT SPECIFICATIONS

Trex Decking and Fascia

PROFILE	DESCRIPTION	ITEM #	COLORS
1" Square-Edge Board Actual dimensions: Trex Signature® 1x6: .94 in x 5.5 in x 16 ft / 20 ft (24 mm x 140 mm x 487 cm / 609 cm) Trex Transcend® Lineage® 1x4: .94 in x 3.5 in x 16 ft (24 mm x 89 mm x 487 cm) Trex Transcend® Lineage® 1x6: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft (24 mm x 140 mm x 365 cm / 487 cm / 609 cm) Trex Transcend® 1x6: .94 in x 5.5 in x 16 ft / 20 ft (24 mm x 140 mm x 487 cm / 609 cm) Trex Select® 7/8x6: .82 in x 5.5 in x 16 ft / 20 ft (20 mm x 140 mm x 487 cm / 609 cm) Trex Enhance® 1x6: .94 in x 5.5 in x 16 ft / 20 ft (24 mm x 140 mm x 487 cm / 609 cm) Trex Refuge® 1x6: .94 in x 5.5 in x 16 ft / 20 ft (24 mm x 140 mm x 487 cm / 609 cm)	1 x 6 x 16' 1 x 6 x 20'	Signature XX010616NS01 XX010620NS01	OC, WY
	1 x 4 x 16'	Transcend Lineage XX010416TLS01	BC, CL, HT, IM, JA, RN, SF
	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Lineage XX010612TLS01 XX010616TLS01 XX010620TLS01	BC, CL, HT, IM, JA, RN, SF
	1 x 6 x 16' 1 x 6 x 20'	Transcend Tropicals XX010616TS01 XX010620TS01	HG, IM, LR, SR, TT
	1 x 6 x 16' 1 x 6 x 20'	Transcend Earth Tones XX010616T2S01 XX010620T2S01	RS
	7/8 x 6 x 12' 7/8 x 6 x 16' 7/8 x 6 x 20'	Select XX010612SS01 XX010616SS01 XX010620SS01	PG, SD
	7/8 x 6 x 12' 7/8 x 6 x 16' 7/8 x 6 x 20'	Select XX010612S2S01 XX010616S2S01 XX010620S2S01	MY, MS, WL
	1 x 6 x 16' 1 x 6 x 20'	Enhance Naturals XX010616E2S01 XX010620E2S01	CC, FW, GH, HY, RH, TS
	1 x 6 x 16' 1 x 6 x 20'	Enhance Basics XX010616E2S01 XX010620E2S01	CS, PB, SD, TP
	1 x 6 x 16' 1 x 6 x 20'	Refuge XX010616RS01 XX010620RS01	MV, PR
1" Grooved-Edge Board Actual dimensions: Trex Signature® 1x6: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft (24 mm x 140 mm x 365 cm / 487 cm / 609 cm) Trex Transcend® Lineage® 1x6: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft (24 mm x 140 mm x 365 cm / 487 cm / 609 cm) Trex Transcend® 1x6: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft (24 mm x 140 mm x 365 cm / 487 cm / 609 cm) Trex Select® 7/8x6: .82 in x 5.5 in x 12 ft / 16 ft / 20 ft (20 mm x 140 mm x 365 cm / 487 cm / 609 cm) Trex Enhance® 1x6: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft (24 mm x 140 mm x 365 cm / 487 cm / 609 cm)	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Signature XX010612NG01 XX010616NG01 XX010620NG01	OC, WY
	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Lineage XX010612TLG01 XX010616TLG01 XX010620TLG01	BC, CL, HT, IM, JA, RN, SF
	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Tropicals XX010612TG01 XX010616TG01 XX010620TG01	HG, IM, LR, SR, TT
	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Earth Tones XX010612T2G01 XX010616T2G01 XX010620T2G01	RS

PROFILE	DESCRIPTION	ITEM #	COLORS	
7/8 x 6 x 12' 7/8 x 6 x 16' 7/8 x 6 x 20'	Select XX010612SG01 XX010616SG01 XX010620SG01	PG, SD		
7/8 x 6 x 12' 7/8 x 6 x 16' 7/8 x 6 x 20'	Select XX010612S2G01 XX010616S2G01 XX010620S2G01	MY, MS, WL		
1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Enhance Naturals XX010612E2G01 XX010616E2G01 XX010620E2G01	CC, FW, GH, HY, RH, TS		
1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Enhance Basics XX010612E2G01 XX010616E2G01 XX010620E2G01	CS, PB, SD, TP		
1" x 8" Fascia Board Actual dimensions: Trex Signature® Trex Transcend® Lineage® Trex Transcend® Trex Select® Trex Enhance® Universal White: .56 in x 7.25 in x 12 ft (14 mm x 184 mm x 365 cm)	1 x 8 x 12' Signature XX010812NS01	OC, WY		
	1 x 8 x 12' Transcend Lineage XX010812TLS01	BC, CL, HT, IM, JA, RN, SF		
	1 x 8 x 12' Transcend Tropicals XX010812TS01	HG, IM, LR, SR, TT		
	1 x 8 x 12' Transcend Earth Tones XX010812T2S01	RS		
	1 x 8 x 12' Select XX010812SS01	PG, SD		
	1 x 8 x 12' Select XX010812S2S01	MY, MS, WL		
	1 x 8 x 12' Enhance Naturals XX010812E2S01	CC, FW, GH, HY, RH, TS		
	1 x 8 x 12' Enhance Basics XX010812E2S01	CS, PB, SD, TP		
	1 x 8 x 12' Universal White WW010812ES01	WW		
1" x 12" Fascia Board Actual dimensions: Trex Signature® Trex Transcend® Lineage® Trex Transcend® Trex Select® Trex Enhance® Universal White: .56 in x 11.375 in x 12 ft (14 mm x 288 mm x 365 cm)	1 x 12 x 12' Signature XX011212NS01	OC, WY		
	1 x 12 x 12' Transcend Lineage XX011212TLS01	BC, CL, HT, IM, JA, RN, SF		
	1 x 12 x 12' Transcend Tropicals XX011212TS01	HG, IM, LR, SR, TT		
	1 x 12 x 12' Transcend Earth Tones XX011212T2S01	RS		
	1 x 12 x 12' Select XX011212SS01	PG, SD		
	1 x 12 x 12' Select XX011212S2S01	MY, MS, WL		
	1 x 12 x 12' Enhance Naturals XX011212E2S01	CC, FW, GH, HY, RH, TS		
	1 x 12 x 12' Enhance Basics XX011212E2S01	CS, PB, SD, TP		
	1 x 12 x 12' Universal White WW011212ES01	WW		
2" Square-Edge Board Actual dimensions: Trex Transcend® Tropicals 2x4: 1.3 in x 3.4 in x 16 ft (33 mm x 86 mm x 487 cm)	2 x 4 x 16' Transcend Tropicals XX020416TS01	HG, IM, LR, SR, TT		
	2 x 6 x 12' 2 x 6 x 16' 2 x 6 x 20'	Transcend Tropicals XX020612TS01 XX020616TS01 XX020620TS01	HG, IM, LR, SR, TT	
	2 x 6 x 12' 2 x 6 x 16' 2 x 6 x 20'	Select XX020612SS01 XX020616SS01 XX020620SS01	PG, SD	
	2 x 6 x 12' 2 x 6 x 16' 2 x 6 x 20'	Select XX020612S2S01 XX020616S2S01 XX020620S2S01	MY, MS, WL	

XX = COLOR PREFIX

BC Biscayne	FW Foggy Wharf	IM Island Mist	MY Malted Barley	RH Rocky Harbor	SF Salt Flat	TT Tiki Torch
CC Cinnamon Cove	GH Golden Hour	JA Jasper	OC Ocracoke	RN Rainier	SR Spiced Rum	WW Universal White
CL Carmel	HG Havana Gold	LR Lava Rock	PB Pebble Beach	RS Rope Swing	TP Tide Pool	WY Whidbey
CS Clam Shell	HT Hatteras	MS Millstone	PG Pebble Grey	SD Saddle	TS Toasted Sand	WL Whiskey Barrel
	HY Honey Grove	MV Martins Valley	PR Point Reyes			

Trex® Railing Endless Possibilities

TREX® POST SLEEVES, CAPS & SKIRTS

These components can be used as steps 1 & 2 for most Trex railing lines.

STEP	COMPONENT	DESCRIPTION	ITEM #	COLORS
1	Post Sleeve Each 4x4 and 6x6 post sleeve fits over a 4x4 pressure treated post or equivalent post mount.	 4" x 4" x 39" Post Sleeve 4" x 4" x 108" Post Sleeve	XX040439APS XX0404108APS	WT, BK, RS, VL
		 6" x 6" x 39" Post Sleeve 6" x 6" x 108" Post Sleeve	WT060639APS WT0606108APS	WT
<i>Dimensions are nominal. See below for actuals and metrics. [4.45 in x 4.45 in x 40 in (113 mm x 113 mm x 101 cm) external dimensions], [4.45 in x 4.45 in x 108 in (113 mm x 113 mm x 274 cm) external dimensions], [5.5 in x 5.5 in x 39 in (139 mm x 139 mm x 990 mm) external dimensions], [5.5 in x 5.5 in x 108 in (139 mm x 139 mm x 274 cm) external dimensions]</i>				
1	Aluminum Post Sleeve With post cap and skirt	 4" x 4" x 37" Aluminum Post Sleeve 4" x 4" x 43" Aluminum Post Sleeve 4" x 4" x 53" Aluminum Post Sleeve—Stair	XXSAL040437PS XXSAL040443PS XXSAL040453PS	BK, BB
2a	Post Sleeve Cap Also available with LED lighting. <i>Dimensions are nominal. See below for actuals and metrics. [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions] [5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]</i>	 Flat 4" x 4" Post Sleeve Cap Flat 6" x 6" Post Sleeve Cap	PXXSQCAP4X4 PWTSQLCAP6X6	WT, BK, RS, VL
2a	Solar Post Cap Light <i>Dimensions are nominal. See below for actuals and metrics. [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions]</i>	 Flat 4" x 4" Solar Post Cap Light	XXSOLAR4X4CAP	WT, BK, VL
2b	Post Sleeve Skirt <i>Dimensions are nominal. See below for actuals and metrics. [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions] [5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]</i>	 4" x 4" Post Sleeve Skirt 6" x 6" Post Sleeve Skirt	PXXSKIRT4X4 PWTSKIRT6X6	WT, BK, RS, VL
1	All-In-One Post Kit With low-profile post sleeve, post cap and skirt <i>Not for use with Trex Transcend®</i>	 40" Trex Select All-In-One Post Kit 48" Trex Select All-In-One Post Kit 54" Trex Select All-In-One Post Kit	XX040440NTPS XX040448NTPS XX040454NTPS	WT, BK
2a				
2b				

Please read the system descriptions at the top of each product section so you can choose exactly which railing components you need to complete your design. For additional guidance, the chart below depicts each railing system's component.

ACCESSORIES

COMPONENT	DESCRIPTION	ITEM #	COMPONENT	DESCRIPTION	ITEM #
Surface Mount Post For use with 4x4 composite post sleeve.	Aluminum Surface Mount Post for 36" (914 mm) Rail Height (1/box)	ALPOSTMOUNT36	Joist Mount Post For use with 4x4 composite post sleeve.	Aluminum Joist Mount Post for use with all Trex railing heights (1/box)	CPJMNTPOST63
<i>Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm) 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)</i>	Aluminum Surface Mount Post for 42" (1066 mm) Rail Height (1/box)	ALPOSTMOUNT42	<i>Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)</i>	Aluminum Joist Mount Post for use with all Trex railing heights (1/box)	CPJMNTPOST63
	Surface Mount Post Hardware—Wood (10 kits/box)	ALPOSTHWDECK			

XX = COLOR PREFIX BK Charcoal Black
RS Rope Swing
VL Vintage Lantern
WT Classic White

TREX® SIGNATURE X-SERIES™ RAILING

Choose your X-Series Post for step 1. Pair with either a Cable Rail Kit or Frameless Glass Infill Kit and Laminated Glass Panel for steps 2 & 3.

STEP	COMPONENT	DESCRIPTION	ITEM #
1	X-Series Posts <i>Dimensions are nominal. See below for actuals and metrics. [3.5 in x 3.5 in x 36.9 in (88 mm x 88 mm x 937 mm) actual dimensions] [3.5 in x 3.5 in x 42.9 in (88 mm x 88 mm x 108 cm) actual dimensions] [3.5 in x 3.5 in x 52.9 in (88 mm x 88 mm x 134 cm) actual dimensions]</i>	 3.5" x 3.5" x 37" Anchor Post—Horizontal 3.5" x 3.5" x 43" Anchor Post—Horizontal* 3.5" x 3.5" x 53" Anchor Post—Stair <i>*Can be used for stair applications for 36" rail height only</i>	BKAX353537RCAP BKAX353543RCAP BKAX353553RCAP
2	Cable Rail Kit <i>Dimensions are nominal. See below for actuals and metrics. [6' x 36": 72 in x 36 in (182 cm x 914 mm) actual dimensions] [12' x 36": 144 in x 36 in (365 cm x 914 mm) actual dimensions] [18' x 36": 216 in x 36 in (548 cm x 914 mm) actual dimensions] [6' x 42": 72 in x 42 in (182 cm x 106 cm) actual dimensions] [12' x 42": 144 in x 42 in (365 cm x 106 cm) actual dimensions] [18' x 42": 216 in x 42 in (548 cm x 106 cm) actual dimensions]</i>	 6' x 36" Cable Rail Kit—Horizontal 12' x 36" Cable Rail Kit—Horizontal 18' x 36" Cable Rail Kit—Horizontal 6' x 36" Cable Rail Kit—Stair 6' x 42" Cable Rail Kit—Horizontal 12' x 42" Cable Rail Kit—Horizontal 18' x 42" Cable Rail Kit—Horizontal 6' x 42" Cable Rail Kit—Stair	BKAX0636CBLHCK BKAX1236CBLHCK BKAX1836CBLHCK BKAX0636CBLSRK BKAX0642CBLHCK BKAX1242CBLHCK BKAX1842CBLHCK BKAX0642CBLSRK
2	Frameless Glass Infill Kit <i>Infill Kit—Horizontal (One Size)</i>	 BKAXGLIK	
3	Laminated Glass Panel <i>For use with Trex Signature® X-Series™ Frameless Glass Infill Kit.</i>	 for 36" Rail Height—Horizontal for 42" Rail Height—Horizontal	<i>Visit glass.trex.com to order custom glass panels to complete your build.</i>

ACCESSORIES	COMPONENT	DESCRIPTION	ITEM #
	Compound Swivel Bracket	1 per pack (top rail only). For horizontal or stair.	BKAXCPDSWBKT


TREX SIGNATURE® RAILING


Choose either aluminum posts or composite post sleeves, caps and skirts for steps 1 & 2. Pair with a rail kit (step 3) and infill panel (step 4) if needed.

STEP	COMPONENT	DESCRIPTION	ITEM #	DESCRIPTION	ITEM #
1+2	Aluminum Posts <small>Can only be used within the Trex Signature® line. Mounting hardware for post sold separately.</small> <small>Trex Signature® aluminum posts fulfill steps 1 & 2. If using composite post sleeves, refer to previous page.</small>	2.5" x 2.5" x 37" Aluminum Post—Horizontal 2.5" x 2.5" x 43" Aluminum Post—Horizontal 2.5" x 2.5" x 53" Aluminum Post—Stair Comes with cap and skirt. 2.5" x 2.5" x 37" Line Post with Premounted Brackets 2.5" x 2.5" x 37" End Post with Premounted Brackets 2.5" x 2.5" x 37" Corner Post with Premounted Brackets 2.5" x 2.5" x 43" Line Post with Premounted Brackets 2.5" x 2.5" x 43" End Post with Premounted Brackets 2.5" x 2.5" x 43" Corner Post with Premounted Brackets Comes with cap and skirt.	XXAL252537RCAP XXAL252543RCAP XXAL252553RCAP	2.5" x 2.5" x 36" Crossover Post—Horizontal 2.5" x 2.5" x 42" Crossover Post—Horizontal Comes with skirt.	XXAL252536RCCP XXAL252542RCCP
					
			BKAL252537RCAPLINE2G	2.5" x 2.5" x 63" Aluminum Joist Mount Post Comes with cap and skirt.	XXJMNTPOST63
			BKAL252537RCAPCNR2G		
			BKAL252543RCAPLINE2G		
			BKAL252543RCAPEND2G	Fascia Mount Kit - Wood Framing For use with Joist Mount Post only.	XXFMNTWOOD
			BKAL252543RCAPCNR2G		
			LINE END CORNER		
			IRC Aluminum Mounting Plate & Hardware For use with all Trex 2.5" Surface Mount Aluminum Posts.	ALPOSTHWDECK	Concrete Post Mount Kit ALPOSTHWCONC

Dimensions are nominal. See below for actuals and metrics.

[2.5 in x 2.5 in x 36 in (63 mm x 63 mm x 914 mm) actual dimensions] [2.5 in x 2.5 in x 37 in (63 mm x 63 mm x 939 mm) actual dimensions] [2.5 in x 2.5 in x 42 in (63 mm x 63 mm x 106 cm) actual dimensions] [2.5 in x 2.5 in x 43 in (63 mm x 63 mm x 109 cm) actual dimensions] [2.5 in x 2.5 in x 53 in (63 mm x 63 mm x 134 cm) actual dimensions] [2.5 in x 2.5 in x 63 in (63 mm x 63 mm x 160 cm) actual dimensions]

STEP	COMPONENT	DESCRIPTION	ITEM #	DESCRIPTION	ITEM #
3	Assembled Panels <small>Does not include hardware. Available in BK.</small>	4' x 36" Assembled Panel (Square)—Horizontal 6' x 36" Assembled Panel (Square)—Horizontal 6' x 36" Assembled Panel (Square)—Stair 8' x 36" Assembled Panel (Square)—Horizontal 8' x 36" Assembled Panel (Square)—Stair	BKAS0436HRPNL BKAS0636HRPNL BKAS0636SRPNL BKAS0836HRPNL BKAS0836SRPNL	4' x 42" Assembled Panel (Square)—Horizontal 6' x 42" Assembled Panel (Square)—Horizontal 6' x 42" Assembled Panel (Square)—Stair 8' x 42" Assembled Panel (Square)—Horizontal 8' x 42" Assembled Panel (Square)—Stair	BKAS0442HRPNL BKAS0642HRPNL BKAS0642SRPNL BKAS0842HRPNL BKAS0842SRPNL
					

STEP	COMPONENT	DESCRIPTION	ITEM #	DESCRIPTION	ITEM #
3	Rail & Baluster Kit <small>(includes top rail, bottom rail, balusters and mounting and support hardware) Round kits available in BK. Square kits available in BK and WT.</small>	6' x 36" Rail Kit w/ Round Balusters—Horizontal 6' x 36" Rail Kit w/ Round Balusters—Stair 8' x 36" Rail Kit w/ Round Balusters—Horizontal 8' x 36" Rail Kit w/ Round Balusters—Stair	BKAR0636HRK BKAR0636SRK BKAR0836HRK BKAR0836SRK	6' x 42" Rail Kit w/ Round Balusters—Horizontal 6' x 42" Rail Kit w/ Round Balusters—Stair 8' x 42" Rail Kit w/ Round Balusters—Horizontal 8' x 42" Rail Kit w/ Round Balusters—Stair	BKAR0642HRK BKAR0642SRK BKAR0842HRK BKAR0842SRK
					
3	Rod Rail Kit <small>(includes top rail, bottom rail, rods and mounting and support hardware) Available in BK/BK.</small>	6' x 36" Rod Rail Kit—Horizontal 6' x 36" Rod Rail Kit—Stair 8' x 36" Rod Rail Kit—Horizontal 8' x 36" Rod Rail Kit—Stair	BKBKROD0636HRK BKBKROD0636SRK BKBKROD0836HRK BKBKROD0836SRK	6' x 42" Rod Rail Kit—Horizontal 6' x 42" Rod Rail Kit—Stair 8' x 42" Rod Rail Kit—Horizontal 8' x 42" Rod Rail Kit—Stair	BKBKROD0642HRK BKBKROD0642SRK BKBKROD0842HRK BKBKROD0842SRK
					
3	Mesh Rail Kit <small>(includes top rail, bottom rail, verticals and mounting and support hardware) Available in BK. Mesh infill sold separately.</small>	36" Mesh Rail Vertical Kit—Horizontal 36" Mesh Rail Vertical Kit—Stair 42" Mesh Rail Vertical Kit—Horizontal 42" Mesh Rail Vertical Kit—Stair	BKA0636PNLHRK BKA0636PNLSRK BKA0836PNLHRK BKA0836PNLSRK	6' x 42" Mesh Rail Kit—Horizontal 6' x 42" Mesh Rail Kit—Stair 8' x 42" Mesh Rail Kit—Horizontal 8' x 42" Mesh Rail Kit—Stair	BKA0642PNLHRK BKA0642PNLSRK BKA0842PNLHRK BKA0842PNLSRK
					
3	Glass Rail Kit <small>(includes top rail, bottom rail, and mounting and support hardware) Available in BK and WT. Glass infill sold separately.</small>	36" Glass Rail Vertical Kit—Horizontal 36" Glass Rail Vertical Kit—Stair 42" Glass Rail Vertical Kit—Horizontal 42" Glass Rail Vertical Kit—Stair	BK36MSHHVERTK BK36MSHSVERTK BK42MSHHVERTK BK42MSHSVERTK	6' Glass Rail Kit—Horizontal Dimension above is nominal. See below for actual and metric. [6' 72 in (182 cm) actual dimension]	XXA06HGLRK
					
4	Mesh Panel <small>For use with Trex Signature® Mesh Rail Kit. Dimensions are nominal. See below for actuals and metrics.</small>	6' x 36" Stainless Steel Mesh Panel—Horizontal 8' x 36" Stainless Steel Mesh Panel—Horizontal 8' x 42" Stainless Steel Mesh Panel—Horizontal Universal Stainless Steel Mesh Panel—Stair			SSMESH0636HZ SSMESH0836HZ SSMESH0842HZ SSMESHUNIVST
					
4	Glass Panel <small>For use with Trex Signature® Glass Rail Kit.</small>	for 36" Rail Height—Horizontal for 42" Rail Height—Horizontal			Visit glass.trex.com to order custom glass panels to complete your build.
					
ACCESSORIES	COMPONENT	ITEM #	COMPONENT	ITEM #	ITEM #
	Bracket Template—Horizontal (36" and 42") - 4x4 Composite Sleeve	SIGTEMP4X4SLEEVE2G	Cocktail Rail Bracket (10/pack) Fixed Bracket—Horizontal (4/pack) Fixed Bracket—Stair (4/pack) Swivel Bracket—Horizontal (2/pack—1 top, 1 bottom) Swivel Bracket—Stair (2/pack—1 top, 1 bottom) Compound Swivel Bracket (2/pack—1 top, 1 bottom)	XXCTBKTL10PK XXFBKTLALPNL2G XXFSBKTL XXSWBKTL XXCPDSWBKTL	XXCTBKTL10PK XXFBKTLALPNL2G XXFSBKTL XXSWBKTL XXCPDSWBKTL
	Bracket Template—Horizontal (36" and 42") - 2.5" Aluminum Post	SIGTEMPIRCPOST2G	Crossover Bracket—Horizontal (1/pack) 90° Crossover Bracket—Horizontal (1/pack) Crossover Rail End Cap Swivel Crossover Bracket—Stair (1/pack)	XX25FHCBKTL XX90FHCBKTL XXXOVERENDCAP XX25RCWSBCBKTL	XX25FHCBKTL XX90FHCBKTL XXXOVERENDCAP XX25RCWSBCBKTL
	Foot Block Extended Foot Block	XXALFTBLK XXAL08FTBLK	Touch-up Pen		XXTOUCHUPPEN

TREX TRANSCEND® RAILING

Transcend is either a 3-step or 5-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2), then choose a rail kit (step 3). OR choose each component individually for a custom design (steps 3a, 3b, 4 & 5).

STEP	COMPONENT	DESCRIPTION	ITEM #	COLORS
3	Rail & Square Composite Baluster Kit <small>(includes Crown top rail, Universal bottom rail, square composite balusters, baluster spacers, adjustable foot block and mounting hardware) Color option indicates rails and balusters.</small>	6' x 36" Rail & Baluster Kit—Horizontal 6' x 36" Rail & Baluster Kit—Stair 8' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Stair	XX0636HRKFS WT0636SRKFS XX0836HRKFS XX0836SRKFS	WT, BK, VL
		6' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Stair	XX0642HRKFS XX0842HRKFS XX0842SRKFS	WT, BK, VL
3	Rail & Round Aluminum Baluster Kit <small>(includes Crown top rail, Universal bottom rail, round aluminum balusters, baluster spacers, adjustable foot block and mounting hardware) Color option indicates rails. Round aluminum balusters come in BK.</small>	6' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Stair	XXRD0636HRKFS XXRD0836HRKFS XXRD0836SRKFS	WT, BK, VL
		6' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Stair	XXRD0642HRKFS XXRD0842HRKFS XXRD0842SRKFS	WT, BK, VL
3	Cocktail Rail & Round Aluminum Baluster Kit <small>(includes Universal top/bottom rails, round aluminum balusters, baluster spacers, adjustable foot block and mounting hardware) Round aluminum balusters come in BK. Only Trex Signature®, Trex Transcend® and Trex Select® deck boards can be used for cocktail rail and Transcend 1x4 and 2x4 applications.</small>	6' x 36" Cocktail Rail & Baluster Kit—Horizontal 8' x 36" Cocktail Rail & Baluster Kit—Horizontal 8' x 36" Cocktail Rail & Baluster Kit—Stair	WTRD0636HRKCKTLFS WTRD0836HRKCKTLFS WTRD0836SRKCKTLFS	WT
		<small>Dimensions are nominal. See below for actuals and metrics. 6' x 36": 72 in x 36 in (182 cm x 914 mm), 6' x 42": 72 in x 42 in (182 cm x 106 cm), 8' x 36": 96 in x 36 in (243 cm x 914 mm), 8' x 42": 96 in x 42 in (243 cm x 106 cm)</small>		
3a	Top Rail <small>Universal top rail is used for cocktail rail applications.</small>	6' Crown Top Rail 8' Crown Top Rail	XXCROWNTR06FS XXCROWNTR08FS	WT, BK, RS, VL
3b	Bottom Rail	6' Universal Top/Bottom Rail 8' Universal Top/Bottom Rail	XXUNIVTBR06FS XXUNIVTBR08FS	WT, BK, RS, VL

STEP	COMPONENT	DESCRIPTION	ITEM #	COLORS																			
4	Balusters <small>See chart below for number of balusters needed to complete each railing section. Composite balusters are available in WT, BK, RS, and VL. Aluminum balusters are available in BK.</small>	 Square Composite Balusters for 36" Rail Height (16/pack)  Square Composite Balusters for 42" Rail Height (16/pack)  Round Aluminum Balusters for 36" Rail Height (20/pack)  Round Aluminum Balusters for 42" Rail Height (20/pack)	XX020230SBK XX020236SBK XXTA30RBK XXTA36RBK	WT, BK, RS, VL BK BK																			
	<small>Dimensions are nominal. See below for actuals and metrics. 6' Full Span Rail: 72 in (182 cm), 8' Full Span Rail: 96 in (243 cm), Composite 36" Baluster: 1.418 in x 1.418 in x 30.375 in (36 mm x 36 mm x 771 mm), Composite 42" Baluster: 1.418 in x 1.418 in x 36.375 in (36 mm x 36 mm x 923 mm), Aluminum 36" Baluster: .75 in x 30.25 in (19 mm x 768 mm), Aluminum 42" Baluster: .75 in x 36.25 in (19 mm x 920 mm)</small>																						
	<table border="1"> <thead> <tr> <th>BALUSTER</th> <th>ORIENTATON</th> <th>6' SECTION</th> <th>8' SECTION</th> </tr> </thead> <tbody> <tr> <td>Square composite</td> <td>Horizontal Stair</td> <td>14 11</td> <td>19 15</td> </tr> <tr> <td>Round aluminum</td> <td>Horizontal Stair</td> <td>16 13</td> <td>21 17</td> </tr> </tbody> </table>	BALUSTER	ORIENTATON	6' SECTION	8' SECTION	Square composite	Horizontal Stair	14 11	19 15	Round aluminum	Horizontal Stair	16 13	21 17										
BALUSTER	ORIENTATON	6' SECTION	8' SECTION																				
Square composite	Horizontal Stair	14 11	19 15																				
Round aluminum	Horizontal Stair	16 13	21 17																				
5	Accessory Infill Kit <small>(includes, baluster spacers, adjustable foot block and mounting hardware)</small>	 6' Accessory Infill Kit for Square Composite Balusters—Horizontal 6' Accessory Infill Kit for Square Composite Balusters—Stair 8' Accessory Infill Kit for Square Composite Balusters—Horizontal 8' Accessory Infill Kit for Square Composite Balusters—Stair 6' Accessory Infill Kit for Round Aluminum Balusters—Horizontal 6' Accessory Infill Kit for Round Aluminum Balusters—Stair 8' Accessory Infill Kit for Round Aluminum Balusters—Horizontal 8' Accessory Infill Kit for Round Aluminum Balusters—Stair	XXSQHIK06FS XXSQSIK06FS XXSQHIK08FS XXSQSIK08FS XXRDHIK06FS XXRDHSIK06FS XXRDHIK08FS XXRDHSIK08FS	WT, BK, RS, VL WT, BK, RS, VL WT, BK, RS, VL																			
	<small>Dimensions are nominal. See below for actuals and metrics. 6': 72 in (182 cm), 8': 96 in (243 cm)</small>																						
	<small>XX = COLOR PREFIX</small>	<small>COMPOSITE COLORS</small>	<small>ALUMINUM COLORS</small>																				
		BK Charcoal Black RS Rope Swing	VL Vintage Lantern WT Classic White	BK Charcoal Black WT Classic White																			
	<table border="1"> <thead> <tr> <th>ACCESSORIES</th> <th>COMPONENT</th> <th>ITEM #</th> <th>COMPONENT</th> <th>ITEM #</th> </tr> </thead> <tbody> <tr> <td></td> <td>Transcend Bracket Template—Horizontal (36" and 42")—Composite Sleeve</td> <td>TSCTEMP4X4SLEEVE</td> <td>Mounting Hardware for Cut Rails—Horizontal Mounting Hardware for Cut Rails—Stair</td> <td>XXHZACCYKIT XXSTACCYKIT</td> </tr> <tr> <td></td> <td></td> <td></td> <td>Transcend RSB Bracket Pack—Horizontal Transcend RSB Bracket Pack—Stair</td> <td>TSHBRACKET TSSBRACKET</td> </tr> <tr> <td></td> <td>Foot Block</td> <td>XXFTBLKPC</td> <td>0° Rail Gasket Pack—Horizontal 0° Degree Rail Gasket Pack—Stair 22.5° Gasket Pack 45° Birdsmouth Gasket Pack (for 4x4) 45° Degree Gasket Pack (for 6x6)</td> <td>XX00HGASK XX00SGASK XX22HGASK XX45RSBADAPK WT45HGASK</td> </tr> </tbody> </table>	ACCESSORIES	COMPONENT	ITEM #	COMPONENT	ITEM #		Transcend Bracket Template—Horizontal (36" and 42")—Composite Sleeve	TSCTEMP4X4SLEEVE	Mounting Hardware for Cut Rails—Horizontal Mounting Hardware for Cut Rails—Stair	XXHZACCYKIT XXSTACCYKIT				Transcend RSB Bracket Pack—Horizontal Transcend RSB Bracket Pack—Stair	TSHBRACKET TSSBRACKET		Foot Block	XXFTBLKPC	0° Rail Gasket Pack—Horizontal 0° Degree Rail Gasket Pack—Stair 22.5° Gasket Pack 45° Birdsmouth Gasket Pack (for 4x4) 45° Degree Gasket Pack (for 6x6)	XX00HGASK XX00SGASK XX22HGASK XX45RSBADAPK WT45HGASK		
ACCESSORIES	COMPONENT	ITEM #	COMPONENT	ITEM #																			
	Transcend Bracket Template—Horizontal (36" and 42")—Composite Sleeve	TSCTEMP4X4SLEEVE	Mounting Hardware for Cut Rails—Horizontal Mounting Hardware for Cut Rails—Stair	XXHZACCYKIT XXSTACCYKIT																			
			Transcend RSB Bracket Pack—Horizontal Transcend RSB Bracket Pack—Stair	TSHBRACKET TSSBRACKET																			
	Foot Block	XXFTBLKPC	0° Rail Gasket Pack—Horizontal 0° Degree Rail Gasket Pack—Stair 22.5° Gasket Pack 45° Birdsmouth Gasket Pack (for 4x4) 45° Degree Gasket Pack (for 6x6)	XX00HGASK XX00SGASK XX22HGASK XX45RSBADAPK WT45HGASK																			

TREX SELECT® RAILING

Trex Select® is a 3-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2) and a rail kit (step 3).

STEP	COMPONENT	DESCRIPTION	ITEM #	COLORS																										
1	All-In-One Post Kit <small>(with low-profile post sleeve, post cap and skirt) Available in WT.</small>		40" Trex Select All-In-One Post Kit 48" Trex Select All-In-One Post Kit 54" Trex Select All-In-One Post Kit	XX040440NTPS XX040448NTPS XX040454NTPS																										
				WT, BK																										
2a	Post Sleeve		4" x 4" x 39" Post Sleeve 4" x 4" x 108" Post Sleeve	XX040439APS XX0404108APS																										
				WT, BK																										
2b	Post Cap & Skirt		Flat 4" x 4" Post Sleeve Cap 4" x 4" Post Sleeve Skirt	PXXSQCAP4X4 PXXSKIRT4X4																										
				WT, BK																										
3	Classic Rail & Round Aluminum Baluster Kit <small>(includes top rail, bottom rail, round aluminum balusters, adjustable foot block and mounting hardware) Available in WT or BK rails with aluminum balusters in BK.</small>		6' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Horizontal 6' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Horizontal 6' x 36" Rail & Baluster Kit—Stair 8' x 36" Rail & Baluster Kit—Stair 8' x 42" Rail & Baluster Kit—Stair	XXRD0636HSELKFS XXRD0836HSELKFS XXRD0642HSELKFS XXRD0842HSELKFS XXRD0636SSELKFS XXRD0836SSELKFS XXRD0842SSELKFS																										
				WT, BK																										
	T-Rail & Round Aluminum Baluster Kit <small>(includes top rail, bottom rail, round aluminum balusters, adjustable foot block and mounting hardware) Available in WT rails with aluminum balusters in BK.</small>		6' x 36" T-Rail & Baluster Kit—Horizontal 8' x 36" T-Rail & Baluster Kit—Horizontal 10' x 36" T-Rail & Baluster Kit—Horizontal 6' x 42" T-Rail & Baluster Kit—Horizontal 8' x 42" T-Rail & Baluster Kit—Horizontal 6' x 36" T-Rail & Baluster Kit—Stair 8' x 36" T-Rail & Baluster Kit—Stair 8' x 42" T-Rail & Baluster Kit—Stair	WTRD0636HSELTRK WTRD0836HSELTRK WTRD1036HSELTRK WTRD0642HSELTRK WTRD0842HSELTRK WTRD0636SSELTRK WTRD0836SSELTRK WTRD0842SSELTRK																										
3	T-Rail & Square Composite Baluster Kit <small>(includes top rail, bottom rail, square composite balusters, adjustable foot block and mounting hardware) Available in WT rails with square balusters in WT. See below for actuals and metrics.</small>		6' x 36" T-Rail & Baluster Kit—Horizontal 8' x 36" T-Rail & Baluster Kit—Horizontal 10' x 36" T-Rail & Baluster Kit—Horizontal 6' x 42" T-Rail & Baluster Kit—Horizontal 8' x 42" T-Rail & Baluster Kit—Horizontal 6' x 36" T-Rail & Baluster Kit—Stair 8' x 36" T-Rail & Baluster Kit—Stair 8' x 42" T-Rail & Baluster Kit—Stair	WTSQ0636HSELTRK WTSQ0836HSELTRK WTSQ1036HSELTRK WTSQ0642HSELTRK WTSQ0842HSELTRK WTSQ0636SSELTRK WTSQ0836SSELTRK WTSQ0842SSELTRK																										
				WT																										
ACCESSORIES																														
<table border="1"> <thead> <tr> <th>COMPONENT</th> <th>ITEM #</th> </tr> </thead> <tbody> <tr> <td>Mounting Hardware for Cut Classic Rails—Horizontal</td> <td>PBKENHZBKT</td></tr> <tr> <td>Mounting Hardware for Cut Classic Rails—Stair</td> <td>PBKENSTBKT</td></tr> <tr> <td>T-Rail Bracket Pack—Horizontal</td> <td>PTRLHBKTKIT</td></tr> <tr> <td>T-Rail Bracket Pack—Stair</td> <td>PTRLSTBKTKIT</td></tr> <tr> <td>T-Rail 0° Gasket Pack—Horizontal</td> <td>TRL00HGASK</td></tr> <tr> <td>T-Rail 0° Gasket Pack—Stair</td> <td>TRL00GASK</td></tr> <tr> <td>Classic 8' Aluminum Rail Stiffener (IRC)</td> <td>SELALRAILSTIFFENER</td></tr> <tr> <td>T-Rail 8' Aluminum Stiffener (IRC)</td> <td>SELALTRAILSTIFFNR</td></tr> <tr> <td>T-Rail 22.5° Left Angle Bracket Pack</td> <td>TRL22LBKTKIT</td></tr> <tr> <td>T-Rail 22.5° Right Angle Bracket Pack</td> <td>TRL22RBKTKIT</td></tr> <tr> <td>T-Rail 45° Birdsmouth Bracket Pack (when using 4x4 post sleeve)</td> <td>TRLBMBKTKIT</td></tr> <tr> <td>T-Rail 45° Birdsmouth Bracket Pack (when using All-In-One Post Kit)</td> <td>TRLBMBKTKITNT</td></tr> </tbody> </table>					COMPONENT	ITEM #	Mounting Hardware for Cut Classic Rails—Horizontal	PBKENHZBKT	Mounting Hardware for Cut Classic Rails—Stair	PBKENSTBKT	T-Rail Bracket Pack—Horizontal	PTRLHBKTKIT	T-Rail Bracket Pack—Stair	PTRLSTBKTKIT	T-Rail 0° Gasket Pack—Horizontal	TRL00HGASK	T-Rail 0° Gasket Pack—Stair	TRL00GASK	Classic 8' Aluminum Rail Stiffener (IRC)	SELALRAILSTIFFENER	T-Rail 8' Aluminum Stiffener (IRC)	SELALTRAILSTIFFNR	T-Rail 22.5° Left Angle Bracket Pack	TRL22LBKTKIT	T-Rail 22.5° Right Angle Bracket Pack	TRL22RBKTKIT	T-Rail 45° Birdsmouth Bracket Pack (when using 4x4 post sleeve)	TRLBMBKTKIT	T-Rail 45° Birdsmouth Bracket Pack (when using All-In-One Post Kit)	TRLBMBKTKITNT
COMPONENT	ITEM #																													
Mounting Hardware for Cut Classic Rails—Horizontal	PBKENHZBKT																													
Mounting Hardware for Cut Classic Rails—Stair	PBKENSTBKT																													
T-Rail Bracket Pack—Horizontal	PTRLHBKTKIT																													
T-Rail Bracket Pack—Stair	PTRLSTBKTKIT																													
T-Rail 0° Gasket Pack—Horizontal	TRL00HGASK																													
T-Rail 0° Gasket Pack—Stair	TRL00GASK																													
Classic 8' Aluminum Rail Stiffener (IRC)	SELALRAILSTIFFENER																													
T-Rail 8' Aluminum Stiffener (IRC)	SELALTRAILSTIFFNR																													
T-Rail 22.5° Left Angle Bracket Pack	TRL22LBKTKIT																													
T-Rail 22.5° Right Angle Bracket Pack	TRL22RBKTKIT																													
T-Rail 45° Birdsmouth Bracket Pack (when using 4x4 post sleeve)	TRLBMBKTKIT																													
T-Rail 45° Birdsmouth Bracket Pack (when using All-In-One Post Kit)	TRLBMBKTKITNT																													

XX = COLOR PREFIX


BK Charcoal Black

WT Classic White

TREX SELECT™ MESH RAILING

STEP	COMPONENT	DESCRIPTION	ITEM #	COLORS															
1	All-In-One Post Kit <small>(with low-profile post sleeve, post cap and skirt) Available in WT.</small>	All-In-One Post Kit <small>(with low-profile post sleeve, post cap and skirt) Available in WT and BK.</small>	40" Trex Select All-In-One Post Kit 48" Trex Select All-In-One Post Kit 54" Trex Select All-In-One Post Kit	WT040440NTPS WT040448NTPS WT040454NTPS															
2a	Post Sleeve	4" x 4" x 39" Post Sleeve 4" x 4" x 108" Post Sleeve	XX040439APS XX0404108APS	WT, BK															
2b	Post Cap & Skirt	Flat 4" x 4" Post Sleeve Cap 4" x 4" Post Sleeve Skirt	PXXSQCAP4X4 PXXSKIRT4X4	WT, BK															
3	Select Mesh Kits <small>(includes top rail, bottom rail, aluminum channels and gaskets for framing mesh, adjustable foot block and mounting hardware) Available in BK. Mesh infill sold separately. See below for actuals and metrics.</small>	Select Mesh Kits <small>(includes top rail, bottom rail, aluminum channels and gaskets for framing mesh, adjustable foot block and mounting hardware) Available in BK. Mesh infill sold separately. See below for actuals and metrics.</small>	6' x 36"/44" Select Mesh Kit—Horizontal 8' x 36"/44" Select Mesh Kit—Horizontal 6' x 36"/44" Select Mesh Kit—Stair 8' x 36"/44" Select Mesh Kit—Stair	BKMESH06HSELK BKMESH08HSELK BKMESH06SSELK BKMESH08SSELK															
4	Select Mesh Panels	6' x 36" Select Mesh Panel—Carbon Steel 8' x 36" Select Mesh Panel—Carbon Steel 6' x 60" Select Mesh Panel—Carbon Steel	CSMESH0636HZ CSMESH0836HZ CSMESH0660UNIV	BK															
ACCESSORIES																			
<table border="1"> <thead> <tr> <th>DESCRIPTION</th> <th>ITEM #</th> <th>COLOR</th> </tr> </thead> <tbody> <tr> <td>Select Mesh Cut Kits <small>Horizontal/Stair: Use as an accessory for cut Select Mesh sections. Foot block sold separately.</small></td> <td>MESHACCYHSELK MESHACCYSSELK</td><td>BK</td></tr> <tr> <td>Trex Select Mesh Accessory Kit—Horizontal</td> <td>MESHACCYHSELK</td><td></td></tr> <tr> <td>Trex Select Mesh Accessory Kit—Stair</td> <td>MESHACCYSSELK</td><td></td></tr> <tr> <td>Universal Channel: Use for installing mesh in wood or other railing.</td> <td>MESHUNIVSELK</td><td></td></tr> </tbody> </table>					DESCRIPTION	ITEM #	COLOR	Select Mesh Cut Kits <small>Horizontal/Stair: Use as an accessory for cut Select Mesh sections. Foot block sold separately.</small>	MESHACCYHSELK MESHACCYSSELK	BK	Trex Select Mesh Accessory Kit—Horizontal	MESHACCYHSELK		Trex Select Mesh Accessory Kit—Stair	MESHACCYSSELK		Universal Channel: Use for installing mesh in wood or other railing.	MESHUNIVSELK	
DESCRIPTION	ITEM #	COLOR																	
Select Mesh Cut Kits <small>Horizontal/Stair: Use as an accessory for cut Select Mesh sections. Foot block sold separately.</small>	MESHACCYHSELK MESHACCYSSELK	BK																	
Trex Select Mesh Accessory Kit—Horizontal	MESHACCYHSELK																		
Trex Select Mesh Accessory Kit—Stair	MESHACCYSSELK																		
Universal Channel: Use for installing mesh in wood or other railing.	MESHUNIVSELK																		

TREX SELECT™ ALUMINUM RAILING

STEP	COMPONENT	DESCRIPTION	ITEM #	COL															
1+	Select Aluminum Posts & Sleeves <small>With post cap and skirt Brackets sold separately</small>		2.5" x 2.5" x 37" Aluminum End Post 2.5" x 2.5" x 37" Aluminum Line Post 2.5" x 2.5" x 37" Aluminum Corner Post 2.5" x 2.5" x 43" Aluminum End Post 2.5" x 2.5" x 43" Aluminum Line Post 2.5" x 2.5" x 43" Aluminum Corner Post	XXSAL2537PEND XXSAL2537PLINE XXSAL2537PCNR XXSAL2543PEND XXSAL2543PLINE XXSAL2543PCNR															
ACCESSORIES																			
3	Select Aluminum Panels <small>See below for actuals and metrics.</small>		6' x 36" Aluminum Panel—Horizontal 8' x 36" Aluminum Panel—Horizontal 6' x 36" Aluminum Panel—Stair 8' x 36" Aluminum Panel—Stair	XXSALSQ636HPNL XXSALSQ836HPNL XXSALSQ636SPNL XXSALSQ836SPNL															
ACCESSORIES																			
<table border="1"> <thead> <tr> <th>DESCRIPTION</th> <th>ITEM #</th> <th>COL</th> </tr> </thead> <tbody> <tr> <td>Fixed Bracket—Horizontal (4/pack)</td> <td>XXSALFBKT</td><td></td></tr> <tr> <td>Swivel Bracket—Horizontal (4/pack)</td> <td>XXSALHSWK</td><td></td></tr> <tr> <td>Swivel Bracket—Stair (4/pack)</td> <td>XXSALSSWK</td><td></td></tr> <tr> <td>Cocktail Bracket (10/pack)</td> <td>XXSALCTBK</td><td></td></tr> </tbody> </table>					DESCRIPTION	ITEM #	COL	Fixed Bracket—Horizontal (4/pack)	XXSALFBKT		Swivel Bracket—Horizontal (4/pack)	XXSALHSWK		Swivel Bracket—Stair (4/pack)	XXSALSSWK		Cocktail Bracket (10/pack)	XXSALCTBK	
DESCRIPTION	ITEM #	COL																	
Fixed Bracket—Horizontal (4/pack)	XXSALFBKT																		
Swivel Bracket—Horizontal (4/pack)	XXSALHSWK																		
Swivel Bracket—Stair (4/pack)	XXSALSSWK																		
Cocktail Bracket (10/pack)	XXSALCTBK																		

TREX ENHANCE™ STEEL RAILING

STEP	COMPONENT	DESCRIPTION	ITEM #	COLOR
1+2	Enhance Steel Posts With post cap and skirt *Brackets sold separately	2" x 2" x 37" Steel End Post 2" x 2" x 37" Steel Line Post 2" x 2" x 37" Steel Corner Post 2" x 2" x 43" Steel End Post 2" x 2" x 43" Steel Line Post 2" x 2" x 43" Steel Corner Post 2" x 2" x 37" Steel Blank Post* 2" x 2" x 43" Steel Blank Post* 2" x 2" x 53" Steel Blank Post*—Stair	BKSTL202037ENPEND49 BKSTL202037ENPLINE49 BKSTL202037ENPCNR49 BKSTL202043ENPEND49 BKSTL202043ENPLINE49 BKSTL202043ENPCNR49 BKSTL202037ENP49 BKSTL202043ENP49 BKSTL202053ENP49	BK
		3" x 3" x 37" Steel End Post 3" x 3" x 37" Steel Line Post 3" x 3" x 37" Steel Corner Post 3" x 3" x 43" Steel End Post 3" x 3" x 43" Steel Line Post 3" x 3" x 43" Steel Corner Post 3" x 3" x 37" Steel Blank Post* 3" x 3" x 43" Steel Blank Post* 3" x 3" x 53" Steel Blank Post*—Stair	BKSTL303037ENPEND BKSTL303037ENPLINE BKSTL303037ENPCNR BKSTL303043ENPEND BKSTL303043ENPLINE BKSTL303043ENPCNR BKSTL303037ENP BKSTL303043ENP BKSTL303053ENP	BK
3	Enhance Steel Panels See below for actuals and metrics. 6' x 36": 72 in x 36 in (182 cm x 914 mm) 8' x 36": 96 in x 36 in (243 cm x 914 mm) 6' x 42": 72 in x 42 in (182 cm x 106 cm) 8' x 42": 96 in x 42 in (243 cm x 106 cm)	6' x 36" Steel Panel—Horizontal 6' x 36" Steel Panel—Stair 8' x 36" Steel Panel—Horizontal 8' x 36" Steel Panel—Stair 6' x 42" Steel Panel—Horizontal 6' x 42" Steel Panel—Stair 8' x 42" Steel Panel—Horizontal 8' x 42" Steel Panel—Stair	BKSTLSQ0636HENPNL BKSTLSQ0636SENPNL BKSTLSQ0836HENPNL BKSTLSQ0836SENPNL BKSTLSQ0642HENPNL BKSTLSQ0642SENPNL BKSTLSQ0842HENPNL BKSTLSQ0842SENPNL	BK
	ACCESSORIES	Fixed Bracket—Horizontal (4/pack) Swivel Bracket—Horizontal (2/pack-1 Top, 1 Bottom) Swivel Bracket—Stair (4/pack) Cocktail Bracket (10/pack)	BKSTLENFBKT BKSTLENSWHBKT BKSTLENSWSBKT BKSTLENCTBKT	BK

Additional items are available in retail.

TREX® OUTDOOR LIGHTING

COMPONENT	ITEM #	COLORS
Solar Post Cap Light Dimensions are nominal. See below for actuals and metrics. [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions]	XXSOLAR4X4CAP	BK, VL, WT

XX = COLOR PREFIX BK = Charcoal Black VL = Vintage Lantern WT = Classic White

TREX ALUMINUM ADA HANDRAIL

COMPONENT	DESCRIPTION	ITEM #	COLORS
Elbow	180° Elbow ("Candy Cane") 5° Elbow 31° Elbow 34° Elbow 36° Elbow 90° Elbow Adjustable Elbow	XXALADA180CCANE XXALADA05ELB XXALADA31ELB XXALADA34ELB XXALADA36ELB XXALADA90ELB2G XXALADAADJELB	BK, WT
Wall Mount	Wall Mount Inside Corner Mount	XXALADAWMNT2G XXALADAICONER2G	BK, WT
Collar		XXALADACLR	BK, WT
Wall Return 90°		XXALADA90WR2G	BK, WT
Handrail	1.375-in x 8-ft (34 mm x 243 cm) Handrail Straight 4-in (101 mm) Internal Connector Inline Termination Bracket Rail End Cap	XXALADARAIL8 XXALINTCONN XXALADAINLINE XXALADACAP	BK, WT

TREX ALUMINUM GATES

COMPONENT	DESCRIPTION	ITEM #	COLORS
Trex Signature® Adjustable Gate Hardware sold separately. Available in BK and WT.	36" Rail Height, Square Balusters, Adjustable up to 48" wide opening 36" Rail Height, Round Balusters, Adjustable up to 48" wide opening	XX36SQADJGATE XX36RDADJGATE	BK, WT
	42" Rail Height, Square Balusters, Adjustable up to 48" wide opening 42" Rail Height, Round Balusters, Adjustable up to 48" wide opening	XX42SQADJGATE XX42RDADJGATE	BK, WT
Hardware Pack Hardware for attachment to wood post with composite sleeve or aluminum posts	2 Adjustable Self-Closing Hinges 1 Locking Hasp With Keys	BKGATEHW	BK

TREX® FASTENERS

COMPONENT	75 CT. ITEM #	350 CT. ITEM #	1400 CT. ITEM #	COLORS	COMPONENT	ITEM #	COLORS
Trex Color-Match Deck Screws	TCM25BC75	TCM25BC350	TCM25BC1400	BC	Trex Color-Match Fascia Screws	TCMF175BC75	BC
» #10 x 2.5" (6.35 cm)	TCM25BD75	TCM25BD350	TCM25BD1400	BD	» 1-3/4" (4.4 cm)	TCMF175BD75	BD
» 75 ct. box, 350 ct. tub, 1,400 ct. tub	TCM25CL75	TCM25CL350	TCM25CL1400	CL	» 75 ct. box	TCMF175CL75	CL
» HexStix® bits included	TCM25CS75	TCM25CS350	TCM25CS1400	CS	» Tools sold separately	TCMF175CS75	CS
	TCM25FW75	TCM25FW350	TCM25FW1400	FW		TCMF175FW75	FW
	TCM25HY75	TCM25HY350	TCM25HY1400	HY		TCMF175HY75	HY
	TCM25IM75	TCM25IM350	TCM25IM1400	IM		TCMF175IM75	IM
	TCM25LR75	TCM25LR350	TCM25LR1400	LR		TCMF175LR75	LR
	TCM25PG75	TCM25PG350	TCM25PG1400	PG		TCMF175PG75	PG
	TCM25RH75	TCM25RH350	TCM25RH1400	RH		TCMF175RH75	RH
	TCM25SD75	TCM25SD350	TCM25SD1400	SD		TCMF175SD75	SD
	TCM25SF75	TCM25SF350	TCM25SF1400	SF		TCMF175SF75	SF
	TCM25SR75	TCM25SR350	TCM25SR1400	SR		TCMF175SR75	SR
	TCM25TP75	TCM25TP350	TCM25TP1400	TP		TCMF175TP75	TP
	TCM25TS75	TCM25TS350	TCM25TS1400	TS		TCMF175TS75	TS
	TCM25TT75	TCM25TT350	TCM25TT1400	TT		TCMF175TT75	TT
						TCMF175WW75	WW

XX = COLOR PREFIX BC Biscayne/ Martis Valley CL Rope Swing/ Carmel/ Malted Barley CS Clam Shell FW Foggy Wharf/ Rainier HY Honey Grove IM Island Mist/ Millstone/ Point Reyes LR Lava Rock PG Pebble Beach/ Pebble Grey/ Whidbey RH Rocky Harbor SD Saddle/Ocracoke/ Hatteras SF Salt Flat SR Spiced Rum/ Cinnamon Cove/ Whiskey Barrel TP Tide Pool TS Toasted Sand/ Havana Gold TT Tiki Torch WW Woodgrain White

COMPONENT	ITEM #	COMPONENT	ITEM #	COMPONENT	ITEM #
Trex Decking Plug Screws	TDPS25BK75	Trex Enhance® Decking Plug Screws	TENDPLGS2BK75	Trex Plug System Fascia Screws	TPSF175BK75
» #10 x 2.5" (6.35 cm)	TDPS25BK350	» 2" (5.0 cm)	TENDPLGS2BK400	» 1-3/4" (4.4 cm)	
» 75 ct. box, 350 ct. tub		» 75 ct. box, 400 ct. tub, black		» 75 ct. box, black	
» Includes depth setters, black		» Tools sold separately		» Tools sold separately	

COMPONENT	80 CT. ITEM #	COLORS	416 CT. ITEM #	COLORS
Trex Enhance® Decking/Fascia Plugs	TPSDFCC80	CC	TPSDFCC416	CC
» 80 ct., 416 ct.	TPSDFCS80	CS	TPSDFCS416	CS
	TPSDFFW80	FW	TPSDFFW416	FW
	TPSDFGH80	GH	TPSDFGH416	GH
	TPSDFHY80	HY	TPSDFHY416	HY
	TPSDFPB80	PB	TPSDFPB416	PB
	TPSDFRH80	RH	TPSDFRH416	RH
	TPSDFSDEN80	SDEN	TPSDFSDEN416	SDEN
	TPSDFTS80	TS	TPSDFTS416	TS
	TPSDFTP80	TP	TPSDFTP416	TP

COMPONENT	80 CT. ITEM #	COLORS	400 CT. ITEM #	COLORS	COMPONENT	80 CT. ITEM #	COLORS
Trex Decking Plugs	TDPLGBC80	BC	TDPLGBC400	BC	Trex Fascia Plugs	TPSFBC80	BC
» 80 ct., 400 ct.	TDPLGLC80	CL	TDPLGLC400	CL	» 80 ct.	TPSFLC80	CL
	TDPLGHG80	HG	TDPLGHG400	HG		TPSFHG80	HG
	TDPLGHT80	HT	TDPLGHT400	HT		TPSFHT80	HT
	TDPLGIM80	IM	TDPLGIM400	IM		TPSFIM80	IM
	TDPLGIML80	IML	TDPLGIML400	IML		TPSFIML80	IML
	TDPLGJA80	JA	TDPLGJA400	JA		TPSFJA80	JA
	TDPLGLR80	LR	TDPLGLR400	LR		TPSFLR80	LR
	TDPLGMS80	MS	TDPLGMS400	MS		TPSFMS80	MS
	TDPLGMV80	MV	TDPLGMV400	MV		TPSFMY80	MY
	TDPLGMY80	MY	TDPLGMY400	MY		TPSFPG80	PG
	TDPLGPG80	PG	TDPLGPG400	PG		TPSFRN80	RN
	TDPLGPR80	PR	TDPLGPR400	PR		TPSFRS80	RS
	TDPLGRN80	RN	TDPLGRN400	RN		TPSFDSL80	SDSL
	TDPLGRS80	RS	TDPLGRS400	RS		TPSFSF80	SF
	TDPLGSD80	SD	TDPLGSD400	SD		TPSFSR80	SR
	TDPLGSF80	SF	TDPLGSF400	SF		TPSFTT80	TT
	TDPLGSR80	SR	TDPLGSR400	SR		TPSFWL80	WL
	TDPLGTT80	TT	TDPLGTT400	TT		TPSFWW80	WW
	TDPLGWL80	WL	TDPLGWL400	WL			

XX = COLOR PREFIX BC Biscayne CC Cinnamon Cove FW Foggy Wharf GH Golden Hour CL Carmel CS Clam Shell IM Island Mist IML Island Mist Lineage MV Martis Valley JA Jasper PG Point Reyes OC Ocracoke PR Point Reyes HG Havana Gold LR Lava Rock MS Millstone RA Rainier PR Point Reyes OC Ocracoke RS Rope Swing SD Saddle Select TT Tiki Torch SF Salt Flat SR Spiced Rum TS Toasted Sand WH Whidbey

TREX® FASTENERS

COMPONENT	ITEM #
Trex Hideaway® Universal Hidden Fastener	UNIVCONCLIP
» Glass-filled nylon	(50 sq. ft. box) DA00002 (500 sq. ft. pail)
Trex Hideaway® Steel Framing Hidden Fastener	ELVUNIVCLIP
» Glass-filled nylon	(50 sq. ft. box) ELVUNICLAPPAIL (500 sq. ft. pail)
Universal Starter Clip	UNIVSTARTCLIP
» 400 sq. ft. (37 sq. m.) bag	
Butt Joint Clip	BJC14PK
» 14/pk	
Groove Router Bit	ROUTBIT
Universal Fastener Installation Tool	ONESTEPTL

DECKING/FASCIA SYSTEM TOOLS

COMPONENT	ITEM #
Trex Color-Match Fascia Counterbore Tool Kit	TCMFCKIT
» w/ Drive Bits	
Trex Plug System Fascia Counterbore Tool Kit	TPSFCKIT
» w/ Depth Setters	
Trex Plug System Enhance Decking Tool Kit	TPSENDCKIT
» w/ Depth Setters	

DECKING TOOLS

COMPONENT	ITEM #
HexStix Bit	THB2PK
» 2-pk	
Decking Depth Setter	TDD1PK
» 1-pk	



TREXPRO® RESIDENTIAL LABOR LIMITED WARRANTY

Trex Company, Inc. (hereinafter "Trex") warrants to the holder of this labor warranty ("Owner"), that if a breach of warranty occurs with respect to the Owner's Trex® decking, railing, fascia, cladding and/or fasteners (the "Products") under either the Trex Decking, Fascia and Cladding Limited Warranty, the Trex Aluminum and Composite Railing and Ancillary Products Limited Warranty, the Trex Steel Railing Limited Warranty, or the Trex Fasteners Limited Warranty (the "Warranties"), and provided that a TrexPro® contractor installed the Products on an individual residence (a "residential installation"), and properly registered the Warranties, Trex will pay for all reasonable labor expenses in replacing the defective Products. The term of this Warranty, beginning on the date of final installation of the Products, shall be as follows:

TABLE I

Contractor Level	If Trex decking OR Trex railing is installed (but not both)	If Trex decking AND Trex railing is installed*	If Trex decking, Trex railing AND Trex fasteners are installed	Product Line*
TrexPro Platinum	5 Years	10 Years	12 Years	Signature, Transcend, Select, Refuge
TrexPro Gold	4 Years	6 Years	8 Years	
TrexPro	2 Years	3 Years	4 Years	
TrexPro Platinum				
TrexPro Gold				
TrexPro				

*Decking line governs warranty tier when BOTH Decking and Railing are installed.

In order for railing to be covered under this labor warranty, and in order to qualify for the Trex decking AND Trex railing extended coverage, the railing (rails, infills and hardware) must be totally comprised of Trex Signature®, Trex Signature® X-Series™, Trex Transcend®, Trex Select® and/or Trex Enhance® railing materials.

In order for fasteners to be covered under this labor warranty, and in order to qualify for the Trex decking, railing AND fasteners extended coverage, the railing (rails, infills and hardware) must be totally comprised of Trex Signature®, Trex Signature® X-Series™, Trex Transcend®, Trex Select® and/or Trex Enhance® railing materials and all applicable fasteners that Trex supplies must be installed and cannot be substituted with fasteners supplied by others.

In order for fascia to be covered under this labor warranty, either Trex decking or Trex railing (or both) need to be installed.

This labor warranty covers only residential installations.

A "residential installation" is an installation of the product on an individual residence. A commercial installation is any installation of the Product other than on an individual residence.

COMMERCIAL INSTALLATIONS ARE EXCLUDED FROM THIS RESIDENTIAL LABOR LIMITED WARRANTY.

This labor warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by Owner, to a subsequent buyer of the property upon which the Product was originally installed.

PROCEDURE FOR MAKING A CLAIM UNDER THIS LIMITED WARRANTY

To make a claim under this labor warranty, Owner shall send to Trex, within the warranty period referred to above, a description of the claimed defect and proof of purchase to the following address:

Trex Company, Inc.
Customer Relations
2500 Trex Way
Winchester, VA 22601

Upon confirmation by an authorized Trex representative of a defect covered by one of the Warranties, the prior registration of Owner's Warranties and compliance with all other terms of this labor warranty, Trex shall (1) replace the Product under the terms of the applicable Warranty, and (2) arrange for a local TrexPro contractor (approved by Owner) to replace, remove and dispose of the defective Product, at Trex's cost.

This labor warranty may not be altered or amended except in a written instrument signed by Trex and Owner.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR ANY COST OTHER THAN LABOR COSTS TO REPLACE, REMOVE AND DISPOSE OF DEFECTIVE TREX PRODUCT. TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, RELIANCE, STATUTORY, SPECIAL, PUNITIVE OR EXEMPLARY DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN TORT (INCLUDING, BUT NOT LIMITED TO, NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR SUCH DAMAGES COULD HAVE BEEN REASONABLY FORESEEN, IN CONNECTION WITH, ARISING OUT OF, OR AS A RESULT OF, THE SALE, DELIVERY, INSTALLATION, USE OR LOSS OF USE OF THE PRODUCTS INSTALLED HEREUNDER, OR FOR ANY LIABILITY OF OWNER TO ANY THIRD PARTY WITH RESPECT THERETO AND TREX'S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO DEFECTIVE PRODUCT SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCT UNDER THE APPLICABLE REGISTERED WARRANTY AND THE COST OF LABOR, AS DESCRIBED ABOVE IN THIS TREXPRO RESIDENTIAL LABOR LIMITED WARRANTY.

Any TrexPro contractor who replaces Owner's Products under this labor warranty is independently owned and operated and is neither affiliated with nor an agent or representative of Trex. Trex makes no representations or warranties as to, and is not responsible for, the performance, acts or omissions of such contractor. It is the ultimate responsibility of the Owner to approve such contractor prior to any work commencing.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province. This warranty shall only be applicable and enforceable in the United States of America and Canada.

Copyright © 2026 Trex Company, Inc.



TREX® DECKING, FASCIA & CLADDING LIMITED WARRANTY

Trex Company, Inc. (hereinafter "Trex") warrants to the original end-use purchaser ("Purchaser") that, for the applicable Warranty Period set forth in Table I below, when properly installed, used and maintained under normal use and service conditions and in accordance with Trex's written instructions, Trex® product set forth in Table I below (the "Product") shall perform as follows:

Physical Integrity: The Product shall be free from material defects in workmanship and materials, and shall not split, splinter, rot or suffer structural damage from termites or fungal decay.

Fade Resistance: The Product shall not fade in color from light and weathering exposure as measured by color change of (a) more than 5 Delta E (CIE) units for twenty-five years from the date of original purchase, and (b) more than 15 Delta E (CIE) units for the remainder of the Warranty Period, if any. While the Product is designed to resist fading, no material is fade proof when exposed to years of UV exposure and the elements. The Product is designed to resist fading under normal weather conditions and will not fade by more than the number of Delta E (CIE) units indicated above.

Stain Resistance: The Product shall be resistant to permanent staining resulting from spills of food and beverage items including ketchup, mustard, salad oils, tea, wine, coffee, fruit punch, barbecue sauce, sodas and other food and beverage related items that would typically be present on a residential deck, or mold and mildew naturally occurring in the environment, provided that such substances are removed from the Product with soap and water within one (1) week of exposure of the food or beverage to the surface or first appearance of the mold and mildew. Cleaning procedures are described in the Care & Cleaning Guide at www.trex.com.

Notwithstanding the foregoing, Trex does not warrant that the Product is stain-proof and does not warrant stain resistance resulting from spilled or otherwise applied food and beverage substances which are not properly cleaned as provided above within one (1) week of exposure. In addition, materials not covered in this stain resistance section of this Limited Warranty include abrasive compounds of acidic or basic pH, paints or stains, strong solvents, metallic rust or other abnormal deck use items, and non-food and non-beverage substances, including but not limited to, biocides, fungicides, plant food, bactericides, cement, concrete, mortar, stucco and colored chalk. Mold and mildew can settle and grow on any outdoor surface, including this Product. You should periodically clean your deck to remove dirt and pollen that can feed mold and mildew. This Limited Warranty does not cover mold and mildew which is not properly cleaned as provided above within one (1) week of first appearance.

Residential/Commercial Application: For purposes of this Limited Warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence.

Paint or Other Materials Applied to the Product: If paint, solvents or other coating materials are applied to the Product, this Limited Warranty will be voided.

Term of Limited Warranty: The term of this Limited Warranty for a Product (the "Warranty Period") begins on the date of original purchase and shall be equal to the number of years set forth next to such Product in Table I below.

TABLE I

Product	Residential Warranty Period	Commercial Warranty Period
Trex Signature® Decking and Fascia, Trex Transcend® Decking and Fascia	50 Years	10 Years
Trex Refuge™ Decking	50 Years	10 Years
Trex® Cladding	50 Years	25 Years
Trex Select® Decking and Fascia, Trex® Composite Decking, Trex® Universal Fascia	35 Years	10 Years
Trex Enhance® Decking and Fascia	25 Years	10 Years

Transferability: With respect to a residential application, this Limited Warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Product was originally installed. With respect to a commercial application, this Limited Warranty is freely transferable to subsequent buyers of the property upon which the Product was originally installed.

EXCLUSIONS FROM WARRANTY COVERAGE

The Products must be stored, handled, installed, used and maintained in accordance with instructions provided by Trex, and this Limited Warranty is conditioned upon compliance with all such instructions. Copies of Trex's Installation Guides, Technical Information and Care and Cleaning Guides are available from Trex at the address listed below. The materials may also be obtained on Trex's website at trex.com. Any information or suggestion by Trex with respect to the Products concerning applications, specifications or compliance with codes and standards, including building or safety codes, is provided solely for Purchaser's convenient reference and is made without any representation as to accuracy or suitability. Purchaser must verify and test the suitability of any information with respect to the Products for Purchaser's specific application. This Limited Warranty does not cover defects caused by:

Exposure to Heat: Direct or indirect contact with extreme heat sources (over 275°F/135°C) may cause fading and may damage the surface of the Product, and any effects of such exposure are expressly excluded from coverage under this Limited Warranty.

Surface Damage: Never use metal shovels or sharp-edged tools to remove snow and ice on the surface of the Product. If the surface of the Product is damaged or punctured, this Limited Warranty will be voided.

Paint or Other Materials Applied to the Product: If paint, solvents or other coating materials are applied to the Product, this Limited Warranty will be voided.

2. To make a claim under this Limited Warranty, Purchaser, or the transferee, shall send to Trex, within the Warranty Period referred to above, a written description and photographs of the claimed defect, proof of purchase, and if the claim relates to the Limited Warranty on stain resistance, proof of compliance with paragraph 1 above, to the following address:

Other Exclusions: This Limited Warranty shall not cover any condition attributable to: (1) improper installation of the Product and/or failure to abide by Trex's installation guidelines, including but not limited to improper gapping; (2) use of the Product beyond normal use or service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which the Product is installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.), environmental condition (such as air pollution, mold, mildew, etc.), staining from foreign substances other than food and beverages (such as dirt, grease, oil, etc.); (5) improper handling, storage, abuse or neglect of the Product by Purchaser, the transferee or third parties; (6) any fading or staining not on the walking surface of the Product (i.e., the underside or the ends of the Product); or (7) ordinary wear and tear.

Excluded Products: This Warranty shall not apply to any Trex products not listed in Table I, including, but not limited to, Trex Transcend® railing, Trex Enhance® railing, Trex Select® railing, Trex Signature® railing, Trex Decklighting products, TrexTrim™ products, Trex® Outdoor Lighting products, Trex Hideaway® Fasteners, and Trex® Fencing, which are excluded from this Limited Warranty. Each of these products has a separate Limited Warranty.

PROCEDURE FOR MAKING A CLAIM UNDER THIS LIMITED WARRANTY

To make a claim under this Limited Warranty, Purchaser must do the following:

- If the Purchaser is making a claim relating to the Limited Warranty on stain resistance, Purchaser must do as follows:
 - Purchaser must try to clean the affected area of the deck by using the cleaning procedures described above (and provided in more detail in the Care & Cleaning Guide found at www.trex.com) within one (1) week of exposure of the food or beverage to the surface or first appearance of the mold and mildew.
 - If the affected area remains reasonably unsatisfactory after Purchaser has tried these cleaning procedures, then Purchaser must have the affected area of the deck professionally cleaned at Purchaser's expense.
 - If the affected area remains reasonably unsatisfactory after the professional cleaning, Purchaser may make a claim under this Limited Warranty, provided that such claim is made within thirty (30) days after the professional cleaning.
- To make a claim under this Limited Warranty, Purchaser, or the transferee, shall send to Trex, within the Warranty Period referred to above, a written description and photographs of the claimed defect, proof of purchase, and if the claim relates to the Limited Warranty on stain resistance, proof of compliance with paragraph 1 above, to the following address:

Trex Company, Inc.
Customer Relations
2500 Trex Way
Winchester, VA 22601



TREX® DECKING, FASCIA & CLADDING LIMITED WARRANTY (CONTINUED)

3. Upon confirmation by an authorized Trex representative of a valid claim hereunder, Trex's sole responsibility shall be, at its option, to either: (a) replace the affected Product with new Product in an amount equal to the volume (linear feet) of defective material; or (b) refund the portion of the purchase price paid by Purchaser for such affected Product (not including the cost of its initial installation). Replacement Products will be as close in color, design, and quality to the original Products as reasonably possible, in Trex's discretion and determination, but Trex does not guarantee an exact match as colors and designs may change and Trex's obligation as to replacement shall further be limited to replacement with the styles and colors of the Product that are available at the time of the replacement.

THE REMEDIES STATED IN THIS PARAGRAPH ARE PURCHASER'S SOLE AND EXCLUSIVE REMEDIES FOR ANY PRODUCT THAT FAILS TO CONFORM TO THIS LIMITED WARRANTY.

If a valid warranty claim hereunder is made during year eleven (11) or any year thereafter through the expiration of the applicable Warranty Period after the original purchase, recovery will be prorated in accordance with Table II, below. If Trex is providing replacement materials, it may elect to replace the percentage listed in Table II, below, of boards otherwise meeting the requirements for a claim, or if it is refunding the purchase price, it may elect to refund the percentage listed below in Table II of the purchase price of Product otherwise meeting the requirements for a claim.

TABLE II

Year of Claim	Warranty Period		
	50 Year	35 Year	25 Year
11	90%	80%	80%
12	90%	80%	80%
13	90%	80%	80%
14	90%	80%	60%
15	90%	60%	60%
16	90%	60%	60%
17	70%	60%	40%
18	70%	60%	40%
19	70%	40%	40%
20	70%	40%	20%
21	70%	40%	20%
22	70%	40%	20%
23	50%	20%	10%
24	50%	20%	10%
25	50%	20%	10%
26	50%	20%	—
27	50%	20%	—
28	50%	20%	—
29	30%	10%	—
30	30%	10%	—
31	30%	10%	—
32	30%	10%	—
33	30%	10%	—
34	30%	10%	—
35	30%	10%	—
36	20%	—	—
37	20%	—	—

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, TREX'S SOLE OBLIGATION UNDER THIS LIMITED WARRANTY SHALL BE, AT ITS OPTION, REPLACEMENT OF NON-CONFORMING PRODUCTS OR A REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE. PURCHASER ASSUMES ALL RISK WHATSOEVER AS TO THE RESULT OF THE USE OF THE PRODUCTS PURCHASED, WHETHER USED SINGULARLY OR IN COMBINATION WITH ANY OTHER PRODUCTS OR SUBSTANCES.

THIS LIMITED WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Product other than as contained in this Limited Warranty. This Limited Warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, RELIANCE, STATUTORY, SPECIAL, PUNITIVE OR EXEMPLARY DAMAGES, INCLUDING, BUT NOT LIMITED TO, LOST PROFITS, LOSS OF USE, LOSS OF TIME, LOSS OF REVENUES, INCONVENIENCE, LOSS OF BUSINESS OPPORTUNITIES, OR DAMAGE TO GOOD WILL OR REPUTATION DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR SUCH DAMAGES COULD HAVE BEEN REASONABLY FORESEEN, IN CONNECTION WITH, ARISING OUT OF, OR AS A RESULT OF, THE SALE, DELIVERY, INSTALLATION, USE OR LOSS OF USE OF THE PRODUCTS SOLD HEREUNDER, OR FOR ANY LIABILITY OF PURCHASER TO ANY THIRD PARTY WITH RESPECT THERETO AND TREX'S LIABILITY FOR NON-PERSONAL INJURY CLAIMS

WITH RESPECT TO DEFECTIVE PRODUCT SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCT OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This Limited Warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2024 Trex Company, Inc.



TREX® ALUMINUM AND COMPOSITE RAILING AND ANCILLARY PRODUCTS LIMITED WARRANTY

Trex Company, Inc. (hereinafter "Trex") warrants to the original end-use purchaser ("Purchaser") that, for the applicable Warranty Period set forth in Table I below, when properly installed, used and maintained under normal use and service conditions, and in accordance with Trex's written instructions, Trex® product set forth in Table I below (the "Product") shall be free from material defects in workmanship and materials, and shall not split, splinter, rot or suffer structural damage from termites or fungal decay.

Residential/Commercial Application: For purposes of this warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence.

Term of Limited Warranty: The term of this Limited Warranty for a Product (the "Warranty Period") begins on the date of original purchase and shall be equal to the number of years set forth next to such Product in Table I below.

TABLE I

Product	Residential Warranty Period	Commercial Warranty Period
Trex Signature® Aluminum Railing, Trex Signature® X-Series™ Railing	50 Years	25 Years
Trex Signature® X-Series™ Cable Rail (Cable Infill/Assemblies ONLY)	10 Years	10 Years
Trex Transcend® Composite Railing	35 Years* or 25 Years*	10 Years
Select® Composite Railing, Trex Enhance® Composite Railing, Trex® Fencing, and TrexTrim™	25 Years	10 Years
Trex® Deck Lighting (LEDs and Housings)	7 Years	7 Years
Trex® Deck Lighting (Transformer, Timer, Dimmer, WiFi Controller, Solar Components)	3 Years	3 Years
Trex® Deck Lighting (Solar Battery)	1 Year	1 Year

* The 35-Year Residential Warranty Period for Trex Transcend Railing applies only in the United States of America, except in Arizona, Alabama, Arkansas, Florida, Louisiana, New Mexico, Missouri and Texas. In these States and all other Countries, Trex Transcend Railing has a 25-Year Residential Warranty Period.

Transferability: With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Product was originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Product was originally installed.

EXCLUSIONS FROM WARRANTY COVERAGE

Notwithstanding the foregoing, (a) the warranty for Trex® Deck Lighting Products (excluding Trex® Solar Post Cap Lights) is valid only in each case provided that a Trex transformer is used (with no warranty on any components if a Trex transformer is not used), and any other Trex® Deck Lighting parts or accessories not listed in Table I above shall not be warranted; (b) this warranty shall not apply to any Trex products not listed in Table I, including, but not limited to, Trex decking products, Trex cladding products, Trex fascia products, Trex SelectTM Steel Mesh (infill panel), Trex EnhanceTM Steel Railing, and Trex fasteners (which each have separate warranties); and (c) with respect to installations where the atmosphere is influenced by a body of salt water (or other contaminant conditions), failure to adhere to the cleaning guidelines available at www.trex.com will void this warranty with respect to any condition resulting from such failure.

The Product must be stored, handled, installed, used and maintained in accordance with instructions provided by Trex, and this Limited Warranty is conditioned upon compliance with all such instructions. Copies of Trex's Installation Guides, Technical Information and Care and Cleaning Guides are available from Trex at the address listed below. The materials may also be obtained on Trex's website at trex.com.

Any information or suggestion by Trex with respect to the Product concerning applications, specifications or compliance with codes and standards, including building or safety codes, is provided solely for Purchaser's convenient reference and is made without any representation as to accuracy or suitability. Purchaser must verify and test the suitability of any information with respect to the Product for Purchaser's specific application.

Trex does not warrant against, and is not responsible for, any condition attributable to: (1) improper installation of Product and/or failure to abide by Trex's installation guidelines; (2) use of Product beyond normal use and service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which Product is installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.), environmental condition (such as air pollution, mold, mildew, etc.), exposure to corrosive elements (such as chemicals, pollution, etc.), or atmospheric contaminants (such as salt spray, salt air, etc.) if proper care and cleaning in accordance with the "Trex Signature®, Trex Signature® X-Series™, Trex Select™ Aluminum Care and Cleaning Guide" was not adhered to, staining from foreign substances (such as dirt, grease, oil, etc.), tarnishing, or normal weathering (defined as exposure to sunlight, weather and atmosphere which will cause any colored surface to gradually fade, chalk, or accumulate dirt or stains); (5) variations or changes in color of Product; (6) improper handling, storage, abuse or neglect of Product by Purchaser, the transferee or third parties; (7) ordinary wear and tear; (8) vandalism; or (9) other causes beyond the control of Trex.

PROCEDURE FOR MAKING A CLAIM UNDER THIS LIMITED WARRANTY

To make a claim under this Limited Warranty, Purchaser, or the transferee, shall send to Trex, within the Warranty Period referred to above, a written description and photographs of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc.
Customer Relations
2500 Trex Way
Winchester, VA 22601

Upon confirmation by an authorized Trex representative of a valid claim hereunder, Trex's sole responsibility shall be, at its option, to either: (a) replace the affected Product with new Product in an amount equal to the amount of defective material; or (b) refund the portion of the purchase price paid by Purchaser for such affected Product (not including the cost of its initial installation). Replacement Product will be as close in color, design and quality to the original Product as reasonably possible, in Trex's discretion and determination, but Trex does not guarantee an exact match as colors and designs may change and Trex's obligation as to replacement shall further be limited to replacement with the styles and colors of the Product that are available at the time of the replacement. The remedies stated in this paragraph are purchaser's sole and exclusive remedies for any product that fails to conform to this limited warranty.



TREX® ALUMINUM AND COMPOSITE RAILING AND ANCILLARY PRODUCTS LIMITED WARRANTY (CONTINUED)

If a valid warranty claim hereunder is made during year eleven (11) or any year thereafter through the expiration of the applicable Warranty Period after the original purchase, recovery will be prorated in accordance with Table II, below. If Trex is providing replacement materials, it may elect to replace the percentage listed in Table II, below, of Product otherwise meeting the requirements for a claim, or if it is refunding the purchase price, it may elect to refund the percentage listed below in Table II of the purchase price of Product otherwise meeting the requirements for a claim.

TABLE II

Year of Claim	Warranty Period				
	50 Year	35 Year	25 Year	15 Year	10 Year
Recovery					
7	100%	100%	100%	80%	80%
8	100%	100%	100%	80%	80%
9	100%	100%	100%	60%	60%
10	100%	100%	100%	60%	60%
11	90%	80%	80%	40%	
12	90%	80%	80%	40%	
13	90%	80%	80%	20%	
14	90%	80%	60%	10%	
15	90%	60%	60%	10%	
16	90%	60%	60%		
17	70%	60%	40%		
18	70%	60%	40%		
19	70%	40%	40%		
20	70%	40%	20%		
21	70%	40%	20%		
22	70%	40%	20%		
23	50%	20%	10%		
24	50%	20%	10%		
25	50%	20%	10%		
26	50%	20%			
27	50%	20%			
28	50%	20%			
29	30%	10%			
30	30%	10%			
31	30%	10%			
32	30%	10%			
33	30%	10%			
34	30%	10%			
35	30%	10%			
36	20%				
37	20%				
38	20%				
39	20%				
40	20%				
41	20%				
42	20%				
43	20%				
44	20%				
45	20%				
46	20%				
47	20%				
48	10%				
49	10%				
50	10%				

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, TREX'S SOLE OBLIGATION UNDER THIS LIMITED WARRANTY SHALL BE, AT ITS OPTION, REPLACEMENT OF NON-CONFORMING PRODUCT OR A REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE. PURCHASER ASSUMES ALL RISK WHATSOEVER AS TO THE RESULT OF THE USE OF THE PRODUCT PURCHASED, WHETHER USED SINGULARLY OR IN COMBINATION WITH ANY OTHER PRODUCTS OR SUBSTANCES.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, THIS LIMITED WARRANTY SHALL NOT COVER, AND TREX SHALL NOT BE RESPONSIBLE FOR, COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING, BUT NOT LIMITED TO, LABOR AND FREIGHT.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Product other than as contained in this Limited Warranty. This Limited Warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, RELIANCE, STATUTORY, SPECIAL, PUNITIVE OR EXEMPLARY DAMAGES, INCLUDING, BUT NOT LIMITED TO, LOST PROFITS, LOSS OF USE, LOSS OF TIME, LOSS OF REVENUES, INCONVENIENCE, LOSS OF BUSINESS OPPORTUNITIES OR DAMAGE TO GOOD WILL OR REPUTATION DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING, BUT NOT LIMITED TO, NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR SUCH DAMAGES COULD HAVE BEEN REASONABLY FORESEEN, IN CONNECTION WITH, ARISING OUT OF, OR AS A RESULT OF, THE SALE, DELIVERY, INSTALLATION, USE OR LOSS OF USE OF THE PRODUCT SOLD HEREUNDER, OR FOR ANY LIABILITY OF PURCHASER TO ANY THIRD PARTY WITH RESPECT THERETO AND TREX'S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO DEFECTIVE PRODUCT SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCT OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This Limited Warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2024 Trex Company, Inc.



TREX® STEEL RAILING LIMITED WARRANTY

Trex Company, Inc. (hereinafter "Trex") warrants to the original end-use purchaser ("Purchaser") that, for the applicable Warranty Period set forth in Table I below, when properly installed, used and maintained under normal use and service conditions, and in accordance with Trex's written instructions, Trex® product set forth in Table I below (the "Product") shall be free from material defects in workmanship and materials, and shall not crack, peel, blister, flake, split, or suffer excessive corrosion. Corrosion is termed extensive when there are multiple rust-through perforations on the same piece of Product.

Residential/Commercial Application: For purposes of this warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence.

Term of Limited Warranty: The term of this Limited Warranty for a Product (the "Warranty Period") begins on the date of original purchase and shall be either (1) for a period of 1 year for Product located within 1 mile or less from a saltwater coast line OR (2) for Product located more than 1 mile from a saltwater coastline, equal to the number of years set forth next to such Product in Table I below.

TABLE I

Product	Residential Warranty Period	Commercial Warranty Period
Trex Enhance™ Steel Railing, Trex Select™ Steel Mesh Railing (Mesh Infill Panel ONLY)	15 Years	10 Years

Transferability: With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Product was originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Product was originally installed.

EXCLUSIONS FROM WARRANTY COVERAGE

Notwithstanding the foregoing, (a) this warranty shall not apply to any Trex products not listed in Table I, including, but not limited to, Trex decking products, Trex cladding products, Trex fascia products, Trex fasteners, Trex Deck Lighting products, Trex Signature® railing, Trex Signature® X-Series™ railing, Trex Transcend® railing, Trex Select™ aluminum and composite railing, Trex Enhance® composite railing, Trex Fencing and TrexTrim (which each have separate warranties); (b) with respect to installations where the atmosphere is influenced by a body of salt water (or other contaminant conditions), failure to adhere to the cleaning guidelines available at www.trex.com will void this warranty with respect to any condition resulting from such failure; and (c) Products that have had direct contact with salt water are excluded from this warranty.

The Product must be stored, handled, installed, used and maintained in accordance with instructions provided by Trex, and this Limited Warranty is conditioned upon compliance with all such instructions. Copies of Trex's Installation Guides, Technical Information and Care and Cleaning Guides are available from Trex at the address listed below. The materials may also be obtained on Trex's website at trex.com.

Any information or suggestion by Trex with respect to the Product concerning applications, specifications or compliance with codes and standards, including building or safety codes, is provided solely for Purchaser's convenient reference and is made without any representation as to accuracy or suitability. Purchaser must verify and test the suitability of any information with respect to the Product for Purchaser's specific application.

Trex does not warrant against, and is not responsible for, any condition attributable to: (1) improper installation of Product and/or failure to abide by Trex's installation guidelines; (2) use of Product beyond normal use and service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which Product is installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.), environmental condition (such as air pollution, mold, mildew, etc.), exposure to corrosive elements or atmospheric contaminants (such as salt spray, salt air, chemicals (including pool and ice removal chemicals), pollution, etc.), staining from foreign substances (such as dirt, grease, oil, etc.), tarnishing, welding, lawn care equipment damage, or normal weathering (defined as exposure to sunlight, weather and atmosphere which will cause any colored surface to gradually fade, chalk, or accumulate dirt or stains); (5) variations or changes in color of Product; (6) surface corrosion from scratches, nicks and dents; (7) improper handling, storage, abuse or neglect of Product by Purchaser, the transferee or third parties; (8) ordinary wear and tear; (9) vandalism; or (10) other causes beyond the control of Trex.

PROCEDURE FOR MAKING A CLAIM UNDER THIS LIMITED WARRANTY

To make a claim under this Limited Warranty, Purchaser, or the transferee, shall send to Trex, within the Warranty Period referred to above, a written description and photographs of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc.
Customer Relations
2500 Trex Way
Winchester, VA 22601

Upon confirmation by an authorized Trex representative of a valid claim hereunder, Trex's sole responsibility shall be, at its option, to either: (a) replace the affected Product with new Product in an amount equal to the amount of defective material; or (b) refund the portion of the purchase price paid by Purchaser for such affected Product (not including the cost of its initial installation). Replacement Product will be as close in color, design and quality to the original Product as reasonably possible, in Trex's discretion and determination, but Trex does not guarantee an exact match as colors and designs may change and Trex's obligation as to replacement shall further be limited to replacement with the styles and colors of the Product that are available at the time of the replacement. The remedies stated in this paragraph are purchaser's sole and exclusive remedies for any product that fails to conform to this limited warranty.

TREX® STEEL RAILING LIMITED WARRANTY (CONTINUED)

If a valid warranty claim hereunder is made during year eleven (11) or any year thereafter through the expiration of the applicable Warranty Period after the original purchase, recovery will be prorated in accordance with Table II, below. If Trex is providing replacement materials, it may elect to replace the percentage listed in Table II, below, of Product otherwise meeting the requirements for a claim, or if it is refunding the purchase price, it may elect to refund the percentage listed below in Table II of the purchase price of Product otherwise meeting the requirements for a claim.

TABLE II

Year of Claim	Recovery
11	80%
12	80%
13	80%
14	60%
15	60%
16	60%
17	40%
18	40%
19	40%
20	20%
21	20%
22	20%
23	10%
24	10%
25	10%

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, RELIANCE, STATUTORY, SPECIAL, PUNITIVE OR EXEMPLARY DAMAGES, INCLUDING, BUT NOT LIMITED TO, LOST PROFITS, LOSS OF USE, LOSS OF TIME, LOSS OF REVENUES, INCONVENIENCE, LOSS OF BUSINESS OPPORTUNITIES OR DAMAGE TO GOOD WILL OR REPUTATION DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING, BUT NOT LIMITED TO, NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR SUCH DAMAGES COULD HAVE BEEN REASONABLY FORESEEN, IN CONNECTION WITH, ARISING OUT OF, OR AS A RESULT OF, THE SALE, DELIVERY, INSTALLATION, USE OR LOSS OF USE OF THE PRODUCT SOLD HEREUNDER, OR FOR ANY LIABILITY OF PURCHASER TO ANY THIRD PARTY WITH RESPECT THERETO AND TREX'S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO DEFECTIVE PRODUCT SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCT OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This Limited Warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2024 Trex Company, Inc.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, TREX'S SOLE OBLIGATION UNDER THIS LIMITED WARRANTY SHALL BE, AT ITS OPTION, REPLACEMENT OF NON-CONFORMING PRODUCT OR A REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE. PURCHASER ASSUMES ALL RISK WHATSOEVER AS TO THE RESULT OF THE USE OF THE PRODUCT PURCHASED, WHETHER USED SINGULARLY OR IN COMBINATION WITH ANY OTHER PRODUCTS OR SUBSTANCES.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, THIS LIMITED WARRANTY SHALL NOT COVER, AND TREX SHALL NOT BE RESPONSIBLE FOR, COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING, BUT NOT LIMITED TO, LABOR AND FREIGHT.

No person or entity is authorized by Trex to make, and Trex shall not be bound by, any statement or representation as to the quality or performance of Product other than as contained in this Limited Warranty. This Limited Warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

OUR PRODUCTS

Decking
Deck Railing
Cladding
Fascia
Outdoor Lighting
Fasteners & Accessories

Deck Drainage
Outdoor Furniture
Outdoor Kitchens
Pergola
Fencing

Lattice
Spiral Stairs
Privacy Screens
Shade Panels
Cornhole

OUR TOOLS

Color Selector
Cost Calculator
Decking Comparison

Deck Designer
AR Visualizer
Railing Designer



Visit trex.com or call 1-800-BUY-TREX

FIND US ON



© 2026 Trex Company, Inc. All rights reserved. Trex®, the Trex logo, TrexPro®, Trex Enhance®, Trex Select®, Trex Transcend®, Trex Transcend® Lineage™, Trex Signature®, Trex® Outdoor Lighting, Trex Hideaway®, Trex® Pergola, Trex® Outdoor Kitchens, Trex® Outdoor Furniture, Trex® Cladding, Trex® Fascia, Trex® Spiral Stairs, Trex® Cornhole, Trex® Lattice and Trex® Fencing are either federally registered trademarks, trademarks or trade dress of Trex Company, Inc., Winchester, Virginia or its licensees.

© 2023 - 2025 Warner Bros. Discovery, Inc. or its subsidiaries and affiliates. All trademarks are the property of their respective owners. All rights reserved.

Trex®