



Trex®

PERFORMANCE-ENGINEERED™
FOR YOUR LIFE OUTDOORS



Your preferred Performance-Engineered™ decking, railing, cladding, lighting, furniture and more is here.

Why Trex?	4
Trex Decking	6
Decking Swatches	8
Trex Signature® Decking	10
Transcend® Lineage® Decking	12
Transcend® Decking	14
Trex Select® Decking	16
Trex Hideaway® Hidden Fasteners	17
Enhance® Decking	18
Trex Railing	20
Railing Overview	22
Trex Signature® X-Series™ Railing	24
Trex Signature® Railing	26
Transcend® Railing	28
Trex Select® Railing	30
Enhance™ Railing	32
Online Tools	33
Trex Outdoor Living Products	34
Detailed Product Specs	36
Warranties	46

DECKING:
Trex Signature in
Ocracoke (OC)


RAILING:
Trex Signature in
Charcoal Black (BK)
with mesh infill

The trusted choice of professionals

Trex is the top preferred decking brand over wood and other composites. Commercial and residential building professionals have turned to Trex for more than 30 years to create enviable outdoor spaces. With guaranteed performance ranging from 25 to 50 years, our low-maintenance surfaces result in builds with enduring curb appeal.



New railing products bring the strength and sleek design of metal railing within reach for all projects. With a broader range of infill options, there are now even more beautiful alternatives to wood to explore.



Trex has been recognized with awards for product excellence and innovation from organizations representing architects, homebuilders, contractors, distributors and dealers, and we continually set and raise the bar for the composite decking category.

Trex composite decking is sustainably made in the USA from up to 95% recycled plastic film and reclaimed wood.



Trex was ranked by *Newsweek* as one of America's Most Responsible Companies 2024, and won *Green Builder Media's* Sustainable Brand Leader in the decking category for the 14th consecutive year.



Decking

**Stylish composite decking outperforms
wood for hassle-free outdoor living**



DECKING:
Trex Transcend Lineage in
Biscayne (BC)

RAILING:
Trex Signature in Charcoal
Black (BK)



Highly Durable

Composite deck boards that stand up to both weather and weekend mishaps alike—they won't rot, warp, splinter, fade or stain.*



Easy Care & Cleanup

Our boards need no sanding or staining. No kidding. Easy soap & water cleanup keeps decking like new.



Always Green

Made in the U.S.A. using up to 95% recycled plastic film and reclaimed sawdust.



DECKING:
Trex Transcend Lineage in Biscayne (BC)

*See limited warranties on page 46 for further details.

**Our SunComfortable™ products with heat-mitigating technology are designed to be cooler than most other composite decking products of a similar color. Although engineered to be more comfortable, they can still get hot to the touch when direct sunlight and high temperatures converge for extended periods of time. On such days, care should be taken.



DECKING:
Trex Signature in Whidbey (WY)



Heat Mitigating

Only Trex offers SunComfortable™, the most advanced heat-mitigating technology. Deck colors with this symbol are engineered to be noticeably cooler than boards of a similar color without heat-mitigating technology in the same sun and heat conditions.**



Water Friendly

Every Trex composite board is submersible and beautifully repels water in all forms. Saltwater, lake water, rainwater, pool water, and yup, even that bottled water that got out of hand.



Fire Resistant

Boards with this symbol are Wildland Urban Interface (WUI) compliant, making them an excellent option for areas prone to wildfires for a common sense approach to safely living your life outdoors.

Trex Signature®

Trex Transcend® LINEAGE®

Trex Transcend®

\$\$\$\$\$ 50 ★★★★★

\$\$\$\$\$ 50 ★★★★

\$\$\$\$\$ 50 ★★★★★



Whidbey




Island Mist




Island Mist



Ocracoke



Biscayne



Tiki Torch

Make the Trex decision
that's right for you™

PRICE

\$ - \$\$\$\$\$

LIMITED RESIDENTIAL
WARRANTY COVERAGE

DECKING
SCRATCH RESISTANCE

★ - ★★★★

FIRE-RESISTANT



Bands with this symbol are Wildland Urban Interface (WUI) compliant, making them an excellent option for areas prone to wildfires.

Trex Select®

Trex Enhance® NATURALS

Trex Enhance® BASICS

\$\$\$ 35 ★★★

\$\$ 25 ★

\$ 25 ★



Pebble Grey



Foggy Wharf




Clam Shell



Saddle



Rocky Harbor




Tide Pool



Malted Barley



Toasted Sand




Beach Dune



Whiskey Barrel



Coastal Bluff



Saddle



Millstone



Cinnamon Cove



BOARD PROFILES

Solid
 Scalloped

Square edge
 Grooved edge


Use with Trex Hideaway® Hidden Fastening System for a clean, screw-free appearance.




Our SunComfortable™ products with heat-mitigating technology are designed to be cooler than most other composite decking products of a similar color. Although engineered to be more comfortable, they can still get hot to the touch when direct sunlight and high temperatures converge for extended periods of time. On such days, care should be taken.



Salt Flat



Rope Swing



Honey Grove



Superior scratch resistance makes Trex Signature decking an excellent choice for high-traffic spaces, including commercial applications like this outdoor wine bar.



\$\$\$\$\$



SCRATCH RESISTANCE

TrexSignature®

**Setting a new standard
for style in outdoor living**

**Performance-Engineered™
decking with luxury wood
aesthetics and natural colors**

The crowning achievement of our decking innovation, made with the beauty of nature in mind.



DECKING:
Trex Transcend Lineage in Biscayne (BC)

RAILING:
Trex Signature X-Series in Charcoal Black (BK)
with stainless steel cable infill

50 YEARS


Trex Transcend®
LINEAGE®

The next generation of design and performance

Winner of Green Builder's 2023 Sustainable Product of the Year and Good Housekeeping's 2024 Sustainable Innovation Awards

**Cooler to the touch—
even on the hottest days**

Thanks to SunComfortable* heat-mitigating technology, Trex is making decking feel even more civilized, even on the kind of days that melt popsicles before they find your mouth.



*Our SunComfortable™ products with heat-mitigating technology are designed to be cooler than most other composite decking products of a similar color. Although engineered to be more comfortable, they can still get hot to the touch when direct sunlight and high temperatures converge for extended periods of time. On such days, care should be taken.




\$\$\$\$



Trex Transcend®

**Elevated aesthetics
from the original
high-performance decking**



**Performance-Engineered™
colors for high impact design
to last a lifetime**

Find the perfect fit for your build with our
Trex Color Selector tool.



35
YEARS

\$\$\$

★★★

SCRATCH RESISTANCE

TrexSelect®

**The perfect pairing of price
and minimal maintenance**

The Trex Hideaway® Collection

When you want a deck that delivers above and beyond, build with the expanded Trex Hideaway® Collection, providing solutions for every deck fastening need, including color-matched screws, plugs, Butt Joint Clip and more.



Hideaway Clips

Crafted specifically for Trex decking, Hideaway® Clips offer a strong and seamless connection for a secure installation, every time.



Hideaway Plugs & Screws

Trex Hideaway® Color Match Composite Deck Screws and Decking Plugs offer both precision and lasting beauty that work across all decking lines.



One-Step Hidden Fastener Install Tool

Created with both the professional and the first time DIY'er in mind, this innovative tool delivers a faster, more precise installation, cutting install time up to half.



Pebble Grey



Whiskey Barrel




Saddle



Millstone



Malted Barley



**Performance-Engineered™
boards for ultra-low
maintenance and durability**

Trex Select comes in five nature-inspired colors that pair smartly with any home, and offers a soft, splinter-free finish that's comfortable underfoot. Select decking is also Wildland Urban Interface (WUI) compliant, making it an excellent option for areas prone to wildfires.



25
YEARS

TrexEnhance®
NATURALS & BASICS

\$\$ - \$


The beauty of wood with the ease
of composite, practically priced

★
SCRATCH RESISTANCE

NATURALS



Foggy Wharf



Clam Shell



Rocky Harbor



Tide Pool



Toasted Sand



Beach Dune




Coastal Bluff



Saddle



Cinnamon Cove



Honey Grove

Performance-Engineered™
decking outlasts wood
with high durability and
low maintenance

Enhance decking boards are scalloped, making them as lightweight as lumber—without the extra work.



Our SunComfortable™ products with heat-mitigating technology are designed to be cooler than most other composite decking products of a similar color. Although engineered to be more comfortable, they can still get hot to the touch when direct sunlight and high temperatures converge for extended periods of time. On such days, care should be taken.



RAILING:
Trex Signature X-Series in
Charcoal Black (BK) with
stainless steel cable infill

Railing

Metal and composite collections make it easy
to find your style and frame your view



More Material Options

From traditional composites to sleek metal offerings, our wide selection of safe and stylish railing options offers more choices for your build.



Elevated Style


With cable, mesh, glass and baluster infill options, you can achieve a look that suits your style and is a fashionable alternative to standard wood or vinyl railing.



The Anatomy of Railing

Cocktail Rail (optional)

Add a Transcend or Select deck board on a universal top rail or an aluminum rail to create a flat surface.



RAILING:
Trex Signature in Classic White (WT)



Durability to Match our Decking

Built with the same outstanding durability as Trex decking—your outdoor railing won't rot, warp, peel or splinter.



Easy Installation

Deck railing kits, pre-assembled panels and online resources make installation simple.

Rails
Top and bottom rails provide stability and structure.

Posts
Vertical poles can be outfitted with caps and skirts.

Balusters or Infill Panel
Individual columns or full expanses maintain space and safety.


Trex Signature®

X-SERIES™ RAILING


\$\$\$\$\$  ★★★★★



Stainless steel cable infill



Frameless glass infill



PRICE

\$ - \$\$\$\$\$

LIMITED RESIDENTIAL
WARRANTY COVERAGE

RAILING
DESIGN FLEXIBILITY

★ - ★★★★


Trex Signature®

ALUMINUM RAILING

\$\$\$\$ - \$\$\$  ★★★★★



Square balusters



Trex Transcend®

COMPOSITE RAILING

\$\$\$  ★★★★



Round aluminum balusters




Trex Select®

COMPOSITE RAILING

\$\$  ★★




Classic rail with
round aluminum balusters




Trex Select™

ALUMINUM RAILING

\$\$  ★★



Square balusters




Trex Enhance™

STEEL RAILING

\$  ★



Square balusters



Get inspired by photos of some of
our favorite decking and railing
pairings at trex.com/railing.





\$\$\$\$\$

★★★★★
DESIGN FLEXIBILITY


TrexSignature®
X-SERIES™ RAILING




Charcoal Black



Stainless steel cable infill




Frameless glass infill



Two Speciality Infill Options

Choose a modern stainless steel cable rail or the frameless glass infill for unobstructed views and streamlined looks.

Cable hardware is made from premium-grade stainless steel for corrosion resistance in marine and coastal applications, with novel spring-loaded cables for optimal tension management.





Trex Signature® ALUMINUM RAILING

\$\$\$\$ - \$\$\$








DESIGN FLEXIBILITY

**Effortless style,
exceptional strength**



See detailed product specs on page 38 for color availability





\$\$\$



DESIGN FLEXIBILITY

Trex Transcend®
COMPOSITE RAILING

Timeless design you
can trust—and tailor



Classic White



Rope Swing


Mix and match or choose a railing kit

No other railing line offers the freedom to mix and match infill and rails like Trex Transcend. Transcend railing puts every color combination within reach. Get style-specific or eliminate the guesswork with pre-designed kits.

Round aluminum balusters



Mix and match colors



Square composite balusters



Cocktail rail





Trex Select®
COMPOSITE RAILING

RAILING:
Trex Select T-rail in Classic White
(WT) with square balusters

DECKING:
Trex Select in Saddle (SD)

25
YEARS

\$\$

★★

DESIGN FLEXIBILITY

The simple choice for your backyard


Affordable Trex Select railing outperforms vinyl and wood options and comes backed by a 25-year warranty*. Choose from Classic or T-Rail top rails—with round aluminum or square composite baluster options—or opt for new Select steel mesh railing infill panels for a rustic, industrial look, crafted from robust carbon steel.



Classic rail with
round aluminum balusters



T-Rail with square
composite balusters



Select™ steel mesh railing



Charcoal Black



Classic White

See detailed product specs on page 41 for color availability

*Steel mesh panels come with a 15-year warranty



25
YEARS

\$\$

★★

DESIGN FLEXIBILITY

Trex Select™
ALUMINUM RAILING




Charcoal Black




Burnished Bronze

Square balusters



Elegance meets simplicity

Strike a balance of strength, weather resistance and value with Trex Select Aluminum railing, crafted from powder-coated aluminum that resists corrosion for lasting beauty. Affordable, easy-to-install panels offer clean, modern design combined with durability and ease of maintenance.



RAILING:
Trex Select Aluminum Railing in
Charcoal Black (BK)




15
YEARS

\$




DESIGN FLEXIBILITY

Trex Enhance™
STEEL RAILING



Charcoal Black

Functional design at a budget-friendly cost




Sometimes a simple steel railing is all you need to add a modern touch. Entry-level Trex Enhance Steel Railing delivers functional design at a budget-friendly price. The simple design highlights your view and withstands weather and arid conditions.



Trex PRO®

High-performance decks need high-performance deck builders



We've pre-screened and hand selected the very best professional contractors and installers as part of our TrexPro® Platform. These contractors have completed installation and product training on all Trex products and successfully meet requirements to obtain the TrexPro designation and are experienced with Trex and its exponential possibilities.



Find a builder



Bring your projects to life with help from our digital tools

See Your Deck in Real Time

A new deck springs to life in your client's backyard with the Trex decking and railing AR Visualizer App. Download the Trex AR Visualizer app from any app store.



Deck Designer

Bring your client's vision to life. Our Deck Designer tool helps you handpick every element of your build and preview it in 3D.



Color Selector



Cost Calculator



Decking Comparison



Scan to explore these tools

All the Trex products to complete and complement any project.



Trex® RainEscape®




Trex® Outdoor Furniture



Trex® Outdoor Kitchens



Trex® Cladding



Trex® Fascia




Trex® Lattice



Trex® Pergola



Trex® Spiral Stairs



Trex® Outdoor Lighting



Trex® Fencing



Trex® Cornhole

Trex® RainEscape® products are manufactured and sold by IBP, LLC under a Trademark License Agreement with Trex Company, Inc. RainEscape® is a federally registered trademark of IBP, LLC. A Limited Warranty is provided by the manufacturer.

Trex® Outdoor Furniture products are manufactured and sold by POLYWOOD. Under a Trademark License Agreement with Trex Company, Inc. A 20-Year Limited Warranty is provided by the manufacturer.

Trex® Outdoor Kitchens is manufactured and sold by Danver Acquisitions, LLC, under a Trademark Agreement with Trex Company, Inc. A Limited Warranty is provided by the manufacturer.

Trex® Lattice is manufactured and sold by Home & Leisure, Inc., d/b/a Structureworks, under a Trademark License Agreement with Trex Company, Inc. A 12-year Limited Warranty is provided by the manufacturer.

Trex® Pergola products are manufactured and sold by Home & Leisure, Inc., d/b/a Structureworks, under a Trademark License Agreement with Trex Company, Inc. A 25-Year Limited Residential Warranty and a 10-Year Limited Commercial Warranty provided by the manufacturer. Sunbrella® is a registered trademark of Glen Raven, Inc. ShadeTree® Canopy is a registered trademark of Shade Tree Inc.

Trex® Spiral Stairs are manufactured and sold by SS Industries dba Paragon Stairs. Trex® is a trademark of Trex Company, Inc., and is used by SS Industries dba Paragon Stairs under license with, Trex Company, Inc.

Trex® Cornhole products are manufactured and sold by Johnson Enterprises, LLC, under a Trademark License Agreement with Trex Company, Inc. Limited Warranty provided by manufacturer.

For the terms of warranties on Trex® OutdoorLighting, see page 48 or visit trex.com. Cree® is a registered trademark of Cree, Inc.

PRODUCT SPECIFICATIONS

TREX® DECKING & FASCIA

PROFILE	DESCRIPTION	ITEM #	COLORS
1" Square-Edge Board	1x 6 x 16' 1x 6 x 20'	Trex Signature XX010616NS01 XX010620NS01	OC, WY
Actual dimensions: Trex Signature .94 in x 5.5 in x 20 ft (24 mm x 140 mm x 609 cm)	1x 6 x 12' 1x 6 x 16' 1x 6 x 20'	XX010612TLS01 XX010616TLS01 XX010620TLS01	BC, CL, HT, JA, IM, RN, SF
Transcend & Enhance: .94 in x 5.5 in x 16 ft / 20 ft (24 mm x 140 mm x 487 cm / 609 cm)	1x 6 x 16' 1x 6 x 20'	XX010616TS01 XX010620TS01	HG, IM, LR, SR, TT
Trex Select: .82 in x 5.5 in x 16 ft / 20 ft (20 mm x 140 mm x 487 cm / 609 cm)	1x 6 x 12' 1x 6 x 16' 1x 6 x 20'	XX010612T2S01 XX010620T2S01	RS
	7/8 x 6 x 12' 7/8 x 6 x 16' 7/8 x 6 x 20'	XX010612SS01 XX010616SS01 XX010620SS01	PG, SD
	7/8 x 6 x 12' 7/8 x 6 x 16' 7/8 x 6 x 20'	XX010612S2S01 XX010616S2S01 XX010620S2S01	MY, MS, WL
	1x 6 x 16' 1x 6 x 20'	XX010616E2S01 XX010620E2S01	CB, CC, FW, HY, RH, TS
	1x 6 x 16' 1x 6 x 20'	XX010616E2S01 XX010620E2S01	CS, BD, SD, TP
1" Grooved-Edge Board	1x 6 x 12' 1x 6 x 16' 1x 6 x 20'	XX010612NG01 XX010616NG01 XX010620NG01	OC, WY
Actual dimensions: Trex Signature, Transcend & Enhance: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft (24 mm x 140 mm x 365 cm / 487 cm / 609 cm)	1x 6 x 12' 1x 6 x 16' 1x 6 x 20'	XX010612T2G01 XX010616T2G01 XX010620T2G01	BC, CL, HT, JA, IM, RN, SF
Trex Select: .82 in x 5.5 in x 12 ft / 16 ft / 20 ft (20 mm x 140 mm x 365 cm / 487 cm / 609 cm)	1x 6 x 12' 1x 6 x 16' 1x 6 x 20'	XX010612SG01 XX010616SG01 XX010620SG01	HG, IM, LR, SR, TT
	7/8 x 6 x 12' 7/8 x 6 x 16' 7/8 x 6 x 20'	XX010612S2G01 XX010616S2G01 XX010620S2G01	RS
	7/8 x 6 x 12' 7/8 x 6 x 16' 7/8 x 6 x 20'	XX010612E2G01 XX010616E2G01 XX010620E2G01	MY, MS, WL
	1x 6 x 12' 1x 6 x 16' 1x 6 x 20'	XX010612E2G01 XX010616E2G01 XX010620E2G01	CB, CC, FW, HY, RH, TS
	1x 6 x 12' 1x 6 x 16' 1x 6 x 20'	XX010612E2G01 XX010616E2G01 XX010620E2G01	CS, BD, SD, TP
1" x 8" Fascia Board	1x 8 x 12'	XX010812NS01	OC, WY
Actual dimensions: Trex Signature, Transcend, Enhance, Trex Select, Universal White: .56 in x 7.25 in x 12 ft (14 mm x 184 mm x 365 cm)	1x 8 x 12' 1x 8 x 12' 1x 8 x 12'	XX010812TLS01 XX010812TS01 XX010812T2S01	BC, CL, HT, JA, IM, RN, SF HG, IM, LR, SR, TT
	1x 8 x 12'	XX010812SS01	PG, SD
	1x 8 x 12'	XX010812S2S01	MY, MS, WL
	1x 8 x 12'	XX010812E2S01	CB, CC, FW, HY, RH, TS
	1x 8 x 12'	XX010812E2S01	CS, BD, SD, TP
	1x 8 x 12'	WW010812ES01	WW
1" x 12" Fascia Board	1x 12 x 12'	XX011212NS01	OC, WY
Actual dimensions: Trex Signature, Transcend, Enhance, Trex Select, Universal White: .56 in x 11.375 in x 12 ft (14 mm x 288 mm x 365 cm)	1x 12 x 12' 1x 12 x 12' 1x 12 x 12'	XX011212TLS01 XX011212TS01 XX011212T2S01	BC, CL, HT, JA, IM, RN, SF HG, IM, LR, SR, TT
	1x 12 x 12'	XX011212SS01	PG, SD
	1x 12 x 12'	XX011212S2S01	MY, MS, WL
	1x 12 x 12'	XX011212E2S01	CB, CC, FW, HY, RH, TS
	1x 12 x 12'	XX011212E2S01	CS, BD, SD, TP
	1x 12 x 12'	WW011212ES01	WW
2" Square-Edge Board	2 x 4 x 16'	XX020416TS01	HG, IM, LR, SR, TT
Actual dimensions: Transcend 2x4: 1.3 in x 3.4 in x 16 ft (33 mm x 86 mm x 487 cm)	2 x 6 x 12' 2 x 6 x 16' 2 x 6 x 20'	XX020612TS01 XX020616TS01 XX020620TS01	HG, IM, LR, SR, TT
Transcend & Trex Select 2x6: 1.3 in x 5.5 in x 12 ft / 16 ft / 20 ft (33 mm x 140 mm x 365 cm / 487 cm / 609 cm)	2 x 6 x 12' 2 x 6 x 16' 2 x 6 x 20'	XX020612SS01 XX020616SS01 XX020620SS01	PG, SD
	2 x 6 x 12' 2 x 6 x 16' 2 x 6 x 20'	XX020612S2S01 XX020616S2S01 XX020620S2S01	MY, MS, WL

XX = COLOR PREFIX

*Beach Dune and Coastal Bluff will be discontinued effective October 2025

BC Biscayne

BD Beach Dune*

CL Carmel

CC Cinnamon Cove

CS Clam Shell

CB Coastal Bluff*

HY Havana Gold

LR Lava Rock

PG Pebble Grey

SD Saddle

TT Tiki Torch

TS Toasted Sand

WW Universal White

WY Whidbey

WL Whiskey Barrel

HY Honey Grove

MY Malted Barley

IM Island Mist

MS Millstone

RN Rainier

RH Rocky Harbor

SR Spiced Rum

TP Tide Pool

RS Rope Swing

OC Ocracoke

JA Jasper

TT Tiki Torch

TS Toasted Sand

WW Universal White


WY Whidbey

WL Whiskey Barrel

TREX® RAILING—ENDLESS POSSIBILITIES

Please read the system descriptions at the top of each product section so you can choose exactly which railing components you need to complete your design. For additional guidance, the chart below depicts each railing system's component.

TREX POST COMPONENTS
TREX SIGNATURE® RAILING
TREX TRANSCEND® RAILING
TREX SELECT® RAILING
TREX SELECT™ ALUMINUM RAILING
TREX ENHANCE™ STEEL RAILING



TREX® POST SLEEVES, CAPS & SKIRTS

These components can be used as steps 1 & 2 for all Trex railing lines.

STEP	COMPONENT	DESCRIPTION	ITEM #	COLORS	
1	Post Sleeve	Each 4x4 and 6x6 post sleeve fits over a 4x4 pressure treated post or equivalent post mount. Dimensions are nominal. See below for actuals and metrics. [4.45 in x 4.45 in x 40 in (113 mm x 113 mm x 101 mm) external dimensions] [4.45 in x 4.45 in x 108 in (113 mm x 113 mm x 274 mm) external dimensions] [5.5 in x 5.5 in x 39 in (139 mm x 139 mm x 990 mm) external dimensions] [5.5 in x 5.5 in x 108 in (139 mm x 139 mm x 274 mm) external dimensions]	4" x 4" x 39" Post Sleeve 4" x 4" x 108" Post Sleeve	XX040439APS XX0404108APS	WT, BK, RS, VL
1	Aluminum Post Sleeve	With post cap and skirt	4" x 4" x 37" Aluminum Post Sleeve 4" x 4" x 43" Aluminum Post Sleeve 4" x 4" x 53" Aluminum Post Sleeve—Stair	XXSAL040437PS XXSAL040443PS XXSAL040453PS	BK, BB
2a	Post Sleeve Cap	Also available with LED lighting. Dimensions are nominal. See below for actuals and metrics. [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions] [5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]	Flat 4" x 4" Post Sleeve Cap Flat 6" x 6" Post Sleeve Cap	PXXSQCAP4X4 PWTSQCAP6X6	WT, BK, RS, VL
2a	Solar Post Cap Light	Dimensions are nominal. See below for actuals and metrics. [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions]	Flat 4" x 4" Solar Post Cap Light	XXSOLAR4X4CAP	WT, BK, VL
2b	Post Sleeve Skirt	Dimensions are nominal. See below for actuals and metrics. [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions] [5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]	4" x 4" Post Sleeve Skirt 6" x 6" Post Sleeve Skirt	PXXSKIRT4X4 PWTSKIRT6X6	WT, BK, RS, VL
1 2a 2b	All-In-One Post Kit	With low-profile post sleeve, post cap and skirt	40" Trex Select All-In-One Post Kit 48" Trex Select All-In-One Post Kit 54" Trex Select All-In-One Post Kit	WT040440NTPS WT040448NTPS WT040454NTPS	WT

ACCESSORIES

COMPONENT	DESCRIPTION	ITEM #	COMPONENT	DESCRIPTION	ITEM #
Surface Mount Post	Aluminum Surface Mount Post for 36" (914 mm) Rail Height (1/box)	ALPOSTMOUNT36	Joist Mount Post	For use with 4x4 composite post sleeve.	
For use with 4x4 composite post sleeve. Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm) 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)			Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)		
Surface Mount Post Hardware—Wood (10 kits/box)	ALPOSTHWDECK		Aluminum Joist Mount Post for use with all Trex railing heights (1/box)	CPJMNTPOST63	

XX = COLOR PREFIX

BK Charcoal Black

RS Rope Swing

VL Vintage Lantern

WT Classic White

TREX SIGNATURE® RAILING

Choose either aluminum posts or composite post sleeves, caps and skirts for steps 1 & 2.
Pair with a rail kit (step 3) and infill panel (step 4) if needed.

STEP	DESCRIPTION	ITEM #	DESCRIPTION	ITEM #
1+2	Aluminum Posts Can only be used within the Trex Signature® line. Mounting hardware for post sold separately. Trex Signature® aluminum posts fulfill steps 1 & 2. If using composite post sleeves, refer to previous page.			
	2.5" x 2.5" x 37" Aluminum Post—Horizontal 2.5" x 2.5" x 43" Aluminum Post—Horizontal 2.5" x 2.5" x 53" Aluminum Post—Stair Comes with cap and skirt.	XXAL252537RCAP XXAL252543RCAP XXAL252553RCAP	IRC Aluminum Mounting Plate & Hardware For use with all Trex 2.5" Surface Mount Aluminum Posts.	ALPOSTHWDECK
	2.5" x 2.5" x 36" Crossover Post—Horizontal 2.5" x 2.5" x 42" Crossover Post—Horizontal Comes with skirt.	XXAL252536RCCP XXAL252542RCCP	2.5" x 2.5" x 63" Aluminum Joist Mount Post Comes with cap and skirt. Fascia Mount Kit - Wood Framing For use with Joist Mount Post only.	XXJMNTPOST63 XXFMNTWOOD
	2.5" x 2.5" x 37" Line Post with Premounted Brackets 2.5" x 2.5" x 37" End Post with Premounted Brackets 2.5" x 2.5" x 37" Corner Post with Premounted Brackets 2.5" x 2.5" x 43" Line Post with Premounted Brackets 2.5" x 2.5" x 43" End Post with Premounted Brackets 2.5" x 2.5" x 43" Corner Post with Premounted Brackets Comes with cap and skirt.	BKAL252537RCAPLINE BKAL252537RCAPEND BKAL252537RCAPCNR BKAL252543RCAPLINE BKAL252543RCAPEND BKAL252543RCAPCNR	Dimensions are nominal. See below for actuals and metrics. [2.5 in x 2.5 in x 36 in (63 mm x 63 mm x 914 mm) actual dimensions] [2.5 in x 2.5 in x 37 in (63 mm x 63 mm x 939 mm) actual dimensions] [2.5 in x 2.5 in x 42 in (63 mm x 63 mm x 106 cm) actual dimensions] [2.5 in x 2.5 in x 43 in (63 mm x 63 mm x 109 cm) actual dimensions] [2.5 in x 2.5 in x 53 in (63 mm x 63 mm x 134 cm) actual dimensions] [2.5 in x 2.5 in x 63 in (63 mm x 63 mm x 160 cm) actual dimensions]	

3	Rail & Baluster Kit (includes top rail, bottom rail, balusters and mounting and support hardware) Round kits available in BK. Square kits available in BK, BZ and WT.			
	6' x 36" Rail Kit w/ Round Balusters—Horizontal 6' x 36" Rail Kit w/ Round Balusters—Stair 8' x 36" Rail Kit w/ Round Balusters—Horizontal 8' x 36" Rail Kit w/ Round Balusters—Stair	BKAR0636HRK BKAR0636SRK BKAR0836HRK BKAR0836SRK	6' x 42" Rail Kit w/ Square Balusters—Horizontal 6' x 42" Rail Kit w/ Square Balusters—Stair 8' x 42" Rail Kit w/ Square Balusters—Horizontal 8' x 42" Rail Kit w/ Square Balusters—Stair	XXAS0642HRK XXAS0642SRK XXAS0842HRK XXAS0842SRK
	6' x 42" Rail Kit w/ Round Balusters—Horizontal 6' x 42" Rail Kit w/ Round Balusters—Stair 8' x 42" Rail Kit w/ Round Balusters—Horizontal 8' x 42" Rail Kit w/ Round Balusters—Stair	BKAR0642HRK BKAR0642SRK BKAR0842HRK BKAR0842SRK	4' x 36" Assembled Panel (Square)—Horizontal 6' x 36" Assembled Panel (Square)—Horizontal 6' x 36" Assembled Panel (Square)—Stair 8' x 36" Assembled Panel (Square)—Horizontal 8' x 36" Assembled Panel (Square)—Stair 4' x 42" Assembled Panel (Square)—Horizontal 6' x 42" Assembled Panel (Square)—Horizontal 6' x 42" Assembled Panel (Square)—Stair 8' x 42" Assembled Panel (Square)—Horizontal 8' x 42" Assembled Panel (Square)—Stair	BKAS0436HRPNL BKAS0636HRPNL BKAS0636SRPNL BKAS0836HRPNL BKAS0836SRPNL BKAS0442HRPNL BKAS0642HRPNL BKAS0642SRPNL BKAS0842HRPNL BKAS0842SRPNL
	6' x 36" Rail Kit w/ Square Balusters—Horizontal 6' x 36" Rail Kit w/ Square Balusters—Stair 8' x 36" Rail Kit w/ Square Balusters—Horizontal 8' x 36" Rail Kit w/ Square Balusters—Stair	XXAS0636HRK XXAS0636SRK XXAS0836HRK XXAS0836SRK	Does not include hardware. Assembled Panels available in BK.	

3	Rod Rail Kit (includes top rail, bottom rail, rods and mounting and support hardware) Available in BKBK.			
	6' x 36" Rod Rail Kit—Horizontal 6' x 36" Rod Rail Kit—Stair 8' x 36" Rod Rail Kit—Horizontal 8' x 36" Rod Rail Kit—Stair	BKBKROD0636HRK BKBKROD0636SRK BKBKROD0836HRK BKBKROD0836SRK	6' x 42" Rod Rail Kit—Horizontal 6' x 42" Rod Rail Kit—Stair 8' x 42" Rod Rail Kit—Horizontal 8' x 42" Rod Rail Kit—Stair	BKBKROD0642HRK BKBKROD0642SRK BKBKROD0842HRK BKBKROD0842SRK
	36" Rod Rail Vertical Kit—Horizontal 36" Rod Rail Vertical Kit—Stair 42" Rod Rail Vertical Kit—Horizontal 42" Rod Rail Vertical Kit—Stair Use as an accessory for cut Rod Rail sections. Available in BK.	BK36RODHVERTK BK36RODSVERTK BK42RODHVERTK BK42RODSVERTK	Dimensions are nominal. See below for actuals and metrics. [4' x 36": 48 in x 36 in (122 cm x 914 mm) actual dimensions] [4' x 42": 48 in x 42 in (122 cm x 106 cm) actual dimensions] [6' x 36": 72 in x 36 in (182 cm x 914 mm) actual dimensions] [8' x 36": 96 in x 36 in (243 cm x 914 mm) actual dimensions] [6' x 42": 72 in x 42 in (182 cm x 106 cm) actual dimensions] [8' x 42": 96 in x 42 in (243 cm x 106 cm) actual dimensions]	

3	Mesh Rail Kit (includes top rail, bottom rail, verticals and mounting and support hardware) Available in BK and BZ. Mesh infill sold separately. Dimensions are nominal. See below for actuals and metrics. [6' x 36": 72 in x 36 in (182 cm x 914 mm) actual dimensions] [8' x 36": 96 in x 36 in (243 cm x 914 mm) actual dimensions] [6' x 42": 72 in x 42 in (182 cm x 106 cm) actual dimensions] [8' x 42": 96 in x 42 in (243 cm x 106 cm) actual dimensions]			
	6' x 36" Mesh Rail Kit—Horizontal 6' x 36" Mesh Rail Kit—Stair 8' x 36" Mesh Rail Kit—Horizontal 8' x 36" Mesh Rail Kit—Stair			XXA0636PNLHRK XXA0636PNLSRK XXA0836PNLHRK XXA0836PNLSRK
	6' x 42" Mesh Rail Kit—Horizontal 6' x 42" Mesh Rail Kit—Stair 8' x 42" Mesh Rail Kit—Horizontal 8' x 42" Mesh Rail Kit—Stair			XXA0642PNLHRK XXA0642PNLSRK XXA0842PNLHRK XXA0842PNLSRK
	36" Mesh Rail Vertical Kit—Horizontal 36" Mesh Rail Vertical Kit—Stair 42" Mesh Rail Vertical Kit—Horizontal 42" Mesh Rail Vertical Kit—Stair Use as an accessory for cut mesh railing sections.			XX36MSHHVERTK XX36MSHSVERTK XX42MSHHVERTK XX42MSHSVERTK

XX = COLOR PREFIX BZ = Bronze BK = Charcoal Black WT = Classic White

STEP	COMPONENT	DESCRIPTION	ITEM #
4	Mesh Panel	For use with Trex Signature® Mesh Rail Kit. Dimensions are nominal. See below for actuals and metrics. [6' x 36": 64 in x 32.375 in (162 cm x 822 mm) actual dimensions] [8' x 36": 88 in x 32.375 in (223 cm x 822 mm) actual dimensions] [8' x 42": 88 in x 38.375 in (223 cm x 974 mm) actual dimensions] [Universal: 108.1875 in x 36.1875 in (274 cm x 919 mm) actual dimensions]	6' x 36" Stainless Steel Mesh Panel—Horizontal 8' x 36" Stainless Steel Mesh Panel—Horizontal 8' x 42" Stainless Steel Mesh Panel—Horizontal Universal Stainless Steel Mesh Panel—Stair

3	Glass Rail Kit	6' Glass Rail Kit—Horizontal Dimension above is nominal. See below for actual and metric. [6': 72 in (182 cm) actual dimension]	6' Glass Rail Kit—Horizontal Dimension above is nominal. See below for actual and metric. [6': 72 in (182 cm) actual dimension]
4	Glass Panel	For use with Trex Signature® Glass Rail Kit.	Visit glass.trex.com to order custom glass panels to complete your build.

ACCESSORIES	COMPONENT	ITEM #	COMPONENT	ITEM #
	Trex Signature® Bracket Template—Horizontal (36" and 42") - 4x4 Composite Sleeve	SIGTEMP4X4SLEEVE	Cocktail Rail Bracket (10/pack) Fixed Bracket—Horizontal (4/pack) Fixed Bracket—Stair (4/pack) Swivel Bracket—Horizontal (2/pack-1 top, 1 bottom) Swivel Bracket—Stair (2/pack-1 top, 1 bottom) Compound Swivel Bracket (2/pack-1 top, 1 bottom)	XXCTBKTAL10PK XXFBKTALPNL XXFSBKTAL XXSWBKTAL XXWSBKTAL XXCPDSWBKTAL
	Trex Signature® Bracket Template—Horizontal (36" and 42") - 2.5" Aluminum Post	SIGTEMPIRCPOST	2.5" Crossover Bracket—Horizontal (1/pack) 90° Crossover Bracket—Horizontal (1/pack) Crossover Rail End Cap 2.5" Swivel Crossover Bracket—Stair (1/pack)	XX25FHCBKTL XX90FHCBKTL XXXOVERENDCAP XX25RCWSBKTAL
	Aluminum Foot Block Extended Aluminum Foot Block	XXALFTBLK XXAL08FTBLK	Touch-up Pen	XXTOUCHUPPEN

TREX SIGNATURE® X-SERIES™ RAILING

Choose your X-Series Post for step 1. Pair with either a Cable Rail Kit or Frameless Glass Infill Kit and Laminated Glass Panel for steps 2 & 3.

STEP	COMPONENT	DESCRIPTION	ITEM #
1	X-Series Posts	Dimensions are nominal. See below for actuals and metrics. [3.5 in x 3.5 in x 36.9 in (88 mm x 88 mm x 937 mm) actual dimensions] [3.5 in x 3.5 in x 42.9 in (88 mm x 88 mm x 108 cm) actual dimensions] [3.5 in x 3.5 in x 52.9 in (88 mm x 88 mm x 134 cm) actual dimensions]	3.5" x 3.5" x 37" Anchor Post—Horizontal 3.5" x 3.5" x 43" Anchor Post—Horizontal 3.5" x 3.5" x 53" Anchor Post—Stair
2	Cable Rail Kit	Dimensions are nominal. See below for actuals and metrics. [6' x 36": 72 in x 36 in (182 cm x 914 mm) actual dimensions] [12' x 36": 144 in x 36 in (365 cm x 914 mm) actual dimensions] [18' x 36": 216 in x 36 in (548 cm x 914 mm) actual dimensions] [6' x 42": 72 in x 42 in (182 cm x 106 cm) actual dimensions] [12' x 42": 144 in x 42 in (365 cm x 106 cm) actual dimensions] [18' x 42": 216 in x 42 in (548 cm x 106 cm) actual dimensions]	6' x 36" Cable Rail Kit—Horizontal 12' x 36" Cable Rail Kit—Horizontal 18' x 36" Cable Rail Kit—Horizontal 6' x 36" Cable Rail Kit—Stair 6' x 42" Cable Rail Kit—Horizontal 12' x 42" Cable Rail Kit—Horizontal 18' x 42" Cable Rail Kit—Horizontal 6' x 42" Cable Rail Kit—Stair
2	Frameless Glass Infill Kit	Infill Kit—Horizontal (One Size)	BKAXGLIK
3	Laminated Glass Panel	For use with Trex Signature® X-Series™ Frameless Glass Infill Kit.	Visit glass.trex.com to order custom glass panels to complete your build.
	Compound Swivel Bracket	1 per pack (top rail only). For horizontal or stair.	BKAXCPDSWBKT

XX = COLOR PREFIX BZ = Bronze BK = Charcoal Black WT = Classic White

TREX TRANSCEND® RAILING

Transcend is either a 3-step or 5-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2), then choose a rail kit (step 3). OR choose each component individually for a custom design (steps 3a, 3b, 4 & 5).

STEP	COMPONENT	DESCRIPTION	ITEM #	COLORS
3	Rail & Square Composite Baluster Kit <small>(includes Crown top rail, Universal bottom rail, square composite balusters, baluster spacers, adjustable foot block and mounting hardware) Color option indicates rails and balusters.</small>	6' x 36" Rail & Baluster Kit—Horizontal 6' x 36" Rail & Baluster Kit—Stair 8' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Stair	XX0636HRKFS WT0636SRKFS XX0836HRKFS XX0836SRKFS	WT, BK, VL
		6' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Stair	XX0642HRKFS XX0842HRKFS XX0842SRKFS	WT, BK, VL
3	Rail & Round Aluminum Baluster Kit <small>(includes Crown top rail, Universal bottom rail, round aluminum balusters, baluster spacers, adjustable foot block and mounting hardware) Color option indicates rails. Round aluminum balusters come in BK.</small>	6' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Stair	XXRD0636HRKFS XXRD0836HRKFS XXRD0836SRKFS	WT, BK, VL
		6' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Stair	XXRD0642HRKFS XXRD0842HRKFS XXRD0842SRKFS	WT, BK, VL
3	Cocktail Rail & Round Aluminum Baluster Kit <small>(includes Universal top/bottom rails, round aluminum balusters, baluster spacers, adjustable foot block and mounting hardware) Round aluminum balusters come in BK. Only Trex Signature®, Trex Transcend® and Trex Select® deck boards can be used for cocktail rail and Transcend 2x4 applications.</small>	6' x 36" Cocktail Rail & Baluster Kit—Horizontal 8' x 36" Cocktail Rail & Baluster Kit—Horizontal 8' x 36" Cocktail Rail & Baluster Kit—Stair	WTRD0636HRKCKTLFS WTRD0836HRKCKTLFS WTRD0836SRKCKTLFS	WT
		<small>Dimensions are nominal. See below for actuals and metrics. 6' x 36": 72 in x 36 in (182 cm x 914 mm) 6' x 42": 72 in x 42 in (182 cm x 106 cm) 8' x 36": 96 in x 36 in (243 cm x 914 mm) 8' x 42": 96 in x 42 in (243 cm x 106 cm)</small>		
3a	Top Rail <small>Universal top rail is used for cocktail rail applications.</small>	6' Crown Top Rail 8' Crown Top Rail	XXCROWNTR06FS XXCROWNTR08FS	WT, BK, RS, VL
3b	Bottom Rail	6' Universal Top/Bottom Rail 8' Universal Top/Bottom Rail	XXUNIVTBR06FS XXUNIVTBR08FS	WT, BK, RS, VL
4	Balusters <small>See chart below for number of balusters needed to complete each railing section. Composite balusters are available in WT, BK, RS, and VL. Aluminum balusters are available in WT, BZ and BK.</small>	Square Composite Balusters for 36" Rail Height (16/pack) Square Composite Balusters for 42" Rail Height (16/pack)	XX020230SBK XX020236SBK	WT, BK, RS, VL
		Round Aluminum Balusters for 36" Rail Height (20/pack) Round Aluminum Balusters for 42" Rail Height (20/pack)	XXTA30RBK XXTA36RBK	WT, BZ, BK
		<small>Dimensions are nominal. See below for actuals and metrics. 6' Full Span Rail: 72 in (182 cm), 8' Full Span Rail: 96 in (243 cm) Composite 36" Baluster: 1.418 in x 1.418 in x 30.375 in (36 mm x 36 mm x 771 mm) Composite 42" Baluster: 1.418 in x 1.418 in x 36.375 in (36 mm x 36 mm x 923 mm) Aluminum 36" Baluster: .75 in x 30.25 in (19 mm x 768 mm) Aluminum 42" Baluster: .75 in x 36.25 in (19 mm x 920 mm)</small>		
5	Accessory Infill Kit <small>(includes, baluster spacers, adjustable foot block and mounting hardware)</small>	6' Accessory Infill Kit for Square Composite Balusters—Horizontal 6' Accessory Infill Kit for Square Composite Balusters—Stair 8' Accessory Infill Kit for Square Composite Balusters—Horizontal 8' Accessory Infill Kit for Square Composite Balusters—Stair	XXSQHIK06FS XXSQSIK06FS XXSQHIK08FS XXSQSIK08FS	WT, BK, RS, VL
		6' Accessory Infill Kit for Round Aluminum Balusters—Horizontal 6' Accessory Infill Kit for Round Aluminum Balusters—Stair 8' Accessory Infill Kit for Round Aluminum Balusters—Horizontal 8' Accessory Infill Kit for Round Aluminum Balusters—Stair	XXRDIHK06FS XXRDSIK06FS XXRDIHK08FS XXRDSIK08FS	WT, BK, RS, VL

XX = COLOR PREFIX

COMPOSITE COLORS

BK Charcoal Black
RS Rope Swing

VL Vintage Lantern
WT Classic White

ALUMINUM COLORS

BK Charcoal Black
WT Classic White

BZ Bronze




ACCESSORIES	COMPONENT	ITEM #	COMPONENT	ITEM #
	Transcend Bracket Template—Horizontal (36" and 42")—Composite Sleeve	TSCTEMP4X4SLEEVE	Mounting Hardware for Cut Rails—Horizontal Mounting Hardware for Cut Rails—Stair	XXHZACCKIT XXSTACCKIT
	Foot Block	XXFTBLKPC	Transcend RSB Bracket Pack—Horizontal (24/box) Transcend RSB Bracket Pack—Stair (24/box)	TSHBRACKET TSSBRACKET

TREX SELECT® RAILING

Trex Select® is a 3-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2) and a rail kit (step 3).


STEP	COMPONENT	DESCRIPTION	ITEM #	COLORS
1	All-In-One Post Kit <small>(with low-profile post sleeve, post cap and skirt) Available in WT.</small>	40" Trex Select All-In-One Post Kit 48" Trex Select All-In-One Post Kit 54" Trex Select All-In-One Post Kit	WT040440NTPS WT040448NTPS WT040454NTPS	WT
1	Post Sleeve	4" x 4" x 39" Post Sleeve 4" x 4" x 108" Post Sleeve	XX040439APS XX040410APS	WT, BK
2a	Post Cap & Skirt	Flat 4" x 4" Post Sleeve Cap 4" x 4" Post Sleeve Skirt	PXXSQCAP4X4 PXXSKIRT4X4	WT, BK
3	Classic Rail & Round Aluminum Baluster Kit <small>(includes top rail, bottom rail, round aluminum balusters, adjustable foot block and hardware pack) Available in WT or BK rails with aluminum balusters in BK.</small>	6' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Horizontal 6' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Horizontal 6' x 36" Rail & Baluster Kit—Stair 8' x 36" Rail & Baluster Kit—Stair 8' x 42" Rail & Baluster Kit—Stair	XXRD0636HSELKFS XXRD0836HSELKFS XXRD0642HSELKFS XXRD0842HSELKFS XXRD0636SSELKFS XXRD0836SSELKFS XXRD0842SSELKFS	WT, BK
3	T-Rail & Round Aluminum Baluster Kit <small>(includes top rail, bottom rail, round aluminum balusters, adjustable foot block and hardware pack) Available in WT rails with aluminum balusters in BK.</small>	6' x 36" T-Rail & Baluster Kit—Horizontal 8' x 36" T-Rail & Baluster Kit—Horizontal 6' x 42" T-Rail & Baluster Kit—Horizontal 8' x 42" T-Rail & Baluster Kit—Horizontal 6' x 36" T-Rail & Baluster Kit—Stair 8' x 36" T-Rail & Baluster Kit—Stair 8' x 42" T-Rail & Baluster Kit—Stair	WTRD0636HSELTRK WTRD0836HSELTRK WTRD0642HSELTRK WTRD0842HSELTRK WTRD0636SSELTRK WTRD0836SSELTRK WTRD0842SSELTRK	WT
3	T-Rail & Square Composite Baluster Kit <small>(includes top rail, bottom rail, square composite balusters, adjustable foot block and hardware pack) Available in WT rails with square balusters in WT. See below for actuals and metrics.</small>	6' x 36" T-Rail & Baluster Kit—Horizontal 8' x 36" T-Rail & Baluster Kit—Horizontal 6' x 42" T-Rail & Baluster Kit—Horizontal 8' x 42" T-Rail & Baluster Kit—Horizontal 6' x 36" T-Rail & Baluster Kit—Stair 8' x 36" T-Rail & Baluster Kit—Stair 8' x 42" T-Rail & Baluster Kit—Stair	WTSQ0636HSELTRK WTSQ0836HSELTRK WTSQ0642HSELTRK WTSQ0842HSELTRK WTSQ0636SSELTRK WTSQ0836SSELTRK WTSQ0842SSELTRK	WT
	ACCESSORIES	Mounting Hardware for Cut Classic Rails—Horizontal (10 kits/box) Mounting Hardware for Cut Classic Rails—Stair (10 kits/box)	PBKENHZBKT PBKENSTBKT	
		Mounting Hardware for Cut T-Rails—Horizontal Mounting Hardware for Cut T-Rails—Stair	PTRLHBKTKIT PTRLSTBKTKIT	
		Trex Select® 8' Aluminum Classic Rail Stiffener	SELALRAILSTIFFENER	
		Trex Select® 8' Aluminum T-Rail Stiffener (IRC)	SELALTRAILSTIFFNR	
		T-Rail 22.5° Left Angle Bracket Pack T-Rail 22.5° Right Angle Bracket Pack T-Rail 45° Birdsmouth Bracket Kit (when using 4x4 post sleeve) T-Rail 45° Birdsmouth Bracket Pack (when using All-In-One Post Kit)	TRL22LBKTKIT TRL22RBKTKIT TRLBMBKTKIT TRLBMBKTKITNT	
	XX = COLOR PREFIX	BK Charcoal Black WT Classic White		

TREX SELECT™ MESH RAIL

STEP	COMPONENT	DESCRIPTION	ITEM #	COLORS	
1 2a 2b	All-In-One Post Kit (with low-profile post sleeve, post cap and skirt) Available in WT.		40" Trex Select All-In-One Post Kit 48" Trex Select All-In-One Post Kit 54" Trex Select All-In-One Post Kit	WT040440NTPS WT040448NTPS WT040454NTPS	WT
1	Post Sleeve		4" x 4" x 39" Post Sleeve 4" x 4" x 108" Post Sleeve	XX040439APS XX0404108APS	WT, BK
2a 2b	Post Cap & Skirt		Flat 4" x 4" Post Sleeve Cap 4" x 4" Post Sleeve Skirt	PXXSQCAP4X4 PXXSKIRT4X4	WT, BK
3	Select Mesh Kits <small>See below for actuals and metrics.</small> 6' x 36": 72 in x 36 in (182 cm x 914 mm) 8' x 36": 96 in x 36 in (243 cm x 914 mm) 6' x 44": 72 in x 44 in (182 cm x 111 cm) 8' x 44": 96 in x 44 in (243 cm x 111 cm)		6' x 36"/44" Select Mesh Kit—Horizontal 8' x 36"/44" Select Mesh Kit—Horizontal 6' x 36"/44" Select Mesh Kit—Stair 8' x 36"/44" Select Mesh Kit—Stair	BKMESH06HSELK BKMESH08HSELK BKMESH06SELK BKMESH08SELK	BK
4	Select Mesh Panels		6' x 36" Select Mesh Panel—Carbon Steel 8' x 36" Select Mesh Panel—Carbon Steel 6' x 60" Select Mesh Panel—Carbon Steel	CSMESH0636HZ CSMESH0836HZ CSMESH0660UNIV	BK
ACCESSORIES		DESCRIPTION	ITEM #	COLOR	
Select Mesh Cut Kits		Trex Select Mesh Accessory Kit—Horizontal Trex Select Mesh Accessory Kit—Stair Mesh Accessory Kit—Universal Channel	MESHACCYHSELK MESHACCYSELK MESHUNIVSELK	BK	

XX = COLOR PREFIX BK = Charcoal Black WT = Classic White



TREX ENHANCE™ STEEL RAILING

STEP	COMPONENT	DESCRIPTION	ITEM #	COLOR
1+2	Enhance Steel Post/Cap/Skirt <small>*Brackets sold separately</small>		2" x 2" x 37" Steel End Post 2" x 2" x 37" Steel Line Post 2" x 2" x 37" Steel Corner Post 2" x 2" x 43" Steel End Post 2" x 2" x 43" Steel Line Post 2" x 2" x 43" Steel Corner Post 2" x 2" x 37" Steel Blank Post* 2" x 2" x 43" Steel Blank Post* 2" x 2" x 53" Steel Blank Post—Stair	BKSTL202037ENPEND BKSTL202037ENLINE BKSTL202037ENPCNR BKSTL202043ENPEND BKSTL202043ENLINE BKSTL202043ENPCNR
3	Enhance Steel Panels <small>See below for actuals and metrics.</small> 6' x 36": 72 in x 36 in (182 cm x 914 mm) 8' x 36": 96 in x 36 in (243 cm x 914 mm) 6' x 42": 72 in x 42 in (182 cm x 106 cm) 8' x 42": 96 in x 42 in (243 cm x 106 cm)		6' x 36" Steel Panel—Horizontal 6' x 36" Steel Panel—Stair 8' x 36" Steel Panel—Horizontal 8' x 36" Steel Panel—Stair 6' x 42" Steel Panel—Horizontal 6' x 42" Steel Panel—Stair 8' x 42" Steel Panel—Horizontal 8' x 42" Steel Panel—Stair	BKSTLSQ0636HENPNL BKSTLSQ0636SENPNL BKSTLSQ0836HENPNL BKSTLSQ0836SENPNL
ACCESSORIES		DESCRIPTION	ITEM #	COLOR
Enhance Steel Bracket Pack			Fixed Bracket 4-pk—Horizontal Swivel Bracket 2/pack—Top & Bottom—Horizontal Swivel Bracket 4/pack—Top & Bottom—Stair Cocktail Rail Bracket 10-pk (w/ fasteners)	BKSTLENFBK BKSTLENSWBK BKSTLENSWSBKT BKSTLENCTBKT

Additional items are available in retail.

XX = COLOR PREFIX BK = Charcoal Black

TREX SELECT™ ALUMINUM RAILING

STEP	COMPONENT	DESCRIPTION	ITEM #	COLORS
1+2	Select Aluminum Posts & Sleeves <small>Brackets sold separately</small>		2.5" x 2.5" x 37" Aluminum End Post 2.5" x 2.5" x 37" Aluminum Line Post 2.5" x 2.5" x 37" Aluminum Corner Post 2.5" x 2.5" x 43" Aluminum End Post 2.5" x 2.5" x 43" Aluminum Line Post 2.5" x 2.5" x 43" Aluminum Corner Post	XXSAL2537PEND XXSAL2537PLINE XXSAL2537PCNR XXSAL2543PEND XXSAL2543PLINE XXSAL2543PCNR
			2.5" x 2.5" x 37" Aluminum Blank Post 2.5" x 2.5" x 43" Aluminum Blank Post 2.5" x 2.5" x 53" Aluminum Blank Post—Stair	XXSAL2537PB XXSAL2543PB XXSAL2553PB
			4" x 4" x 37" Aluminum Post Sleeve 4" x 4" x 43" Aluminum Post Sleeve 4" x 4" x 53" Aluminum Post Sleeve—Stair	XXSAL040437PS XXSAL040443PS XXSAL040453PS
3	Select Aluminum Panels <small>See below for actuals and metrics.</small> 6' x 36": 72 in x 36 in (182 cm x 914 mm) 8' x 36": 96 in x 36 in (243 cm x 914 mm) 6' x 42": 72 in x 42 in (182 cm x 106 cm) 8' x 42": 96 in x 42 in (243 cm x 106 cm)		6' x 36" Aluminum Panel—Horizontal 8' x 36" Aluminum Panel—Horizontal 6' x 36" Aluminum Panel—Stair 8' x 36" Aluminum Panel—Stair	XXSALSQ636HPNL XXSALSQ836HPNL XXSALSQ636SPNL XXSALSQ836SPNL
			6' x 42" Aluminum Panel—Horizontal 8' x 42" Aluminum Panel—Horizontal 6' x 42" Aluminum Panel—Stair 8' x 42" Aluminum Panel—Stair	XXSALSQ642HPNL XXSALSQ842HPNL XXSALSQ642SPNL XXSALSQ842SPNL
ACCESSORIES		DESCRIPTION	ITEM #	COLORS
Aluminum Bracket Packs		Horizontal Fixed Bracket Pack—4/pack Horizontal Swivel Bracket Pack—4/pack Stair Swivel Bracket Pack—4 /pack Cocktail Bracket—10/pack	XXSALFBK XXSALHSWBK XXSALSSWBKT XXSALCTBKT	BK, BB

XX = COLOR PREFIX BB = Burnished Bronze BK = Charcoal Black WT = Classic White

TREX® OUTDOOR LIGHTING & ACCESSORIES

COMPONENT	ITEM #	COMPONENT	ITEM #
Flat Post Cap Light » 4" x 4" LED Post Cap Light [4.55 in x 4.55 in (115 mm x 115 mm) actual internal dimensions] » Use with Trex 4-in Composite Railing Posts » 5.5-ft (1.67 m) Male LightHub® Lead		BKSQLEDCAP4X4C WTSQLEDCAP4X4C VLSQLEDCAP4X4C RSSQLEDCAP4X4C BKSOLAR4X4CAP WTSOLAR4X4CAP VLSOLAR4X4CAP	Transformer with Timer » Output Voltage: 12VDC » Output Power: 100W or 30W » Output Current: 8.3A or 2.5A » Photo-Activated Timer » 20-ft (6.09 m) LightHub® Wire Extension Cable 8.3A, 100W: DIMMABLE 83DLTRANSFORMERCC 2.5A, 30W: 25DLTRANSFORMER
Aluminum Post Cap Light » 2.5" x 2.5" LED Aluminum Post Cap Light [2.6 in x 2.6 in (66 mm x 66 mm) actual internal dimensions] » Use with Trex 2.5-in Aluminum Railing Posts » 5.5-ft (1.67 m) Male LightHub® Lead		BKALCAPLED25 BZALCAPLED25 WTALCAPLED25	LightHub® Accessories » 3-Way Splitter » 6-Way Splitter » 5 ft (1.52 m) Wire Extension Cable » 10 ft (3.04 m) Wire Extension Cable » 20 ft (6.09 m) Wire Extension Cable » Female to Female Adapter DL3SPLIT6PK DL6SPLIT4PK DL5FTWR4PK DL10FTWR4PK DL20FTWR4PK DLFADAP6PK
Aluminum Deck Rail Light » LED Deck Rail Light [2.75-in (69 mm) OD] » 5.5-ft (1.67 m) Male LightHub® Lead		BKLAMPLEDC BZLAMPLEDC WTLAMPLEDC	Dimmer » Single Channel with Remote DLDIMMER
Aluminum Wedge Deck Rail Light » LED Wedge Deck Rail Light [1.875-in wide x 3-in high (47 mm x 76 mm) actual dimensions] » Compatible with all Trex Railing Posts » 5.5-ft (1.67 m) Male LightHub® Lead		BKALPOSTLAMPLED BZALPOSTLAMPLED WTALPOSTLAMPLED	Wifi Lighting Controller DLWiFiC
Aluminum Stair Riser Light » 4 LED Riser Lights [1.25-in (31 mm) OD] » 5.5-ft (1.67 m) Male LightHub® Lead		BKRISERLED4PKC BZRISERLED4PKC WTRISERLED4PKC	Forstner Bit » Pack of 6 » 1-in (25 mm) DLBIT6PK
Recessed Deck Light » 4 LED Recessed Lights [1-in (25 mm) OD] » 5.5-ft (1.67 m) Male LightHub® Lead		RECESSLED4PKC	Multi-zone Transformer Adapter DL5TFSPLIT1PK

TREX ALUMINUM ADA HANDRAIL

COMPONENT	ITEM #
	
1 36° Elbow	1.375-in x 8-ft (34 mm x 243 cm) Handrail Wall Return 90° XXALADARAIL8 XXALADA90WR2G
2 Wall Mount	Wall Mount XXALADAWMNT2G
3 Collar	Inside Corner Mount 180° Elbow ("Candy Cane") XXALADAI180CCANE
4 Wall Return 90°	5° Elbow 31° Elbow 34° Elbow XXALADA36ELB XXALADA90ELB2G
5 Handrail	36° Elbow 90° Elbow Adjustable Elbow Straight 4-in (101 mm) Internal Connector XXALADAAJELB XXALINTCONN XXALADAINLINE XXALADACAP XXALADCLR

TREX ALUMINUM GATES

COMPONENT	DESCRIPTION	ITEM #
Trex Signature® Adjustable Gate Hardware sold separately. Available in BK, BZ and WT.	36" Rail Height, Square Balusters, Adjustable up to 48" wide opening 36" Rail Height, Round Balusters, Adjustable up to 48" wide opening 42" Rail Height, Square Balusters, Adjustable up to 48" wide opening 42" Rail Height, Round Balusters, Adjustable up to 48" wide opening [Actual height 36" Rail: 36 in (914 mm); 42" Rail: 42 in (106 cm). Actual width is 47.5 in (120 cm) but can be cut to fit any width.]	XX36SQADJGATE XX36RDADJGATE XX42SQADJGATE XX42RDADJGATE
Hardware Pack	2 Adjustable Self-Closing Hinges 1 Locking Hasp With Keys	BKGATEHW

TREX® FASTENERS

COMPONENT	75 CT. ITEM #	350 CT. ITEM #	1400 CT. ITEM #	COLORS	COMPONENT	ITEM #	COLORS
Trex	TCM25BC75	TCM25BC350	TCM25BC1400	BC	Trex	TCMF175BC75	BC
Color-Match	TCM25BD75	TCM25BD350	TCM25BD1400	BD	Color-Match	TCMF175BD75	BD
Deck Screws	TCM25CL75	TCM25CL350	TCM25CL1400	CL	Fascia Screws	TCMF175CL75	CL
» #10 x 2.5" (6.35 cm)	TCM25CS75	TCM25CS350	TCM25CS1400	CS	» 1-3/4" (4.4 cm)	TCMF175CS75	CS
» 75 ct. box, 350 ct. box, 1,400 ct. tub	TCM25FW75	TCM25FW350	TCM25FW1400	FW	» 75 ct. box	TCMF175FW75	FW
» HexStix® bits included	TCM25HT75	TCM25HT350	TCM25HT1400	HT	» Tools sold separately	TCMF175HT75	HT
	TCM25HY75	TCM25HY350	TCM25HY1400	HY		TCMF175HY75	HY
	TCM25IM75	TCM25IM350	TCM25IM1400	IM		TCMF175IM75	IM
	TCM25LR75	TCM25LR350	TCM25LR1400	LR		TCMF175LR75	LR
	TCM25PG75	TCM25PG350	TCM25PG1400	PG		TCMF175PG75	PG
	TCM25RH75	TCM25RH350	TCM25RH1400	RH		TCMF175RH75	RH
	TCM25SD75	TCM25SD350	TCM25SD1400	SD		TCMF175SD75	SD
	TCM25SF75	TCM25SF350	TCM25SF1400	SF		TCMF175SF75	SF
	TCM25SR75	TCM25SR350	TCM25SR1400	SR		TCMF175SR75	SR
	TCM25TP75	TCM25TP350	TCM25TP1400	TP		TCMF175TP75	TP
	TCM25TS75	TCM25TS350	TCM25TS1400	TS		TCMF175TS75	TS
	TCM25TT75	TCM25TT350	TCM25TT1400	TT		TCMF175TT75	TT
						TCMF175WW75	WW

XX = COLOR PREFIX BC Biscayne BD Beach Dune CL Coastal Bluff CL Rope Swing/ Carmel/ Malted Barley (MY) CS Clam Shell FW Foggy Wharf/ Rainier IM Island Mist/ Millstone (MS) HT Hatteras HY Honey Grove LR Lava Rock PG Pebble Grey/ Whidbey RH Rocky Harbor SD Saddle/Ocracoke/ Hatteras SF Salt Flat SR Spiced Rum/ Cinnamon Cove/ Whiskey Barrel (WL) TP Tide Pool TS Toasted Sand/ Havana Gold WW Woodgrain White

COMPONENT	ITEM #	COMPONENT	ITEM #	COMPONENT	ITEM #
Trex Decking Plug Screws	TDPS25BK75	Trex Enhance® Decking Plug Screws	TDPS25BK350	Trex Plug System Fascia Screws	TENDPLGS2BK75
» #10 x 2.5" (6.35 cm)		» 2" (5.0 cm)		» 1-3/4" (4.4 cm)	
» 75 ct. box, 350 ct. tub		» 75 ct. box, 400 ct. tub, black		» 75 ct. box, black	
» Includes depth setters, black		» Tools sold separately		» Tools sold separately	

COMPONENT	80 CT. ITEM #	COLORS	416 CT. ITEM #	COLORS
Trex Enhance® Decking/Fascia Plugs	TPSDFCS80	TPSDFHY80	TPSDFCS416	TPSDFHY416
» 80 ct., 416 ct.	TPSDFFW80	TPSDFTP80	TPSDFFW416	TPSDFTP416
	TPSDFRH80	TPSDFBD80	TPSDFRH416	TPSDFBD416
	TPSDFSDEN80	TPSDFCC80	TPSDFSDEN416	TPSDFCC416
	TPSDFTS80	TPSDFCB80	TPSDFTS416	TPSDFCB416

COMPONENT	80 CT. ITEM #	COLORS	400 CT. ITEM #	COLORS	COMPONENT	80 CT. ITEM #	COLORS
Trex Decking Plugs	TDPLGBC80	BC	TDPLGBC400	BC	Trex Fascia Plugs	TPSFBC80	BC
» 80 ct., 400 ct.	TDPLGLC80	CL	TDPLGLC400	CL	» 80 ct.	TPSFLC80	CL
	TDPLGHG80	HG	TDPLGHG400	HG		TPSFHG80	HG
	TDPLGHT80	HT	TDPLGHT400	HT		TPSFHT80	HT
	TDPLGIM80	IM	TDPLGIM400	IM		TPSFIM80	IM
	TDPLGIML80	IML	TDPLGIML400	IML		TPSFIML80	IML
	TDPLGJA80	JA	TDPLGJA400	JA		TPSFJA80	JA
	TDPLGLR80	LR	TDPLGLR400	LR		TPSFLR80	LR
	TDPLGMS80	MS	TDPLGMS400	MS		TPSFMS80	MS
	TDPLGMY80	MY	TDPLGMY400	MY		TPSFMY80	MY
	TDPLGPG80	PG	TDPLGPG400	PG		TPSFPG80	PG
	TDPLGRN80	RN	TDPLGRN400	RN		TPSFRN80	RN
	TDPLGRS80	RS	TDPLGRS400	RS		TPSFRS80	RS
	TDPLGSD80	SD	TDPLGSD400	SD		TPSFSDL80	SDSL
	TDPLGSF80	SF	TDPLGSF400	SF		TPSFSF80	SF
	TDPLGSR80	SR	TDPLGSR400	SR		TPSFR80	SR
	TDPLGTT80	TT	TDPLGTT400	TT		TPSFTT80	TT
	TDPLGWL80	WL	TDPLGWL400	WL		TPSFWL80	WL

XX = COLOR PREFIX BC Biscayne CL Carmel HG Havana Gold IM Island Mist IML Island Mist Lineage JA Jasper LR Lava Rock MS Millstone MY Malted Barley PG Pebble Grey RS Rope Swing SD Saddle Select SF Salt Flat SR Spiced Rum TT Tiki Torch WL Whiskey Barrel WW Woodgrain White

COMPONENT	ITEM #	COMPONENT	ITEM #	COMPONENT	ITEM #

<tbl_r cells="6" ix="4" maxcspan="1" maxrspan="1" used



TREX® DECKING, FASCIA & CLADDING LIMITED WARRANTY

Trex Company, Inc. (hereinafter "Trex") warrants to the original end-use purchaser ("Purchaser") that, for the applicable Warranty Period set forth in Table I below, when properly installed, used and maintained under normal use and service conditions and in accordance with Trex's written instructions, Trex® product set forth in Table I below (the "Product") shall perform as follows:

Physical Integrity: The Product shall be free from material defects in workmanship and materials, and shall not split, splinter, rot or suffer structural damage from termites or fungal decay.

Fade Resistance: The Product shall not fade in color from light and weathering exposure as measured by color change of (a) more than 5 Delta E (CIE) units for twenty-five years from the date of original purchase, and (b) more than 15 Delta E (CIE) units for the remainder of the Warranty Period, if any. While the Product is designed to resist fading, no material is fade proof when exposed to years of UV exposure and the elements. The Product is designed to resist fading under normal weather conditions and will not fade by more than the number of Delta E (CIE) units indicated above.

Stain Resistance: The Product shall be resistant to permanent staining resulting from spills of food and beverage items including ketchup, mustard, salad oils, tea, wine, coffee, fruit punch, barbecue sauce, sodas and other food and beverage related items that would typically be present on a residential deck, or mold and mildew naturally occurring in the environment, provided that such substances are removed from the Product with soap and water within one (1) week of exposure of the food or beverage to the surface or first appearance of the mold and mildew. Cleaning procedures are described in the Care & Cleaning Guide at www.trex.com.

Notwithstanding the foregoing, Trex does not warrant that the Product is stain-proof and does not warrant stain resistance resulting from spilled or otherwise applied food and beverage substances which are not properly cleaned as provided above within one (1) week of exposure. In addition, materials not covered in this stain resistance section of this Limited Warranty include abrasive compounds of acidic or basic pH, paints or stains, strong solvents, metallic rust or other abnormal deck use items, and non-food and non-beverage substances, including but not limited to, biocides, fungicides, plant food, bactericides, cement, concrete, mortar, stucco and colored chalk. Mold and mildew can settle and grow on any outdoor surface, including this Product. You should periodically clean your deck to remove dirt and pollen that can feed mold and mildew. This Limited Warranty does not cover mold and mildew which is not properly cleaned as provided above within one (1) week of first appearance.

Residential/Commercial Application: For purposes of this Limited Warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence.

Term of Limited Warranty: The term of this Limited Warranty for a Product (the "Warranty Period") begins on the date of original purchase and shall be equal to the number of years set forth next to such Product in Table I below.

TABLE I

Product	Residential Warranty Period	Commercial Warranty Period
Trex Signature® Decking and Fascia	50 Years	10 Years
Trex® Transcend® Decking and Fascia	50 Years	10 Years
Trex® Cladding	50 Years	25 Years
Trex Select® Decking and Fascia, Trex® Composite Decking, Trex® Universal Fascia	35 Years	10 Years
Trex® Enhance® Decking and Fascia	25 Years	10 Years

Transferability: With respect to a residential application, this Limited Warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Product was originally installed. With respect to a commercial application, this Limited Warranty is freely transferable to subsequent buyers of the property upon which the Product was originally installed.

EXCLUSIONS FROM WARRANTY COVERAGE

The Products must be stored, handled, installed, used and maintained in accordance with instructions provided by Trex, and this Limited Warranty is conditioned upon compliance with all such instructions. Copies of Trex's Installation Guides, Technical Information and Care and Cleaning Guides are available from Trex at the address listed below. The materials may also be obtained on Trex's website at trex.com. Any information or suggestion by Trex with respect to the Products concerning applications, specifications or compliance with codes and standards, including building or safety codes, is provided solely for Purchaser's convenient reference and is made without any representation as to accuracy or suitability. Purchaser must verify and test the suitability of any information with respect to the Products for Purchaser's specific application. This Limited Warranty does not cover defects caused by:

Exposure to Heat: Direct or indirect contact with extreme heat sources (over 275°F/135°C) may cause fading and may damage the surface of the Product, and any effects of such exposure are expressly excluded from coverage under this Limited Warranty.

Surface Damage: Never use metal shovels or sharp-edged tools to remove snow and ice on the surface of the Product. If the surface of the Product is damaged or punctured, this Limited Warranty will be voided.

Paint or Other Materials Applied to the Product: If paint, solvents or other coating materials are applied to the Product, this Limited Warranty will be voided.

Other Exclusions: This Limited Warranty shall not cover any condition attributable to: (1) improper installation of the Product and/or failure to abide by Trex's installation guidelines, including but not limited to improper gapping; (2) use of the Product beyond normal use or service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which the Product is installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.), environmental condition (such as air pollution, mold, mildew, etc.), staining from foreign substances other than food and beverages (such as dirt, grease, oil, etc.); (5) improper handling, storage, abuse or neglect of the Product by Purchaser, the transferee or third parties; (6) any fading or staining not on the walking surface of the Product (i.e., the underside or the ends of the Product); or (7) ordinary wear and tear.

Excluded Products: This Warranty shall not apply to any Trex products not listed in Table I, including, but not limited to, Trex Transcend® railing, Trex Enhance® railing, Trex Select® railing, Trex Signature® railing, Trex Decklighting products, TrexTrim™ products, Trex® Outdoor Lighting products, Trex Hideaway® Fasteners, and Trex® Fencing, which are excluded from this Limited Warranty. Each of these products has a separate Limited Warranty.

PROCEDURE FOR MAKING A CLAIM UNDER THIS LIMITED WARRANTY

To make a claim under this Limited Warranty, Purchaser must do the following:

1. If the Purchaser is making a claim relating to the Limited Warranty on stain resistance, Purchaser must do as follows:

(a) Purchaser must try to clean the affected area of the deck by using the cleaning procedures described above (and provided in more detail in the Care & Cleaning Guide found at www.trex.com) within one (1) week of exposure of the food or beverage to the Product or first appearance of the mold and mildew.

(b) If the affected area remains reasonably unsatisfactory after Purchaser has tried these cleaning procedures, then Purchaser must have the affected area of the deck professionally cleaned at Purchaser's expense.

(c) If the affected area remains reasonably unsatisfactory after the professional cleaning, Purchaser may make a claim under this Limited Warranty, provided that such claim is made within thirty (30) days after the professional cleaning.

2. To make a claim under this Limited Warranty, Purchaser, or the transferee, shall send to Trex, within the Warranty Period referred to above, a written description and photographs of the claimed defect, proof of purchase, and if the claim relates to the Limited Warranty on stain resistance, proof of compliance with paragraph 1 above, to the following address:

Trex Company, Inc.
Customer Relations
2500 Trex Way
Winchester, VA 22601



TREX® DECKING, FASCIA & CLADDING LIMITED WARRANTY (CONTINUED)

3. Upon confirmation by an authorized Trex representative of a valid claim hereunder, Trex's sole responsibility shall be, at its option, to either: (a) replace the affected Product with new Product in an amount equal to the volume (linear feet) of defective material; or (b) refund the portion of the purchase price paid by Purchaser for such affected Product (not including the cost of its initial installation). Replacement Products will be as close in color, design, and quality to the original Products as reasonably possible, in Trex's discretion and determination, but Trex does not guarantee an exact match as colors and designs may change and Trex's obligation as to replacement shall further be limited to replacement with the styles and colors of the Product that are available at the time of the replacement.

THE REMEDIES STATED IN THIS PARAGRAPH ARE PURCHASER'S SOLE AND EXCLUSIVE REMEDIES FOR ANY PRODUCT THAT FAILS TO CONFORM TO THIS LIMITED WARRANTY.

Year of Claim	Warranty Period		
	50 Year	35 Year	25 Year
38	20%	—	—
39	20%	—	—
40	20%	—	—
41	20%	—	—
42	20%	—	—
43	10%	—	—
44	10%	—	—
45	10%	—	—
46	10%	—	—
47	10%	—	—
48	10%	—	—
49	10%	—	—
50	10%	—	—

WITH RESPECT TO DEFECTIVE PRODUCT SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCT OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This Limited Warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2024 Trex Company, Inc.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, TREX'S SOLE OBLIGATION UNDER THIS LIMITED WARRANTY SHALL BE, AT ITS OPTION, REPLACEMENT OF NON-CONFORMING PRODUCTS OR A REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE. PURCHASER ASSUMES ALL RISK WHATSOEVER AS TO THE RESULT OF THE USE OF THE PRODUCTS PURCHASED, WHETHER USED SINGULARLY OR IN COMBINATION WITH ANY OTHER PRODUCTS OR SUBSTANCES.

THIS LIMITED WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Product other than as contained in this Limited Warranty. This Limited Warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, RELIANCE, STATUTORY, SPECIAL, PUNITIVE OR EXEMPLARY DAMAGES, INCLUDING, BUT NOT LIMITED TO, LOST PROFITS, LOSS OF USE, LOSS OF TIME, LOSS OF REVENUES, INCONVENIENCE, LOSS OF BUSINESS OPPORTUNITIES, OR DAMAGE TO GOOD WILL OR REPUTATION DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR SUCH DAMAGES COULD HAVE BEEN REASONABLY FORESEEN, IN CONNECTION WITH, ARISING OUT OF, OR AS A RESULT OF, THE SALE, DELIVERY, INSTALLATION, USE OR LOSS OF USE OF THE PRODUCTS SOLD HEREUNDER, OR FOR ANY LIABILITY OF PURCHASER TO ANY THIRD PARTY WITH RESPECT THERETO AND TREX'S LIABILITY FOR NON-PERSONAL INJURY CLAIMS



TREX® ALUMINUM AND COMPOSITE RAILING AND ANCILLARY PRODUCTS LIMITED WARRANTY

Trex Company, Inc. (hereinafter "Trex") warrants to the original end-use purchaser ("Purchaser") that, for the applicable Warranty Period set forth in Table I below, when properly installed, used and maintained under normal use and service conditions, and in accordance with Trex's written instructions, Trex® product set forth in Table I below (the "Product") shall be free from material defects in workmanship and materials, and shall not split, splinter, rot or suffer structural damage from termites or fungal decay.

Residential/Commercial Application: For purposes of this warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence.

Term of Limited Warranty: The term of this Limited Warranty for a Product (the "Warranty Period") begins on the date of original purchase and shall be equal to the number of years set forth next to such Product in Table I below.

TABLE I

Product	Residential Warranty Period	Commercial Warranty Period
Trex Signature® Aluminum Railing, Trex Signature® X-Series™ Railing	50 Years	25 Years
Trex Signature® X-Series™ Cable Rail (Cable Infill/Assemblies ONLY)	10 Years	10 Years
Trex Transcend® Composite Railing	35 Years* or 25 Years*	10 Years
Select® Composite Railing, Trex Enhance® Composite Railing, Select™ Aluminum Railing, Trex® Fencing, and TrexTrim™	25 Years	10 Years
Trex® Deck Lighting (LEDs and Housings)	7 Years	7 Years
Trex® Deck Lighting (Transformer, Timer, Dimmer, WiFi Controller, Solar Components)	3 Years	3 Years
Trex® Deck Lighting (Solar Battery)	1 Year	1 Year

*The 35-Year Residential Warranty Period for Trex Transcend Railing applies only in the United States of America, except in Arizona, Alabama, Arkansas, Florida, Louisiana, New Mexico, Missouri and Texas. In these States and all other Countries, Trex Transcend Railing has a 25-Year Residential Warranty Period.

Transferability: With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Product was originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Product was originally installed.

EXCLUSIONS FROM WARRANTY COVERAGE

Notwithstanding the foregoing, (a) the warranty for Trex® Deck Lighting Products (excluding Trex® Solar Post Cap Lights) is valid only in each case provided that a Trex transformer is used (with no warranty on any components if a Trex transformer is not used), and any other Trex® Deck Lighting parts or accessories not listed in Table I above shall not be warranted; (b) this warranty shall not apply to any Trex products not listed in Table I, including, but not limited to, Trex decking products, Trex cladding products, Trex fascia products, Trex Select™ Steel Mesh (infill panel), Trex Enhance™ Steel Railing, and Trex fasteners (which each have separate warranties); and (c) with respect to installations where the atmosphere is influenced by a body of salt water (or other contaminant conditions), failure to adhere to the cleaning guidelines available at www.trex.com will void this warranty with respect to any condition resulting from such failure.



TREX® ALUMINUM AND COMPOSITE RAILING AND ANCILLARY PRODUCTS LIMITED WARRANTY (CONT.)

The Product must be stored, handled, installed, used and maintained in accordance with instructions provided by Trex, and this Limited Warranty is conditioned upon compliance with all such instructions. Copies of Trex's Installation Guides, Technical Information and Care and Cleaning Guides are available from Trex at the address listed below. The materials may also be obtained on Trex's website at trex.com.

Any information or suggestion by Trex with respect to the Product concerning applications, specifications or compliance with codes and standards, including building or safety codes, is provided solely for Purchaser's convenient reference and is made without any representation as to accuracy or suitability. Purchaser must verify and test the suitability of any information with respect to the Product for Purchaser's specific application.

Trex does not warrant against, and is not responsible for, any condition attributable to: (1) improper installation of Product and/or failure to abide by Trex's installation guidelines; (2) use of Product beyond normal use and service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which Product is installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.), environmental condition (such as air pollution, mold, mildew, etc.), exposure to corrosive elements (such as chemicals, pollution, etc.), or atmospheric contaminants (such as salt spray, salt air, etc.) if proper care and cleaning in accordance with the "Trex Signature®, Trex Signature® X-Series™, Trex Select™ Aluminum Care and Cleaning Guide" was not adhered to, staining from foreign substances (such as dirt, grease, oil, etc.), tarnishing, or normal weathering (defined as exposure to sunlight, weather and atmosphere which will cause any colored surface to gradually fade, chalk, or accumulate dirt or stains); (5) variations or changes in color of Product; (6) improper handling, storage, abuse or neglect of Product by Purchaser, the transferee or third parties; (7) ordinary wear and tear; (8) vandalism; or (9) other causes beyond the control of Trex.

PROCEDURE FOR MAKING A CLAIM UNDER THIS LIMITED WARRANTY

To make a claim under this Limited Warranty, Purchaser, or the transferee, shall send to Trex, within the Warranty Period referred to above, a written description and photographs of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc.
Customer Relations
2500 Trex Way
Winchester, VA 22601

Upon confirmation by an authorized Trex representative of a valid claim hereunder, Trex's sole responsibility shall be, at its option, to either: (a) replace the affected Product with new Product in an amount equal to the amount of defective material; or (b) refund the portion of the purchase price paid by Purchaser for such affected Product (not including the cost of its initial installation). Replacement Product will be as close in color, design and quality to the original Product as reasonably possible, in Trex's discretion and determination, but Trex does not guarantee an exact match as colors and designs may change and Trex's obligation as to replacement shall further be limited to replacement with the styles and colors of the Product that are available at the time of the replacement. The remedies stated in this paragraph are purchaser's sole and exclusive remedies for any product that fails to conform to this limited warranty.

If a valid warranty claim hereunder is made during year eleven (11) or any year thereafter through the expiration of the applicable Warranty Period after the original purchase, recovery will be prorated in accordance with Table II, below. If Trex is providing replacement materials, it may elect to replace the percentage listed in Table II, below, of Product otherwise meeting the requirements for a claim, or if it is refunding the purchase price, it may elect to refund the percentage listed below in Table II of the purchase price of Product otherwise meeting the requirements for a claim.

TABLE II

Year of Claim	Warranty Period				
	50 Year	35 Year	25 Year	15 Year	10 Year
7	100%	100%	100%	80%	80%
8	100%	100%	100%	80%	80%
9	100%	100%	100%	60%	60%
10	100%	100%	100%	60%	60%
11	90%	80%	80%	40%	
12	90%	80%	80%	40%	
13	90%	80%	80%	20%	
14	90%	80%	60%	10%	
15	90%	60%	60%	10%	
16	90%	60%	60%		
17	70%	60%	40%		
18	70%	60%	40%		
19	70%	40%	40%		
20	70%	40%	20%		
21	70%	40%	20%		
22	70%	40%	20%		
23	50%	20%	10%		
24	50%	20%	10%		
25	50%	20%	10%		
26	50%	20%			
27	50%	20%			
28	50%	20%			
29	30%	10%			
30	30%	10%			
31	30%	10%			
32	30%	10%			
33	30%	10%			
34	30%	10%			
35	30%	10%			
36	20%				
37	20%				
38	20%				
39	20%				
40	20%				
41	20%				
42	20%				
43	20%				
44	20%				
45	20%				
46	20%				
47	20%				
48	10%				
49	10%				
50	10%				

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, TREX'S SOLE OBLIGATION UNDER THIS LIMITED WARRANTY SHALL BE, AT ITS OPTION, REPLACEMENT OF NON-CONFORMING PRODUCT OR A REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE. PURCHASER ASSUMES ALL RISK WHATSOEVER AS TO THE RESULT OF THE USE OF THE PRODUCT PURCHASED, WHETHER USED SINGULARLY OR IN COMBINATION WITH ANY OTHER PRODUCTS OR SUBSTANCES.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, THIS LIMITED WARRANTY SHALL NOT COVER, AND TREX SHALL NOT BE RESPONSIBLE FOR, COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING, BUT NOT LIMITED TO, LABOR AND FREIGHT.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Product other than as contained in this Limited Warranty. This Limited Warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, RELIANCE, STATUTORY, SPECIAL, PUNITIVE OR EXEMPLARY DAMAGES, INCLUDING, BUT NOT LIMITED TO, LOST PROFITS, LOSS OF USE, LOSS OF TIME, LOSS OF REVENUES, INCONVENIENCE, LOSS OF BUSINESS OPPORTUNITIES OR DAMAGE TO GOOD WILL OR REPUTATION DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING, BUT NOT LIMITED TO, NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR SUCH DAMAGES COULD HAVE BEEN REASONABLY FORESEEN, IN CONNECTION WITH, ARISING OUT OF, OR AS A RESULT OF, THE SALE, DELIVERY, INSTALLATION, USE OR LOSS OF USE OF THE PRODUCT SOLD HEREUNDER, OR FOR ANY LIABILITY OF PURCHASER TO ANY THIRD PARTY WITH RESPECT THERETO AND TREX'S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO DEFECTIVE PRODUCT SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCT OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This Limited Warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2025 Trex Company, Inc.



TREX® STEEL RAILING LIMITED WARRANTY

Trex Company, Inc. (hereinafter "Trex") warrants to the original end-use purchaser ("Purchaser") that, for the applicable Warranty Period set forth below, when properly installed, used and maintained under normal use and service conditions, and in accordance with Trex's written instructions, Trex® product set forth in Table I below (the "Product") shall be free from material defects in workmanship and materials, and shall not crack, peel, blister, flake, split, or suffer excessive corrosion. Corrosion is termed extensive when there are multiple rust-through perforations on the same piece of Product.

Residential/Commercial Application: For purposes of this warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence.

Term of Limited Warranty: The term of this Limited Warranty for a Product (the "Warranty Period") begins on the date of original purchase and shall be either (1) for a period of 1 year for Product located within 1 mile or less from a saltwater coast line OR (2) for Product located more than 1 mile from a saltwater coastline, equal to the number of years set forth next to such Product in Table I below.

TABLE I

Product	Residential Warranty Period	Commercial Warranty Period
Trex Enhance™ Steel Railing, Trex Select™ Steel Mesh Railing (Mesh Infill Panel ONLY)	15 Years	10 Years

Transferability: With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Product was originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Product was originally installed.

EXCLUSIONS FROM WARRANTY COVERAGE

Notwithstanding the foregoing, (a) this warranty shall not apply to any Trex products not listed in Table I, including, but not limited to, Trex decking products, Trex cladding products, Trex fascia products, Trex fasteners, Trex Deck Lighting products, Trex Signature® railing, Trex Signature® X-Series™ railing, Trex Transcend® railing, Trex Select™ aluminum and composite railing, Trex Enhance® composite railing, Trex Fencing and TrexTrim (which each have separate warranties); (b) with respect to installations where the atmosphere is influenced by a body of salt water (or other contaminant conditions), failure to adhere to the cleaning guidelines available at www.trex.com will void this warranty with respect to any condition resulting from such failure; and (c) Products that have had direct contact with salt water are excluded from this warranty.

The Product must be stored, handled, installed, used and maintained in accordance with instructions provided by Trex, and this Limited Warranty is conditioned upon compliance with all such instructions. Copies of Trex's Installation Guides, Technical Information and Care and Cleaning Guides are available from Trex at the address listed below. The materials may also be obtained on Trex's website at trex.com.



TREX® STEEL RAILING LIMITED WARRANTY (CONTINUED)

If a valid warranty claim hereunder is made during year seven (7) or any year thereafter through the expiration of the applicable Warranty Period after the original purchase, recovery will be prorated in accordance with Table II, below. If Trex is providing replacement materials, it may elect to replace the percentage listed in Table II, below, of Product otherwise meeting the requirements for a claim, or if it is refunding the purchase price, it may elect to refund the percentage listed below in Table II of the purchase price of Product otherwise meeting the requirements for a claim.

TABLE II

Year of Claim	Recovery
7	80%
8	80%
9	60%
10	60%
11	40%
12	40%
13	20%
14	10%
15	10%

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, TREX'S SOLE OBLIGATION UNDER THIS LIMITED WARRANTY SHALL BE, AT ITS OPTION, REPLACEMENT OF NON-CONFORMING PRODUCT OR A REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE. PURCHASER ASSUMES ALL RISK WHATSOEVER AS TO THE RESULT OF THE USE OF THE PRODUCT PURCHASED, WHETHER USED SINGULARLY OR IN COMBINATION WITH ANY OTHER PRODUCTS OR SUBSTANCES.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, THIS LIMITED WARRANTY SHALL NOT COVER, AND TREX SHALL NOT BE RESPONSIBLE FOR, COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING, BUT NOT LIMITED TO, LABOR AND FREIGHT.

No person or entity is authorized by Trex to make, and Trex shall not be bound by, any statement or representation as to the quality or performance of Product other than as contained in this Limited Warranty. This Limited Warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, RELIANCE, STATUTORY, SPECIAL, PUNITIVE OR EXEMPLARY DAMAGES, INCLUDING, BUT NOT LIMITED TO, LOST PROFITS, LOSS OF USE, LOSS OF TIME, LOSS OF REVENUES, INCONVENIENCE, LOSS OF BUSINESS OPPORTUNITIES OR DAMAGE TO GOOD WILL OR REPUTATION DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING, BUT NOT LIMITED TO, NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR SUCH DAMAGES COULD HAVE BEEN REASONABLY FORESEEN, IN CONNECTION WITH, ARISING OUT OF, OR AS A RESULT OF, THE SALE, DELIVERY, INSTALLATION, USE OR LOSS OF USE OF THE PRODUCT SOLD HEREUNDER, OR FOR ANY LIABILITY OF PURCHASER TO ANY THIRD PARTY WITH RESPECT THERETO AND TREX'S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO DEFECTIVE PRODUCT SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCT OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This Limited Warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2025 Trex Company, Inc.



Trex®

Visit trex.com or call **1-800-BUY-TREX**

© 2025 Trex Company, Inc. All rights reserved. 06.25

FIND US ON



XXLTBRO2025N