

Table of Contents

This catalog is interactive! Click where you want to go.

Why Trex?

HIGH PERFORMANCE

Resists fading and corrosion. Backed by a Residential Limited Warranty.*

EASY INSTALLATION

Deck railing kits, pre-assembled panels and online resources make installation simple.

DURABLE

Built with the same outstanding durability as Trex decking — your outdoor railing won't rot, warp, peel or splinter.*




























FIND YOUR LOOK

Discover what will work best for your project.



CUSTOMIZE THE DESIGN

Personalize your ultimate outdoor space.



KEEP THINGS SIMPLE

Learn how to DIY the easier way.



EXPLORE YOUR OPTIONS

Dive into the Trex® railing lineup.



 $_{
m 04}$






Composite Railings pg 25 ↑

THE NEW HOTSPOT FOR ALL OF YOUR CLOSEST FRIENDS

Ideal for big-time celebrations, relaxing with your closest buds, and everything in between.



Metal Railings pg 19 ↑↓



QUALITY THAT HOLDS UP

Your family can rely on these railings with the same safe, sturdy, and sustainable reputation as Trex's best-in-class decks.

Explore our full range of timeless styles and durable materials to find the ideal fit for your project.

SPECIALTY RAILINGS



Trex Signature® X-Series™ Frameless Glass Railing

COLOR: PRICE: \$\$\$\$\$

RESIDENTIAL LIMITED WARRANTY: 50 YEARS



Trex Signature® Glass Railing

COLOR:

PRICE: \$\$\$\$

RESIDENTIAL LIMITED WARRANTY: 50 YEARS CUSTOMIZATIONS: (B)

- ALTERNATE POST OPTION
 4X4 ALUMINUM POST SLEEVE (BK, BB)
- 4X4 COMPOSITE POST SLEEVE




COLOR:

PRICE: \$\$\$\$\$

RESIDENTIAL LIMITED WARRANTY: 50 YEARS

CABLE INFILL RESIDENTIAL LIMITED WARRANTY: 10 YEARS CUSTOMIZATIONS:





Trex Signature® Rod Rail



RESIDENTIAL LIMITED WARRANTY: 50 YEARS CUSTOMIZATIONS: (P)

- ALTERNATE POST OPTION
 4X4 ALUMINUM POST SLEEVE (BK, BB)
- 6X6 COMPOSITE POST SLEEVE (WT)
- 4X4 COMPOSITE POST SLEEVE (VL, BK, WT, RS)
- COLOR: PRICE: \$\$\$\$

RESIDENTIAL LIMITED WARRANTY: 50 YEARS CUSTOMIZATIONS: () ()

Trex Signature® Mesh Railing

- ALTERNATE POST OPTION
 4X4 ALUMINUM POST SLEEVE (BK, BB)
- 4X4 COMPOSITE POST
- 6X6 COMPOSITE POST SLEEVE (WT)


Trex Select™ Mesh Railing



RAIL KIT RESIDENTIAL LIMITED WARRANTY: 25 YEARS MESH INFILL RESIDENTIAL LIMITED WARRANTY: 15 YEARS CUSTOMIZATIONS: (3)

- ALTERNATE POST OPTION
 4X4 ALUMINUM POST SLEEVE (BK, BB)
- · 4X4 COMPOSITE POST SLEEVE
- 6X6 COMPOSITE POST SLEEVE (WT)

METAL RAILINGS WITH VERTICAL BALUSTERS



Trex Signature® Aluminum Railing

COLORS:

PRICE: \$\$\$


RESIDENTIAL LIMITED WARRANTY: 50 YEARS CUSTOMIZATIONS: () ()

- ALTERNATE POST OPTION

 4X4 ALUMINUM POST SLEEVE (BK, BB)

 4X4 COMPOSITE POST SLEEVE
- (VL, BK, WT, RS)

 6X6 COMPOSITE POST SLEEVE (WT)



Trex Select™ Aluminum Railing

COLORS:

PRICE: \$\$

RESIDENTIAL LIMITED WARRANTY: 25 YEARS CUSTOMIZATIONS: () ()

ALTERNATE POST OPTION

- 4X4 ALUMINUM POST SLEEVE (BK, BB)
 4X4 COMPOSITE POST SLEEVE
 (VL, BK, WT, RS) • 6X6 COMPOSITE POST SLEEVE (WT) 4X4 ALL-IN-ONE POST KIT (WT)

Trex Enhance™ Steel Railing

COLORS:

PRICE: \$

RESIDENTIAL LIMITED WARRANTY: 15 YEARS



- ALTERNATE POST OPTION
- 4X4 COMPOSITE POST SLEEVE
 (VL, BK, WT, RS)
 6X6 COMPOSITE POST SLEEVE (WT)
 4X4 ALL-IN-ONE POST KIT (WT)
- ADA AVAILABLE WITH ALTERNATIVE POST OPTIONS

COMPOSITE RAILINGS WITH VERTICAL BALUSTERS



Trex® Transcend® Railing with **Square Composite Balusters**

RAILING COLORS: BALUSTER COLORS:


PRICE: \$\$\$

RESIDENTIAL LIMITED WARRANTY: 35 YEARS CUSTOMIZATIONS: ()

ALTERNATE POST OPTION

• 4X4 ALUMINUM POST SLEEVE (BK, BB)

• 6X6 COMPOSITE POST SLEEVE (WT)



Trex Select® T-Rail with **Square Composite Balusters**

RAILING COLORS: BALUSTER COLORS:


PRICE: \$\$ RESIDENTIAL LIMITED WARRANTY: 25 YEARS

CUSTOMIZATIONS: ()

ALTERNATE POST OPTION

• 6X6 COMPOSITE POST SLEEVE (WT)

• 4X4 ALL-IN-ONE POST KIT (WT)



Trex® Transcend® Railing with Round Aluminum Balusters

RAILING COLORS: BALUSTER COLORS:


PRICE: \$\$\$

RESIDENTIAL LIMITED WARRANTY: 35 YEARS CUSTOMIZATIONS: () ()

ALTERNATE POST OPTION

• 4X4 ALUMINUM POST SLEEVE (BK, BB)

• 6X6 COMPOSITE POST SLEEVE (WT)



Trex Select® T-Rail with Round Aluminum Balusters

RAILING COLOR: BALUSTER COLOR:


PRICE: \$\$

RESIDENTIAL LIMITED WARRANTY: 25 YEARS CUSTOMIZATIONS: (S)



ALTERNATE POST OPTION 6X6 COMPOSITE POST SI FEVE (WT)

- 4X4 ALL-IN-ONE POST KIT (WT)



Trex Select® Classic Railing with Round Aluminum Balusters


RAILING COLORS: BALUSTER COLOR:

PRICE: \$\$

RESIDENTIAL LIMITED WARRANTY: 25 YEARS CUSTOMIZATIONS: (P)

ALTERNATE POST OPTION

- 6X6 COMPOSITE POST SLEEVE (WT)
- 4X4 ALL-IN-ONE POST KIT (WT)



Trex® Enhance® Composite Railing with Round Aluminum Balusters

RAILING COLORS: BALUSTER COLOR:



PRICE: \$

RESIDENTIAL LIMITED WARRANTY: 25 YEARS CUSTOMIZATIONS: (P)

*AVAILABLE AT HOME CENTERS

ALTERNATE POST OPTION 6X6 COMPOSITE POST SLEEVE (WT)
 4X4 ALL-IN-ONE POST KIT (WT)

10



Specialty Railings 2025 Railing Guide

Trex Signature® X-Series™ Frameless Glass Railing

Streamlined design and totally unobstructed views.







Trex[®] glass infills sold separately at glass.trex.com, only available in 6 ft spans. Not for use on stairs.








Trex Signature® Glass Railing

Put your view front and center with elegant, tempered glass infill.





Trex° *glass infills sold separately at glass.trex.com, only available in* 6 *ft spans.* Not for use on stairs.













ALTERNATE POST OPTION

- 4X4 ALUMINUM POST SLEEVE (BB, BK
- 4X4 COMPOSITE POST SLEEVE (VL, BK, WT, RS)

MORE LIGHTING AVAILABLE WITH ALTERNATIVE POST OPTIONS







Specialty Railings 2025 Railing Guide

Trex Signature® X-Series™ Cable Railing

Stainless steel cables offer a sleek, modern look with minimal maintenance.







CUSTOMIZATIONS STAIRS









Trex Signature® Rod Rail

Take things in a new direction with this modern, horizontal rod railing.









ALTERNATE POST OPTION

• 4X4 ALUMINUM POST SLEEVE (BK, BB)

• 4X4 COMPOSITE POST SLEEVE

(VL, BK, WT, RS)


• 6X6 COMPOSITE POST SLEEVE (WT)


MORE LIGHTING AVAILABLE WITH

Specialty Railings 2025 Railing Guide

Trex Signature® Mesh Railing

Stainless steel crosshatch adds a subtle industrial flair to your space.









- ALTERNATE POST OPTION

 4X4 ALUMINUM POST SLEEVE (BK, BB)

 4X4 COMPOSITE POST SLEEVE
- (VL, BK, WT, RS)

 6X6 COMPOSITE POST SLEEVE (WT)

MORE LIGHTING AVAILABLE WITH ALTERNATIVE POST OPTIONS




ORDERING HELP



Trex Select™ Mesh Railing

Offers rustic charm and long-lasting durability, thanks to the strong steel infill.









- ALTERNATE POST OPTION

 4X4 ALUMINUM POST SLEEVE (BK, BB)

 4X4 COMPOSITE POST SLEEVE
 (VL, BK, WT, RS)

MORE LIGHTING AVAILABLE WITH ALTERNATIVE POST OPTIONS

CUSTOMIZATIONS

SOLAR POST CAP LIGHT

ADA STAIRS




FIND A BUILDER




Metal Railings 2025 Railing Guide

Trex Signature® Aluminum Railing

Refined style meets top-tier durability, with plenty of customization options.








Order Trex Signature® curved railing at trex.com/products/railing/signature/curved







Trex Select™ Aluminum Railing

A simplistic style that can complement any outdoor space at an affordable price.







ALTERNATE POST OPTION

• 4X4 ALUMINUM POST SLEEVE

• 4X4 COMPOSITE POST SLEEVE (VL, BK, WT, RS)

6X6 COMPOSITE POST SLEEVE (WT)
 4X4 ALL-IN-ONE POST KIT (WT)

MORE LIGHTING AVAILABLE WITH ALTERNATIVE POST OPTIONS





Rails & Balusters

CHARCOAL BLACK

ALTERNATE POST OPTION

• 4X4 ALUMINUM POST SLEEVE (BK, BB)

6X6 COMPOSITE POST SLEEVE (WT) MORE LIGHTING AVAILABLE WITH ALTERNATIVE POST OPTIONS


4X4 COMPOSITE POST SLEEVE (VL, BK, WT, RS)


CLASSIC WHITE

Trex Enhance™ **Steel Railing**

Our entry-level steel railing delivers functional design at a budget-friendly cost.







ALTERNATE POST OPTION

• 4X4 COMPOSITE POST SLEEVE
(VL, BK, WT, RS)

• 6X6 COMPOSITE POST SLEEVE (WT)

• 4X4 ALL-IN-ONE POST KIT (WT)

ADA AVAILABLE WITH ALTERNATIVE POST OPTIONS

CUSTOMIZATIONS (\$) COCKTAIL (\$) ADA (\$) STAIRS






















Outfit your outdoor escape with sleek, long-lasting metal railings that easily work with nearly any design aesthetic.

SAFE. STURDY. STUNNING.

Each metal railing is built with timeless looks and durability you can lean on for the long haul.



Trex Signature® Aluminum Railing pg 21 ↑

Trex Signature® Aluminum Railing pg 21↑ Cocktail Rail customization pg 85, 90, 91↓



CUSTOMIZE YOUR RAILING

Going from vision to reality is surprisingly simple with our lineup of convenient customization options.


24




Composite Railings 2025 Railing Guide

Trex[®] Transcend[®] Railing with Square Composite Balusters

Mix and match to the max. The ultimate flexibility for your perfect railing look.









Balusters	
CLASSIC	ROPE
WHITE	SWING
CHARCOAL	VINTAGE
BLACK	LANTERN

ALTERNATE POST OPTION	
 4X4 ALUMINUM POST SLEEVE (BK, BE 	()
6X6 COMPOSITE POST SLEEVE (WT)	

Trex Select[®] T-Rail with Square Composite Balusters

An enduring, dynamic shape that'll match your taste to a T.







Rails & Balusters

CLASSIC WHITE

6X6 COMPOSITE POST SLEEVE (WT)
 4X4 ALL-IN-ONE POST KIT (WT)

номе








Composite Railings 2025 Railing Guide

Trex[®] Transcend[®] Railing with Round Aluminum Balusters

Safe and sturdy. All you'll have to worry about is keeping the cooler stocked.

















ALTERNATE POST OPTION


• 4X4 ALUMINUM POST SLEEVE (BK, BB)

• 6X6 COMPOSITE POST SLEEVE

Trex Select[®] T-Rail with Round Aluminum Balusters


From cookouts to quiet nights under the stars, best-in-class quality you can rely on.











ALTERNATE POST OPTION

• 6X6 COMPOSITE POST SLEEVE (WT)

• 4X4 ALL-IN-ONE POST KIT (WT)




 c_{2}

2025 Railing Guide **Composite Railings**


Trex Select® Classic Railing with **Round Aluminum Balusters**

A time-tested, high-performing look for every space and budget.
















A distinct look that serves up style and durability no matter your aesthetic leanings.













6X6 COMPOSITE POST SLEEVE (WT)
 4X4 ALL-IN-ONE POST KIT (WT)

FIND A BUILDER








Materials Overview 2025 Railing Guide

Get to the know the long-lasting materials behind our designs.









 $* For details, please see the \textit{\textbf{Care \& Cleaning Guide}} \ available \ at trex. com/care \ and \ the \textit{\textbf{Railing Limited Warranty}} \ on \ Page \ 93-96.$









3

2025 Railing Guide **Railing Anatomy**

Railing Anatomy

RAILING POST

Vertical supports that secure rails in place. Durable, stylish options for modern or traditional designs with lasting safety and beauty.

CABLE INFILL

Sleek stainless-steel cables

provide open views, and a

modern, minimalist aesthetic

with a hassle-free install.

GLASS INFILL

Clear panels offer unobstructed views, preserve sightlines, and enhance illumination with a sleek, elegant touch.

BALUSTERS

Ensures your rail's safety and sturdiness. Available in preassembled panels for compatible rails, for a hassle-free installation.

TOP & BOTTOM RAILS

Supports the infill and frames the system. Durable and stylish for a balanced, cohesive design.

MESH INFILL

Structural mesh adds texture, security, and airflow with an industrial look and durable design.

FOOT BLOCK

Foot blocks reinforce your rail. Required for certain rail sections.

GLASS PANEL

Expand your horizons with these strong, easy-to-install panels designed especially for Trex railings.

POST SKIRT

Conceals gaps at post bases for a seamless look. Decorative and simple to install for a polished finish.

COMPOSITE **POST SLEEVE**

Durable covers protect wood posts from weather while enhancing style with low-maintenance and easy installation.

ROD RAIL INFILL


The horizontal rail provides support and frames the system.

POST CAP

Protects posts from weather and adds elegance, blending form and function seamlessly for composite railings.

COCKTAIL RAIL

Adds a convenient surface to your deck for drinks, plates, towels, potted plants, and more.











Railing Customization 2025 Railing Guide

ADA HANDRAILS

Seamlessly blend in with most railing options.



COCKTAIL RAIL

Cocktail rails give you plenty of extra space for drinks and snacks. We'll cheers to that!



LIGHTING

Add extra brilliance to your dream design with our efficient outdoor deck lighting.



ALUMINUM GATES

A safe, strong, and accessible addition.



CURVED RAILINGS

Match the exact shape of your deck.













We have the tools to get you the help you need.







GET INSPIRATION

FIND A BUILDER

CURATE YOUR LOOK



Read on for our DIY resources





You have an idea you want to bring to life.

Now how do you want to get it done?



Trex Signature® Rod Rail



DIY vs DIFM 2025 Railing Guide

The do-it-yourself approach doesn't mean doing it alone. These kits and tools lighten your workload.







DECKING COMPARISON



DESIGNER

VISUALIZER









Trex Deck Designer

Discover endless inspiration with our Trex Deck Designer. Compare materials, play with colors, and create a deck that's uniquely yours.





Trex[®] Academy

Get our free expertise, tutorial videos, and pro tips for your project.

Railing Templates

A reusable guide for simplified bracket placement.



Pre-Assembled Panels


Save time and effort with pieces that show up ready-made.



Railing Kits

The one-box solution for nearly all of your rail needs.





You're almost ready! Before ordering your railing components, be sure you've made the following important decisions:

Chosen the style of railing that works best for you pg 9 - 36

Picked customizations and add-ons to take your railing to the next level pg 37 - 38

Considered how you plan to use your outdoor space

Made sure your choices work with your budget

Used our helpful planning tools to map out your project pg 41 - 42

Checked your local building codes

All set? The next part of this guide will take you step-by-step through the ordering process.













Product Options

Versatile X-Series™ Post can be configured to accommodate cable or frameless glass infill.



- X-SERIES™ POST
- CABLE RAIL KIT


CABLE INFILL



- - FRAMELESS GLASS INFILL KIT
 - LAMINATED GLASS PANEL

X-SERIES™ POST

GLASS INFILL



FIND A BUILDER




2

3



X-SERIES™ POST



Heights **Applications** 37", 43", 53" Horizontal, Stair

Heights Lengths 36", 42" 6', 12', 18' 36", 42"

CABLE RAIL KIT

Applications Horizontal





Visit glass.trex.com to order custom glass panels to complete your build.



Heights All (Cut to Length)

Applications Horizontal

Additional Specs

36" (914 mm) high rail: 1/2" x 33" x 73.125" max. (12.7 mm x 838 mm x 1857 mm)

42" (1067 mm) high rail: 1/2" x 39" x 73.125" max. (12.7 mm x 991 mm x 1857 mm)

*SGP interlayer is recommended for laminated glass.

XX = COLOR PREFIX






TREX SIGNATURE® RAILING

LOOK A:

Aluminum Posts

Keep it consistent with aluminum posts and rails, available in three powder-coated colors.






ALUMINUM POST + CAP & SKIRT

- RAIL KIT: TOP RAIL, **BOTTOM RAIL, INFILL**
- **GLASS OR MESH INFILL PANEL**

LOOK B:

Composite Post Sleeve


Create a mixed materials look with Trex® Post Components and aluminum rails. The addition of composite allows for even more color combinations.






- **POST SLEEVE**
- POST SLEEVE CAP
- POST SLEEVE SKIRT
- RAIL KIT: TOP RAIL, **BOTTOM RAIL, INFILL**
 - GLASS OR MESH INFILL PANEL

ALUMINUM RAILING












ROD RAIL




COLOR COMBINATIONS: First color denotes rails; second color denotes infill.

ALUMINUM RAILING



ROD RAIL







GLASS RAILING






MESH RAILING







GLASS RAILING



MESH RAILING











XX = COLOR PREFIX

WT Classic White BK Charcoal Black B7 Bronze SS Stainless Steel



Product Options

LOOK A: Continue with Step 1+2 to pick your aluminum posts.



LOOK B:

Jump to Steps 1, 2a and 2b (pg 55) to pick your composite post sleeves.



STEP 1+2: PICK AN ALUMINUM POST STYLE



ALUMINUM POST


Use for a traditional aluminum post look.







Heights **Applications** 37", 43", 53" Horizontal, Stair









ALUMINUM CROSSOVER POST

Use for a continuously graspable top rail.









*Stair crossover applications can only be achieved with the use of a swivel crossover bracket. See page 85 (item# XX25RCSWSCBKTAL).







ALUMINUM JOIST MOUNT POST Use with steel deck framing or wood framing.















ALUMINUM POST WITH PREMOUNTED BRACKETS


Use for simple and quick post applications.






Application

Brackets Line, End, Corner



SIMPLIFY STEP 3

by choosing assembled square baluster panels, shown on page 84.



XX = COLOR PREFIX

WT Classic White BK Charcoal Black BZ Bronze





STEPS 1, 2A, 2B: PICK A COMPOSITE POST STYLE



POST SLEEVE & CAP

Each 4" x 4" and 6" x 6" post sleeve fits over a 4" x 4" $\,$ pressure treated post or equivalent post mount.

6" x 6" width only available in Classic White.

Widths

4" x 4", 6" x 6"





POST SLEEVE CAP

6" x 6" width only available in Classic White.



Widths

Heights

39", 108"

4" x 4", 6" x 6"



DESIGN CHECK

Opt for a post cap light variation. Details on page 91.





POST SLEEVE SKIRT

6" x 6" width only available in Classic White. 4" x 4" is 2 piece and 6" x 6" is 1 piece.



Widths











4" x 4", 6" x 6"






STEP 3: GO WITH A RAIL KIT







Brackets sold separately, or use posts with pre-mounted brackets for the easiest and fastest installation.



*4' length is only available in horizontal application.





XX = COLOR PREFIX

WT Classic White BK Charcoal Black

RS Rope Swing VL Vintage Lantern


BZ Bronze





TREX SIGNATURE® RAILING

ROD RAIL KIT



6', 8'



Applications Lengths Horizontal, Stair

Applications

Horizontal, Stair








MESH RAIL KIT

36", 42"

Mesh infill sold separately. Continue to Step 4 to complete your build.



Lengths

6', 8'







GLASS RAIL KIT

Heights

36", 42"

Glass infill sold separately. Continue to Step 4 to complete your build.





Length 6'

FIND A BUILDER

Application

Horizontal




ORDERING HELP



STEP 4: MESH, CABLE & GLASS INFILL PANELS



MESH INFILL PANEL





GLASS INFILL PANEL

Visit glass.trex.com to order custom glass panels to complete your build.



Additional Specs

36" (914 mm) high rail: 1/4" x 32-5/16" x 67" max. (6 mm x 821 mm x 1702 mm) 42" (1067 mm) high rail: 1/4" x 38-5/16" x 67" max. (6 mm x 973 mm x 1702 mm)

Want an additional surface for drinks and more?

Add a cocktail rail using a solid core deck board. For installation, see cocktail rail bracket on page 85.

WT Classic White

BK Charcoal Black

Not compatible with Trex Signature Glass Railing.



XX = COLOR PREFIX

BZ Bronze





TRADITIONAL STYLE SIMPLIFIED:

Railing Kits & Systems

A Transcend rail kit includes composite top and bottom rails and your choice of square composite or round aluminum balusters.






FEWER STEPS IN SELECTION AND ORDERING PROCESSES

KIT 1: COMPOSITE RAIL & SQUARE COMPOSITE BALUSTERS







Trex[®] Transcend[®] Railing with Round Aluminum Balusters



RAILING COMPONENTRY ALL IN ONE BOX*

> KIT 2: COMPOSITE RAIL & ROUND ALUMINUM BALUSTERS









PRE-DESIGNED IN OUR MOST POPULAR LOOKS

> KIT 3: COCKTAIL RAIL & ROUND ALUMINUM BALUSTER



A cocktail rail kit allows for a solid core decking board to be installed on top of a Universal top/bottom rail, creating the perfect flat surface for beverages and more.

Cocktail rail kits only available with rails in WT with round aluminum balusters in BK.

*Post sleeve, cap and skirt sold separately. **All deck boards sold separately.







TREX® TRANSCEND® RAILING

LOOK A:

Rail Kit

Available in our most popular composite hues,


a Transcend kit simplifies decision making.







Custom Build

To choose from our full suite of colors and additional baluster options, go custom.







- **POST SLEEVE**
- POST SLEEVE CAP
- POST SLEEVE SKIRT
- RAIL KIT: TOP RAIL, **BOTTOM RAIL, BALUSTERS**




- POST SLEEVE
- POST SLEEVE CAP
- POST SLEEVE SKIRT
- (3a)TOP RAIL
- (3b)**BOTTOM RAIL**
- **BALUSTERS**
- **ACCESSORY INFILL KIT**













Composite

Aluminum







CUSTOM COLORS:















WT Classic White

RS Rope Swing VL Vintage Lantern BZ Bronze





RAIL & BALUSTER

KIT COLORS:



XX = COLOR PREFIX

BK Charcoal Black

WT

Product Options

STEPS 1, 2A, 2B: PICK A POST STYLE



POST SLEEVE

Each 4" x 4" and 6" x 6" post sleeve fits over a 4" x 4" pressure treated post or equivalent post mount. 6" x 6" width only available in Classic White.



Widths

39", 108" 4" x 4", 6" x 6"













POST SLEEVE CAP

6" x 6" width only available in Classic White.



Widths

4" x 4", 6" x 6"











DESIGN CHECK

Opt for a post cap light variation. Details on page 91.





POST SLEEVE SKIRT

6" x 6" width only available in Classic White. 4" x 4" is 2 piece and 6" x 6" is 1 piece.



4" x 4", 6" x 6"











Widths

FIND A BUILDER



DESIGN HELP



Simply continue with Step 3 to complete your kit look.



LOOK B:

Jump to Steps 3a and 3b on the next page to build your custom look.



STEP 3: GO WITH A RAIL KIT

RAIL & SQUARE COMPOSITE BALUSTER KIT

Use for simplified, pre-designed rail applications.





Lengths 6', 8' (72", 96")

Applications Horizontal, Stair









RAIL & ROUND ALUMINUM BALUSTER KIT

Use for simplified, pre-designed rail applications.



Heights 36", 42"

Lengths 6', 8' (72", 96")

for cocktail rail applications. Boards sold separately.

Applications Horizontal, Stair













COCKTAIL RAIL & ROUND ALUMINUM BALUSTER KIT Use for simplified, pre-designed rail applications. Only solid core deck boards can be used



Heights

Lengths 6', 8'

(72", 96")

Applications Horizontal, Stair





RS Rope Swing VL Vintage Lantern





STEP 3A: PICK A TOP RAIL





Lengths 6', 8' (72", 96")





Use for cocktail rail applications.









STEP 3B: PICK A BOTTOM RAIL

UNIVERSAL TOP/BOTTOM RAIL









STEP 4: CHOOSE AN INFILL



SQUARE COMPOSITE BALUSTERS



Heights 36", 42"







STEP 5: SELECT AN ACCESSORY INFILL KIT



SQUARE COMPOSITE BALUSTER INFILL KIT

Use this hardware to assemble a railing section consisting of square composite balusters.



Lengths 6', 8'

Applications Horizontal, Stair



ROUND ALUMINUM BALUSTER INFILL KIT





Lengths 6', 8'

Applications Horizontal, Stair









FIND A BUILDER





XX = COLOR PREFIX

WT Classic White BK Charcoal Black


RS Rope Swing BZ Bronze VL Vintage Lantern



Select Mesh

A classic look for your outdoor space, with the added strength of secure steel infill.







MESH RAIL KIT

MESH PANEL

Product Options

STEPS 1 + 2: PICK YOUR POST



ALL-IN-ONE POST SLEEVE KIT

These will require the additional purchase of mounting hardware.

Post cap and skirt included.

Compatible with Composite Post Cap, Solar Post Cap and Deck Rail Light.



4X4 COMPOSITE POST SLEEVE

Post cap and skirt sold separately.

Compatible with Composite Post Cap, Solar Post Cap and Deck Rail Light.









6X6 COMPOSITE POST SLEEVE

Offers a unique look. These will require the additional purchase of mounting hardware. Post cap and skirt sold separately. Compatible with Deck Rail Light.

STEP 3: PICK YOUR MESH RAIL KIT

These work for stair or horizontal applications.



TREX SELECT MESH KIT

Mesh infill sold separately.

Heights Lengths **Applications** 36", 42" 6', 8' Horizontal, Stair




STEP 4: PICK YOUR PANEL

These work for stair or horizontal applications.



MESH INFILL PANEL



Actual Dimensions 36" x 72", 36" x 96", 60" x 72"

Applications Horizontal, Stair



These will require the additional purchase of mounting hardware.







XX = COLOR PREFIX

WT Classic White BK Charcoal Black


RS Rope Swing VL Vintage Lantern

TREX SELECT™ ALUMINUM RAILING

Select Aluminum

Safe. Sturdy. Stunning. A simplistic style that can complement any outdoor space at an affordable price.









Product Options

STEPS 1 + 2: PICK AN ALUMINUM POST STYLE



TREX SELECT ALUMINUM POST WITH PREMOUNTED BRACKETS

This is perfect for horizontal applications with a 90 degree angle. Post cap and skirt included. Compatible with Post Cap Light and Wedge Light.

Heights

Applications

37", 43", 53"

Available as a corner, line or end post



2 ½ X 2 ½ TREX ALUMINUM POST WITHOUT PREMOUNTED BRACKETS

This is ideal for stairs and unique angles. These will require the additional purchase of mounting hardware. Post cap and skirt included. Compatible with Post Cap Light and Wedge Light.



Heights

Applications

37", 43", 53"

FIND A BUILDER

Available as a corner, line or end post



ORDERING HELP





COMPOSITE POST SLEEVE

Offers a unique look. These will require the additional purchase of mounting hardware. Post cap and skirt sold separately. 6" x 6" width only available in Classic White.

Heights

Widths

39", 108"

4" x 4", 6" x 6"











ALL-IN-ONE POST SLEEVE KIT

Offers a unique look. These will require the additional purchase of mounting hardware. Post Cap and skirt included. Compatiable with Composite Post Cap. Solar Post Cap and Deck Rail Light.




STEP 3: PICK YOUR PANEL

If you opt for stairs or a blank post, order your mounting hardware separately.



PANEL



Heights 36", 42"

Lengths 6', 8'

Applications Horizontal, Stair





Customize your railing for ample room for snacks and drinks:

Cocktail rails give you extra space—perfect for holding coffee, showcasing plants, and adding design-friendly details.




RS Rope Swing





The Standard Look


Trex Select® Classic and T-Rail offer two top rail looks in one neutral color-Classic White. Simply choose your preferred top rail design.





- **POST SLEEVE**
- POST SLEEVE CAP
- POST SLEEVE SKIRT
- RAIL KIT: TOP RAIL, 3 **BOTTOM RAIL, INFILL**

CLASSIC RAIL & BALUSTER KIT



CLASSIC RAIL & BALUSTER KIT COLORS:



MOUNTING HARDWARE



















T-RAIL & BALUSTER KIT COLORS:







Product Options

STEPS 1, 2A, 2B: PICK YOUR POST



POST SLEEVE

Each 4" x 4" and 6" x 6" post sleeve fits over a 4" x 4" pressure treated post or equivalent post mount. 6" x 6" width only available in Classic White.



Widths

POST SLEEVE CAP

6" x 6" width only available in Classic White.

4" x 4", 6" x 6"













Widths

4" x 4", 6" x 6"









POST SLEEVE SKIRT

6" x 6" width only available in Classic White. 4" x 4" is 2 piece, 6" x 6" is 1 piece.



Widths

4" x 4", 6" x 6"









ALL-IN-ONE POST SLEEVE KIT

WT Classic White

Simplify your deck design with the All-in-One Post Sleeve Kit. Includes a post sleeve, cap, and skirt in one box. Available in Classic White for a sleek, hassle-free railing solution.



DESIGN CHECK

Opt for a post cap light variation. Details on page 91.









BK Charcoal Black

XX = COLOR PREFIX


RS Rope Swing VL Vintage Lantern

PLEASE REFER TO SKU PAGES FOR ACTUAL DIMENSIONS.

STEP 3: GO WITH A RAIL KIT

CLASSIC RAIL & ROUND ALUMINUM BALUSTER KIT

Use for simplified, pre-designed rail applications.



T-RAIL & ROUND ALUMINUM BALUSTER KIT

Use for simplified, pre-designed rail applications.



Heights Lengths **Applications** 36", 42" 6', 8' Horizontal, Stair (72", 96")



T-RAIL & SQUARE COMPOSITE BALUSTER KIT

Use for simplified, pre-designed rail applications.



Heights **Applications** Lengths 36", 42" 6', 8' Horizontal, Stair (72", 96")

XX = COLOR PREFIX

WT Classic White

PLEASE REFER TO SKU PAGES FOR ACTUAL DIMENSIONS.



FIND A BUILDER



ORDERING HELP



Add brilliance and ambiance to your dream design with our impressive deck lighting.



Trex Signature® Mesh Railing pg 17 ↑ Trex Signature® Glass Railing pg 14 ↓

DECK POST CAP LIGHTING

Powered by the sun, or discreetly tucked under the post cap, these lights add ambiance and safety to your outdoor space.




Trex® Outdoor Lighting pg 91 ↑



DECK RAILING LIGHTING

Illuminate your deck with these sleek lights for your railing system. Available in two understated shapes to seamlessly match your design.




TREX ENHANCE™ STEEL RAILING

Enhance Steel

Our entry-level steel railing delivers functional design at a budget-friendly cost.







POST + CAP & SKIRT



Product Options

STEPS 1 + 2: PICK YOUR POST

If you opt for stairs or a blank post, order your mounting hardware separately.



2 X 2 TREX ENHANCE STEEL POST WITH PREMOUNTED BRACKETS

This is perfect for horizontal applications with a 90 degree angle. Available as a corner, line or end post. Post cap and skirt included. No lighting options.



Applications

37", 43", 53"

Available as a corner, line or end post



TREX ENHANCE STEEL POST WITHOUT PREMOUNTED BRACKETS

This is ideal for stairs and unique angles. These will require the additional purchase of mounting hardware. Post cap and skirt included. No lighting options.



Applications

Heights 37", 43", 53"

Available as a corner, line or end post



XX = COLOR PREFIX

BK Charcoal Black PLEASE REFER TO SKU PAGES FOR ACTUAL DIMENSIONS.







COMPOSITE POST SLEEVE

Offers a unique look. These will require the additional purchase of mounting hardware. Post cap and skirt sold separately. 6" x 6" width only available in Classic White.

Heights

Widths

39", 108" 4" x 4", 6" x 6"













ALL-IN-ONE POST SLEEVE KIT

Offers a unique look. These will require the additional purchase of mounting hardware. Post cap and skirt included. Compatible with Composite Post Cap, Solar Post Cap and Deck Rail Light.






STEP 3A: PICK YOUR PANEL

If you opt for stairs or a blank post, order your mounting hardware separately.





Heights 36", 42"

Lengths 6', 8'

Applications Horizontal, Stair

Customize your railing for ample room for snacks and drinks:

Cocktail rails give you extra space—perfect for holding coffee, showcasing plants, and adding design-friendly details.

FIND A BUILDER






TREX® ENHANCE® COMPOSITE RAILING

Enhance Composite

No splintering. No peeling. No sanding. Ever again. That's just the beginning of where you'll go with these classic, composite rails. Available at home centers.





- POST SLEEVE
- POST SLEEVE CAP
- POST SLEEVE SKIRT
- RAIL KIT: TOP RAIL, **BOTTOM RAIL, INFILL**

CLASSIC RAIL & BALUSTER KIT









CLASSIC RAIL & BALUSTER KIT COLORS:









XX = COLOR PREFIX

WT Classic White BK Charcoal Black

SD Saddle VL Vintage Lantern RS Rope Swing



PLEASE REFER TO SKU PAGES FOR ACTUAL DIMENSIONS.

Product Options

STEPS 1, 2A, 2B: PICK YOUR POST



POST SLEEVE

Each 4" x 4" and 6" x 6" post sleeve fits over a 4" x 4" pressure treated post or equivalent post mount. 6" x 6" width only available in Classic White.

Heights

39", 108" 4" x 4", 6" x 6"











POST SLEEVE CAP

6" x 6" width only available in Classic White.



Widths

4" x 4", 6" x 6"











POST SLEEVE SKIRT

6" x 6" width only available in Classic White. 4" x 4" is 2 piece, 6" x 6" is 1 piece.



Widths

4" x 4", 6" x 6"










ALL-IN-ONE POST SLEEVE KIT

Simplify your deck design with the All-in-One Post Sleeve Kit. Includes a post sleeve, cap, and skirt in one box. Available in Classic White for a sleek, hassle-free railing solution.





FIND A BUILDER





DESIGN CHECK

Opt for a post cap light variation. Details on page 91.




STEP 3: GO WITH A RAIL KIT

CLASSIC RAIL & ROUND ALUMINUM BALUSTER KIT

Use for simplified, pre-designed rail applications.

(72", 96")





XX = COLOR PREFIX

WT Classic White BK Charcoal Black

SD Saddle VL Vintage Lantern





PLEASE REFER TO SKU PAGES FOR ACTUAL DIMENSIONS.

Trex® Railing— **Endless Possibilities**

Please read the system descriptions at the top of each product section so you can choose exactly which railing components you need to complete your design.

TREX® POST SLEEVES, CAPS & SKIRTS

These components can be used as steps 1 & 2 for all Trex railing lines except Signature X-Series.

STEP	COMPONENT	DESCRIPTION	ITEM #	COLOR
1	Post Sleeve Each 4x4 and 6x6 post sleeve fits over a 4x4 pressure treated post or equivalent post mount.	4" x 4" x 39" Post Sleeve 4" x 4" x 108" Post Sleeve	XX040439APS XX0404108APS	WT, BK, RS, VL
	Dimensions are nominals. See below for actuals and metrics. [4.45 in x 4.45 in x 40 in (113 mm x 113 mm x 101 cm) external dimensions] [4.45 in x 4.45 in x 108 in (113 mm x 113 mm x 274 cm) external dimensions] [5.5 in x 5.5 in x 39 in (139 mm x 139 mm x 990 mm) external dimensions] [5.5 in x 5.5 in x 108 in (139 mm x 139 mm x 274 cm) external dimensions]	6" x 6" x 39" Post Sleeve 6" x 6" x 108" Post Sleeve	WT060639APS WT0606108APS	WT, BK, RS, VL
1	Aluminum Post Sleeve	4" x 4" x 37" Aluminum Post Sleeve 4" x 4" x 43" Aluminum Post Sleeve 4" x 4" x 53" Aluminum Post Sleeve—Stair	XXSAL040437PS XXSAL040443PS XXSAL040453PS	BB, BK
(2a)	Post Sleeve Cap Also available with LED lighting. Dimensions are nominals. See below for actuals and metrics. [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions] [5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]	Flat 4" x 4" Post Sleeve Cap Flat 6" x 6" Post Sleeve Cap	PXXSQCAP4X4 PWTSQCAP6X6	WT, BK, RS, VL
(2a)	Solar Post Cap Light Dimensions are nominals. See below for actuals and metrics. [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions]	Flat 4" x 4" Solar Post Cap Light	XXSOLAR4X4CAP	WT, BK, VL
2b	Post Sleeve Skirt Dimensions are nominals. See below for actuals and metrics. [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions] [5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]	4" x 4" Post Sleeve Skirt 6" x 6" Post Sleeve Skirt	PXXSKIRT4X4 PWTSKIRT6X6	WT, BK, RS, VL
1 (2a) (2b)	All-In-One Post Kit With low-profile post sleeve, post cap and skirt	40" Trex Select All-In-One Post Kit 48" Trex Select All-In-One Post Kit 54" Trex Select All-In-One Post Kit	WT040440NTPS WT040448NTPS WT040454NTPS	WT

ACCESSORIES

COMPONENT	DESCRIPTION	ITEM #	COMPONENT		DESCRIPTION	ITEM #
Surface Mount Post For use with 4x4 composite post sleeve.	Aluminum Surface Mount Post for 36" (914 mm) Rail Height (1/box)	ALPOSTMOUNT36	Joist Mount Post For use with 4x4 composite post sleeve.		Aluminum	
Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)	Aluminum Surface Mount Post for 42" (1066 mm) Rail Height (1/box)	ALPOSTMOUNT42	Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)	Ĭ	Joist Mount Post for use with all Trex railing heights	CPJMNTPOST63
3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)	Surface Mount Post Hardware—Wood (10 kits/box)	ALPOSTHWDECK	(95 mm x 95 mm x 177 mm)	Ĭ	(1/box)	

FIND A BUILDER





TREX SIGNATURE® RAILING

Choose either aluminum posts or composite post sleeves, caps and skirts for steps 1 & 2. Pair with a rail kit (step 3) and infill panel (step 4) if needed.

STEP	DESCRIPTION	ITEM #	DESCRIPTION	ITEM #
	Aluminum Posts			
(1+2)	Can only be used within the Trex Signature® line. Mounting hardwa	re for post sold separately. Trex \$	Signature® aluminum posts fulfill steps 1 & 2. If using composite post sleev	res, refer to previous page
	2.5" x 2.5" x 37" Aluminum Post—Horizontal 2.5" x 2.5" x 43" Aluminum Post—Horizontal	XXAL252537RCAP XXAL252543RCAP	IRC Aluminum Mounting Plate & Hardware For use with all Trex 2.5" Surface Mount Aluminum Posts.	ALPOSTHWDECK
	2.5" x 2.5" x 53" Aluminum Post—Stair Comes with cap and skirt.	XXAL252553RCAP	Concrete Post Mount Kit	ALPOSTHWCONC
	2.5" x 2.5" x 36" Crossover Post—Horizontal 2.5" x 2.5" x 42" Crossover Post—Horizontal Comes with skirt.	XXAL252536RCCP XXAL252542RCCP	2.5" x 2.5" x 63" Aluminum Joist Mount Post Comes with cap and skirt. Fascia Mount Kit - Wood Framing For use with Joist Mount Post only.	XXJMNTPOST63 XXFMNTWOOD
	2.5" x 2.5" x 37" Line Post with Premounted Brackets 2.5" x 2.5" x 37" End Post with Premounted Brackets 2.5" x 2.5" x 37" Corner Post with Premounted Brackets 2.5" x 2.5" x 43" Line Post with Premounted Brackets 2.5" x 2.5" x 43" End Post with Premounted Brackets 2.5" x 2.5" x 43" Corner Post with Premounted Brackets Comes with cap and skirt.	BKAL252537RCAPLINE BKAL252537RCAPEND BKAL252537RCAPCNR BKAL252543RCAPLINE BKAL252543RCAPEND BKAL252543RCAPCNR	Dimensions are nominals. See below for actuals and metrics. [2.5 in x 2.5 in x 36 in (63 mm x 63 mm x 914 mm) actual dimensions] [2.5 in x 2.5 in x 37 in (63 mm x 63 mm x 939 mm) actual dimensions] [2.5 in x 2.5 in x 42 in (63 mm x 63 mm x 106 cm) actual dimensions] [2.5 in x 2.5 in x 43 in (63 mm x 63 mm x 109 cm) actual dimensions] [2.5 in x 2.5 in x 53 in (63 mm x 63 mm x 134 cm) actual dimensions] [2.5 in x 2.5 in x 63 in (63 mm x 63 mm x 160 cm) actual dimensions]	
$\overline{}$	Rail & Baluster Kit			
3	(includes top rail, bottom rail, balusters and mounting and support Round kits available in BK. Square kits available in BK, BZ and W1			
	6' x 36" Rail Kit w/ Round Balusters—Horizontal 6' x 36" Rail Kit w/ Round Balusters—Stair 8' x 36" Rail Kit w/ Round Balusters—Horizontal 8' x 36" Rail Kit w/ Round Balusters—Stair	BKAR0636HRK BKAR0636SRK BKAR0836HRK BKAR0836SRK	6' x 42" Rail Kit w/ Square Balusters—Horizontal 6' x 42" Rail Kit w/ Square Balusters—Stair 8' x 42" Rail Kit w/ Square Balusters—Horizontal 8' x 42" Rail Kit w/ Square Balusters—Stair	XXAS0642HRK XXAS0642SRK XXAS0842HRK XXAS0842SRK
	6' x 42" Rail Kit w/ Round Balusters—Horizontal 6' x 42" Rail Kit w/ Round Balusters—Stair 8' x 42" Rail Kit w/ Round Balusters—Horizontal 8' x 42" Rail Kit w/ Round Balusters—Stair	BKAR0642HRK BKAR0642SRK BKAR0842HRK BKAR0842SRK	4' x 36" Assembled Panel (Square)—Horizontal 6' x 36" Assembled Panel (Square)—Horizontal 6' x 36" Assembled Panel (Square)—Stair 8' x 36" Assembled Panel (Square)—Horizontal 8' x 36" Assembled Panel (Square)—Stair	BKAS0436HRPNL BKAS0636HRPNL BKAS0636SRPNL BKAS0836HRPNL BKAS0836SRPNL
	6' x 36" Rail Kit w/ Square Balusters—Horizontal 6' x 36" Rail Kit w/ Square Balusters—Stair 8' x 36" Rail Kit w/ Square Balusters—Horizontal 8' x 36" Rail Kit w/ Square Balusters—Stair	XXAS0636HRK XXAS0636SRK XXAS0836HRK XXAS0836SRK	4' x 42" Assembled Panel (Square)—Horizontal 6' x 42" Assembled Panel (Square)—Horizontal 6' x 42" Assembled Panel (Square)—Stair 8' x 42" Assembled Panel (Square)—Horizontal 8' x 42" Assembled Panel (Square)—Stair Does not include hardware. Assembled Panels available in BK.	BKAS0442HRPNL BKAS0642HRPNL BKAS0642SRPNL BKAS0842HRPNL BKAS0842SRPNL
3	Rod Rail Kit (includes top rail, bottom rail, rods and mounting and support hard Available in BKBK.	ilware)		
	6' x 36" Rod Rail Kit—Horizontal 6' x 36" Rod Rail Kit—Stair 8' x 36" Rod Rail Kit—Horizontal 8' x 36" Rod Rail Kit—Stair	BKBKROD0636HRK BKBKROD0636SRK BKBKROD0836HRK BKBKROD0836SRK	6' x 42" Rod Rail Kit—Horizontal 6' x 42" Rod Rail Kit—Stair 8' x 42" Rod Rail Kit—Horizontal 8' x 42" Rod Rail Kit—Stair	BKBKROD0642HRK BKBKROD0642SRK BKBKROD0842HRK BKBKROD0842SRK
	36" Rod Rail Vertical Kit—Horizontal 36" Rod Rail Vertical Kit—Stair 42" Rod Rail Vertical Kit—Horizontal 42" Rod Rail Vertical Kit—Stair Use as an accessory for cut Rod Rail sections. Available in BK.	BK36RODHVERTK BK36RODSVERTK BK42RODHVERTK BK42RODSVERTK	Dimensions are nominals. See below for actuals and metrics. [4' x 36": 48 in x 36 in (122 cm x 914 mm) actual dimensions] [4' x 42": 48 in x 42 in (122 cm x 106 cm) actual dimensions] [6' x 36": 72 in x 36 in (182 cm x 914 mm) actual dimensions] [8' x 36": 96 in x 36 in (243 cm x 914 mm) actual dimensions] [6' x 42": 72 in x 42 in (182 cm x 106 cm) actual dimensions] [8' x 42": 96 in x 42 in (243 cm x 106 cm) actual dimensions]	

COMPOSITE COLORS

ALUMINUM COLORS

BK Charcoal Black XX = COLOR PREFIX RS Rope Swing

VL Vintage Lantern WT Classic White

BK Charcoal Black WT Classic White

BZ Bronze BB Burnished Bronze

mounting and support hardware)

DESCRIPTION STEP DESCRIPTION ITEM # ITEM # 6' x 36" Mesh Rail Kit—Horizontal Mesh Rail Kit


3

(includes top rail, bottom rail, verticals and

actual dimensions

Available in BK and BZ only. Mesh infill sold separately. Dimensions are nominals. See below for actuals and metrics. [6' x 36": 72 in x 36 in (182 cm x 914 mm) [8' x 36": 96 in x 36 in (243 cm x 914 mm) [6' x 42": 72 in x 42 in (182 cm x 106 cm)

[8' x 42": 96 in x 42 in (243 cm x 106 cm)



STEP	COMPONENT	DESCRIPTION ITEM #
4	Mesh Panel For use with Trex Signature® Mesh Rail Kit. Dimensions are nominals. See below for actuals and metrics. [6' x 36": 64 in x 32.375 in (162 cm x 822 mm) actual dimensions] [8' x 36": 88 in x 32.375 in (223 cm x 822 mm) actual dimensions] [8' x 42": 88 in x 38.375 in (223 cm x 974 mm) actual dimensions] [Universal: 108.1875 in x 36.1875 in (274 cm x 919 mm) actual dimensions]	6' x 36" Stainless Steel Mesh Panel—Horizontal 8' x 36" Stainless Steel Mesh Panel—Horizontal SSMESH0636HZ SSMESH0836HZ STAINLESS Steel Mesh Panel—Horizontal Universal Stainless Steel Mesh Panel—Stair SSMESHUNIVST



Glass Panel

Glass Rail Kit

For use with Trex Signature® Glass Rail Kit.

Available in BK and WT only. Glass infill sold separately.

(includes top rail, bottom rail, and mounting and support hardware)

5': 72 in (182 cm) actual dimension]	
or 36" Rail Height—Horizontal or 42" Rail Height—Horizontal	Visit glass.trex.com to order custom glass panels to complete
	or 36" Rail Height—Horizontal

XXA06HGLRK

your build.

6' Glass Rail Kit—Horizontal

See below for actual and metric.

Dimension above is nominal.

ACCESSORIES	COMPONENT	ITEM #	COMPONENT	ITEM #
	Trex Signature® Bracket Template—Horizontal (36" and 42") - 4x4 Composite Sleeve Simplify bracket placement when installing Trex	SIGTEMP4X4SLEEVE	Cocktail Rail Bracket (10/pack) Mounting hardware to attach a deck board or 2" x 4" cocktail rail to the top rail of Trex Signature rail kits. Only Trex solid core boards can be used. Not compatible with Signature Glass railing or Signature X-Series railing.	XXCTBKTAL10PK
Signature aluminum railing with 4" x 4" Trex composite post sleeves. Trex Signature® Bracket Template—Horizontal (36" and 42") - 2.5" Aluminum Post Simplify bracket placement when installing Trex Signature aluminum posts.	composite post sleeves.		Fixed Bracket—Horizontal (4/pack) Fixed Bracket—Stair (4/pack) Brackets with tabs removed to work with assembled panels, glass railing and mesh railing.	XXFHBKTALPNL XXFSBKTAL
	SIGTEMPIRCPOST	Swivel Bracket—Horizontal (2/pack–1 top, 1 bottom) Swivel Bracket—Stair (2/pack–1 top, 1 bottom) Use for angled applications to achieve up to a 45° angle off the post.	XXSWHBKTAL XXSWSBKTAL	
7			Compound Swivel Bracket (2/pack—1 top, 1 bottom) Use for applications where maximum bracket flexibility is required, such as flared stair railing. Use in place of fixed stair brackets.	XXCPDSWBKTAL
.0	Aluminum Foot Block Extended Aluminum Foot Block Use to reinforce the bottom rail. Required for 8' sections.	XXALFTBLK XXAL08FTBLK	Crossover Rail End Cap Aluminum end cap designed to cover Signature Railing end when rails are not terminated at the post.	XXXOVERENDCAP
2.5" Crossover Bracket- Use to create continuously (–Horizontal (1/pack) graspable top rail on horizontal sections.	XX25FHCBKTAL	2.5" Swivel Crossover Bracket—Stair (1/pack) Use to maintain an uninterrupted top rail down stairs. Internal nut loosens to allow various angles.	XX25RCSWSCBKTAL
90° Crossover Bracket— Use to create continuously gr	-Horizontal (1/pack) raspable top horizontal rails along a 90° turn in the railing.	XX90FHCBKTAL	Touch-up Pen If you scratch a Trex Signature aluminum rail, use these touch-up pens to make the issue disappear.	XX25RCSWSCBKTAL



FIND A BUILDER





TREX SIGNATURE® X-SERIES™ RAILING

Choose your X-Series Post for step 1. Pair with either a Cable Rail Kit or Frameless Glass Infill Kit and Laminated Glass Panel for steps 2 & 3.

STEP	COMPONENT	DESCRIPTION		ITEM #
1	X-Series Posts	Dimensions are nominals. See below for actuals and metrics. [3.5 in \times 3.5 in \times 36.9 in (88 mm \times 88 mm \times 937 mm) actual dimensions] [3.5 in \times 3.5 in \times 42.9 in (88 mm \times 88 mm \times 108 cm) actual dimensions] [3.5 in \times 3.5 in \times 52.9 in (88 mm \times 88 mm \times 134 cm) actual dimensions]	3.5" x 3.5" x 37" Anchor Post–Horizontal 3.5" x 3.5" x 43" Anchor Post–Horizontal 3.5" x 3.5" x 53" Anchor Post–Stair	BKAX353537RCAP BKAX353543RCAP BKAX353553RCAP
2	Cable Rail Kit	Dimensions are nominals. See below for actuals and metrics. [6' x 36": 72 in x 36 in (182 cm x 914 mm) actual dimensions] [12' x 36": 144 in x 36 in (365 cm x 914 mm) actual dimensions] [18' x 36": 216 in x 36 in (548 cm x 914 mm) actual dimensions] [6' x 42": 72 in x 42 in (182 cm x 106 cm) actual dimensions] [12' x 42": 144 in x 42 in (365 cm x 106 cm) actual dimensions] [18' x 42": 216 in x 42 in (548 cm x 106 cm) actual dimensions]	6' x 36" Cable Rail Kit—Horizontal 12' x 36" Cable Rail Kit—Horizontal 18' x 36" Cable Rail Kit—Horizontal 6' x 36" Cable Rail Kit—Stair 6' x 42" Cable Rail Kit—Horizontal 12' x 42" Cable Rail Kit—Horizontal 18' x 42" Cable Rail Kit—Horizontal 6' x 42" Cable Rail Kit—Stair	BKAX0636CBLHRK BKAX1236CBLHRK BKAX1836CBLHRK BKAX0636CBLSRK BKAX0642CBLHRK BKAX1242CBLHRK BKAX1842CBLHRK BKAX0642CBLSRK
2	Frameless Glass Infill Kit	Infill Kit–Horizontal (One Size)		BKAXGLIK
3	Laminated Glass Panel For use with Trex Signature® X-Series™ Frameless Glass Infill Kit.		for 36" Rail Height–Horizontal for 42" Rail Height–Horizontal	Visit glass.trex.com to order custom glass panels to complete your build.
Compoun	d Swivel Bracket		1 per pack (top rail only). For horizontal or stair.	BKAXCPDSWBKT

TREX TRANSCEND® RAILING

Transcend Railing is either a 3-step or 5-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2), then choose a rail kit (stp 3). OR choose each component individually for a custom design (steps 3a, 3b, 4 & 5).

STEP	COMPONE	NT	DESCRIPTION	ITEM #	COLORS
3	Rail & Square Composite Baluster Kit		6' x 36" Rail & Baluster Kit—Horizontal 6' x 36" Rail & Baluster Kit—Stair 8' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Stair	XX0636HRKFS WT0636SRKFS XX0836HRKFS XX0836SRKFS	WT, BK, VL
	(includes Crown top rail, Universal bottom rail, square composite balusters, baluster spacers, adjustable foot block and mounting hardware) Color option indicates rails and balusters.	ARRIA ARRIA	6' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Stair	XX0642HRKFS XX0842HRKFS XX0842SRKFS	WT, BK, VL
3	Rail & Round Aluminum Baluster Kit		6' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Stair	XXRD0636HRKFS XXRD0836HRKFS XXRD0836SRKFS	WT, BK, VL
	(includes Crown top rail, Universal bottom rail, round aluminum balusters, baluster spacers, adjustable foot block and mounting hardware) Color option indicates rails. Round aluminum balusters come in BK.	ARA:	6' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Stair	XXRD0642HRKFS XXRD0842HRKFS XXRD0842SRKFS	WT, BK, VL

COMPOSITE COLORS

XX = COLOR PREFIX

BK Charcoal Black RS Rope Swing

VL Vintage Lantern WT Classic White

BK Charcoal Black WT Classic White

ALUMINUM COLORS

BZ Bronze BB Burnished Bronze



COLORS

WT, BK, RS, VL

ITEM #

ГЕР	COMPON	ENT
3	Cocktail Rail & Round Aluminum Baluster Kit	
	(includes Universal top/bottom rails, round aluminum balusters, baluster spacers, adjustable foot block and mounting hardware)	
	Round aluminum balusters come in BK.	00/10/10
	Only Trex Signature®, Trex Transcend®, Trex Select® deck boards can be used for cocktail rail applications, and only Trex® Transcend® 2X4 can be used for Traditional	4 88 1

rail applications.

6' x 36" Cocktail Rail & Baluster Kit—Horizontal WTRD0636HRKCKTLFS WTRD0836HRKCKTLFS WT 8' x 36" Cocktail Rail & Baluster Kit—Horizontal 8' x 36" Cocktail Rail & Baluster Kit—Stair WTRD0836SRKCKTLFS

Dimensions are nominals. See below for actuals and metrics. 6' x 36": 72 in x 36 in (182 cm x 914 mm) 6' x 42": 72 in x 42 in (182 cm x 106 cm) 8' x 36": 96 in x 36 in (243 cm x 914 mm) 8' x 42": 96 in x 42 in (243 cm x 106 cm)

Square Composite Balusters

for 36" Rail Height (16/pack)

Square Composite Balusters

for 42" Rail Height (16/pack)

DESCRIPTION



Top Rail

Universal top rail is used for cocktail rail applications.



Bottom Rail



6' Crown Top Rail 8' Crown Top Rail 6' Universal Top/Bottom Rail 8' Universal Top/Bottom Rail	XXCROWNTR06FS XXCROWNTR08FS XXUNIVTBR06FS XXUNIVTBR08FS	WT, BK, RS, VL
6' Universal Top/Bottom Rail	XXUNIVTBR06FS	WT, BK,
8' Universal Top/Bottom Rail	XXUNIVTBR08FS	RS, VL

XX020230SBK

XX020236SBK



Balusters

See chart below for number of balusters needed to complete each railing section.

Composite balusters are available in WT, BK, RS, and VL.

Aluminum balusters are available in WT, BZ and BK.



Round Aluminum Balusters for 36" Rail Height (20/pack)	XXTA30RBK	WT, BZ,
Round Aluminum Balusters for 42" Rail Height (20/pack)	XXTA36RBK	BK

BALUSTER	ORIENTATION	6' SECTION	8' SECTION
C	Horizontal	14	19
Square composite	Stair	11	15
Daniel aliceria	Horizontal	16	21
Round aluminum	Stair	13	17

Dimensions are nominals. See below for actuals and metrics. 6' Full Span Rail: 72 in (182 cm), 8' Full Span Rail: 96 in (243 cm) Composite 36" Baluster: 1.418 in x 1.418 in x 30.375 in (36 mm x 36 mm x 771 mm) Composite 42" Baluster: 1.418 in x 1.418 in x 36.375 in (36 mm x 36 mm x 923 mm) Aluminum 36" Baluster: .75 in x 30.25 in (19 mm x 768 mm) Aluminum 42" Baluster: .75 in x 36.25 in (19 mm x 920 mm)



Accessory Infill Kit

(includes baluster spacers, adjustable foot block and mounting hardware)

Dimensions are nominals. See below for actuals and metrics. 6': 72 in (182 cm) 8': 96 in (243 cm)



6' Accessory Infill Kit for Square Composite Balusters—Horizontal 6' Accessory Infill Kit for Square Composite Balusters—Stair 8' Accessory Infill Kit for Square Composite Balusters—Horizontal 8' Accessory Infill Kit for Square Composite Balusters—Stair	XXSQHIK06FS XXSQSIK06FS XXSQHIK08FS XXSQSIK08FS	WT, BK, RS, VL
6' Accessory Infill Kit for Round Aluminum Balusters—Horizontal 6' Accessory Infill Kit for Round Aluminum Balusters—Stair 8' Accessory Infill Kit for Round Aluminum Balusters—Horizontal 8' Accessory Infill Kit for Round Aluminum Balusters—Stair	XXRDHIK06FS XXRDSIK06FS XXRDHIK08FS XXRDSIK08FS	WT, BK, RS, VL



ACCESSORIES	COMPONENT	ITEM #	COMPONENT	ITEM #
Thompson (Trex Transcend Bracket Template—Horizontal (36" and 42")—Composite Sleeve Reusable template to simplify bracket placement when installing Trex Transcend railing with 4" x 4" Trex composite post sleeves.	TSCTEMP4X4SLEEVE	Mounting Hardware for Cut Rails—Horizontal Mounting Hardware for Cut Rails—Stair The perfect solution for any installation that requires making two railing sections from one kit. Transcend RSB Bracket Pack—Horizontal (24/box) Transcend RSB Bracket Pack—Stair (24/box)	XXHZACCYKIT XXSTACCYKIT TSHBRACKET TSSBRACKET
100			This mounting hardware kit comes with brackets and screws and does not include gaskets.	
			O Degree Rail Gasket Pack—Horizontal O Degree Rail Gasket Pack—Stair Gasket pack for Trex Transcend railing installed at a 0° angle off the post. Hardware not included.	XX00HGASK XX00SGASK
	Foot Block	VV/FTPLI/PC	22.5 Degree Gasket Pack Gasket pack for Trex Transcend railing installed at a 22.5° angle off the post. Hardware not included.	XX22HGASK
20	Use to reinforce the rail; required for every Trex composite rail section.	XXFTBLKPC	45 Degree Birdsmouth Gasket Pack (for 4x4) For 4" x 4" post. Bracket adapter pack for Trex Transcend railing installed at a 45° angle off the corner of the post. Hardware not included.	XX45RSBADAPK
			45 Degree Gasket Pack (for 6x6) For 6" x 6" post. Bracket adapter pack for Trex Transcend railing installed at a 45" angle off the post. Hardware not included.	WT45HGASK

TREX SELECT® RAILING

TREX® TRANSCEND® RAILING

Trex Select® Railing is a 3-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2) and a rail kit (step 3).

	9	, , , , , , , , , , , , , , , , , , , ,	(****		
STEP	COMPONENT		DESCRIPTION	ITEM #	COLORS
1 (2a) (2b)	All-In-One Post Kit (with low-profile post sleeve, post cap and skirt) Available in WT.		40" Trex Select All-In-One Post Kit 48" Trex Select All-In-One Post Kit 54" Trex Select All-In-One Post Kit	WT040440NTPS WT040448NTPS WT040454NTPS	WT
(1) $(2a)(2b)$	Post Sleeve		4" x 4" x 39" Post Sleeve 4" x 4" x 108" Post Sleeve	XX040439APS XX0404108APS	WT, BK, VL, RS
(3)	Post Cap & Skirt	60	Flat 4" x 4" Post Sleeve Cap 4" x 4" Post Sleeve Skirt	PXXSQCAP4X4 PXXSKIRT4X4	WT, BK, VL, RS
3	Classic Rail & Round Aluminum Baluster Kit (includes top rail, bottom rail, round aluminum balusters, adjustable foot block and hardware pack) Available in WT or BK rails with aluminum balusters in BK.		6' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Horizontal 6' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Horizontal 6' x 36" Rail & Baluster Kit—Stair 8' x 36" Rail & Baluster Kit—Stair 8' x 42" Rail & Baluster Kit—Stair	XXRD0636HSELKFS XXRD0836HSELKFS XXRD0642HSELKFS XXRD0842HSELKFS XXRD0636SSELKFS XXRD0836SSELKFS XXRD0836SSELKFS XXRD0842SSELKFS	WT, BK
	T-Rail & Round Aluminum Baluster Kit (includes top rail, bottom rail, round aluminum balusters, adjustable foot block and hardware pack) Available in WT rails with aluminum balusters in BK.		6' x 36" T-Rail & Baluster Kit—Horizontal 8' x 36" T-Rail & Baluster Kit—Horizontal 6' x 42" T-Rail & Baluster Kit—Horizontal 8' x 42" T-Rail & Baluster Kit—Horizontal 6' x 36" T-Rail & Baluster Kit—Stair 8' x 36" T-Rail & Baluster Kit—Stair 8' x 42" T-Rail & Baluster Kit—Stair	WTRD0636HSELTRK WTRD0836HSELTRK WTRD0642HSELTRK WTRD0842HSELTRK WTRD0636SSELTRK WTRD0836SSELTRK WTRD0842SSELTRK	WT

COMPOSITE COLORS

ALUMINUM COLORS

BK Charcoal Black XX = COLOR PREFIX

RS Rope Swing

VL Vintage Lantern WT Classic White

BK Charcoal Black BZ Bronze WT Classic White BB Burnished Bronze







STEP COMPONENT DESCRIPTION ITEM # COLORS



T-Rail & Square Composite Baluster Kit

(includes top rail, bottom rail, square composite balusters, adjustable foot block and hardware pack) Available in WT rails with square balusters in WT. See below for actuals and metrics.



6' x 36" T-Rail & Baluster Kit—Horizontal 8' x 36" T-Rail & Baluster Kit—Horizontal 6' x 42" T-Rail & Baluster Kit—Horizontal 8' x 42" T-Rail & Baluster Kit—Horizontal 6' x 36" T-Rail & Baluster Kit—Stair 8' x 36" T-Rail & Baluster Kit—Stair	WTSQ0636HSELTRK WTSQ0836HSELTRK WTSQ0642HSELTRK WTSQ0842HSELTRK WTSQ0636SSELTRK WTSQ0836SSELTRK	WT
8' x 42" T-Rail & Baluster Kit—Stair	WTSQ0842SSELTRK	

See below for actuals and metrics. 6' x 36": 72 in x 36 in (182 cm x 914 mm) 8' x 36": 96 in x 36 in (243 cm x 914 mm) 6' x 42": 72 in x 42 in (182 cm x 106 cm) 8' x 42": 96 in x 42 in (243 cm x 106 cm)

ACCESSORIES			COMPONENT	
* * *	44	W WHI WHI	Mounting Hardware for Cut Classic Rails—Horizontal (10 kits/box) Mounting Hardware for Cut Classic Rails—Stair (10 kits/box) Mounting Hardware for Cut T-Rails—Horizontal Mounting Hardware for Cut T-Rails—Stair	PBKENHZBKT PBKENSTBKT PTRLHBKTKIT PTRLSTBKTKIT
1		5	Trex Select® 8' Aluminum Classic Rail Stiffener Trex Select® 8' Aluminum T-Rail Stiffener (IRC)	SELALRAILSTIFFENER SELALTRAILSTIFFNR
B W	الله ه	P. W	T-Rail 22.5° Left Angle Bracket Pack T-Rail 22.5° Right Angle Bracket Pack T-Rail 45° Birdsmouth Bracket Kit (when using 4x4 post sleeve) T-Rail 45° Birdsmouth Bracket Pack (when using All-In-One Post Kit)	TRL22LBKTKIT TRL22RBKTKIT TRLBMBKTKIT TRLBMBKTKITNT

TREX SELECT™ MESH RAILING

STEP	COMPONENT	DESCRIPTION	ITEM #	COLORS
1 (2a) (2b)	All-In-One Post Kit (with low-profile post sleeve, post cap and skirt) Available in WT.	40" Trex Select All-In-One Post Kit 48" Trex Select All-In-One Post Kit 54" Trex Select All-In-One Post Kit	WT040440NTPS WT040448NTPS WT040454NTPS	WT
1	Post Sleeve	4" x 4" x 39" Post Sleeve 4" x 4" x 108" Post Sleeve	XX040439APS XX0404108APS	WT, BK, RS, VL
(2a) (2b)	Post Cap & Skirt	Flat 4" x 4" Post Sleeve Cap 4" x 4" Post Sleeve Skirt	PXXSQCAP4X4 PXXSKIRT4X4W	WT, BK, RS, VL



FIND A BUILDER





TREX SELECT™ MESH RAILING

(4)

STEP	COMPONENT	DESCRIPTION	ITEM #	COLORS
3	Trex Select Mesh Kits See below for actuals and metrics. 6' × 36": 72 in × 36 in (182 cm × 914 mm) 8' × 36": 96 in × 36 in (243 cm × 914 mm) 6' × 44": 72 in × 42 in (182 cm × 111 cm) 8' × 44": 96 in × 42 in (243 cm × 111 cm)	6' x 36"/42" Select Mesh Kit—Horizontal 8' x 36"/42" Select Mesh Kit—Horizontal 6' x 36"/42" Select Mesh Kit—Stair 8' x 36"/42" Select Mesh Kit—Stair	XXMESH06HSELK XXMESH08HSELK XXMESH06SSELK XXMESH08SSELK	ВК
	Trex Select	36" x 72" Select Mesh Panel–Carbon Steel 36" x 96" Select Mesh Panel–Carbon Steel	CSMESH0636HZ CSMESH0836HZ	BK

ACCESSORIES	DESCRIPTION	ITEM #	COLOR
Trex Select Mesh Cut Kits	Select Mesh Accessory Kit—Horizontal Select Mesh Accessory Kit—Stair Mesh Accessory Kit—Universal Channel	MESHACCYHSELK MESHACCYSSELK MESHUNIVSELK	ВК

60" x 72" Select Mesh Panel–Carbon Steel CSMESH0660UNIV

TREX SELECT™ ALUMINUM RAILING

Mesh Panels

STEP		COMPONENT	DESCRIPTION	ITEM #	COLORS
(1+2)	Trex Select Aluminum	<u> </u>	2.5" x 2.5" x 37" Aluminum End Post 2.5" x 2.5" x 37" Aluminum Line Post 2.5" x 2.5" x 37" Aluminum Corner Post 2.5" x 2.5" x 43" Aluminum End Post 2.5" x 2.5" x 43" Aluminum Line Post 2.5" x 2.5" x 43" Aluminum Corner Post	XXSAL2537PEND XXSAL2537PLINE XXSAL2537PCNR XXSAL2543PEND XXSAL2543PLINE XXSAL2543PCNR	BK, BB
	Posts & Sleeves Brackets sold separately	END LINE BLANK BLANK	2.5" × 2.5" × 37" Aluminum Blank Post 2.5" × 2.5" × 43" Aluminum Blank Post 2.5" × 2.5" × 53" Aluminum Blank Post—Stair	XXSAL2537PB XXSAL2543PB XXSAL2553PB	BK, BB
		<u> </u>	4" x 4" x 37" Aluminum Post Sleeve 4" x 4" x 43" Aluminum Post Sleeve 4" x 4" x 53" Aluminum Post Sleeve—Stair	XXSAL040437PS XXSAL040443PS XXSAL040453PS	BK, BB
3	Trex Select Aluminum Panels See below for actuals and metrics.		6' x 36" Aluminum Panel—Horizontal 8' x 36" Aluminum Panel—Horizontal 6' x 36" Aluminum Panel—Stair 8' x 36" Aluminum Panel—Stair	XXSALSQ636HPNL XXSALSQ836HPNL XXSALSQ636SPNL XXSALSQ836SPNL	вк, вв
	6' x 36": 72 in x 36 in (182 cm x 914 mm) 8' x 36": 96 in x 36 in (243 cm x 914 mm) 6' x 42": 72 in x 42 in (182 cm x 106 cm) 8' x 42": 96 in x 42 in (243 cm x 106 cm)		6' x 42" Aluminum Panel—Horizontal 8' x 42" Aluminum Panel—Horizontal 6' x 42" Aluminum Panel—Stair 8' x 42" Aluminum Panel—Stair	XXSALSQ642HPNL XXSALSQ842HPNL XXSALSQ6425PNL XXSALSQ842SPNL	BK, BB
	ACC	CESSORIES	DESCRIPTION	ITEM #	COLORS
Aluminum B	Bracket Packs		Horizontal Fixed Bracket Pack- 4/pack Horizontal Swivel Bracket Pack- 4/pack Stair Swivel Bracket Pack- 4 /pack Cocktail Bracket- 10/pack	XXSALFHBKT XXSALHSWBKT XXSALSSWBKT XXSALCTBKT	BK, BB

COMPOSITE COLORS

XX = COLOR PREFIX

BK Charcoal Black RS Rope Swing

VL Vintage Lantern WT Classic White

BK Charcoal Black

ALUMINUM COLORS

BZ Bronze BB Burnished Bronze WT Classic White

TREX ENHANCE™ STEEL RAILING

SWIVEL BRACKET-

HORIZONTAL

SWIVEL BRACKET-

STAIR

COLOR DESCRIPTION ITEM # STEP COMPONENT BKSTL202037ENPEND 2" x 2" x 37" Steel End Post 2" x 2" x 37" Steel Line Post BKSTL202037ENPLINE BKSTL202037ENPCNR 2" x 2" x 37" Steel Corner Post Trex Enhance Steel 2" x 2" x 43" Steel End Post BKSTL202043ENPEND Post/Cap/Skirt 2" x 2" x 43" Steel Line Post BKSTL202043ENPLINE BK 2" x 2" x 43" Steel Corner Post BKSTL202043ENPCNR *Brackets sold separately 2" x 2" x 37" Steel Blank Post* BKSTL202037ENP 2" x 2" x 43" Steel Blank Post* BKSTL202043ENP END LINE BLANK CORNER 2" x 2" x 53" Steel Blank Post*—Stair BKSTL202053ENP 6' x 36" Steel Panel—Horizontal BKSTLSQ0636HENPNL 6' x 36" Steel Panel—Stair BKSTLSQ0636SENPNL Trex Enhance Steel Panels 8' x 36" Steel Panel—Horizontal BKSTLSQ0836HENPNL See below for actuals and metrics. BKSTLSQ0836SENPNL 8' x 36" Steel Panel—Stair 6' x 36": 72 in x 36 in (182 cm x 914 mm) 6' x 42" Steel Panel—Horizontal BKSTLSQ0642HENPNL 8' x 36": 96 in x 36 in (243 cm x 914 mm) 6' x 42": 72 in x 42 in (182 cm x 106 cm) 6' x 42" Steel Panel—Stair BKSTLSQ0642SENPNL 8' x 42": 96 in x 42 in (243 cm x 106 cm) 8' x 42" Steel Panel—Horizontal BKSTLSQ0842HENPNL 8' x 42" Steel Panel—Stair BKSTLSQ0842SENPNL ACCESSORIES DESCRIPTION ITEM # COLOR

COCKTAIL RAIL

Fixed Bracket 4-pk—Horizontal

Swivel Bracket 2/pack-Top & Bottom—Horizontal

Swivel Bracket 4/pack-Top & Bottom—Stair

Cocktail Rail Bracket 10-pk (w/ fasteners)

BKSTLENFHBKT

BKSTLENCTBKT

BKSTLENSWHBKT

BKSTLENSWSBKT

BK

Additional items are available in retail.			
TREX® OUTDOOR LIGHTING &			
Flat Post Cap Light 3 4" x 4" LED Post Cap Light [4.55 in x 4.55 in (115 mm x 115 mm) actual internal dimensions] Use with Trex 4-in Composite Railing Posts 5.5-ft (1.67 m) Male LightHub® Lead	BKSQLEDCAP4X4C WTSQLEDCAP4X4C VLSQLEDCAP4X4C RSSQLEDCAP4X4C BKSOLAR4X4CAP WTSOLAR4X4CAP VLSOLAR4X4CAP	COMPONENT Transformer with Timer » Output Voltage: 12VDC » Output Power: 100W or 30W » Output Current: 8.3A or 2.5A » Photo-Activated Timer » 20-ft (6.09 m) LightHub® Wire Extension Cable	8.3A, 100W: DIMMABLE 83DLTRANSFORMERCC 2.5A, 30W: 25DLTRANSFORMER
Aluminum Post Cap Light » 2.5" x 2.5" LED Aluminum Post Cap Light [2.6 in x 2.6 in (66 mm x 66 mm) actual internal dimensions] » Use with Trex 2.5-in Aluminum Railing Posts » 5.5-ft (1.67 m) Male LightHub® Lead	BKALCAPLED25 BZALCAPLED25 WTALCAPLED25	LightHub® Accessories » 3-Way Splitter » 6-Way Splitter » 5 ft (1.52 m) Wire Extension Cable » 10 ft (3.04 m) Wire Extension Cable » 20 ft (6.09 m) Wire Extension Cable » Female to Female Adapter	DL3SPLIT6PK DL6SPLIT4PK DL5FTWR4PK DL10FTWR4PK DL20FTWR4PK DLFADAP6PK
Aluminum Deck Rail Light » LED Deck Rail Light [2.75-in (69 mm) OD] » 5.5-ft (1.67 m) Male LightHub® Lead	BKLAMPLEDC BZLAMPLEDC WTLAMPLEDC	Dimmer » Single Channel with Remote	DLDIMMER



Enhance

Packs

Steel Bracket

FIND A BUILDER





TREX® OUTDOOR LIGHTING & ACCESSORIES

COMPONENT		ITEM #	со	MPONENT	ITEM #
Aluminum Wedge Deck Rail Light » LED Wedge Deck Rail Light [1.875-in wide x 3-in high (47 mm x 76 mm) actual dimensions] » Compatible with all Trex Railing Posts » 5.5-ft (1.67 m) Male LightHub® Lead		BKALPOSTLAMPLED BZALPOSTLAMPLED WTALPOSTLAMPLED	Wifi Lighting Controller		DLWiFiC
Aluminum Stair Riser Light » 4 LED Riser Lights [1.25-in (31 mm) OD] » 5.5-ft (1.67 m) Male LightHub® Lead	C.	BKRISERLED4PKC BZRISERLED4PKC WTRISERLED4PKC	Forstner Bit » Pack of 6 » 1-in (25 mm)		DLBIT6PK
Recessed Deck Light » 4 LED Recessed Lights [1-in (25 mm) OD] » 5.5-ft (1.67 m) Male LightHub® Lead	C	RECESSLED4PKC	Multi-zone Transformer Adapter		DL5TFSPLIT1PK

TREX ALUMINUM ADA HANDRAIL



TREX ALUMINUM GATES

СОМРОМ	COMPONENT		DESCRIPTION	
	Trex Signature® Adjustable Gate Available in BK, BZ and WT. Hardware sold separately.	36" Rail Height, Square Balusters, Adjus 36" Rail Height, Round Balusters, Adjust 42" Rail Height, Square Balusters, Adjust 42" Rail Height, Round Balusters, Adjust [Actual height 36" Rail: 36 in (914 mm); 42" Rail	able up to 48" wide opening table up to 48" wide opening	XX36SQADJGATE XX36RDADJGATE XX42SQADJGATE XX42RDADJGATE an be cut to fit any width.]
	Hardware Pack Hardware for attachment to wood post with composite sleeve or aluminum posts	2 Adjustable Self-Closing Hinges 1 Locking Hasp With Keys		BKGATEHW

COMPOSITE COLORS

ALUMINUM COLORS

XX = COLOR PREFIX

BK Charcoal Black RS Rope Swing

VL Vintage Lantern WT Classic White

BK Charcoal Black WT Classic White

BZ Bronze BB Burnished Bronze



92



TREX ALUMINUM AND COMPOSITE RAILING AND ANCILLARY PRODUCTS LIMITED WARRANTY

Trex Company, Inc. (hereinafter "Trex") warrants to the original end-use purchaser ("Purchaser") that, for the applicable Warranty Period set forth in Table I below, when properly installed, used and maintained under normal use and service conditions, and in accordance with Trex's written instructions. Trex® product set forth in Table I below (the "Product") shall be free from material defects in workmanship and materials, and shall not split, splinter, rot or suffer structural damage from termites or fungal decay

Residential/Commercial Application: For purposes of this warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence.

Term of Limited Warranty: The term of this Limited Warranty for a Product (the "Warranty Period") begins on the date of original purchase and shall be equal to the number of years set forth next to such Product in Table I below.

TABLE

IABLE I				
Product	Residential Warranty Period	Commercial Warranty Period		
Trex Signature® Aluminum Railing, Trex Signature® X-Series™ Railing	50 Years	25 Years		
Trex Signature® X-Series™ Cable Rail (Cable Infill/Assemblies ONLY)	10 Years 10 Years			
Trex Transcend® Composite Railing	35 Years* or 25 Years*	10 Years		
Select® Composite Railing, Trex Enhance® Composite Railing, Select™ Aluminum Railing, Trex® Fencing, and TrexTrim™	25 Years	10 Years		
Trex® Deck Lighting LEDs and Housings)	7 Years	7 Years		
Trex® Deck Lighting (Transformer, Timer, Dimmer, WiFi Controller, Solar Components)	3 Years	3 Years		
Trex® Deck Lighting (Solar Battery)	1 Year	1 Year		

*The 35-Year Residential Warranty Period for Trex Transcend Railing applies only in the United States of America, except in Arizona, Alabama, Arkansas, Florida, Louisiana, New Mexico, Missouri and Texas. In these States and all other Countries, Trex Transcend Railing has a 25-Year Residential Warranty Period.

Transferability: With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Product was originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Product was originally installed.

EXCLUSIONS FROM WARRANTY COVERAGE

Notwithstanding the foregoing, (a) the warranty for Trex® Deck Lighting Products (excluding Trex® Solar Post Cap Lights) is valid only in each case provided that a Trex transformer is used (with no warranty on any components if a Trex transformer is not used), and any other Trex® Deck Lighting parts or accessories not listed in Table I above shall not be warranted; (b) this warranty shall not apply to any Trex products not listed in Table I, including, but not limited to, Trex decking products, Trex cladding products, Trex fascia products, Trex SelectTM Steel Mesh (infill panel), Trex EnhanceTM Steel Railing, and Trex fasteners (which each have separate warranties); and (c) with respect to installations where the atmosphere is influenced by a body of salt water (or other contaminant conditions), failure to adhere to the cleaning guidelines available at www.trex.com will void this warranty with respect to any condition resulting from such failure.

The Product must be stored, handled, installed, used and maintained in accordance with instructions provided by Trex, and this Limited Warranty is conditioned upon compliance with all such instructions. Copies of Trex's Installation Guides, Technical Information and Care and Cleaning Guides are available from Trex at the address listed below. The materials may also be obtained on Trex's website at trex.com.

Any information or suggestion by Trex with respect to the Product concerning applications, specifications or compliance with codes and standards, including building or safety codes, is provided solely for Purchaser's convenient reference and is made without any representation as to accuracy or suitability. Purchaser must verify and test the suitability of any information with respect to the Product for Purchaser's specific application.

Trex does not warrant against, and is not responsible for, any condition attributable to: (1) improper installation of Product and/or failure to abide by Trex's installation guidelines: (2) use of Product beyond normal use and service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which Product is installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.), environmental condition (such as air pollution, mold, mildew etc.) exposure to corrosive elements (such as chemicals pollution etc.) or atmospheric contaminants (such as salt spray, salt air, etc.) if proper care and cleaning in accordance with the "Trex Signature®, Trex Signature® X-Series™, Trex Select™ Aluminum Care and Cleaning Guide" was not adhered to, staining from foreign substances (such as dirt, grease, oil, etc.), tarnishing, or normal weathering (defined as exposure to sunlight, weather and atmosphere which will cause any colored surface to gradually fade, chalk, or accumulate dirt or stains); (5) variations or changes in color of Product; (6) improper handling, storage, abuse or neglect of Product by Purchaser, the transferee or third parties; (7) ordinary wear and tear; (8) vandalism; or (9) other causes beyond the control of Trex.

PROCEDURE FOR MAKING A CLAIM UNDER THIS LIMITED WARRANTY

To make a claim under this Limited Warranty, Purchaser, or the transferee, shall send to Trex, within the Warranty Period referred to above, a written description and photographs of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc. **Customer Relations** 2500 Trex Way Winchester, VA 22601

Upon confirmation by an authorized Trex representative of a valid claim hereunder, Trex's sole responsibility shall be, at its option, to either; (a) replace the affected Product with new Product in an amount equal to the amount of defective material; or (b) refund the portion of the purchase price paid by Purchaser for such affected Product (not including the cost of its initial installation), Replacement Product will be as close in color, design and quality to the original Product as reasonably possible, in Trex's discretion and determination, but Trex does not guarantee an exact match as colors and designs may change and Trex's obligation as to replacement shall further be limited to replacement with the styles and colors of the Product that are available at the time of the replacement. The remedies stated in this paragraph are purchaser's sole and exclusive remedies for any product that fails to conform to this

If a valid warranty claim hereunder is made during year eleven (11) or any year thereafter through the expiration of the applicable Warranty Period after the original purchase, recovery will be prorated in accordance with Table II, below. If Trex is providing replacement materials, it may elect to replace the percentage listed in Table II, below, of Product otherwise meeting the requirements for a claim, or if it is refunding the purchase price, it may elect to refund the percentage listed below in Table II of the purchase price of Product otherwise meeting the requirements for a claim.

	Warranty Period 50 Year 35 Year 25 Year 15 Year					
Year of Claim	JU ICAI	JJ ICai	Recovery	15 /601	10 Yea	
7	100%	100%	100%	80%	80%	
8	100%	100%	100%	80%	80%	
9	100%	100%	100%	60%	60%	
10	100%	100%	100%	60%	60%	
11	90%	80%	80%	40%	00%	
12	90%	80%	80%	40%		
13	90%	80%	80%	20%		
14	90%	80%	60%	10%		
15	90%	60%	60%	10%		
16	90%	60%	60%	1070		
17	70%	60%	40%			
18	70%	60%	40%			
19	70%	40%	40%			
20	70%	40%	20%			
21	70%	40%	20%			
22	70%	40%	20%			
23	50%	20%	10%			
24	50%	20%	10%			
25	50%	20%	10%			
26	50%	20%	1070			
27	50%	20%				
28	50%	20%				
29	30%	10%				
30	30%	10%				
31	30%	10%				
32	30%	10%				
33	30%	10%				
34	30%	10%				
35	30%	10%				
36	20%					
37	20%					
38	20%					
39	20%					
40	20%					
41	20%					
42	20%					
43	20%					
44	20%					
45	20%					
46	20%					
47	20%					
48	10%					
49	10%					
50	10%					

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW. TREX'S SOLE OBLIGATION UNDER THIS LIMITED WARRANTY SHALL BE, AT ITS OPTION, REPLACEMENT OF NON-CONFORMING PRODUCT OR A REFUND OF THE PURCHASE PRICE. AS DESCRIBED ABOVE, PURCHASER ASSUMES ALL RISK WHATSOEVER AS TO THE RESULT OF THE USE OF THE PRODUCT PURCHASED, WHETHER USED SINGULARLY OR IN COMBINATION WITH ANY OTHER PRODUCTS OR SUBSTANCES.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, THIS LIMITED WARRANTY SHALL NOT COVER, AND TREX SHALL NOT BE RESPONSIBLE FOR, COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING, BUT NOT LIMITED TO, LABOR AND FREIGHT.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Product other than as contained in this Limited Warranty. This Limited Warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, RELIANCE, STATUTORY, SPECIAL, PUNITIVE OR EXEMPLARY DAMAGES, INCLUDING, BUT NOT LIMITED TO, LOST PROFITS, LOSS OF USE, LOSS OF TIME, LOSS OF REVENUES, INCONVENIENCE, LOSS OF BUSINESS OPPORTUNITIES OR DAMAGE TO GOOD WILL OR REPUTATION DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING, BUT NOT LIMITED TO, NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR SUCH DAMAGES COULD HAVE BEEN REASONABLY FORESEEN, IN CONNECTION WITH, ARISING OUT OF, OR AS A RESULT OF, THE SALE. DELIVERY, INSTALLATION, USE OR LOSS OF USE OF THE PRODUCT SOLD HEREUNDER, OR FOR ANY LIABILITY OF PURCHASER TO ANY THIRD PARTY WITH RESPECT THERETO AND TREX'S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO DEFECTIVE PRODUCT SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCT OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This Limited Warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2025 Trex Company, Inc.



Trex Company, Inc. (hereinafter "Trex") warrants to the original end-use purchaser ("Purchaser") that, for the applicable Warranty Period set forth in Table I below, when properly installed, used and maintained under normal use and service conditions, and in accordance with Trex's written instructions, Trex® product set forth in Table I below (the "Product") shall be free from material defects in workmanship and materials, and shall not crack, peel, blister, flake, split, or suffer excessive corrosion. Corrosion is termed extensive when there are multiple rust-through perforations on the same piece of Product.

Residential/Commercial Application: For purposes of this warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence.

Term of Limited Warranty: The term of this Limited Warranty for a Product (the "Warranty Period") begins on the date of original purchase and shall be either (1) for a period of 1 year for Product located within 1 mile or less from a saltwater coast line OR (2) for Product located more than 1 mile from a saltwater coastline, equal to the number of years set forth next to such Product in Table I below.

TARLE I

Product	Residential Warranty Period	Commercial Warranty Period	
Trex Enhance™ Steel Railing, Trex Select™ Steel Mesh Railing (Mesh Infill Panel ONLY)	15 Years	10 Years	

Transferability: With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Product was originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Product was originally installed.

EXCLUSIONS FROM WARRANTY COVERAGE

Notwithstanding the foregoing, (a) this warranty shall not apply to any Trex products not listed in Table I, including, but not limited to, Trex decking products, Trex cladding products, Trex fascia products, Trex fasteners, Trex Deck Lighting products, Trex Signature® railing, Trex Signature® X-Series™ railing, Trex Transcend® railing, Trex Select™ aluminum and composite railing, Trex Enhance® composite railing, Trex Fencing and TrexTrim (which each have separate warranties); (b) with respect to installations where the atmosphere is influenced by a body of salt water (or other contaminant conditions), failure to adhere to the cleaning guidelines available at www.trex.com will void this warranty with respect to any condition resulting from such failure; and (c) Products that have had direct contact with salt water are excluded from this warranty.

The Product must be stored, handled, installed, used and maintained in accordance with instructions provided by Trex, and this Limited Warranty is conditioned upon compliance with all such instructions. Copies of Trex's Installation Guides, Technical Information and Care and Cleaning Guides are available from Trex at the address listed below. The materials may also be obtained on Trex's website at trex.com.

Any information or suggestion by Trex with respect to the Product concerning applications, specifications or compliance with codes and standards, including building or safety codes, is provided solely for Purchaser's convenient reference and is made without any representation as to accuracy or suitability. Purchaser must verify and test the suitability of any information with respect to the Product for Purchaser's specific application.

Trex does not warrant against, and is not responsible for, any condition attributable to: (1) improper installation of Product and/or failure to abide by Trex's installation guidelines; (2) use of Product beyond normal use and service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which Product is installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.), environmental condition (such as air pollution, mold, mildew, etc.), exposure to corrosive elements or atmospheric contaminants (such as salt spray, salt air, chemicals (including pool and ice removal chemicals), pollution, etc.), staining from foreign substances (such as dirt, grease, oil, etc.), tarnishing, welding, lawn care equipment damage, or normal weathering (defined as exposure to sunlight, weather and atmosphere which will cause any colored surface to gradually fade, chalk, or accumulate dirt or stains); (5) variations or changes in color of Product; (6) surface corrosion from scratches, nicks and dents; (7) improper handling, storage, abuse or neglect of Product by Purchaser, the transferee or third parties: (8) ordinary wear and tear: (9) vandalism: or (10) other causes beyond the

PROCEDURE FOR MAKING A CLAIM UNDER THIS LIMITED WARRANTY

To make a claim under this Limited Warranty, Purchaser, or the transferee, shall send to Trex, within the Warranty Period referred to above, a written description and photographs of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc.
Customer Relations
2500 Trex Way
Winchester VA 22601

Upon confirmation by an authorized Trex representative of a valid claim hereunder, Trex's sole responsibility shall be, at its option, to either: (a) replace the affected Product with new Product in an amount equal to the amount of defective material; or (b) refund the portion of the purchase price paid by Purchaser for such affected Product (not including the cost of its initial installation). Replacement Product will be as close in color, design and quality to the original Product as reasonably possible, in Trex's discretion and determination, but Trex does not guarantee an exact match as colors and designs may change and Trex's obligation as to replacement shall further be limited to replacement with the styles and colors of the Product that are available at the time of the replacement. The remedies stated in this paragraph are purchaser's sole and exclusive remedies for any product that fails to conform to this limited warranty.

If a valid warranty claim hereunder is made during year eleven (11) or any year thereafter through the expiration of the applicable Warranty Period after the original purchase, recovery will be prorated in accordance with Table II, below. If Trex is providing replacement materials, it may elect to replace the percentage listed in Table II, below, of Product otherwise meeting the requirements for a claim, or if it is refunding the purchase price, it may elect to refund the percentage listed below in Table II of the purchase price of Product otherwise meeting the requirements for a claim.

TABLE II

Year of Claim	Recovery
11	80%
12	80%
13	80%
14	60%
15	60%
16	60%
17	40%
18	40%
19	40%
20	20%
21	20%
22	20%
23	10%
24	10%
25	10%

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, TREX'S SOLE OBLIGATION UNDER THIS LIMITED WARRANTY SHALL BE, AT ITS OPTION, REPLACEMENT OF NON-CONFORMING PRODUCT OR A REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE. PURCHASER ASSUMES ALL RISK WHATSOEVER AS TO THE RESULT OF THE USE OF THE PRODUCT PURCHASED, WHETHER USED SINGULARLY OR IN COMBINATION WITH ANY OTHER PRODUCTS OR SUBSTANCES.


TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, THIS LIMITED WARRANTY SHALL NOT COVER, AND TREX SHALL NOT BE RESPONSIBLE FOR, COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING, BUT NOT LIMITED TO, LABOR AND FREIGHT.

No person or entity is authorized by Trex to make, and Trex shall not be bound by, any statement or representation as to the quality or performance of Product other than as contained in this Limited Warranty. This Limited Warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser. TO THE FULLEST EXTENT PERMITTED UNDER THE LAW. UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, RELIANCE, STATUTORY, SPECIAL, PUNITIVE OR EXEMPLARY DAMAGES, INCLUDING, BUT NOT LIMITED TO, LOST PROFITS. LOSS OF USE, LOSS OF TIME, LOSS OF REVENUES, INCONVENIENCE, LOSS OF BUSINESS OPPORTUNITIES OR DAMAGE TO GOOD WILL OR REPUTATION DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING, BUT NOT LIMITED TO, NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR SUCH DAMAGES COULD HAVE BEEN REASONABLY FORESEEN, IN CONNECTION WITH, ARISING OUT OF, OR AS A RESULT OF, THE SALE, DELIVERY, INSTALLATION, USE OR LOSS OF USE OF THE PRODUCT SOLD HEREUNDER, OR FOR ANY LIABILITY OF PURCHASER TO ANY THIRD PARTY WITH RESPECT THERETO AND TREX'S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO DEFECTIVE PRODUCT SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCT OR REFUND OF THE PURCHASE PRICE. AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This Limited Warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2025 Trex Company, Inc.

95





DECKING | RAILING | FASTENERS | FASCIA | LIGHTING | KITCHENS | FURNITURE | PERGOLA

DRAINAGE | SPIRAL STAIRS | CORNHOLE | LATTICE | CLADDING | FENCING

Visit trex.com or call 1-800-BUY-TREX

FIND US ON



© 2025 Trex Company, Inc. All rights reserved. Trex*, the Trex logo, TrexPro*, Trex Enhance*, Trex Select*, Trex Transcend*, Trex Transcend* Lineage*, Trex Signature*, Trex* OutdoorLighting, Trex Hideaway*, Trex* Pergola, Trex* Outdoor Kitchens, Trex* Outdoor Furniture, Trex* Cladding, Trex* Fascia, Trex* Spiral Stairs, Trex* Cornhole, Trex* Lattice and Trex* Fencing are either federally registered trademarks, trademarks or trade dress of Trex Company, Inc., Winchester, Virginia or its licensees.

© 2025 Warner Bros. Discovery, Inc. or its subsidiaries and affiliates. All trademarks are the property of their respective owners. All rights reserved.

0225 XDRAILGD2025