



INTERIOR DOORS

PRICE CATALOG



Caiman
Molded Door
Finished in Field




ABOUT MMI DOOR

YOUR DOORWAY TO A BEAUTIFUL HOME

For over 69 years, MMI DOOR, a wholly owned subsidiary of JELD-WEN Holdings, Inc., has earned the reputation of being the preferred door supplier to building supply dealers and home centers. With 3 locations, MMI DOOR is a true, single source door provider. We strive to be the most dependable and innovative, value-add fabricator in the marketplace.

Our products are stored, assembled and staged in over 700,000 square feet of heated warehouses. Strict quality control standards are followed, allowing us to deliver maximum value. With one of the largest and most diverse inventories in the country, MMI DOOR offers product choices that are second to none.



ABOUT JELD-WEN

DEDICATION FROM DAY ONE

Since 1960, when JELD-WEN began with one millwork plant, we've been dedicated to crafting windows and patio doors that enhance the beauty and functionality of your home. Today we continue that tradition with products that are durable and worry-free. It's the result of innovation as a driving force in all that we do.

It begins in the forests where we harvest our premium lumber. In addition to responsible reforestation practices, we recycle as much of our raw resources as possible. Innovation is also at the heart of our design and manufacturing process. With JELD-WEN, you can expect products that are more than just beautiful on the outside. The inner workings of our doors are engineered to function flawlessly for years to come.

TABLE OF CONTENTS

MOLDED WOOD FIBER DOORS	1-10
PRIMED SHAKER FLAT PANEL DOORS	11-12
FRENCH DOORS	13-17
PINE & BIRCH DOOR ADDERS	18
PANEL DOORS	19-20
LOUVER DOORS	21-22
FLUSH DOORS	23-28
PREFINISHED EMBOSSED DOORS	29
LITES & LOUVERS	30
7/0 BARN DOORS	31
BARN DOOR TRACK & HARDWARE	32
SLIDING DOOR POCKETS AND BYPASS TRACK & HARDWARE	33
PREHUNG JAMB OPTIONS	33-34
PREHUNG DOOR OPTIONS	35-37
PREHUNG DOOR HINGE OPTIONS	38
MACHINING SPECIFICATIONS AND HARDWARE ILLUSTRATIONS	39
OPENINGS AND HANDINGS	40

Monroe
Molded Door
Finished in Field



Did I Choose the Right Door?

It really comes down to your taste and budget.

Fortunately, MMI DOOR inventories a huge selection for any budget that is available to you within 7-10 days!

If you have more time, our extensive special order options are available to you within 3-6 weeks.

MOLDED WOOD FIBER DOORS



Madison
Molded Door
Finished in Field

PREHUNG UNIT INCLUDES: 4-9/16" Primed Jamb, Primed Colonial Stop, (3) 3-1/2" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore.

JAMB OPTIONS FOR: PRIMED MOLDED, PRIMED FLAT PANEL, PRIMED HARDBOARD, PRIMED PANEL AND FRENCH, AND PRIMED LOUVERED DOORS

Options: Jambs	6/8 Single Door	6/8 Double Door	7/0 Single Door	7/0 Double Door	8/0 Single Door	8/0 Double Door
4-9-16" Primed	(Base)	(Base)	(Base)	(Base)	(Base)	(Base)
4-7/8" Primed	\$8	\$9	\$32	\$36	54	63
5-1/4" Primed	38	45	-	-	-	-
6-9/16" Primed	38	45	69	81	\$69	\$81
4-9/16" Solid Pine	-	-	51	60	51	60
7-1/4" Solid Pine	-	-	-	-	156	186
4-9/16" Solid Poplar	-	-	-	-	87	107
4-9/16" Solid Oak	-	-	-	-	143	171
4-9/16" Pine Veneer Wood Back	30	36	-	-	-	-
4-1/4-4-3/4" Primed Split Jamb	-6	-6	-20	-24	-	-
Casings Applied or Loose	Single	Double	Single	Double	Single	Double
11/16" x 2-1/4" 356 Primed Casing Per Side	26	35	41	50	41	50
3-1/2" Hinges	Single	Double	Single	Double	Single	Double
Antique Nickel, Brushed Chrome, Bright Chrome, Antique Brass, Bright Brass & Black	9	18	9	18	12	24
Double Doors						
Primed Astragal	-	54	-	54	-	-
Pine Astragal	-	-	-	-	-	71
Flush Bolt (Bright Brass, Dull Nickel, Antique Nickel, Bright Chrome, Brushed Chrome, Colonial Bronze & Antique Brass)	-	33	-	33	-	33
2 Ball Catches (Bright Brass, Colonial Bronze or Satin Nickel)	-	30	-	30	-	30
2 Ball Catches (Antique Nickel, Antique Brass, Bright Chrome & Brushed Chrome)	-	34	-	34	-	34
Additional Options See Pages 33-40						

MOLDED WOOD FIBER DOORS

HOLLOW CORE • TEXTURED SURFACE • 6/8 DOORS

Sticking Profile



Cove & Bead



TWO SIDED DOOR

Style
Sticking Profiles
Panels
Slab Sizes

CAMDEN
Cove & Bead
2 Panel Arch Top
1/4, 1/6, 1/8, 1/10, 2/0,
2/4, 2/6, 2/8, 2/10, 3/0,

Bifold Sizes

2/0, 2/6, 3/0

COLONIST
Cove & Bead
6 Panel
1/0, 1/2, 1/3, 1/4
1/6, 1/8, 1/10, 2/0, 2/2
2/4, 2/6, 2/8, 2/10, 3/0
2/0, 2/4, 2/6, 2/8,
3/0, 4/0, 5/0, 6/0

Side A
COLONIST
6 Panel

Side B
IMPRESSIONS MIRROR
1 Panel

CAMDEN & COLONIST

1-3/8"	Door Only	Prehung 4-9/16" Primed Jamb
1/0 x 6/8	\$98 N	\$184 N
1/2 x 6/8	98 N	184 N
1/3 x 6/8	98 N	184 N
1/4 x 6/8	98 N	184 N
1/6 x 6/8	98 N	184 N
1/8 x 6/8	98 N	184 N
1/10 x 6/8	104 N	190 N
2/0 x 6/8	104	190
2/2 x 6/8	113	199
2/4 x 6/8	113	199
2/6 x 6/8	113	199
2/8 x 6/8	120	206
2/10 x 6/8	126	212
3/0 x 6/8	126	212
3/0 x 6/8 Double Doors		325 N
4/0 x 6/8 Double Doors		337
4/8 x 6/8 Double Doors		355
5/0 x 6/8 Double Doors		355
5/4 x 6/0 Double Doors		369
5/8 x 6/0 Double Doors		381
6/0 x 6/8 Double Doors		381

N = Narrow sizes of 4 & 6 panel doors are 2 & 3 Panel


Bifold Doors Only

2/0 x 6/8	149
2/4 x 6/8	158
2/6 x 6/8	158
2/8 x 6/8	179
3/0 x 6/8	179
4/0 x 6/8	297
5/0 x 6/8	315
6/0 x 6/8	357

Bifold availability varies

TWO SIDED: COLONIST & IMPRESSIONS MIRROR

1-3/8"	Door Only	Prehung 4-9/16" Primed Jamb
2/0 x 6/8	\$462	\$548
2/6 x 6/8	474	560
2/8 x 6/8	480	566
3/0 x 6/8	497	583
4/0 x 6/8 Double Doors		1053
5/0 x 6/8 Double Doors		1077
5/4 x 6/8 Double Doors		1089
6/0 x 6/8 Double Doors		1123



Prehung units specify mirror on hinge side or stop side of unit.

PREHUNG UNIT INCLUDES: 4-9/16" Primed Jamb, Primed Colonial Stop, (3) 3-1/2" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore.

See Page 1 for Standard Options & Page 40 for Handing Diagrams.

Additional Options See Pages 33-40

MOLDED WOOD FIBER DOORS

HOLLOW CORE • SMOOTH SURFACE • 6/8 DOORS

Sticking Profile



Cove & Bead



Ovolo





CAIMAN
Cove & Bead
2 Panel Arch Top
1/4, 1/6, 1/8, 1/10, 2/0,
2/2, 2/4, 2/6, 2/8,
2/10, 3/0,
2/0, 2/6, 3/0,
4/0, 5/0, 6/0



CARRARA
Cove & Bead
2 Panel
1/4, 1/6, 1/8, 2/0,
2/2, 2/4, 2/6, 2/8,
2/10, 3/0,
2/0, 2/6, 3/0,
4/0, 5/0, 6/0



SMOOTH COLONIST
Cove & Bead
6 Panel
1/0, 1/2, 1/3, 1/4
1/6, 1/8, 1/10, 2/0, 2/2
2/4, 2/6, 2/8, 2/10, 3/0
2/0, 2/4, 2/6, 2/8,
3/0, 4/0, 5/0, 6/0



PRINCETON
Cove & Bead
2 Panel Eyebrow
1/6, 2/0, 2/4,
2/6, 2/8, 3/0
2/0, 2/6, 3/0



ROCKPORT
Cove & Bead
5 Panel
1/4, 1/6, 1/8
2/0, 2/4, 2/6
2/8, 2/10, 3/0
2/0, 2/6, 3/0
4/0, 5/0, 6/0



SANTA FE
Ovolo
2 Panel Arch Top Planked
1/4, 1/6, 1/8, 2/0
2/4, 2/6, 2/8
2/10, 3/0
2/0, 2/6, 3/0
4/0, 5/0, 6/0

CAIMAN, CARRARA, SMOOTH COLONIST, PRINCETON, ROCKPORT, & SANTA FE

1-3/8"	Door Only	Prehung 4-9/16" Primed Jamb
1/0 x 6/8	\$98 N	\$184 N
1/2 x 6/8	98 N	184 N
1/3 x 6/8	98 N	184 N
1/4 x 6/8	98 N	184 N
1/6 x 6/8	98 N	184 N
1/8 x 6/8	98 N	184 N
1/10 x 6/8	104 N	190 N
2/0 x 6/8	104	190
2/2 x 6/8	113	199
2/4 x 6/8	113	199
2/6 x 6/8	113	199
2/8 x 6/8	120	206
2/10 x 6/8	126	212
3/0 x 6/8	126	212
3/0 x 6/8 Double Doors		325 N
4/0 x 6/8 Double Doors		337
4/8 x 6/8 Double Doors		355
5/0 x 6/8 Double Doors		355
5/4 x 6/8 Double Doors		369
5/8 x 6/8 Double Doors		381
6/0 x 6/8 Double Doors		381
N = Narrow sizes of 4 & 6 panel doors are 2 & 3 Panel		
Bifold Doors Only		
2/0 x 6/8	149	
2/4 x 6/8	158	
2/6 x 6/8	158	
2/8 x 6/8	179	
3/0 x 6/8	179	
4/0 x 6/8	297	
5/0 x 6/8	315	
6/0 x 6/8	357	

Bifold availability varies

PREHUNG UNIT INCLUDES:

4-9/16" Primed Jamb, Primed Colonial Stop, (3) 3-1/2" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore.
See Page 1 for Standard Options & Page 40 for Hanging Diagrams.
Additional Options See Pages 33-40

CAIMAN & CARRARA


1-3/4"	Door Only	Prehung 4-9/16" Primed Jamb
2/0 x 6/8	\$218	\$304
2/4 x 6/8	224	310
2/6 x 6/8	230	316
2/8 x 6/8	234	320
3/0 x 6/8	240	326
4/0 x 6/8 Double Doors		565
4/8 x 6/8 Double Doors		577
5/0 x 6/8 Double Doors		589
5/4 x 6/8 Double Doors		597
6/0 x 6/8 Double Doors		609

PREHUNG UNIT INCLUDES:

4-9/16" Primed Jamb, Primed Colonial Stop, (3) 4" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore.
See Page 1 for Standard Options & Page 40 for Hanging Diagrams.
Additional Options See Pages 33-40

MOLDED WOOD FIBER DOORS

HOLLOW CORE • SMOOTH SURFACE • 6/8 DOORS



Style
Sticking Profiles
Panels
Slab Sizes

MADISON
Craftsman

1 Flat Panel
1/4, 1/6, 1/8, 2/0,
2/4, 2/6, 2/8,
2/10, 3/0

MONROE
Craftsman

2 Flat Panel
1/4, 1/6, 1/8, 2/0, 2/4,
2/6, 2/8, 2/10, 3/0
2/0, 2/6, 3/0,
4/0, 5/0, 6/0

BIRKDALE
Craftsman

3 Flat Panel
1/4, 1/6, 1/8, 2/0, 2/4,
2/6, 2/8, 2/10, 3/0

CRAFTSMAN
Craftsman

3 Flat Panel
1/4, 1/6, 1/8, 2/0, 2/4,
2/6, 2/8, 2/10, 3/0
2/0, 2/6, 3/0,
4/0, 5/0, 6/0

CONMORE
Stepped

5 Flat Panel
1/6, 2/0, 2/4, 2/6,
2/8, 2/10, 3/0

Bifold Sizes

2/0, 2/6, 3/0,
4/0, 5/0, 6/0

2/0, 2/6, 3/0,
4/0, 5/0, 6/0

2/0, 2/6, 3/0

2/0, 2/6, 3/0,
4/0, 5/0, 6/0

2/0, 2/6, 3/0

MADISON, MONROE, & BIRKDALE

1-3/8"	Door Only	Prehung 4-9/16" Primed Jamb
1/4 x 6/8	\$147	\$233
1/6 x 6/8	147	233
1/8 x 6/8	164	250
2/0 x 6/8	164	250
2/4 x 6/8	177	263
2/6 x 6/8	177	263
2/8 x 6/8	180	266
2/10 x 6/8	189	275
3/0 x 6/8	189	275
3/0 x 6/8 Double Doors		423
4/0 x 6/8 Double Doors		457
4/8 x 6/8 Double Doors		483
5/0 x 6/8 Double Doors		483
5/4 x 6/8 Double Doors		489
5/8 x 6/8 Double Doors		507
6/0 x 6/8 Double Doors		507
Bifold Doors Only		
2/0 x 6/8	183	
2/6 x 6/8	194	
3/0 x 6/8	218	
4/0 x 6/8	366	
5/0 x 6/8	387	
6/0 x 6/8	435	
Bifold availability varies		

3- PANEL CRAFTSMAN & CONMORE

1-3/8"	Door Only	Prehung 4-9/16" Primed Jamb
1/4 x 6/8	\$128 N	\$214 N
1/6 x 6/8	128 N	214 N
1/8 x 6/8	141 N	227 N
2/0 x 6/8	141	227
2/4 x 6/8	155	241
2/6 x 6/8	155	241
2/8 x 6/8	156	242
2/10 x 6/8	164	250
3/0 x 6/8	164	250
3/0 x 6/8 Double Doors		385 N
4/0 x 6/8 Double Doors		411
4/8 x 6/8 Double Doors		439
5/0 x 6/8 Double Doors		439
5/4 x 6/8 Double Doors		441
5/8 x 6/8 Double Doors		457
6/0 x 6/8 Double Doors		457
N = Narrow sizes of 3 panel doors are 2 Panel		
Bifold Doors Only		
2/0 x 6/8	177	
2/6 x 6/8	188	
3/0 x 6/8	210	
4/0 x 6/8	354	
5/0 x 6/8	375	
6/0 x 6/8	420	
Bifold availability varies		

* CONMORE SPECIAL ORDER ONLY

PREHUNG UNIT INCLUDES: 4-9/16" Primed Jamb, Primed Colonial Stop, (3) 3-1/2" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore.

See Page 1 for Standard Options & Page 40 for Hanging Diagrams.

Additional Options See Pages 33-40

MOLDED WOOD FIBER DOORS

SOLID CORE • GRAINED & SMOOTH SURFACE • 6/8 DOORS

Sticking Profile

Cove & Bead

Ovolo

Style Sticking Profiles Panels Slab Sizes

Bifold Sizes

Grained Surface

Grained Surface

Smooth Surface

Smooth Surface

Smooth Surface

Smooth Surface

Smooth Surface

Smooth Surface

CAMDEN

Cove & Bead

2 Panel Eyebrow

2/0, 2/4, 2/6

2/8, 3/0

COLONIST

Cove & Bead

6 Panel

1/6, 1/8 2/0, 2/2, 2/4, 2/6, 2/8, 2/10, 3/0

2/0, 2/6, 3/0

CARRARA

Cove & Bead

2 Panel

1/4, 1/6, 1/8 2/0 2/2, 2/4, 2/6 2/8, 2/10, 3/0

2/0, 2/6, 3/0

CAIMAN

Cove & Bead

2 Panel Arched Top

1/4, 1/6, 1/8, 2/0 2/2, 2/4, 2/6 2/8, 2/10, 3/0

-

PRINCETON

Cove & Bead

2 Panel Eyebrow

1/6, 2/0, 2/4 2/6, 2/8, 3/0

-

ROCKPORT

Cove & Bead

5 Panel

1/6, 2/0, 2/4, 2/6, 2/8, 2/10, 3/0

-

SANTA FE

Ovolo

2 Panel Arched Top Planked

1/6, 2/0, 2/4, 2/6, 2/8, 2/10, 3/0

-

SMOOTH COLONIST

Cove & Bead

6 Panel

1/6, 2/0, 2/4, 2/6, 2/8, 2/10, 3/0

2/0, 2/6, 3/0



1-3/8"	Door Only	Prehung 4-9/16" Primed Jamb
1/4 x 6/8	\$183 N	\$269 N
1/6 x 6/8	183 N	269 N
1/8 x 6/8	203 N	289 N
2/0 x 6/8	203	289
2/2 x 6/8	219	305
2/4 x 6/8	219	305
2/6 x 6/8	219	305
2/8 x 6/8	222	308
2/10 x 6/8	231	317
3/0 x 6/8	231	317
3/0 x 6/8 Double Doors		495 N
4/0 x 6/8 Double Doors		535
4/8 x 6/8 Double Doors		567
5/0 x 6/8 Double Doors		567
5/4 x 6/8 Double Doors		573*
5/8 x 6/8 Double Doors		591
6/0 x 6/8 Double Doors		591
N = Narrow sizes of 4 & 6 panel doors are 2 & 3 Panel		
Bifold Doors Only		
2/0 x 6/8	357	
2/6 x 6/8	375	
3/0 x 6/8	390	
Bifold availability varies		

* PRINCETON, ROCKPORT, CAMDEN, COLONIST (GRAINED), & SMOOTH COLONIST SPECIAL ORDER ONLY

PREHUNG UNIT INCLUDES: 4-9/16" Primed Jamb, Primed Colonial Stop, (3) 3-1/2" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore.

See Page 1 for Standard Options & Page 40 for Handing Diagrams.

Additional Options See Pages 33-40

MOLDED WOOD FIBER DOORS

SOLID CORE • GRAINED & SMOOTH SURFACE • 6/8 DOORS



Grained Surface



Smooth Surface



Smooth Surface

Style
Sticking Profiles
Panels
Slab Sizes

COLONIST
Cove & Bead
6 Panel
2/0, 2/4, 2/6
2/8, 3/0

CAIMAN
Cove & Bead
2 Panel Arch Top
2/0, 2/4, 2/6
2/8, 3/0

CARRARA
Cove & Bead
2 Panel
1/6, 2/0, 2/4, 2/6,
2/8, 3/0

1-3/4"	Door Only	Prehung 4-9/16" Primed Jamb
1/6 x 6/8	\$215	\$301
2/0 x 6/8	\$215	\$301
2/4 x 6/8	251	337
2/6 x 6/8	251	337
2/8 x 6/8	263	349
3/0 x 6/8	284	370
3/0 x 6/8 Double Doors		559
4/0 x 6/8 Double Doors		559
4/8 x 6/8 Double Doors		631
5/0 x 6/8 Double Doors		631
5/4 x 6/8 Double Doors		655
6/0 x 6/8 Double Doors		697



Colonist
Molded Door
Finished in Field


PREHUNG UNIT INCLUDES: 4-9/16" Primed Jamb, Primed Colonial Stop, (3) 4" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore.

See Page 1 for Standard Options & Page 40 for Handing Diagrams.

Additional Options See Pages 33-40

MOLDED WOOD FIBER DOORS

SOLID CORE • SMOOTH SURFACE • 6/8 DOORS



MADISON
Craftsman
1 Flat Panel



MONROE
Craftsman
2 Flat Panel



BIRKDALE
Craftsman
3 Flat Panel



CRAFTSMAN
Craftsman
3 Flat Panel



CONMORE
Stepped
5 Flat Panel

MADISON & MONROE

1-3/4"	Door Only	Prehung 4-9/16" Primed Jamb
1/6 x 6/8	\$372	\$458
2/0 x 6/8	404	490
2/4 x 6/8	423	509
2/6 x 6/8	435	521
2/8 x 6/8	441	527
3/0 x 6/8	459	545
3/0 x 6/8 Double Doors		873
4/0 x 6/8 Double Doors		937
4/8 x 6/8 Double Doors		975
5/0 x 6/8 Double Doors		999
5/4 x 6/8 Double Doors		1011
6/0 x 6/8 Double Doors		1047

PREHUNG UNIT INCLUDES:

4-9/16" Primed Jamb, Primed Colonial Stop, (3) 4" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore.

See Page 1 for Standard Options & Page 40 for Handling Diagrams.
Additional Options See Pages 33-40

MADISON, MONROE, & BIRKDALE

1-3/8"	Door Only	Prehung 4-9/16" Primed Jamb
1/6 x 6/8	\$261	\$347
2/0 x 6/8	288	374
2/4 x 6/8	314	400
2/6 x 6/8	314	400
2/8 x 6/8	320	406
3/0 x 6/8	335	421
3/0 x 6/8 Double Doors		651
4/0 x 6/8 Double Doors		705
4/8 x 6/8 Double Doors		757
5/0 x 6/8 Double Doors		757
5/4 x 6/8 Double Doors		769
6/0 x 6/8 Double Doors		799

PREHUNG UNIT INCLUDES:

4-9/16" Primed Jamb, Primed Colonial Stop, (3) 3-1/2" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore.

See Page 1 for Standard Options & Page 40 for Handling Diagrams.
Additional Options See Pages 33-40

3- PANEL CRAFTSMAN & CONMORE

1-3/8"	Door Only	Prehung 4-9/16" Primed Jamb
1/6 x 6/8	\$234 N	\$320 N
2/0 x 6/8	261	347
2/4 x 6/8	284	370
2/6 x 6/8	284	370
2/8 x 6/8	288	374
2/10 x 6/8	302	388
3/0 x 6/8	302	388
3/0 x 6/8 Double Doors		597 N
4/0 x 6/8 Double Doors		651
4/8 x 6/8 Double Doors		697
5/0 x 6/8 Double Doors		697
5/4 x 6/8 Double Doors		705
5/8 x 6/8 Double Doors		733
6/0 x 6/8 Double Doors		733

N = Narrow sizes of 3 panel doors are 2 Panel

PREHUNG UNIT INCLUDES:

4-9/16" Primed Jamb, Primed Colonial Stop, (3) 3-1/2" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore.

See Page 1 for Standard Options & Page 40 for Handling Diagrams.
Additional Options See Pages 33-40

MOLDED WOOD FIBER DOORS

SOLID CORE • SMOOTH SURFACE • 7/0 DOORS

Sticking
Profile



Cove & Bead



CARRARA
Cove & Bead
2 Panel

1-3/8"	Door Only	Prehung 4-9/16" Primed Jamb
1/6 x 7/0	\$309	\$419
2/0 x 7/0	338	448
2/4 x 7/0	362	472
2/6 x 7/0	362	472
2/8 x 7/0	368	478
2/10 x 7/0	383	493
3/0 x 7/0	383	493
3/0 x 7/0 Double Doors		777
4/0 x 7/0 Double Doors		835
4/8 x 7/0 Double Doors		883
5/0 x 7/0 Double Doors		883
5/4 x 7/0 Double Doors		895
5/8 x 7/0 Double Doors		925
6/0 x 7/0 Double Doors		925
<i>Availability varies by location</i>		



Carrara
Molded Door
Finished in Field

PREHUNG UNIT INCLUDES: 4-9/16" Primed Jamb, Primed Colonial Stop, (3) 3-1/2" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore.

See Page 1 for Standard Options & Page 40 for Handing Diagrams.

Additional Options See Pages 33-40

MOLDED WOOD FIBER DOORS

SOLID & HOLLOW CORE • SMOOTH SURFACE • 8/0 DOORS

Sticking Profile



Cove & Bead



ROCKPORT

Cove & Bead

6 Panel

(Solid Core Only)



CARRARA

Cove & Bead

2 Panel



CAIMAN

Cove & Bead

2 Panel Arch Top

Style Sticking Profile Panels

CAIMAN, CARRARA, & ROCKPORT (HOLLOW CORE)

1-3/8"	Door Only Hollow Core	Prehung 4-9/16" Primed Jamb
1/6 x 8/0	\$248	\$364
2/0 x 8/0	278	394
2/4 x 8/0	297	413
2/6 x 8/0	297	413
2/8 x 8/0	306	422
3/0 x 8/0	323	439
3/0 x 8/0 Double Doors		667
4/0 x 8/0 Double Doors		727
4/8 x 8/0 Double Doors		765
5/0 x 8/0 Double Doors		765
5/4 x 8/0 Double Doors		783*
6/0 x 8/0 Double Doors		817

* ROCKPORT SPECIAL ORDER ONLY

CAIMAN, CARRARA, & ROCKPORT (SOLID CORE)

1-3/8"	Door Only Solid Core	Prehung 4-9/16" Primed Jamb
1/6 x 8/0	\$311	\$427
2/0 x 8/0	312	428
2/4 x 8/0	384	500
2/6 x 8/0	384	500
2/8 x 8/0	413	529
3/0 x 8/0	426	542
3/0 x 8/0 Double Doors		793
4/0 x 8/0 Double Doors		795
4/8 x 8/0 Double Doors		939
5/0 x 8/0 Double Doors		939
5/4 x 8/0 Double Doors		997
6/0 x 8/0 Double Doors		1023
Availability varies by location		



PREHUNG UNIT INCLUDES: 4-9/16" Primed Jamb, Primed Colonial Stop, (4) 3-1/2" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore.

See Page 1 for Standard Options & Page 40 for Handing Diagrams.
Additional Options See Pages 33-40

MOLDED WOOD FIBER DOORS

SOLID CORE • SMOOTH SURFACE • 8/0 DOORS



Style Sticking Profile Panels

CARRARA
Cove & Bead
2 Panel

CAIMAN
Cove & Bead
2 Panel Arch Top

ROCKPORT
Cove & Bead
6 Equal Panel

SMOOTH COLONIST
Cove & Bead
6 Panel

MADISON
Craftsman
1 Flat Panel

MONROE
Craftsman
2 Flat Panel

CARRARA, CAIMAN, ROCKPORT, & SMOOTH COLONIST

1-3/4"	Door Only	Prehung 4-9/16" Primed Jamb
1/6 x 8/0	\$342 N	\$458 N
2/0 x 8/0	342	458
2/4 x 8/0	401	517
2/6 x 8/0	401	517
2/8 x 8/0	423	539
3/0 x 8/0	437	553
3/0 x 8/0 Double Doors		855
4/0 x 8/0 Double Doors		855
4/8 x 8/0 Double Doors		973
5/0 x 8/0 Double Doors		973
5/4 x 8/0 Double Doors		1017
6/0 x 8/0 Double Doors		1045

N = Narrow sizes of 4 & 6 panel doors are 2 & 3 Panel

MADISON & MONROE

1-3/4"	Door Only	Prehung 4-9/16" Primed Jamb
1/6 x 8/0	\$543	\$659
2/0 x 8/0	591	707
2/4 x 8/0	618	734
2/6 x 8/0	633	749
2/8 x 8/0	645	761
3/0 x 8/0	669	785
3/0 x 8/0 Double Doors		1257
4/0 x 8/0 Double Doors		1353
4/8 x 8/0 Double Doors		1407
5/0 x 8/0 Double Doors		1437
5/4 x 8/0 Double Doors		1461
6/0 x 8/0 Double Doors		1509



PREHUNG UNIT INCLUDES: 4-9/16" Primed Jamb, Primed Colonial Stop, (4) 4" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore.

See Page 1 for Standard Options & Page 40 for Handing Diagrams.
Additional Options See Pages 33-40

N = Narrow sizes of 4 & 6 panel doors are 2 & 3 Panel

PRIMED - SHAKER - FLAT PANEL DOORS

SHAKER STYLE • 6/8 DOORS





1 PANEL

2 PANEL

1 + 2 PANEL

3 PANEL
EQUAL

5 PANEL
EQUAL



1-3/8"	1 Panel		2 Panel		1 + 2 Panel*		3 Panel Equal		5 Panel Equal	
	Door Only	Prehung 4-9/16" Primed Jamb	Door Only	Prehung 4-9/16" Primed Jamb	Door Only	Prehung 4-9/16" Primed Jamb	Door Only	Prehung 4-9/16" Primed Jamb	Door Only	Prehung 4-9/16" Primed Jamb
1/6 x 6/8	\$165	\$251	\$177	\$263	\$188 N	\$274 N	\$185	\$271	\$182	\$268
1/8 x 6/8	192	278	198	284	203 N	289 N	204	290	203	289
2/0 x 6/8	197	283	206	292	221	307	218	304	221	307
2/4 x 6/8	219	305	231	317	245	331	243	329	248	334
2/6 x 6/8	230	316	243	329	257	343	255	341	261	347
2/8 x 6/8	242	328	257	343	269	355	269	355	275	361
2/10 x 6/8	252	338	269	355	281	367	282	368	287	373
3/0 x 6/8	264	350	281	367	293	379	294	380	300	386
Double Doors										
3/0 x 6/8	-	459	-	483	-	505 N	-	499	-	493
4/0 x 6/8	-	523	-	541	-	571	-	565	-	571
4/8 x 6/8	-	567	-	591	-	619	-	615	-	625
5/0 x 6/8	-	589	-	615	-	643	-	639	-	651
5/4 x 6/8	-	613	-	643	-	667	-	667	-	679
5/8 x 6/8	-	633	-	667	-	691	-	693	-	703
6/0 x 6/8	-	657	-	691	-	715	-	717	-	729
Bifold Doors Only										
2/0 x 6/8	285	-	285	-	299	-	309	-	327	-
2/6 x 6/8	323	-	323	-	341	-	353	-	378	-
3/0 x 6/8	360	-	360	-	383	-	398	-	429	-

PREFIT SPEC = 3/16" B2S. N = Narrow sizes of 4 & 6 panel doors are 2 & 3 Panel



PREHUNG UNIT INCLUDES: 4-9/16" Primed Jamb, Primed Colonial Stop, (3) 3-1/2" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore.

See Page 1 for Standard Options & Page 40 for Handing Diagrams.

Additional Options See Pages 33-40

PRIMED - SHAKER - FLAT PANEL DOORS

SHAKER STYLE • 8/0 DOORS



1-3/8"	1 Panel		2 Panel		1 + 2 Panel*		3 Panel Equal		5 Panel Equal	
	Door Only	Prehung 4-9/16" Primed Jamb	Door Only	Prehung 4-9/16" Primed Jamb	Door Only	Prehung 4-9/16" Primed Jamb	Door Only	Prehung 4-9/16" Primed Jamb	Door Only	Prehung 4-9/16" Primed Jamb
1/6 x 8/0	\$245	\$361	\$263	\$379	\$257 N	\$373 N	\$275	\$391	\$264	\$380
2/0 x 8/0	284	400	291	407	314	430	300	416	318	434
2/4 x 8/0	312	428	320	436	330	446	332	448	353	469
2/6 x 8/0	327	443	335	451	351	467	350	466	378	494
2/8 x 8/0	333	449	353	469	365	481	359	475	395	511
3/0 x 8/0	362	478	384	500	390	506	417	533	429	545
Double Doors										
3/0 x 8/0	-	661	-	697	-	685 N	-	721	-	699
4/0 x 8/0	-	739	-	753	-	799	-	771	-	807
4/8 x 8/0	-	795	-	811	-	831	-	835	-	877
5/0 x 8/0	-	825	-	841	-	873	-	871	-	927
6/0 x 8/0	-	895	-	939	-	951	-	1005	-	1029

PREFIT SPEC = 3/16" B2S. N = Narrow sizes of 4 & 6 panel doors are 2 & 3 Panel

PREHUNG UNIT INCLUDES: 4-9/16" Primed Jamb, Primed Colonial Stop, (4) 3-1/2" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore.

See Page 1 for Standard Options & Page 40 for Handling Diagrams.

Additional Options See Pages 33-40

PRIMED FRENCH DOORS

CLEAR & OBSCURED TEMPERED GLASS • 6/8 DOORS



5 LITE CLEAR
True Divided
Ovolo
Tempered Glass



1 LITE CLEAR
Ovolo
Tempered Glass



1 LITE FROSTED
Obscure
Ovolo
Tempered Glass



10 LITE CLEAR
True Divided
Ovolo
Tempered Glass



15 LITE CLEAR
True Divided
Ovolo
Tempered Glass



9 LITE CLEAR
True Divided
Ovolo
Tempered Glass

1-3/8"	1 LITE CLEAR Ovolo Tempered Glass		1 LITE FROSTED Obscure Ovolo Tempered Glass		10 LITE CLEAR True Divided Ovolo Tempered Glass		15 LITE CLEAR True Divided Ovolo Tempered Glass		9 LITE CLEAR True Divided Ovolo Tempered Glass	
	Door Only	Prehung 4-9/16" Primed Jamb	Door Only	Prehung 4-9/16" Primed Jamb	Door Only	Prehung 4-9/16" Primed Jamb	Door Only	Prehung 4-9/16" Primed Jamb	Door Only	Prehung 4-9/16" Primed Jamb
1/6 x 6/8	\$243	\$329	-	-	\$228**	\$314**	-	-	-	-
2/0 x 6/8	266	352	\$293	\$379	267	353	-	-	\$306	\$392
2/4 x 6/8	297	383	332	418	297	383	\$306	\$392	-	-
2/6 x 6/8	312	398	350	436	318	404	312	398	359	445
2/8 x 6/8	329	415	371	457	-	-	330	416	-	-
2/10 x 6/8	-	-	-	-	-	-	345	431	-	-
3/0 x 6/8	362	448	411	497	353	439	353	439	402	448
Double Doors										
3/0 x 6/8	-	615	-	-	-	585**	-	-	-	-
4/0 x 6/8	-	661	-	715	-	663	-	-	-	741
4/8 x 6/8	-	723	-	793	-	723	-	741	-	-
5/0 x 6/8	-	753	-	829	-	765	-	753	-	847
5/4 x 6/8	-	787	-	871	-	-	-	789	-	-
5/8 x 6/8	-	-	-	-	-	-	-	819	-	-
6/0 x 6/8	-	853	-	951	-	835	-	835	-	933
** Available in 5 lite only										

PREFIT SPEC = 3/16" B2S


PREHUNG UNIT INCLUDES: 4-9/16" Primed Jamb, Primed Colonial Stop,
(3) 3-1/2" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore.

See Page 1 for Standard Options & Page 40 for Handing Diagrams.

Additional Options See Pages 33-40

PRIMED FRENCH DOORS


CLEAR & OBSCURED TEMPERED GLASS • 6/8 DOORS



1 LITE PANTRY*
Obscure
Ovolo
Tempered Glass



1 LITE FROSTED
Shaker
Tempered Glass



3 LITE FROSTED
Shaker
Tempered Glass



5 LITE FROSTED
Shaker
Tempered Glass

1-3/8"	1 LITE PANTRY* Obscure Ovolo Tempered Glass		1 LITE FROSTED Shaker Tempered Glass		3 LITE FROSTED Shaker Tempered Glass		5 LITE FROSTED Shaker Tempered Glass	
	Door Only	Prehung 4-9/16" Primed Jamb	Door Only	Prehung 4-9/16" Primed Jamb	Door Only	Prehung 4-9/16" Primed Jamb	Door Only	Prehung 4-9/16" Primed Jamb
2/0 x 6/8	\$293	\$379	\$267	\$353	\$312	\$398	\$321	\$407
2/4 x 6/8	332	418	300	386	356	442	366	452
2/6 x 6/8	371	457	318	404	377	463	389	475
2/8 x 6/8	411	497	336	422	399	485	411	497
3/0 x 6/8	-	-	372	458	443	529	456	542
Double Doors								
4/0 x 6/8	-	715	-	663	-	753	-	771
4/8 x 6/8	-	793	-	729	-	841	-	861
5/0 x 6/8	-	871	-	765	-	883	-	907
5/4 x 6/8	-	951	-	801	-	927	-	951
6/0 x 6/8	-	-	-	873	-	1015	-	1041
*Specify if design/texture is hinge side or stop side of unit								

PREFIT SPEC = 3/16" B2S

PREHUNG UNIT INCLUDES: 4-9/16" Primed Jamb, Primed Colonial Stop, (3) 3-1/2" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore.

See Page 1 for Standard Options & Page 40 for Handing Diagrams.

Additional Options See Pages 33-40

PRIMED FRENCH DOORS

CLEAR & OBSCURED TEMPERED GLASS • 7/0 & 8/0 DOORS



1 LITE CLEAR
Tempered Glass



15 LITE CLEAR (7/0)
True Divided
Ovolo
Tempered Glass



12 LITE CLEAR
True Divided
Ovolo
Tempered Glass



18 LITE CLEAR
True Divided
Ovolo
Tempered Glass



1 LITE FROSTED
Shaker
Tempered Glass



3 LITE FROSTED
Shaker
Tempered Glass



5 LITE FROSTED
Shaker
Tempered Glass

1-3/8"	1 LITE CLEAR (8/0)		15 LITE CLEAR (7/0) True Divided Ovolo Tempered Glass		12 LITE CLEAR (8/0) True Divided Ovolo Tempered Glass		18 LITE CLEAR (8/0) True Divided Ovolo Tempered Glass		1 LITE SHAKER FROSTED (8/0)		3 LITE FROSTED (8/0) Shaker Tempered Glass		5 LITE FROSTED (8/0) Shaker Tempered Glass	
	Door Only	Prehung 4-9/16" Primed Jamb	Door Only	Prehung 4-9/16" Primed Jamb	Door Only	Prehung 4-9/16" Primed Jamb	Door Only	Prehung 4-9/16" Primed Jamb	Door Only	Prehung 4-9/16" Primed Jamb	Door Only	Prehung 4-9/16" Primed Jamb	Door Only	Prehung 4-9/16" Primed Jamb
3/0 x 7/0	-	-	\$443	\$553	-	-	-	-	-	-	-	-	-	-
2/0 x 8/0	\$350	\$466	-	-	\$336	\$452	-	-	\$353	\$469	\$417	\$533	\$431	\$547
2/4 x 8/0	396	512	-	-	375	491	-	-	402	518	476	592	492	608
2/6 x 8/0	416	532	-	-	398	514	\$395	\$511	423	539	506	622	522	638
2/8 x 8/0	437	553	-	-	420	536	432	548	447	563	536	652	554	670
3/0 x 8/0	480	596	-	-	465	581	474	590	495	611	594	710	627	743
Double Doors														
6/0 x 7/0	-	-	-	1045	-	-	-	-	-	-	-	-	-	-
4/0 x 8/0	-	871	-	-	-	507	-	-	-	877	-	1005	-	1033
4/8 x 8/0	-	963	-	-	-	546	-	-	-	975	-	1123	-	1155
5/0 x 8/0	-	1003	-	-	-	569	-	961	-	1017	-	1183	-	1215
5/4 x 8/0	-	1045	-	-	-	591	-	1035	-	1065	-	1243	-	1279
6/0 x 8/0	-	1131	-	-	-	636	-	1119	-	1161	-	1359	-	1425
Special Order with longer lead times in all three locations														

PREFIT SPEC = 3/16" B2S

PREHUNG UNIT INCLUDES: 4-9/16" Primed Jamb, Primed Colonial Stop,
(4) 3-1/2" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore.

See Page 1 for Standard Options & Page 40 for Handing Diagrams.

Additional Options See Pages 33-40

PINE FRENCH DOORS

CLEAR TEMPERED GLASS • 6/8 DOORS



1 LITE CLEAR
Ovolo
Tempered Glass



5 LITE CLEAR
True Divided
Ovolo
Tempered Glass




10 LITE CLEAR
True Divided
Ovolo
Tempered Glass




12 LITE CLEAR
Ovolo
Tempered Glass



15 LITE CLEAR
True Divided
Ovolo
Tempered Glass



15 LITE CLEAR
V-Groove
Tempered Glass



1 LITE PANTRY*
Obscure
Ovolo
Tempered Glass

1-3/8"	1 LITE CLEAR Ovolo Tempered Glass		10 LITE CLEAR True Divided Ovolo Tempered Glass		12 LITE CLEAR		15 LITE CLEAR True Divided Ovolo Tempered Glass		15 LITE CLEAR V-Groove Tempered Glass Special Order		1 LITE PANTRY* Obscure Ovolo Tempered Glass	
	Door Only	Prehung 4-9/16" Pine Veneer Wood Back Jamb	Door Only	Prehung 4-9/16" Pine Veneer Wood Back Jamb	Door Only	Prehung 4-9/16" Pine Veneer Wood Back Jamb	Door Only	Prehung 4-9/16" Pine Veneer Wood Back Jamb	Door Only	Prehung 4-9/16" Pine Veneer Wood Back Jamb	Door Only	Prehung 4-9/16" Pine Veneer Wood Back Jamb
1/6 x 6/8	-	-	\$213**	\$329**	-	-	-	-	-	-	-	-
2/0 x 6/8	\$237	\$353	248	364	-	-	-	-	\$644***	\$760***	\$312	\$428
2/4 x 6/8	267	383	273	389	-	-	\$285	\$401	786	902	303	419
2/6 x 6/8	281	397	293	409	-	-	288	404	815	931	320	436
2/8 x 6/8	294	410	299	415	-	-	297	413	839	955	375	491
3/0 x 6/8	326	442	324	440	-	-	323	439	884	1000	-	-
2/0 x 8/0	-	-	-	-	\$311	\$478	-	-	-	-	-	-
2/6 x 8/0	-	-	-	-	372	539	-	-	-	-	-	-
2/8 x 8/0	-	-	-	-	387	554	-	-	-	-	-	-
3/0 x 8/0	-	-	-	-	428	595	-	-	-	-	-	-

Double Doors

3/0 x 6/8	-	-	-	591**	-	-	-	-	-	-	-	-
4/0 x 6/8	-	639	-	661	-	-	-	-	-	1453***	-	789
4/8 x 6/8	-	699	-	711	-	-	-	735	-	1737	-	771
5/0 x 6/8	-	727	-	751	-	-	-	741	-	1795	-	805
5/4 x 6/8	-	753	-	763	-	-	-	759	-	1843	-	915
6/0 x 6/8	-	817	-	813	-	-	-	811	-	1933	-	-
4/0 x 8/0	-	-	-	-	-	\$853	-	-	-	-	-	-
5/0 x 8/0	-	-	-	-	-	975	-	-	-	-	-	-
5/4 x 8/0	-	-	-	-	-	1005	-	-	-	-	-	-
6/0 x 8/0	-	-	-	-	-	1087	-	-	-	-	-	-

*Specify if design/texture is hinge side or stop side of unit

** Available in 5 lite only

*** Available in 10 lite only

PREHUNG UNIT INCLUDES: 4-9/16" Pine Veneer Wood Back, Primed Colonial Stop, (3) 3-1/2" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore.

See Page 18 for Standard Options & Page 40 for Handing Diagrams.

Additional Options See Pages 33-40

OAK FRENCH DOORS***

CLEAR TEMPERED GLASS • 6/8 DOORS



15 Lite True Divided
Oak French Door
Finished in Field



1 LITE CLEAR
Ovolo
Tempered Glass



10 LITE CLEAR
True Divided
Ovolo
Tempered Glass



15 LITE CLEAR
True Divided
Ovolo
Tempered Glass

1-3/8"	1 LITE CLEAR Ovolo Tempered Glass		15 LITE CLEAR True Divided Ovolo Tempered Glass	
	Door Only	Prehung 4-9/16" Oak Veneer Wood Back Jamb	Door Only	Prehung 4-9/16" Oak Veneer Wood Back Jamb
1/6 x 6/8	-	-	\$377**	\$521**
2/0 x 6/8	\$419	\$563	605*	\$749*
2/4 x 6/8	-	-	728	872
2/6 x 6/8	449	593	728	872
2/8 x 6/8	464	608	780	924
3/0 x 6/8	483	627	810	954
Double Doors				
3/0 x 6/8	-	-	-	952**
4/0 x 6/8	-	1036	-	1408*
4/8 x 6/8	-	-	-	1654
5/0 x 6/8	-	1096	-	1654
5/4 x 6/8	-	1126	-	1758
6/0 x 6/8	-	1164	-	1818
* Available in 10 lite only				
** Available in 5 lite only				
*** Oak French Doors Special Order				

PREHUNG UNIT INCLUDES: 4-9/16" Oak Veneer Wood Bock, Primed Colonial Stop, (3) 3-1/2" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore.

See Page 20 for Standard Options & Page 40 for Handing Diagrams.

Additional Options See Pages 33-40

PINE & BIRCH DOOR ADDERS



10 Lite True Divided
(2) Pine French Doors
Finished in Field



Birch
Solid Core Flush Door
Finished in Field

PREHUNG UNIT INCLUDES: 4-9/16" Pine Veneer Wood Back Jamb, Primed Colonial Stop, (4) 3-1/2" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore.

JAMB OPTIONS FOR: PINE LOUVERED, PINE PANELED & FRENCH, AND BIRCH FLUSH DOORS

Options: Jambs	6/8 Single Door	6/8 Double Door	7/0 Single Door	7/0 Double Door	8/0 Single Door	8/0 Double Door
4-9/16" Pine Veneer Woodback	(Base)	(Base)	-	-	-	-
4-9/16" Primed	\$-30	-\$36	-\$51	-\$60	-\$51	-\$60
6-9/16" Primed	8	9	18	21	18	21
4-9/16" Solid Poplar	36	42	31	39	36	47
4-9/16" Solid Oak	111	132	102	125	92	111
4-9/16" Solid Pine	15	18	(Base)	(Base)	(Base)	(Base)
5-1/4" Solid Pine	22	27	-15	-18	-	-
6-9/16" Solid Pine	45	54	-	-	-	-
7-1/4" Solid Pine	135	162	105	126	105	126
4-1/4-4-3/4" Primed Split Jamb	-36	-42	-	-	-	-
Casings Applied or Loose	Single	Double	Single	Double	Single	Double
11/16" x 2-1/4" 356 Primed Casing Per Side	26	35	41	50	41	50
11/16" x 2-1/4" 356 Pine Casing Per Side	30	39	76	92	-	-
3-1/2" Hinges	Single	Double	Single	Double	Single	Double
Antique Nickel, Brushed Chrome, Bright Chrome, Antique Brass, Bright Brass & Black	9	18	9	18	12	24
Double Doors						
Pine Astragal	-	59	-	59	-	71
Flush Bolt (Bright Brass, Dull Nickel, Antique Nickel, Bright Chrome, Brushed Chrome, Colonial Bronze & Antique Brass)	-	33	-	33	-	33
2 Ball Catches (Bright Brass, Colonial Bronze or Satin Nickel)	-	30	-	30	-	30
2 Ball Catches (Antique Nickel, Antique Brass, Bright Chrome & Brushed Chrome)	-	34	-	34	-	34
Additional Options See Pages 33-40						

PINE PANEL DOORS


6/8 DOORS



4 PANEL
Double Hip



6 PANEL
Double Hip



4 PANEL PINE

1-3/8"	Door Only	Prehung 4-9/16" Pine Veneer Wood Back Jamb
1/6 x 6/8	\$198 N	\$314 N
2/0 x 6/8	207	323
2/4 x 6/8	219	335
2/6 x 6/8	221	337
2/8 x 6/8	234	350
3/0 x 6/8	251	367
3/0 x 6/8 Double Doors		561 N
4/0 x 6/8 Double Doors		579
4/8 x 6/8 Double Doors		603
5/0 x 6/8 Double Doors		607
6/0 x 6/8 Double Doors		667
N Narrow sizes of 4 panel doors are 2 Panel Bifold Doors Only		
2/0 x 6/8	303	
2/6 x 6/8	362	
3/0 x 6/8	420	
Bifold availability varies		

6 PANEL PINE

1-3/8"	Door Only	Prehung 4-9/16" Pine Veneer Wood Back Jamb
1/0 x 6/8*	\$167 N	\$283 N
1/2 x 6/8*	182 N	298 N
1/3 x 6/8*	188 N	304 N
1/4 x 6/8*	194 N	310 N
1/6 x 6/8	198 N	314 N
1/8 x 6/8	203 N	319 N
1/10 x 6/8	206 N	322 N
2/0 x 6/8	207	323
2/2 x 6/8	213	329
2/4 x 6/8	219	335
2/6 x 6/8	221	337
2/8 x 6/8	234	350
2/10 x 6/8	246	362
3/0 x 6/8	251	367
3/0 x 6/8 Double Doors		561 N
4/0 x 6/8 Double Doors		579
4/8 x 6/8 Double Doors		603
5/0 x 6/8 Double Doors		607
6/0 x 6/8 Double Doors		667
N Narrow sizes of 6 panel doors are 3 panels		
*1/4 x 6/8 & smaller have thinner stiles		
Bifold Doors Only		
2/0 x 6/8	303	
2/6 x 6/8	362	
3/0 x 6/8	420	
Bifold availability varies		

PREHUNG UNIT INCLUDES: 4-9/16" Pine Veneer Wood Back, Primed Colonial Stop, (3) 3-1/2" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore.

See Page 18 for Standard Options & Page 40 for Handing Diagrams.

Additional Options See Pages 33-40

OAK PANEL DOORS

6/8 DOORS



Style
Slab Sizes

6 PANEL

1/0, 1/2, 1/3, 1/4, 1/6,
1/8, 1/10, 2/0, 2/2, 2/4,
2/6, 2/8, 2/10, 3/0

Bifold Sizes

2/0, 2/6, 3/0



6 Panel
Oak Panel Door
Finished in Field

1-3/8"	Door Only	Prehung 4-9/16" Oak Veneer Wood Back Jamb
1/0 x 6/8*	\$338 N	\$482 N
1/2 x 6/8*	338 N	482 N
1/3 x 6/8*	338 N	482 N
1/4 x 6/8*	338 N	482 N
1/6 x 6/8	338 N	482 N
1/8 x 6/8	365 N	509 N
1/10 x 6/8	365	509
2/0 x 6/8	365	509
2/2 x 6/8	392	536
2/4 x 6/8	392	536
2/6 x 6/8	401	545
2/8 x 6/8	410	554
2/10 x 6/8	428	572
3/0 x 6/8	428	572
3/0 x 6/8 Double Doors		874 N
4/0 x 6/8 Double Doors		928
4/8 x 6/8 Double Doors		982
5/0 x 6/8 Double Doors		1000
6/0 x 6/8 Double Doors		1054
N Narrow sizes of 6 panel doors are 3 panel		
*1/4 x 6/8 & smaller have thinner stiles		
Bifold Doors Only		
2/0 x 6/8	510	
2/6 x 6/8	546	
3/0 x 6/8	582	
Bifold availability varies		

PREHUNG UNIT INCLUDES: 4-9/16" Oak Veneer Wood Back, Primed Colonial Stop, (3) 3-1/2" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore.

JAMB OPTIONS FOR: OAK PANEL & FRENCH AND OAK FLUSH DOORS

Options: Jambs	6/8 Single Door	6/8 Double Door	7/0 Single Door	7/0 Double Door
4-9/16" Oak Veneer Woodback	(Base)	(Base)	-	-
4-13/16" Oak Veneer Woodback	\$45	\$54	-	-
4-9/16" Primed	-58	-69	-\$153	-\$185
4-9/16" Solid Oak	83	99	(Base)	(Base)
4-13/16" Solid Oak	83	99	0	0
5-1/4" Solid Oak	135	162	38	45
7-1/4" Solid Oak	195	234	98	117
Casings Applied or Loose	Single	Double	Single	Double
11/16" x 2-1/4" 356 Red Oak Casing Per Side	71	89	140	169
3-1/2" Hinges	Single	Double	Single	Double
Antique Nickel, Brushed Chrome, Bright Chrome, Antique Brass, Bright Brass & Black	9	18	9	18
Double Doors				
Oak Astragal (1-3/8")	-	101	-	101
Oak Astragal (1-3/4")	-	135	-	135
Flush Bolt (Bright Brass, Dull Nickel, Antique Nickel, Bright Chrome, Brushed Chrome, Colonial Bronze & Antique Brass)	-	33	-	33
2 Ball Catches (Bright Brass, Colonial Bronze or Satin Nickel)	-	30	-	30
2 Ball Catches (Antique Nickel, Antique Brass, Bright Chrome & Brushed Chrome)	-	34	-	34


Additional Options See Pages 33-40

PRIMED LOUVER DOORS

6/8 DOORS



FULL LOUVER



1-3/8"	Door Only	Prehung 4-9/16" Primed Jamb
1/6 x 6/8	\$189	\$275
2/0 x 6/8	231	317
2/4 x 6/8	242	328
2/6 x 6/8	257	343
2/8 x 6/8	266	352
2/10 x 6/8	273	359
3/0 x 6/8	279	365
3/0 x 6/8 Double Doors		507
4/0 x 6/8 Double Doors		591
4/8 x 6/8 Double Doors		613
5/0 x 6/8 Double Doors		643
6/0 x 6/8 Double Doors		687
1-3/8" Bifold Doors Only		
2/0 x 6/8	462	
2/6 x 6/8	504	
3/0 x 6/8	536	
<i>Bifold availability varies</i>		

PREFIT SPEC = 3/16" SQ

Full Louver
Primed Louver Door
Finished in Field

PREHUNG UNIT INCLUDES: 4-9/16" Primed Jamb, Primed Colonial Stop, (3) 3-1/2" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore.

See Page 1 for Standard Options & Page 40 for Handing Diagrams.

Additional Options See Pages 33-40

PINE LOUVER DOORS


6/8 DOORS



HALF LOUVER



FULL LOUVER



Louvers
Down

Louvers
Up

*Prehung units specify
louvers up or down
on hinge side.*

HALF LOUVER

1-3/8"	Door Only	Prehung 4-9/16" Pine Veneer Wood Back Jamb
1/6 x 6/8	\$204	\$320
2/0 x 6/8	215	331
2/4 x 6/8	240	356
2/6 x 6/8	254	370
2/8 x 6/8	266	382
3/0 x 6/8	290	406
3/0 x 6/8 Double Doors		573
4/0 x 6/8 Double Doors		595
4/8 x 6/8 Double Doors		645
5/0 x 6/8 Double Doors		673
6/0 x 6/8 Double Doors		745
Bifold Doors Only		
2/0 x 6/8	281	
2/6 x 6/8	326	
3/0 x 6/8	368	
<i>Bifold availability varies</i>		

FULL LOUVER

1-3/8"	Door Only	Prehung 4-9/16" Pine Veneer Wood Back Jamb
1/2 x 6/8	\$146	\$262
1/3 x 6/8	149	265
1/4 x 6/8	155	271
1/6 x 6/8	170	286
1/8 x 6/8	180	296
1/10 x 6/8	189	305
2/0 x 6/8	197	313
2/2 x 6/8	206	322
2/4 x 6/8	216	332
2/6 x 6/8	227	343
2/8 x 6/8	236	352
2/10 x 6/8	246	362
3/0 x 6/8	255	371
3/0 x 6/8 Double Doors		505
4/0 x 6/8 Double Doors		559
4/8 x 6/8 Double Doors		597
5/0 x 6/8 Double Doors		619
6/0 x 6/8 Double Doors		675
Bifold Doors Only		
2/0 x 6/8	279	
2/6 x 6/8	303	
3/0 x 6/8	321	
<i>Bifold availability varies</i>		

PREHUNG UNIT INCLUDES: 4-9/16" Pine Veneer Wood Back, Primed Colonial Stop, (3) 3-1/2" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore.

See Page 18 for Standard Options & Page 40 for Hanging Diagrams.

Additional Options See Pages 33-40

FLUSH DOORS

HOLLOW CORE • PRIME HARDBOARD



PRIMED
HARDBOARD

6/8	Door Only		Prehung 4-9/16" Primed Jamb	
	1-3/8"	1-3/4"	1-3/8"	1-3/4"
1/4 x 6/8	\$68	–	\$154	–
1/6 x 6/8	68	–	154	–
1/8 x 6/8	87	–	173	–
1/10 x 6/8	87	–	173	–
2/0 x 6/8	87	\$147	173	\$233
2/2 x 6/8	98	–	184	–
2/4 x 6/8	98	156	184	242
2/6 x 6/8	98	156	184	242
2/8 x 6/8	104	162	190	248
2/10 x 6/8	113	–	199	–
3/0 x 6/8	113	170	199	256
3/0 x 6/8 Double Doors			265	–
4/0 x 6/8 Double Doors			303	423
4/8 x 6/8 Double Doors			325	441
5/0 x 6/8 Double Doors			325	441
6/0 x 6/8 Double Doors			355	469

1-3/4"	Door Only	Prehung 4-9/16" Primed Jamb
2/8 x 8/0	\$299	\$415
3/0 x 8/0	308	424
6/0 x 8/0 Double Doors		787
1-3/8" Bifold Doors Only		
2/0 x 6/8	144	
2/6 x 6/8	152	
3/0 x 6/8	168	
4/0 x 6/8	288	
5/0 x 6/8	303	
6/0 x 6/8	336	
Bifold availability varies		



See Page 30 for
Lite & Louver Options

PREHUNG UNIT INCLUDES (FOR 1-3/8"): 4-9/16" Primed Jamb, Primed Colonial Stop, (3) 3-1/2" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore.

PREHUNG UNIT INCLUDES (FOR 1-3/4"): 4-9/16" Primed Jamb, Primed Colonial Stop, (3) 4" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore.

See Page 1 for Standard Options & Page 40 for Handing Diagrams.
Additional Options See Pages 33-40

FLUSH DOORS

HOLLOW CORE • BIRCH



BIRCH



Birch
Hollow Core Flush Door
Finished in Field

6/8	Door Only		Prehung 4-9/16" Pine Veneer Wood Back Jamb	
	1-3/8"	1-3/4"	1-3/8"	1-3/4"
1/0 x 6/8	\$107	-	\$223	-
1/2 x 6/8	107	-	223	-
1/3 x 6/8	107	-	223	-
1/4 x 6/8	107	-	223	-
1/6 x 6/8	107	-	223	-
1/8 x 6/8	125	-	241	-
1/10 x 6/8	125	-	241	-
2/0 x 6/8	125	\$170	241	\$286
2/2 x 6/8	141	-	257	-
2/4 x 6/8	141	185	257	301
2/6 x 6/8	141	185	257	301
2/8 x 6/8	147	188	263	304
2/10 x 6/8	158	-	274	-
3/0 x 6/8	158	197	274	313
3/6 x 6/8	-	419	-	535
3/0 x 6/8 Double Doors			379	-
4/0 x 6/8 Double Doors			415	505
4/8 x 6/8 Double Doors			447	535
5/0 x 6/8 Double Doors			447	535
6/0 x 6/8 Double Doors			481	559

7/0	Door Only		Prehung 4-9/16" Solid Pine	
	1-3/8"	1-3/4"	1-3/8"	1-3/4"
2/6 x 7/0	\$179	-	\$340	-
2/8 x 7/0	185	-	346	-
3/0 x 7/0	197	224	358	385
5/0 x 7/0 Double Doors			577	-
6/0 x 7/0 Double Doors			613	667
1-3/8" Bifold Doors Only				
2/0 x 6/8	171			
2/4 x 6/8	189			
2/6 x 6/8	189			
2/8 x 6/8	207			
3/0 x 6/8	209			
4/0 x 6/8	342			
5/0 x 6/8	378			
6/0 x 6/8	417			
Bifold availability varies				

PREHUNG UNIT INCLUDES (FOR 1-3/8"): 4-9/16" Pine Veneer Wood Back, Primed Colonial Stop, (3) 3-1/2" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore.

PREHUNG UNIT INCLUDES (FOR 1-3/4"): 4-9/16" Pine Veneer Wood Back, Primed Colonial Stop, (3) 4" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore.

See Page 18 for Standard Options & Page 40 for Handing Diagrams.

Additional Options See Pages 33-40

See Page 30 for
Lite & Louver Options

FLUSH DOORS

HOLLOW CORE • RED OAK



Red Oak
Hollowcore Flush Door
Finished in Field



RED OAK

6/8	Door Only		Prehung 4-9/16" Oak Veneer Wood Back Jamb	
	1-3/8"	1-3/4"	1-3/8"	1-3/4"
1/4 x 6/8	\$111	-	\$255	-
1/6 x 6/8	111	-	255	-
1/8 x 6/8	128	-	272	-
1/10 x 6/8	128	-	272	-
2/0 x 6/8	128	\$171	272	\$315
2/2 x 6/8	147	-	291	-
2/4 x 6/8	147	186	291	330
2/6 x 6/8	147	186	291	330
2/8 x 6/8	155	194	299	338
2/10 x 6/8	167	-	311	-
3/0 x 6/8	167	204	311	348
3/0 x 6/8 Double Doors			420	-
4/0 x 6/8 Double Doors			454	540
4/8 x 6/8 Double Doors			492	570
5/0 x 6/8 Double Doors			492	570
6/0 x 6/8 Double Doors			532	606
1-3/8" Bifold Doors Only				
2/0 x 6/8	179			
2/6 x 6/8	197			
3/0 x 6/8	215			
4/0 x 6/8	357			
5/0 x 6/8	393			
6/0 x 6/8	429			
Bifold availability varies				

See Page 30 for
Lite & Louver Options

PREHUNG UNIT INCLUDES (FOR 1-3/8"): 4-9/16" Oak Veneer Wood Back, Primed Colonial Stop, (3) 3-1/2" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore.

PREHUNG UNIT INCLUDES (FOR 1-3/4"): 4-9/16" Oak Veneer Wood Back, Primed Colonial Stop, (3) 4" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore.

See Page 1 for Standard Options & Page 40 for Handing Diagrams.
Additional Options See Pages 33-40

FLUSH DOORS

SOLID CORE • PRIMED HARDBOARD



PRIMED
HARDBOARD

1-3/8"	Door Only	Prehung 4-9/16" Primed Jamb
1/6 x 6/8	\$156	\$242
2/0 x 6/8	158	244
2/4 x 6/8	182	268
2/6 x 6/8	182	268
2/8 x 6/8	192	278
2/10 x 6/8	209	295
3/0 x 6/8	209	295
3/0 x 6/8 Double Doors		441
4/0 x 6/8 Double Doors		445
4/8 x 6/8 Double Doors		493
5/0 x 6/8 Double Doors		493
6/0 x 6/8 Double Doors		547
PREHUNG UNIT INCLUDES:		
4-9/16" Primed Jamb, Primed Colonial Stop, (3) 3-1/2" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore. <i>See Page 1 for Standard Options & Page 40 for Handing Diagrams.</i> <i>Additional Options See Pages 33-40</i>		

1-3/4"	Door Only	Prehung 4-9/16" Primed Jamb
2/0 x 6/8	\$165	\$251
2/4 x 6/8	188	274
2/6 x 6/8	188	274
2/8 x 6/8	197	283
2/10 x 6/8	212	298
3/0 x 6/8	212	298
4/0 x 6/8 Double Doors		459
4/8 x 6/8 Double Doors		505
5/0 x 6/8 Double Doors		505
6/0 x 6/8 Double Doors		553
PREHUNG UNIT INCLUDES:		
4-9/16" Primed Jamb, Primed Colonial Stop, (3) 4" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore. <i>See Page 1 for Standard Options & Page 40 for Handing Diagrams.</i> <i>Additional Options See Pages 33-40</i>		

1-3/4"	Door Only	Prehung 4-9/16" Primed Jamb
2/6 x 7/0	\$249	\$359
2/8 x 7/0	260	370
2/10 x 7/0	278	388
3/0 x 7/0	278	388
5/0 x 7/0 Double Doors		657
6/0 x 7/0 Double Doors		715
PREHUNG UNIT INCLUDES:		
4-9/16" Primed Jamb, Primed Colonial Stop, (3) 4" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore. <i>See Page 1 for Standard Options & Page 40 for Handing Diagrams.</i> <i>Additional Options See Pages 33-40</i>		



*See Page 30 for
Lite & Louver Options*

FLUSH DOORS

SOLID CORE • BIRCH



Birch
Solid Core Flush Door
Finished in Field



BIRCH

1-3/4"	Door Only	Prehung 4-9/16" Pine Veneer Wood Back Jamb
2/0 x 6/8	\$209	\$325
2/2 x 6/8	231	347
2/4 x 6/8	231	347
2/6 x 6/8	231	347
2/8 x 6/8	242	358
2/10 x 6/8	264	380
3/0 x 6/8	264	380
3/6 x 6/8	528	644
4/0 x 6/8 Double Doors		583
4/8 x 6/8 Double Doors		627
5/0 x 6/8 Double Doors		627
6/0 x 6/8 Double Doors		693

PREHUNG UNIT INCLUDES:

4-9/16" Pine Veneer Wood Back, Primed Colonial Stop,
(3) 4" Lite Brass, Colonial Bronze or Dull Nickel Hinges
& 2-1/8" Face Bore.

See Page 18 for Standard Options & Page 40 for Handling Diagrams.
Additional Options See Pages 33-40

1-3/8"	Door Only	Prehung 4-9/16" Pine Veneer Wood Back Jamb
1/6 x 6/8	\$159	\$275
2/0 x 6/8	203	319
2/2 x 6/8	227	343
2/4 x 6/8	227	343
2/6 x 6/8	227	343
2/8 x 6/8	239	355
2/10 x 6/8	261	377
3/0 x 6/8	261	377
3/0 x 6/8 Double Doors		483
4/0 x 6/8 Double Doors		571
4/8 x 6/8 Double Doors		619
5/0 x 6/8 Double Doors		619
6/0 x 6/8 Double Doors		687

PREHUNG UNIT INCLUDES:

4-9/16" Pine Veneer Wood Back, Primed Colonial Stop,
(3) 3-1/2" Lite Brass, Colonial Bronze or Dull Nickel Hinges
& 2-1/8" Face Bore.

See Page 18 for Standard Options & Page 40 for Handling Diagrams.
Additional Options See Pages 33-40

1-3/4"	Door Only	Prehung 4-9/16" Solid Pine
2/6 x 7/0	\$257	\$418
2/8 x 7/0	267	428
2/10 x 7/0	290	451
3/0 x 7/0	290	451
5/0 x 7/0 Double Doors		733
6/0 x 7/0 Double Doors		799

PREHUNG UNIT INCLUDES:

4-9/16" Pine Veneer Wood Back, Primed Colonial Stop,
(3) 4" Lite Brass, Colonial Bronze or Dull Nickel Hinges
& 2-1/8" Face Bore.

See Page 18 for Standard Options & Page 40 for Handling Diagrams.
Additional Options See Pages 33-40



See Page 30 for
Lite & Louver Options

FLUSH DOORS

SOLID CORE • RED OAK



RED OAK

1-3/8"	Door Only	Prehung 4-9/16" Oak Veneer Wood Back Jamb
1/6 x 6/8	\$162	\$306
2/0 x 6/8	204	348
2/4 x 6/8	233	377
2/6 x 6/8	233	377
2/8 x 6/8	252	396
3/0 x 6/8	273	417
3/0 x 6/8 Double Doors		522
4/0 x 6/8 Double Doors		606
4/8 x 6/8 Double Doors		664
5/0 x 6/8 Double Doors		664
6/0 x 6/8 Double Doors		744

PREHUNG UNIT INCLUDES:

4-9/16" Oak Veneer Wood Back, Primed Colonial Stop,
(3) 3-1/2" Lite Brass, Colonial Bronze or Dull Nickel Hinges
& 2-1/8" Face Bore.

See Page 1 for Standard Options & Page 40 for Handling Diagrams.
Additional Options See Pages 33-40

1-3/4"	Door Only	Prehung 4-9/16" Oak Veneer Wood Back Jamb
2/0 x 6/8	\$210	\$354
2/4 x 6/8	237	381
2/6 x 6/8	254	398
2/8 x 6/8	254	398
2/10 x 6/8	275	419
3/0 x 6/8	275	419
4/0 x 6/8 Double Doors		618
4/8 x 6/8 Double Doors		672
5/0 x 6/8 Double Doors		706
6/0 x 6/8 Double Doors		748

PREHUNG UNIT INCLUDES:

4-9/16" Oak Veneer Wood Back, Primed Colonial Stop,
(3) 4" Lite Brass, Colonial Bronze or Dull Nickel Hinges
& 2-1/8" Face Bore.

See Page 1 for Standard Options & Page 40 for Handling Diagrams.
Additional Options See Pages 33-40



1-3/4"	Door Only	Prehung 4-9/16" Solid Oak Jamb
2/6 x 7/0	\$251	\$514
2/8 x 7/0	266	529
2/10 x 7/0	287	550
3/0 x 7/0	287	550
5/0 x 7/0 Double Doors		846
6/0 x 7/0 Double Doors		918

PREHUNG UNIT INCLUDES:

4-9/16" Oak Veneer Wood Back, Primed Colonial Stop,
(3) 4" Lite Brass, Colonial Bronze or Dull Nickel Hinges
& 2-1/8" Face Bore.

See Page 1 for Standard Options & Page 40 for Handling Diagrams.
Additional Options See Pages 33-40



See Page 30 for
Lite & Louver Options

PREFINISHED EMBOSSED DOORS

HOLLOW OR SOLID CORE • IMPERIAL OAK

1-3/8"	Door Only Hollow Core	Prehung 4-9/16" PF Embossed Jamb
1/6 x 6/8	\$90	\$209
2/0 x 6/8	107	226
2/2 x 6/8	125	244
2/4 x 6/8	125	244
2/6 x 6/8	125	244
2/8 x 6/8	126	245
2/10 x 6/8	141	260
3/0 x 6/8	141	260
3/0 x 6/8 Double Doors		348
4/0 x 6/8 Double Doors		382
4/8 x 6/8 Double Doors		418
5/0 x 6/8 Double Doors		418
6/0 x 6/8 Double Doors		450

PREHUNG UNIT INCLUDES:

4-9/16" Prefinished Embossed Jamb, Prefinished Embossed Colonial Stop, (3) 3-1/2" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore.

See Page 1 for Standard Options & Page 40 for Handing Diagrams.

Additional Options See Pages 33-40

1-3/4"	Door Only Solid Core	Prehung 4-9/16" PF Embossed Jamb
3/0 x 6/8	\$260	\$379
6/0 x 6/8 Double Doors		688
1-3/8" Bifold Doors Only - Hollow Core		

2/0 x 6/8	147
2/6 x 6/8	161
3/0 x 6/8	176
4/0 x 6/8	294
5/0 x 6/8	321
6/0 x 6/8	351
<i>Bifold availability varies</i>	

PREHUNG UNIT INCLUDES:

4-9/16" Prefinished Embossed Jamb, Prefinished Embossed Colonial Stop, (3) 4" Lite Brass, Colonial Bronze or Dull Nickel Hinges & 2-1/8" Face Bore.

See Page 1 for Standard Options & Page 40 for Handing Diagrams.

Additional Options See Pages 33-40



IMPERIAL OAK

Lineal Embossed Mouldings				List Price
Base	3/8"x 2-3/4"	634 (COL)	14 Ft. 10 pcs/bdl.	3 LF
Casing	1/2" x 2-1/4"	356 (COL)	14 Ft. 10 pcs/bdl.	2 LF
Casing	1/2" x 2-1/4"	356 (COL)	6/8 Sds. 10 pcs/bdl.	11 EA.
Stop	3/8" x 1-1/4"	947 (COL)	6/8 Sds. 40 pcs/bdl.	6 EA.
Jamb	1 1/16" x 4-9/16"	-	6/8 Sds. 10 pcs/bdl.	24 EA.

Options: Jambs	Single Door	Double Door
4-9/16" Primed	-\$33	-\$39
4-13/16" Embossed Imperial Oak	15	18
4-1/4-4-3/4" Embossed Imperial Oak Split Jamb (Split Jamb 1-3/8" Door Only)	24	30
Casings Applied or Loose	Single	Double
1/2" x 2-1/4" 356 Embossed Imperial Oak Per Side	34	44
Hinges	Single	Double
3-1/2" & 4" Hinges	9	18
Antique Nickel, Brushed Chrome, Bright Chrome, Antique Brass, Bright Brass and Black		
Double Doors		
Pine Astragal	-	59
Flush Bolt (Bright Brass, Dull Nickel, Antique Nickel, Bright Chrome, Brushed Chrome, & Antique Brass)	-	33
2 Ball Catches (Bright Brass, Colonial Bronze or Satin Nickel)	-	30
2 Ball Catches (Antique Nickel, Antique Brass, Bright Chrome & Brushed Chrome)	-	34
Additional Options See Pages 33-40		



See Page 30 for
Lite & Louver Options


LITES & LOUVERS

Add installed prices listed below to door prices for complete installation price.					
		Door Lite Installed		Door Lite Only	
	Size	1-3/8"	1-3/4"	1-3/8"	1-3/4"
	4" x 24"	-	\$119	-	\$74
	6" x 36"	-	144	-	99
	10" x 10"	\$98	98	\$53	53
	20" x 24"	162	162	117	117
	20" x 64"	294	294	249	249
	24" x 36"	-	225	-	180
		Louver Installed		Louver Only	
	20" x 12"	210	210	165	165
	20" x 24"	303	-	258	-


7/0 BARN DOORS




Style *Primed* **CARRARA**
Slab Sizes 1/6, 2/0, 2/4, 2/6, 2/8, 2/10, 3/0



Style *Primed* **15 LITE**
Slab Sizes 3/0



Style *Primed* **FROSTED 3 LITE**
Slab Sizes 3/0, 3/6



Style *Primed* **FROSTED 4 LITE**
Slab Sizes 3/0




Style *Primed* **Z BAR PLANKED**
Slab Sizes 3/0, 3/6




Style *Primed* **K BAR PLANKED**
Slab Sizes 3/0

K AND Z BAR PLANKED



Planked available in sizes
3/0 x 7/0
3/6 x 7/0

FROSTED 4 LITE



Stile and Rail Construction
Smooth Surface
Pre-Routed Door Bottom

4 Lite available size
3/0 x 7/0

1-3/8" 7/0 BARN DOORS

List Price						
Dimensions	Primed Carrara	Primed 15 Lite	Primed Frosted 3 Lite	Primed Frosted 4 Lite	Primed Z Bar	Primed K Bar
1/6 x 7/0	\$309	-	-	-	-	-
2/0 x 7/0	338	-	-	-	-	-
2/4 x 7/0	362	-	-	-	-	-
2/6 x 7/0	362	-	-	-	-	-
2/8 x 7/0	368	-	-	-	-	-
2/10 x 7/0	383	-	-	-	-	-
3/0 x 7/0	383	\$443	\$531	\$546	\$402	\$426
3/6 x 7/0	-	-	585	603	437	458

CARRARA AND PRIMED 15 LITE




Solid Core Construction
Smooth Surface
Cove & Bead Sticking

Carrara available in sizes
1/6 x 7/0 2/8 x 7/0
2/0 x 7/0 2/10 x 7/0
2/4 x 7/0 3/0 x 7/0
2/6 x 7/0

15 Lite available size
3/0 x 7/0

BARN DOOR TRACK & HARDWARE

AVAILABLE FINISHES:



AVAILABLE BARN DOOR KIT OPTIONS:



Top of Door Mount Kit



Bent Strap Kit



Door Handle



Recessed Door Pull

BARN DOOR HARDWARE KITS

	List Price		
	Matte Black	Stainless Steel	Oil Rubbed Bronze
Top of Door Mount Kit - Track & Hardware: 78-3/4" Track BD101K	\$317	-	-
Top of Door Mount Kit - Track & Hardware: 90" Track BD101K	405	-	-
Bent Strap Mount Kit - Track & Hardware: 78-3/4" Track BD102K	317	\$344	\$365
Bent Strap Mount Kit - Track & Hardware: 90" Track BD102K	405	443	464

ADDITIONAL BARN DOOR HARDWARE


	List Price		
	Matte Black	Stainless Steel	Oil Rubbed Bronze
Door Handle BD450	\$15	\$15	\$15
Recessed Door Pull BD460	18	18	18
Track Joiner (Joins 2 Kits for Double Door Openings)	14	14	14
90" Barn Door Track	89	99	99

MOUNTING BOARDS

	List Price	
78" Mounting Board (Primed)	\$27	
90" Mounting Board (Primed)	30	

DOOR POCKETS & BYPASS TRACK


Sliding Door Pockets - K.D. Boxed Frame	List Price
3/0 x 6/8 (Door Sizes up to) FPD3068KD Universal Frame and Hardware	\$180
3/0 x 8/0 (Door Sizes up to) FPD3080KD Universal Frame and Hardware	255
Mullion Kit PD118P (Joins 2 kits together for double door opening)	15
Features:	
• Carton packaged - easy storage and handling • Steel stiffener reinforcement frame • Door thickness of 1-3/8" or 1-3/4" and weight up to 125 lbs. • Four wheel roller on v-groove jump proof track • Easy adjustment after installation • Cut marks for easy sizing to standard door widths	



Rough Opening		
Door Size	6/8 Height	8/0 Height
2/0	49-1/4"x 84-1/2"	49-1/4"x 100-1/2"
2/4	57-1/4"x 84-1/2"	57-1/4"x 100-1/2"
2/6	61-1/4"x 84-1/2"	61-1/4"x 100-1/2"
2/8	65-1/4"x 84-1/2"	65-1/4"x 100-1/2"
3/0	73-1/4"x 84-1/2"	73-1/4"x 100-1/2"



Bypass Track and Hardware	List Price
4/0 Aluminum #2200 Track and Hardware	\$32
5/0 Aluminum #2200 Track and Hardware	36
6/0 Aluminum #2200 Track and Hardware	41
4/0 Aluminum #2200F Track with Hardware	41
5/0 Aluminum #2200F Track with Hardware	47
6/0 Aluminum #2200F Track with Hardware	54
4/0 Aluminum #2222 Track with Hardware*	53
5/0 Aluminum #2222 Track with Hardware*	63
6/0 Aluminum #2222 Track with Hardware*	74



* Note: In stock in OH only. Special order in MI and PA.

PREHUNG JAMB OPTIONS

Single Door Prehung Jamb Option: (Use adder from appropriate starting base column)		Primed		Pine Veneer Wood Back		Oak Veneer Wood Back		Prefinished Embossed	
		Single	Double	Single	Double	Single	Double	Single	Double
4-9/16" Primed	6/8 Unit	Base	Base	-\$23	-\$27	-\$36	-\$42	-\$26	-\$30
4-9/16" Primed	7/0 Unit	Base	Base	-	-	-	-	-	-
4-9/16" Primed	8/0 Unit	Base	Base	-	-	-	-	-	-
4-13/16" Primed	6/8 Unit	\$8	\$9	-15	-18	-28	-33	-18	-21
4-13/16" Primed	7/0 Unit	32	36	-	-	-	-	-	-
4-13/16" Primed	8/0 Unit	54	63	-	-	-	-	-	-
5-1/4" Primed	6/8 Unit	38	45	15	18	2	3	12	15
6-9/16" Primed	6/8 Unit	38	45	15	18	2	3	12	15
6-9/16" Primed	7/0 Unit	69	81	-	-	-	-	-	-
6-9/16" Primed	8/0 Unit	69	81	-	-	-	-	-	-
6-7/8" Primed	7/0 Unit	98	116	-	-	-	-	-	-
6-7/8" Primed	7/0 Unit	98	116	-	-	-	-	-	-
6-7/8" Primed	7/0 Unit	98	116	-	-	-	-	-	-
6-7/8" Primed	8/0 Unit	98	116	-	-	-	-	-	-
6-7/8" Primed	8/0 Unit	98	116	-	-	-	-	-	-
6-7/8" Primed	8/0 Unit	98	116	-	-	-	-	-	-
7-1/4" Primed	6/8 Unit	53	63	30	36	17	21	27	33
Split Jamb Prehung Units: Require casing option from page 35.									

Continued on page 34.

PREHUNG JAMB OPTIONS













Single Door Prehung Jamb Option: (Use adder from appropriate starting base column)		Primed		Pine Veneer Wood Back		Oak Veneer Wood Back		Prefinished Embossed	
		Single	Double	Single	Double	Single	Double	Single	Double
4-9/16" Pine Veneer Wood Back	6/8 Unit	23	27	Base	Base	-13	-15	-3	-3
4-9/16" Solid Pine	6/8 Unit	38	45	15	18	2	3	12	15
4-9/16" Solid Pine	7/0 Unit	47	54	-	-	-	-	-	-
4-9/16" Solid Pine	8/0 Unit	47	54	-	-	-	-	-	-
5-1/4" Solid Pine	6/8 Unit	45	54	22	27	9	12	19	24
5-1/4" Solid Pine	7/0 Unit	32	36	-	-	-	-	-	-
6-9/16" Solid Pine	6/8 Unit	68	81	45	54	32	39	42	51
7-1/4" Solid Pine	6/8 Unit	158	189	135	162	122	147	132	159
7-1/4" Solid Pine	7/0 Unit	152	180	-	-	-	-	-	-
7-1/4" Solid Pine	8/0 Unit	152	180	-	-	-	-	-	-
9-1/4" Solid Pine	6/8 Unit	203	219	180	192	167	177	177	189
9-1/4" Solid Pine	7/0 Unit	197	210	-	-	-	-	-	-
9-1/4" Solid Pine	8/0 Unit	221	234	-	-	-	-	-	-
11-1/4" Solid Pine	6/8 Unit	305	357	297	354	284	339	294	351
11-1/4" Solid Pine	7/0 Unit	308	365	-	-	-	-	-	-
11-1/4" Solid Pine	8/0 Unit	311	371	-	-	-	-	-	-
4-9/16" Solid Poplar	6/8 Unit	59	69	36	42	23	27	33	39
4-9/16" Solid Poplar	7/0 Unit	87	102	-	-	-	-	-	-
4-9/16" Solid Poplar	8/0 Unit	92	110	-	-	-	-	-	-
4-13/16" Solid Poplar	6/8 Unit	119	141	96	114	83	99	93	111
4-13/16" Solid Poplar	7/0 Unit	76	89	-	-	-	-	-	-
4-13/16" Solid Poplar	8/0 Unit	79	95	-	-	-	-	-	-
6-9/16" Solid Poplar	6/8 Unit	141	168	118	141	105	126	115	138
6-9/16" Solid Poplar	7/0 Unit	144	171	-	-	-	-	-	-
6-9/16" Solid Poplar	8/0 Unit	144	171	-	-	-	-	-	-
7-1/4" Solid Poplar	7/0 Unit	182	216	-	-	-	-	-	-
7-1/2" Solid Poplar	8/0 Unit	152	180	-	-	-	-	-	-
9-1/4" Solid Poplar	6/8 Unit	215	249	207	246	194	231	204	243
9-1/4" Solid Poplar	7/0 Unit	218	255	-	-	-	-	-	-
9-1/4" Solid Poplar	8/0 Unit	221	263	-	-	-	-	-	-
4-9/16" Oak Veneer Wood Back	6/8 Unit	36	42	13	15	Base	Base	10	12
4-9/16" Solid Oak	6/8 Unit	119	141	96	114	83	99	93	111
4-9/16" Solid Oak	7/0 Unit	135	161	-	-	-	-	-	-
4-9/16" Solid Oak	8/0 Unit	125	147	-	-	-	-	-	-
4-13/16" Solid Oak	6/8 Unit	119	141	96	114	83	99	93	111
4-13/16" Solid Oak	7/0 Unit	135	161	-	-	-	-	-	-
5-1/4" Solid Oak	6/8 Unit	171	204	148	177	135	162	145	174
5-1/4" Solid Oak	7/0 Unit	173	206	-	-	-	-	-	-
6-9/16" Solid Oak	6/8 Unit	171	204	148	177	135	162	145	174
7-1/4" Solid Oak	6/8 Unit	231	276	208	249	195	234	205	246
7-1/4" Solid Oak	7/0 Unit	233	278	-	-	-	-	-	-
9-1/4" Solid Oak	6/8 Unit	315	378	292	351	279	336	289	348
9-1/4" Solid Oak	7/0 Unit	309	369	-	-	-	-	-	-
4-9/16" PF Embossed Imperial Oak	6/8 Unit	26	30	3	3	-10	-12	Base	Base
4-13/16" PF Embossed Imperial Oak	6/8 Unit	41	48	18	21	5	6	15	18
4-1/4 - 4-3/4" Primed Split Jamb	6/8 Unit	2	3	-21	-24	-34	-39	-24	-27
4-1/4 - 4-3/4" Solid Pine Split Jamb	6/8 Unit	62	75	39	48	26	33	36	45
4-1/4 - 4-3/4" PF Emb. Imperial Oak Split Jamb	6/8 Unit	65	78	42	51	29	36	39	48

Split Jamb Prehung Units: Require casing option from **page 35**.

Base Jamb Kit List Price: (Add to Special)	Primed		Pine Veneer Wood Back		Oak Veneer Wood Back		Prefinished Embossed	
	Single	Double	Single	Double	Single	Double	Single	Double
6/8 Base	\$60	\$87	\$83	\$114	\$96	\$129	\$86	\$117
7/0 Base	72	105	-	-	-	-	-	-
8/0 Base	75	111	-	-	-	-	-	-

Base Jamb Kit List Price: (Add to Special)	Solid Poplar		Solid Pine		Solid Oak	
	Single	Double	Single	Double	Single	Double
6/8 Base	\$119	\$156	\$98	\$132	\$179	\$228
7/0 Base	159	207	119	159	207	266
8/0 Base	167	221	122	165	200	258

PREHUNG DOOR OPTIONS

All prices are based on 3/0 x 6/8 and smaller (per door side)			
Cased Openings		Singles (Up to 3/0) price per door side	Doubles (3/6 to 6/0) price per door side
4-9/16" Primed Wood Back (K.D.)		\$69	\$102
For Assembled Cased Opening Add		17	18
Mitered Casing Sets			
	2-1/4" 356 Embossed Imperial Oak Casing	34	44
	11/16" x 2-1/4" 356 Primed MDF Casing	23	30
	MDF WM412 CRF Casing	68	78
	11/16" x 2-1/4" 327 Pine Casing	30	39
	11/16" x 2-1/4" 356 Pine Casing	30	39
	11/16" x 2-1/4" 376 Pine Casing	30	39
	11/16" x 2-1/2" 361 Pine Casing	34	44
	11/16" x 3-1/4" 445 Pine Casing	41	53
	11/16" x 2-1/4" 327 Primed Casing	23	30
	11/16" x 2-1/4" 366 Primed Casing	23	30
	11/16" x 2-1/4" 356 Primed Casing	26	35
	11/16" x 2-1/4" 376 Primed Casing	26	35
	11/16" x 3-1/4" 445 Primed Casing	30	39
	11/16" x 3-1/4" 444 Primed Casing	38	45
	11/16" x 2-5/8" CM1 Primed Casing	42	60
	11/16" x 2-3/4" CM 299 Primed Casing	42	60
	11/16" x 3-1/2" CM 450 Primed Casing	42	60
	9/16" x 2-1/4" 356 Red Oak Casing	71	89


* Varies by location. Additional lead time may apply.

PREHUNG DOOR OPTIONS

Double Door Options:		
Double Door		Single x 2
Primed Astragal Applied 6/8 & 7/0 Units – for 1-3/8"(Add 1/2" to R.O. see page 40)		\$54
Pine Astragal Applied 6/8 & 7/0 Units (Add 1/2" to R.O. see page 1)		59
Pine Astragal Applied 8/0 Units (Add 1/2" to R.O. see page 1)		71
Poplar Astragal Applied 6/8 & 7/0 – for 1-3/8" Doors Only (Add 1/2" to R.O. see page 1)		69
Poplar Astragal Applied 8/0 Units – for 1-3/8" Doors Only (Add 1/2" to R.O. see page 1)		75
Poplar Astragal Applied 8/0 Units – for 1-3/4" Doors Only (Add 1/2" to R.O. see page 1)		80
Oak Astragal Applied 6/8, 7/0 & 8/0 Units – for 1-3/8" (Add 1/2" to R.O. see page 1)		101
Oak Astragal Applied 6/8, 7/0 & 8/0 Units – for 1-3/4" (Add 1/2" to R.O. see page 1)		135
Flush Bolt Installed (Bright Brass, Bright Chrome, Brushed Chrome, Dull Nickel, Antique Nickel, Colonial Bronze or Antique Brass)		33 ea.
2-Ball Catches Installed (Bright Brass, Colonial Bronze or Satin Nickel)		30 / pair
2-Ball Catches Installed (Bright Chrome, Brushed Chrome, Antique Nickel or Antique Brass)		34 / pair
Reducing Options:		
Reduce Jamb Width - use next size up and add		12
Reduce Door Width - 1/2" Maximum (1/4" per side) 1/8 (1/16" each side) on Oak and Poplar Panel Doors		60
Reduce Height - Molded, Wood Panel, French, and Solid or Hollow Core Flush Doors		78
<i>Reduce Height & Width Bifolds are Special Order (Reducing Door Size May Affect Manufacturer Warranty)</i>		
Machining Options:		
Machine Door Only for Entry & Hinges (our standard)	(Per Door)	20
Set Up Charge for Custom Machining - applies to the following items:	(Per Specification)	99
Machine Door Only (Custom - Other than our standard)	(Per Door)	125
Machine for T-Strike on Jamb	(Per Door)	24
Prep for Square Corner Hinges	(Per Door)	35
Prep for Mortise Lock (Must have lock & template)	(Per Door)	198

PREHUNG DOOR OPTIONS

Weatherstrip



Features:

- Available for all interior door types
- Compression weatherstrip in kerfed primed wood stops
- Door sweep shipped loose
- Interior applications separating warm to cold areas
- Ideal for attics or basements
- Energy savings

List Price	
3/0 x 6/8 units or smaller (Add to any single prehung door unit list price)	\$89

Dutch Door



Features:

- Available for flush interior hollow or solid core doors
- Interior non-weatherstripped applications
- Ideal for top of stairways
- Top and bottom doors or bottom door only
- Shelf applied option
- Dutch Door sections 40" top and bottom
- Bore option lower half only standard. Top door bore optional
- No surface bolt included

		List Price
3/0 x 6/8 units or smaller (Add to prehung flush door single unit list price)		\$213
Optional Shelf	Primed Wood	90
	Solid Pine	120
	Solid Poplar	146
	Solid Oak	158

PREHUNG DOOR HINGE OPTIONS



	1-3/8" - 6/8						1-3/8" - 8/0					
	3-1/2" Standard		Ball Bearing		Ball Bearing (Square)		Standard		Ball Bearing		Ball Bearing (Square)	
Finishes	Single	Double	Single	Double	Single	Double	Single	Double	Single	Double	Single	Double
Antique Brass	\$9	\$18	-	-	-	-	\$12	\$24	-	-	-	-
Antique Nickel	9	18	-	-	-	-	12	24	-	-	-	-
Black	9	18	\$18	\$36	-	-	12	24	\$24	\$48	-	-
Bright Brass	9	18	18	36	\$78	\$156	12	24	24	48	\$96	\$192
Bright Chrome	9	18	-	-	-	-	12	24	-	-	-	-
Brushed Chrome	9	18	-	-	-	-	12	24	-	-	-	-
Colonial Bronze	Base	Base	18	36	78	156	Base	Base	24	48	96	192
Lite Brass	Base	Base			-	-	Base	Base	-	-	-	-
Primed	Base	Base	-	-	-	-	Base	Base	-	-	-	-
Dull Nickel	Base	Base	18*	36*	78*	156*	Base	Base	24*	48*	96*	192*

*Ball Bearing Satin nickel US15


	1-3/4" - 6/8						1-3/4" - 8/0					
	4" Standard		Ball Bearing		Ball Bearing (Square)		Standard		Ball Bearing		Ball Bearing (Square)	
Finishes	Single	Double	Single	Double	Single	Double	Single	Double	Single	Double	Single	Double
Antique Brass	\$9	\$18	\$27	\$54	-	-	\$12	\$24	\$36	\$72	-	-
Antique Nickel	9	18	27	54	-	-	12	24	36	72	-	-
Black	9	18	27	54	-	-	12	24	36	72	-	-
Bright Brass	9	18	18	36	\$78	\$156	12	24	24	48	\$96	\$192
Bright Chrome	9	18	27	54	-	-	12	24	36	72	-	-
Brushed Chrome	9	18	27	54	-	-	12	24	36	72	-	-
Colonial Bronze	Base	Base	18	36	78	156	Base	Base	24	48	96	192
Lite Brass	Base	Base	18	36	-	-	Base	Base	24	48	-	-
Primed	Base	Base	-	-	-	-	Base	Base	-	-	-	-
Dull Nickel	Base	Base	18*	36*	78*	156*	Base	Base	24*	48*	96*	192*
Stainless Steel	3	6	-	-	-	-	5	10	-	-	-	-

*Ball Bearing Satin nickel US15


Double Action Pivot Hinge	Single
US26D Brushed Chrome	\$377



MACHINING SPECIFICATIONS





3-1/2" Hinges			
	6/8	7/0	8/0
A.	7"	7"	7"
B.	36-1/4"	38-1/4"	31-3/4"
C.	65-1/2"	69-1/2"	56-5/8"
	N/A	N/A	81-1/2"
4" Hinges			
	6/8	7/0	8/0
A.	6-3/4"	6-3/4"	6-3/4"
B.	36"	38"	31-1/2"
C.	65-1/4"	69-1/4"	56-3/8"
	N/A	N/A	81-1/4"




Top of Door to Center of Lock Prep		
6/8	7/0	8/0
44"	48"	60"

Hardware
Installed in prehung unit as shown
(For pricing see page 36)



Astragal with
Flush Bolt



Ball Catch

OPENINGS AND HANDINGS

Prehung Door Unit Rough Opening (measure stud to stud & finish floor)


WIDTH		HEIGHT	
Door Size	Rough Opening	Door Size	Rough Opening
1/0 (12")	14"	6/8 (80")	82-1/4"
1/2 (14")	16"	7/0 (84")	86-1/4"
1/3 (15")	17"	8/0 (96")	98-1/4"
1/4 (16")	18"	<i>Double Door Units with an astragal add 1/2" to the Width</i>	
1/6 (18")	20"		
1/8 (20")	22"		
1/10 (22")	24"		
2/0 (24")	26"		
2/2 (26")	28"		
2/4 (28")	30"		
2/6 (30")	32"		
2/8 (32")	34"		
2/10 (34")	36"		
3/0 (36")	38"		
3/6 (42")	44"		
4/0 (48")	50"		
4/8 (56")	58"		
5/0 (60")	62"		
5/4 (64")	66"		
6/0 (72")	74"		

Bifold Door Unit Finish Opening (measure drywall to drywall & finish floor)

WIDTH		HEIGHT	
Door Size	Finish Opening	Door Size	Finish Opening
2/0	24"	6/7 (79")	80-1/2"
2/6	30"		
2/8	32"		
3/0	36"		
4/0	48"		
5/0	60"		
6/0	72"		

Door Handings

Single Prehung



Double Prehung



Door Care

The number one cause of wood door failure is not finishing all six surfaces properly. All ends and edges, in addition to the two faces of a door, must be finished with a high quality sealer in order to prevent undue moisture absorption. See complete care and handling instructions in each manufacturer's brochure. Failure to follow these procedures voids any warranties.

For more information on MMI DOOR
products and services, please visit:

www.mmidoor.com



MMI DOOR LOCATIONS

Michigan (HQ)

6361 Sterling Drive North
Sterling Heights, MI 48312
586.264.0950
800.686.9218
Fax: 586.264.5430

Ohio

400 Circle Freeway Drive
Cincinnati, OH 45246
513.874.6771
800.215.3770
Fax: 513.870.0242

Pennsylvania

172 Plummer Road
Sidman, PA 15955
814.487.7800
800.452.0251
Fax: 814.487.7850

© 2022 MMI DOOR All Rights Reserved.
MMIMIDPRICE • 07/22

Frosted 3 Lite
Primed Barn Door
Finished in Field