



# INTERIOR DOORS

REEB® IN-STOCK INTERIOR STILE & RAIL CATALOG





# Introduction



## Interior Doors

Interior stile and rail doors are made from real wood bringing a warmth to any home. Reeb® stocks a number of species and designs to ensure that the style you are looking for is available. Reeb offers choices and options to help make the house feel like a home.



# Table of Contents

---

<b>Wood Species</b> .....	4	<b>Knotty Pine</b> .....	34	<b>Rabbeted Jambs</b> .....	60
<b>Glass Options</b> .....	6	11/16" Double Hip Raised Panel.....	34	Single Rabbeted.....	60
<b>Get Creative</b> .....	7	<b>Douglas Fir</b> .....	36	Double Rabbeted.....	60
<b>Wood Doors Construction</b> .....	8	3/8" Flat Panel.....	36	<b>Split Jambs</b> .....	61
<b>Ponderosa Pine</b> .....	10	Double Hip Raised Panel.....	40	<b>Sills</b> .....	61
1-3/16" Double Hip Raised Panel.....	10	3/4" Double Hip Raised Panel.....	41	<b>Hinges</b> .....	62
9/16" Single Hip Raised Panel.....	12	1-3/16" Double Hip Raised Panel.....	41	Baldwin®.....	63
1/4" Flat Panel.....	14	French, Clear Glass.....	42	Emtek®.....	64
Café Doors.....	15	French, White Laminate Glass.....	43	Reeb® Specialty Products.....	65
French, 1-5/16" Bar, Clear Glass.....	16	French, 1-1/4" Bar.....	44	<b>Locks</b> .....	66
French, 1" TDL Bar, Clear Glass.....	18	French, 1-1/4" Bar, Clear Glass.....	45	<b>Barn Doors</b> .....	70
French, Clear Glass.....	18	French, 1-1/4" Bar, Satin Etch Glass.....	45	Woodgrain, Ponderosa Pine.....	70
French, V-Groove Glass.....	19	Decorative Glass.....	46	Woodgrain, Knotty Alder.....	71
Transoms, Clear Glass.....	19	20 Minute Fire Rated Doors.....	48	<b>Barn Door Hardware</b> .....	72
<b>White Pine</b> .....	20	3/4" Fire Rated Flat Panel.....	49	Goldberg, Finish Options.....	72
27/64" Single Hip Raised Panel.....	20	1-7/16" Fire Rated Raised Panel.....	49	<b>Stile &amp; Rail Dimensions</b> .....	74
French, 1-1/4" Bar, Clear Glass.....	22	<b>Maple</b> .....	50	<b>Finishing</b> .....	78
French, 1-1/4" Bar, Frit Glass.....	23	3/8" Flat Panel.....	50	<b>Educational Tools</b> .....	79
<b>Plantation Pine</b> .....	24	<b>Knotty Alder</b> .....	52		
11/16" Double Hip Raised Panel.....	24	1-1/8" V-Groove Plank Raised Panel.....	53		
9/16" Single Hip Raised Panel.....	26	1-3/16" Aspen Raised Panel.....	53		
3/8" Flat Panel.....	28	<b>Red Oak</b> .....	54		
French, 1-3/8" Bar, Clear Glass.....	30	3/4" Double Hip Raised Panel.....	55		
French, Clear Glass.....	31	French, 1-1/4" Bar, Clear Glass.....	56		
<b>Pine Louvers</b> .....	32	<b>Flat Jambs</b> .....	58		
Ponderosa Pine Louvers.....	33	Stops.....	59		
Plantation Pine Louvers.....	33				



# Wood Species

Reeb® stocks a variety of wood species to match any home's design. Staining a door brings a layer of beauty and sophistication to an area. Each species of wood has different characteristics, colors, and grain patterns which affect the stain application. To help understand which doors stain well and which are better painted, Reeb has created icons which identify the stainability of a species.



**EASY**  
STAINABILITY



**MODERATE**  
STAINABILITY



**DIFFICULT**  
STAINABILITY



**PONDEROSA PINE - \$** **PAGE** 10 - 19, 33 (Louvers)



**WHITE PINE - \$** **PAGE** 20 - 23



**PLANTATION PINE - \$** **PAGE** 24 - 31, 33 (Louvers)




**KNOTTY PINE - \$** **PAGE** 34 - 35






FIR - \$\$

PAGE 36 - 49




MAPLE - \$\$

PAGE 50 - 51



KNOTTY ALDER - \$\$

PAGE 52 - 53



RED OAK - \$\$\$

PAGE 54 - 57

See pages 8 - 9 for more information on Interior Wood door construction.



# Glass Options

Glass brings additional natural light and warmth into a room. Clear glass brings the maximum natural light flow while frit or satin etch glass add privacy. To easily identify the level of privacy, a privacy indicator is included with each glass type below.



Clear glass provides the maximum amount of light with no privacy; Reeb's stock of clear glass is tempered.



Clear Beveled glass has a bevel to the edge of the glass to provide a decorative element.



Satin Etch glass is semi-opaque glass with an etched frosted texture on one side that resists dirt.



White Laminate glass offers the highest level of privacy with a vinyl interlayer between 2 pieces of glass, resulting in a smooth surface on both sides.



Frit glass in non-primed wood doors is a non-porous, semi-opaque glass with a texture on one side. The glass has a bright white appearance.



# Get Creative

Add a level of creativity to the home by choosing one of these unique door styles.



DECORATIVE - F88421



DECORATIVE - F88464



ART ON SATIN ETCH - F1590



MAGNETIC CHALKBOARD - F1120



## Special Order Products

Reeb's in-stock collection includes many design options for your convenience, however the possibilities are endless. If you do not see what you are looking for in this catalog, it is likely we can still create it as a special order product.

Contact your Reeb representative for custom door designs.




# Wood Doors

## CONSTRUCTION

For homeowners seeking a classic look, authentic stile and rail doors offer a level of detail and definition that cannot be matched. Stile and rail construction is architecturally correct and provides crisp shadow lines and highly defined panel details. Staining an interior wood door protects and enhances the natural beauty of real wood. Any door can be painted, however Reeb stocks Primed Stile and Rail doors that are specifically designed for this purpose. **For more information, go to [reeb.com/catalogs](https://reeb.com/catalogs).**

- 1 Stile:** The stiles have a solid engineered core for added strength and stability.
- 2 Rail:** The rails are also made of solid engineered core.
- 3 Panel/Glass:** Panels can be wood to create a solid door, or replaced with glass to create a French door.
- 4 Dowel Pins:** Dowel pins are used to join the stiles and rails together.
- 5 Veneer:** A veneer is added over the core to create a smooth staining or painting surface.




### Sharp Detail

Door components in a wood stile and rail door join together creating sharp shadow lines and greater definition.



### Architectural Correctness

Each door is made with perfectly proportioned stiles, rails and panels that are created individually to ensure that every door is architecturally correct.



### Panel Design



Doors can be designed with 3/8" flat panels or raised panels with an option of single hip or double hip.



### Finishing

The surface of the door can be painted or stained depending on the wood species. Some species are easier to stain than others and we identify this with a "stainability" icon. **See page 4.**





#### **Solid Engineered Core**

The interior of a wood stile and rail door has a solid engineered core adding stability and reducing sound transmission.



#### **Dowel Pins**

Traditional dowel pin construction creates a secure joint, connecting stile and rail components together.



#### **Veneer**

A high-quality veneer is applied on top of the core for a perfect staining or painting surface.



# Ponderosa Pine



## 1-3/16" DOUBLE HIP RAISED PANEL

Ponderosa Pine is one of America's most abundant tree species. It has straight, uniform grain with minimal amounts of reddish-brown heartwood. The sapwood has wide growth bands, which are honey-toned or straw-colored.





1-3/16" Double Hip Raised Panel, Ovolo Sticking



Species Close Up



Ovolo Sticking



Panel Profile



## 1-3/16" DOUBLE HIP RAISED PANEL



WG

### P82 1-3/8"

1-3/16" Raised Panel,  
Ovolo Sticking

1/0 x 6/8	1/6 x 6/8	2/4 x 6/8	3/0 x 6/8
1/2 x 6/8	1/8 x 6/8	2/6 x 6/8	
1/3 x 6/8	1/10 x 6/8	2/8 x 6/8	
1/4 x 6/8	2/10 x 6/8	2/10 x 6/8	



WG

### P82A 1-3/8"

1-3/16" Raised Panel,  
Ovolo Sticking

1/0 x 6/8	1/6 x 6/8	2/4 x 6/8	3/0 x 6/8
1/2 x 6/8	1/8 x 6/8	2/6 x 6/8	
1/3 x 6/8	1/10 x 6/8	2/8 x 6/8	
1/4 x 6/8	2/10 x 6/8	2/10 x 6/8	



WG

### P64 1-3/8"

1-3/16" Raised Panel,  
Ovolo Sticking

1/6 x 6/8	2/8 x 6/8
2/10 x 6/8	3/0 x 6/8
2/4 x 6/8	
2/6 x 6/8	



P82, Woodgrain



# Ponderosa Pine



## 9/16" SINGLE HIP RAISED PANEL


Ponderosa Pine is one of America's most abundant tree species. It has straight, uniform grain with minimal amounts of reddish-brown heartwood. The sapwood has wide growth bands, which are honey-toned or straw-colored.





9/16" Single Hip Raised Panel, Ovolo Sticking



Species Close Up



Ovolo Sticking



Panel Profile



## 9/16" SINGLE HIP RAISED PANEL

Bifolds are carton packed with track and hardware.



### P44 1-3/8"

9/16" Raised Panel, Ovolo Sticking

1/0 x 6/0	1/0 x 6/6	1/0 x 6/8	1/0 x 7/0
1/2 x 6/0	1/2 x 6/6	1/2 x 6/8	1/2 x 7/0
1/3 x 6/0	1/3 x 6/6	1/3 x 6/8	1/3 x 7/0
1/4 x 6/0	1/4 x 6/6	1/4 x 6/8	1/4 x 7/0
1/6 x 6/0	1/6 x 6/6	1/6 x 6/8	1/6 x 7/0
1/8 x 6/0	1/8 x 6/6	1/8 x 6/8	1/8 x 7/0
2/0 x 6/0	2/0 x 6/6	2/0 x 6/8	2/0 x 7/0
2/2 x 6/0	2/2 x 6/6	2/2 x 6/8	2/2 x 7/0
2/4 x 6/0	2/4 x 6/6	2/4 x 6/8	2/4 x 7/0
2/6 x 6/0	2/6 x 6/6	2/6 x 6/8	2/6 x 7/0
2/8 x 6/0	2/8 x 6/6	2/8 x 6/8	2/8 x 7/0
3/0 x 6/0	3/0 x 6/6	2/8 x 6/8	2/10 x 7/0
		2/10 x 6/8	3/0 x 7/0
		3/0 x 6/8	



### P44 BIFOLD 1-3/8"

9/16" Raised Panel, Ovolo Sticking

2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8
4/0 x 6/8
4/8 x 6/8
5/0 x 6/8
5/4 x 6/8
6/0 x 6/8



### P45 1-3/8"

9/16" Raised Panel, Ovolo Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



### P85 1-3/8"

9/16" Raised Panel, Ovolo Sticking

1/3 x 6/8
1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



### P108 1-3/8"

9/16" Raised Panel, Ovolo Sticking

1/0 x 6/0	1/0 x 6/6	1/0 x 6/8	1/0 x 7/0
1/2 x 6/0	1/2 x 6/6	1/2 x 6/8	1/2 x 7/0
1/3 x 6/0	1/3 x 6/6	1/3 x 6/8	1/3 x 7/0
1/4 x 6/0	1/4 x 6/6	1/4 x 6/8	1/4 x 7/0
1/6 x 6/0	1/6 x 6/6	1/6 x 6/8	1/6 x 7/0
1/8 x 6/0	1/8 x 6/6	1/8 x 6/8	1/8 x 7/0
2/0 x 6/0	2/0 x 6/6	2/0 x 6/8	2/0 x 7/0
2/2 x 6/0	2/2 x 6/6	2/2 x 6/8	2/2 x 7/0
2/4 x 6/0	2/4 x 6/6	2/4 x 6/8	2/4 x 7/0
2/6 x 6/0	2/6 x 6/6	2/6 x 6/8	2/6 x 7/0
2/8 x 6/0	2/8 x 6/6	2/8 x 6/8	2/8 x 7/0
3/0 x 6/0	3/0 x 6/6	2/8 x 6/8	2/10 x 7/0
		2/10 x 6/8	3/0 x 7/0
		3/0 x 6/8	



### P108 BIFOLD 1-3/8"

9/16" Raised Panel, Ovolo Sticking

2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8
4/0 x 6/8
4/8 x 6/8
5/0 x 6/8
5/4 x 6/8
6/0 x 6/8



### P67 1-3/8"

9/16" Raised Panel, Ovolo Sticking

1/4 x 6/8
1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



### P1088 1-3/8"

9/16" Raised Panel, Ovolo Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



# Ponderosa Pine

## 1/4" FLAT PANEL

Ponderosa Pine is one of America's most abundant tree species. It has straight, uniform grain with minimal amounts of reddish-brown heartwood. The sapwood has wide growth bands, which are honey-toned or straw-colored.



1/4" Flat Panel




**P4127 1-3/8"**  
1/4" Flat Panel,  
Picture Frame Layout



2/0 x 6/8    3/0 x 6/8  
2/4 x 6/8  
2/6 x 6/8  
2/8 x 6/8



Species Close Up



Picture Frame Layout



Panel Profile



# Ponderosa Pine

## CAFÉ DOORS



**P733**, Woodgrain

All Café doors are boxed with brass hardware



**P508 1-1/8"**

9/16" Raised Panel, Ovolo Sticking

2/6 x 3/7-1/2" 2/8 x 3/7-1/2" 3/0 x 3/7-1/2"



**P733 1-1/8"**

1-1/4" Louver Slats

2/6 x 3/7-1/2" 2/8 x 3/7-1/2" 3/0 x 3/7-1/2"



# Ponderosa Pine

## FRENCH - 1-5/16" BAR




Ponderosa Pine is one of America's most abundant tree species. It has straight, uniform grain with minimal amounts of reddish-brown heartwood. The sapwood has wide growth bands, which are honey-toned or straw-colored.



1-5/16" Bar with Clear Glass



1-5/16" Bar Close Up



1-5/16" Bar Profile



P1515B, Clear Beveled Glass



## 1-5/16" BAR

Bifolds are carton packed with track and hardware.



**P1509 1-3/8"**  
1-5/16" Bar, Clear Glass  
2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



**P1505 1-3/8"**  
1-5/16" Bar, Clear Glass  
1/0 x 6/8 2/6 x 6/8  
1/2 x 6/8 2/8 x 6/8  
1/3 x 6/8 3/0 x 6/8  
1/4 x 6/8  
1/6 x 6/8



**P1510 1-3/8"**  
1-5/16" Bar, Clear Glass  
1/8 x 6/8 2/0 x 7/0  
1/10 x 6/8  
2/0 x 6/8  
2/2 x 6/8  
2/4 x 6/8  
2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



**P1515 1-3/8"**  
1-5/16" Bar, Clear Glass  
2/4 x 6/8 2/4 x 7/0  
2/6 x 6/8 2/6 x 7/0  
2/8 x 6/8 2/8 x 7/0  
2/10 x 6/8 3/0 x 7/0  
3/0 x 6/8



**P1515B 1-3/8"**  
1-5/16" Bar, Clear Beveled Glass  
2/4 x 6/8  
2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



**P1705 BIFOLD 1-3/8"**  
1-5/16" Bar, Clear Glass  
2/0 x 6/8 4/0 x 6/8  
2/6 x 6/8 5/0 x 6/8  
2/8 x 6/8 5/4 x 6/8  
3/0 x 6/8 6/0 x 6/8



**P1512 1-3/8"**  
1-5/16" Bar, Clear Glass  
2/0 x 8/0



**P1518 1-3/8"**  
1-5/16" Bar, Clear Glass  
2/4 x 8/0  
2/6 x 8/0  
2/8 x 8/0  
3/0 x 8/0



# Ponderosa Pine

## FRENCH



Ponderosa Pine is one of America's most abundant tree species. It has straight, uniform grain with minimal amounts of reddish-brown heartwood. The sapwood has wide growth bands, which are honey-toned or straw-colored.



1" TDL Bar with Clear Glass

### 1" TDL BAR



#### P1510FC 1-3/8"

1" TDL Bar, Clear Glass


2/0 x 6/8  
2/4 x 6/8



#### P1515FC 1-3/8"

1" TDL Bar, Clear Glass

2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



1" TDL Bar Profile


### CLEAR GLASS



#### P1501 1-3/8"

Clear Glass

2/0 x 6/8	2/8 x 6/8	2/0 x 7/0	2/8 x 7/0
2/2 x 6/8	2/10 x 6/8	2/2 x 7/0	3/0 x 7/0
2/4 x 6/8	3/0 x 6/8	2/4 x 7/0	
2/6 x 6/8		2/6 x 7/0	



Full Lite Profile




## V-GROOVE




### P3915 V-GROOVE 1-3/8"

V-Groove Glass

2/4 x 6/8  
2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



V-Groove Close Up



5/32" V-Groove Glass

# Transoms

## CLEAR GLASS



### T001

Clear Glass

2/6, 2/8 & 3/0 for use with Single Door  
4/0 for use of 2/0 Double Door

2/6 x 1/0    4/0 x 1/0  
2/8 x 1/0    5/0 x 1/0  
3/0 x 1/0    6/0 x 1/0



### T003

Divided Lites, Clear Glass  
For use with Single Door

2/6 x 1/0  
2/8 x 1/0  
3/0 x 1/0



### T004

Divided Lites, Clear Glass

For use with 2/0 Double Door

4/0 x 1/0



### T005

Divided Lites, Clear Glass

5/0 x 1/0 for use with 2/6 Double Door

6/0 x 1/0 for use with 3/0 Double Door

5/0 x 1/0  
6/0 x 1/0



# White Pine




## 27/64" SINGLE HIP RAISED PANEL

White Pine is a straight grained wood with a fine uniform texture. The heartwood is a creamy white, pale yellow or light brown while the sapwood is a creamy white.





27/64" Single Hip Raised Panel, Ovolo Sticking



Species Close Up



Ovolo Sticking



Panel Profile



## 27/64" SINGLE HIP RAISED PANEL

Bifolds are carton packed with track and hardware.



### P1053 1-3/8"

27/64" Raised Panel,  
Ovolo Sticking

1/6 x 6/6	1/0 x 6/8	2/0 x 6/8
2/0 x 6/6	1/2 x 6/8	2/2 x 6/8
2/4 x 6/6	1/3 x 6/8	2/4 x 6/8
2/6 x 6/6	1/4 x 6/8	2/6 x 6/8
2/8 x 6/6	1/6 x 6/8	2/8 x 6/8
3/0 x 6/6	1/8 x 6/8	2/10 x 6/8
	1/10 x 6/8	3/0 x 6/8



### P1053 BIFOLD 1-3/8"

27/64" Raised Panel,  
Ovolo Sticking

2/0 x 6/8	5/0 x 6/8
2/4 x 6/8	5/4 x 6/8
2/6 x 6/8	6/0 x 6/8
2/8 x 6/8	
3/0 x 6/8	
4/0 x 6/8	
4/8 x 6/8	



### P1051 1-3/8"

27/64" Raised Panel,  
Ovolo Sticking


1/6 x 6/6	1/0 x 6/8	2/0 x 6/8
2/0 x 6/6	1/2 x 6/8	2/2 x 6/8
2/4 x 6/6	1/3 x 6/8	2/4 x 6/8
2/6 x 6/6	1/4 x 6/8	2/6 x 6/8
2/8 x 6/6	1/6 x 6/8	2/8 x 6/8
3/0 x 6/6	1/8 x 6/8	2/10 x 6/8
	1/10 x 6/8	3/0 x 6/8



### P1051 BIFOLD 1-3/8"

27/64" Raised Panel,  
Ovolo Sticking

2/0 x 6/8	5/0 x 6/8
2/4 x 6/8	5/4 x 6/8
2/6 x 6/8	6/0 x 6/8
2/8 x 6/8	
3/0 x 6/8	
4/0 x 6/8	
4/8 x 6/8	



P1051, Reeb Specialty Products



# White Pine

## FRENCH



White Pine is a straight grained wood with a fine uniformed texture. The heartwood is a creamy white, pale yellow or light brown while the sapwood is a creamy white.



1-1/4" Bar, Clear Glass

### CLEAR GLASS



#### P3911 1-3/8"

1-1/4" Bar, Clear Glass


1/8 x 6/8    2/4 x 6/8    2/0 x 7/0  
1/10 x 6/8    2/6 x 6/8  
2/0 x 6/8    2/8 x 6/8  
2/2 x 6/8    3/0 x 6/8



#### P3912 1-3/8"

1-1/4" Bar, Clear Glass

2/4 x 6/8    2/4 x 7/0  
2/6 x 6/8    2/6 x 7/0  
2/8 x 6/8    2/8 x 7/0  
2/10 x 6/8    3/0 x 7/0  
3/0 x 6/8



1-1/4" Bar Profile





1-1/4" Bar, Frit Glass

## FRIT GLASS



**P3911F 1-3/8"**  
1-1/4" Bar, Frit Glass

1/8 x 6/8    2/6 x 6/8  
1/10 x 6/8    2/8 x 6/8  
2/10 x 6/8    3/0 x 6/8  
2/2 x 6/8  
2/4 x 6/8




**P3912F 1-3/8"**  
1-1/4" Bar, Frit Glass

2/4 x 6/8  
2/6 x 6/8  
2/8 x 6/8  
2/10 x 6/8  
3/0 x 6/8



**P3901F 1-3/8"**  
Frit Glass

2/10 x 6/8  
2/4 x 6/8  
2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



Full Lite Profile



# Plantation Pine

## 11/16" DOUBLE HIP RAISED PANEL

Plantation Pine has a distinctive grain pattern with a pale cream color. It tends to be harder than other pine species and has fewer knots.





11/16" Double Hip Raised Panel, Ovolo Sticking



Species Close Up



Ovolo Sticking



Panel Profile



## 11/16" DOUBLE HIP RAISED PANEL

Bifolds are carton packed with track and hardware.



RSP

### IP22V 1-3/8"

11/16" V-Groove Raised Panel,  
Ovolo Sticking

1/0 x 6/8	1/6 x 8/0
1/3 x 6/8	2/0 x 8/0
1/6 x 6/8	2/4 x 8/0
2/0 x 6/8	2/6 x 8/0
2/4 x 6/8	2/8 x 8/0
2/6 x 6/8	2/10 x 8/0
2/8 x 6/8	3/0 x 8/0
2/10 x 6/8	
3/0 x 6/8	



RSP

1/0 - 1/6

### IP44 1-3/8"

11/16" Raised Panel,  
Ovolo Sticking

1/0 x 6/8	1/6 x 8/0
1/3 x 6/8	2/0 x 8/0
1/6 x 6/8	2/4 x 8/0
2/0 x 6/8	2/6 x 8/0
2/4 x 6/8	2/8 x 8/0
2/6 x 6/8	2/10 x 8/0
2/8 x 6/8	3/0 x 8/0
2/10 x 6/8	
3/0 x 6/8	



RSP

### IP44 BIFOLD 1-3/8"

11/16" Raised Panel,  
Ovolo Sticking

2/0 x 6/8
2/6 x 6/8
3/0 x 6/8
4/0 x 6/8
5/0 x 6/8
6/0 x 6/8



RSP

1/0 - 1/10

### IP66 1-3/8"

11/16" Raised Panel,  
Ovolo Sticking

1/0 x 6/8	2/0 x 6/8	1/6 x 8/0
1/2 x 6/8	2/2 x 6/8	2/0 x 8/0
1/3 x 6/8	2/4 x 6/8	2/4 x 8/0
1/4 x 6/8	2/6 x 6/8	2/6 x 8/0
1/6 x 6/8	2/8 x 6/8	2/8 x 8/0
1/8 x 6/8	2/10 x 6/8	2/10 x 8/0
1/10 x 6/8	3/0 x 6/8	3/0 x 8/0



RSP

### IP66 BIFOLD 1-3/8"

11/16" Raised Panel,  
Ovolo Sticking

2/0 x 6/8
2/6 x 6/8
3/0 x 6/8
4/0 x 6/8
5/0 x 6/8
6/0 x 6/8



# Plantation Pine

## 9/16" SINGLE HIP RAISED PANEL


Plantation Pine has a distinctive grain pattern with a pale cream color. It tends to be harder than other pine species and has fewer knots.





9/16" Single Hip Raised Panel, Ovolo Sticking



Species Close Up



Ovolo Sticking



Panel Profile





**IP82A**, Reeb Specialty Products

**9/16" SINGLE HIP RAISED PANEL**



**RSP**

**IP82 1-3/8"**  
9/16" Raised Panel,  
Ovolo Sticking

1/6 x 6/8	1/6 x 8/0
2/0 x 6/8	2/0 x 8/0
2/4 x 6/8	2/4 x 8/0
2/6 x 6/8	2/6 x 8/0
2/8 x 6/8	2/8 x 8/0
3/0 x 6/8	3/0 x 8/0



**RSP**

**IP82A 1-3/8"**  
9/16" Raised Panel,  
Ovolo Sticking

1/6 x 6/8	1/6 x 8/0
2/0 x 6/8	2/0 x 8/0
2/4 x 6/8	2/4 x 8/0
2/6 x 6/8	2/6 x 8/0
2/8 x 6/8	2/8 x 8/0
3/0 x 6/8	3/0 x 8/0



**RSP**

**IP55 1-3/8"**  
9/16" Raised Panel,  
Ovolo Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



**RSP**

**IP56 1-3/8"**  
9/16" Raised Panel,  
Ovolo Sticking

1/6 x 8/0
2/0 x 8/0
2/4 x 8/0
2/6 x 8/0
2/8 x 8/0
3/0 x 8/0



# Plantation Pine

## 3/8" FLAT PANEL

Plantation Pine has a distinctive grain pattern with a pale cream color. It tends to be harder than other pine species and has fewer knots.





3/8" Flat Panel, Shaker Sticking



Species Close Up



Shaker Sticking



Panel Profile



## 3/8" FLAT PANEL



RSP

### IP720 1-3/8"

3/8" Flat Panel,  
Shaker Sticking

1/6 x 6/8	1/6 x 8/0
2/0 x 6/8	2/0 x 8/0
2/4 x 6/8	2/4 x 8/0
2/6 x 6/8	2/6 x 8/0
2/8 x 6/8	2/8 x 8/0
3/0 x 6/8	3/0 x 8/0



RSP

### IP730 1-3/8"

3/8" Flat Panel,  
Shaker Sticking

1/6 x 6/8	1/6 x 8/0
2/0 x 6/8	2/0 x 8/0
2/4 x 6/8	2/4 x 8/0
2/6 x 6/8	2/6 x 8/0
2/8 x 6/8	2/8 x 8/0
3/0 x 6/8	3/0 x 8/0



RSP

1/6

### IP760 1-3/8"

3/8" Flat Panel,  
Shaker Sticking

1/6 x 6/8	1/6 x 8/0
2/0 x 6/8	2/0 x 8/0
2/4 x 6/8	2/4 x 8/0
2/6 x 6/8	2/6 x 8/0
2/8 x 6/8	2/8 x 8/0
3/0 x 6/8	3/0 x 8/0



RSP

### IP782 1-3/8"

3/8" Flat Panel,  
Shaker Sticking

1/0 x 6/8	2/8 x 6/8	1/6 x 8/0
1/3 x 6/8	2/10 x 6/8	2/0 x 8/0
1/4 x 6/8	3/0 x 6/8	2/4 x 8/0
1/6 x 6/8		2/6 x 8/0
2/0 x 6/8		2/8 x 8/0
2/4 x 6/8		2/10 x 8/0
2/6 x 6/8		3/0 x 8/0



RSP

### IP755 1-3/8"

3/8" Flat Panel,  
Shaker Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8



RSP

### IP756 1-3/8"

3/8" Flat Panel,  
Shaker Sticking

1/6 x 8/0
2/0 x 8/0
2/4 x 8/0
2/6 x 8/0
2/8 x 8/0
2/10 x 8/0
3/0 x 8/0



# Plantation Pine

## FRENCH




Plantation Pine has a distinctive grain pattern with a pale cream color. It tends to be harder than other pine species and has fewer knots.



1-3/8" Bar. Clear Glass



1-3/8" Bar Close Up



1-3/8" Bar Profile



## 1-3/8" BAR



**IP625 1-3/8"**  
1-3/8" Bar, Clear Glass

1/6 x 6/8  
2/0 x 6/8  
2/4 x 6/8  
2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



**IP627 1-3/8"**  
1-3/8" Bar, Clear Glass

2/4 x 6/8  
2/6 x 6/8  
2/8 x 6/8  
2/10 x 6/8  
3/0 x 6/8



**IP626 1-3/8"**  
1-3/8" Bar, Clear Glass

1/6 x 8/0  
2/0 x 8/0



**IP628 1-3/8"**  
1-3/8" Bar, Clear Glass


2/4 x 8/0  
2/6 x 8/0  
2/8 x 8/0  
2/10 x 8/0  
3/0 x 8/0

## CLEAR GLASS



**IP620 1-3/8"**  
Clear Glass

1/6 x 6/8    1/6 x 8/0  
2/0 x 6/8    2/0 x 8/0  
2/4 x 6/8  
2/6 x 6/8  
2/8 x 6/8  
2/10 x 6/8  
3/0 x 6/8



Full Lite Profile



# Pine Louvers




Louver doors allow for air flow while providing privacy.




1-1/4" Louver Slats

When ordering a louver door, it is important to specify which side is the blind side. View the door as if you are in the inside of the room and the door is opening toward you.



When the Blind Side is on the Hinge Side, the Louvers run down, meaning you cannot see into the next room



When the Blind Side is on the Stop Side, the Louvers run up, meaning you can see into the next room.



## PONDEROSA PINE

Bifolds are carton packed with track and hardware.



WG

### P730 1-3/8"

1-1/4" Louver Slats

2/0 x 6/0	1/0 x 6/8	2/2 x 6/8	1/6 x 7/0
2/6 x 6/0	1/2 x 6/8	2/4 x 6/8	2/0 x 7/0
1/6 x 6/6	1/3 x 6/8	2/6 x 6/8	2/4 x 7/0
2/0 x 6/6	1/4 x 6/8	2/8 x 6/8	2/6 x 7/0
2/4 x 6/6	1/6 x 6/8	2/10 x 6/8	2/8 x 7/0
2/6 x 6/6	1/8 x 6/8	3/0 x 6/8	3/0 x 7/0
2/8 x 6/6	1/10 x 6/8		
3/0 x 6/6	2/0 x 6/8		



WG

### P730 BIFOLD 1-3/8"

1-1/4" Louver Slats

2/0 x 6/8	5/4 x 6/8
2/4 x 6/8	6/0 x 6/8
2/6 x 6/8	
2/8 x 6/8	
3/0 x 6/8	
4/0 x 6/8	
4/8 x 6/8	
5/0 x 6/8	



WG

### P732 1-3/8"

1-1/4" Louver Slats,  
9/16" Single Hip Raised Panel

1/6 x 6/6	1/0 x 6/8	2/2 x 6/8
2/0 x 6/6	1/2 x 6/8	2/4 x 6/8
2/4 x 6/6	1/3 x 6/8	2/6 x 6/8
2/6 x 6/6	1/4 x 6/8	2/8 x 6/8
2/8 x 6/6	1/6 x 6/8	2/10 x 6/8
3/0 x 6/6	1/8 x 6/8	3/0 x 6/8
	1/10 x 6/8	
	2/0 x 6/8	



WG

### P732 BIFOLD 1-3/8"

1-1/4" Louver Slats  
9/16" Single Hip Raised Panel

2/0 x 6/8	5/0 x 6/8
2/4 x 6/8	5/4 x 6/8
2/6 x 6/8	6/0 x 6/8
2/8 x 6/8	
3/0 x 6/8	
4/0 x 6/8	
4/8 x 6/8	

## PLANTATION PINE

Bifolds are carton packed with track and hardware.



RSP

### PN730 BIFOLD 1-1/8"

1-1/4" Louver Slats  
1/2" Single Hip Raised Panel  
Recessed Rail

2/0 x 6/8
2/6 x 6/8
3/0 x 6/8
4/0 x 6/8
5/0 x 6/8
6/0 x 6/8



RSP

### PN732 BIFOLD 1-1/8"

1-1/4" Louver Slats  
1/2" Single Hip Raised Panel  
Recessed Rail

2/0 x 6/8
2/6 x 6/8
3/0 x 6/8
4/0 x 6/8
5/0 x 6/8
6/0 x 6/8



RSP

### PN108 BIFOLD 1-1/8"

1-1/4" Louver Slats  
1/2" Single Hip Raised Panel  
Recessed Rail

2/0 x 6/8
2/6 x 6/8
3/0 x 6/8
4/0 x 6/8
5/0 x 6/8
6/0 x 6/8

Recessed rails are rails that are not as thick as the stiles.



# Knotty Pine



## 11/16" DOUBLE HIP RAISED PANEL


Knotty Pine has a rich display of knots that reflects the randomness and beauty of nature. The wood tends to be a honey-toned or straw color while the knots are generally reddish-brown.



KP22/KP66, 11/16" Double Hip Raised Panel, Ovolo Sticking



KP22/KP66, Ovolo Sticking



KP22V, Reticulated Sticking and Joint




KP22/KP66



KP22V



## 11/16" DOUBLE HIP RAISED PANEL



RSP

### KP22 1-3/8"

11/16" Raised Panel,  
Ovolo Sticking

1/6 x 6/8	1/6 x 8/0
2/0 x 6/8	2/0 x 8/0
2/4 x 6/8	2/4 x 8/0
2/6 x 6/8	2/6 x 8/0
2/8 x 6/8	2/8 x 8/0
2/10 x 6/8	2/10 x 8/0
3/0 x 6/8	3/0 x 8/0




RSP

1/6


### KP66 1-3/8"

11/16" Raised Panel,  
Ovolo Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8



KP22/KP66,  
Ovolo Sticking



V-Groove Close Up




RSP

### KP22V 1-3/8"

11/16" V-Groove Raised Panel,  
Reticulated Sticking and Joint

1/6 x 6/8	1/6 x 8/0
2/0 x 6/8	2/0 x 8/0
2/4 x 6/8	2/4 x 8/0
2/6 x 6/8	2/6 x 8/0
2/8 x 6/8	2/8 x 8/0
2/10 x 6/8	2/10 x 8/0
3/0 x 6/8	3/0 x 8/0



KP22V Reticulated  
Sticking and Joint  
(Shown from above)



# Douglas Fir


## 3/8" FLAT PANEL



Douglas Fir is a large, generally straight-grained tree characterized by exceptional natural strength, hardness and durability. The wood varies in color from yellowish tan to light, bright brown.





3/8" Flat Panel, Ovolo Sticking



Species Close Up



Ovolo Sticking



Panel Profile



## OVOLO STICKING



### F20 1-3/8"

3/8" Flat Panel,  
Ovolo Sticking

1/0 x 6/8	2/4 x 6/8	2/0 x 7/0
1/2 x 6/8	2/6 x 6/8	2/4 x 7/0
1/3 x 6/8	2/8 x 6/8	2/6 x 7/0
1/4 x 6/8	3/0 x 6/8	2/8 x 7/0
1/6 x 6/8		3/0 x 7/0
1/8 x 6/8		
2/0 x 6/8		



### F20 1-3/4"

3/8" Flat Panel,  
Ovolo Sticking

1/4 x 6/8	2/6 x 6/8	1/4 x 7/0	2/6 x 7/0
1/6 x 6/8	2/8 x 6/8	1/6 x 7/0	2/8 x 7/0
1/8 x 6/8	2/10 x 6/8	1/8 x 7/0	2/10 x 7/0
1/10 x 6/8	3/0 x 6/8	1/10 x 7/0	3/0 x 7/0
2/0 x 6/8		2/0 x 7/0	
2/2 x 6/8		2/2 x 7/0	
2/4 x 6/8		2/4 x 7/0	



### F82 1-3/8"

3/8" Flat Panel,  
Ovolo Sticking

1/0 x 6/8	2/4 x 6/8	1/6 x 7/0
1/2 x 6/8	2/6 x 6/8	2/0 x 7/0
1/3 x 6/8	2/8 x 6/8	2/4 x 7/0
1/4 x 6/8	3/0 x 6/8	2/6 x 7/0
1/6 x 6/8		2/8 x 7/0
1/8 x 6/8		3/0 x 7/0
2/0 x 6/8		



### F82 1-3/4"

3/8" Flat Panel,  
Ovolo Sticking

2/0 x 6/8	2/0 x 7/0
2/2 x 6/8	2/2 x 7/0
2/4 x 6/8	2/4 x 7/0
2/6 x 6/8	2/6 x 7/0
2/8 x 6/8	2/8 x 7/0
2/10 x 6/8	2/10 x 7/0
3/0 x 6/8	3/0 x 7/0

## MAGNETIC CHALKBOARD



### F30 1-3/8"

3/8" Flat Panel,  
Ovolo Sticking


2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



### F1120 1-3/8"

Magnetic Chalkboard,  
Ovolo Sticking

2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



Panel Profile

### Magnetic Chalkboard Paint

For information about maintenance and finishing, see page 78.



# Douglas Fir

## 3/8" FLAT PANEL



Douglas Fir is a large, generally straight-grained tree characterized by exceptional natural strength, hardness and durability. The wood varies in color from yellowish tan to light, bright brown.





3/8" Flat Panel, Shaker Sticking



Species Close Up



Shaker Sticking



Panel Profile



## SHAKER STICKING



SMP

### F720 1-3/8"

3/8" Flat Panel,  
Shaker Sticking

1/6 x 6/8  
2/0 x 6/8  
2/4 x 6/8  
2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



SMP

### F782 1-3/8"

3/8" Flat Panel,  
Shaker Sticking

2/0 x 6/8  
2/4 x 6/8  
2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



SMP

### F730 1-3/8"

3/8" Flat Panel,  
Shaker Sticking

1/6 x 6/8  
2/0 x 6/8  
2/4 x 6/8  
2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



SMP

### F760 1-3/8"

3/8" Flat Panel,  
Shaker Sticking

2/0 x 6/8  
2/4 x 6/8  
2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



SMP

### F762 1-3/8"

3/8" Flat Panel,  
Shaker Sticking

2/0 x 6/8  
2/4 x 6/8  
2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



SMP

### F755 1-3/8"

3/8" Flat Panel,  
Shaker Sticking

1/6 x 6/8  
2/0 x 6/8  
2/4 x 6/8  
2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8




# Douglas Fir




## DOUBLE HIP RAISED PANEL


Douglas Fir is a large, generally straight-grained tree characterized by exceptional natural strength, hardness and durability. The wood varies in color from yellowish tan to light, bright brown.




3/4" Double Hip Raised Panel, Ovolo Sticking



1-3/16" Double Hip Raised Panel, Ovolo Sticking



Panel Profile



Panel Profile



### 3/4" DOUBLE HIP RAISED PANEL

Bifolds are carton packed with track and hardware.



SMP

**F82R 1-3/8"**  
3/4" Raised Panel,  
Ovolo Sticking

1/6 x 6/8  
2/0 x 6/8  
2/4 x 6/8  
2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



SMP

**F465 1-3/8"**  
3/4" Raised Panel,  
Ovolo Sticking

1/6 x 6/8  
2/0 x 6/8  
2/4 x 6/8  
2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



SMP

1/4 - 1/6

**F44 1-3/8"**  
3/4" Raised Panel,  
Ovolo Sticking

1/4 x 6/8    3/0 x 6/8  
1/6 x 6/8  
2/0 x 6/8  
2/4 x 6/8  
2/6 x 6/8  
2/8 x 6/8  
2/10 x 6/8



SMP

**F55 1-3/8"**  
3/4" Raised Panel,  
Ovolo Sticking

1/6 x 6/8    1/6 x 7/0  
2/0 x 6/8    2/0 x 7/0  
2/4 x 6/8    2/4 x 7/0  
2/6 x 6/8    2/6 x 7/0  
2/8 x 6/8    2/8 x 7/0  
2/10 x 6/8    2/10 x 7/0  
3/0 x 6/8    3/0 x 7/0

### 1-3/16" DOUBLE HIP RAISED PANEL



SMP

**F46 1-3/8"**  
3/4" Raised Panel,  
Ovolo Sticking

2/4 x 6/8  
2/6 x 6/8  
3/0 x 6/8



SMP

1/0 - 1/8

**F66 1-3/8"**  
3/4" Raised Panel,  
Ovolo Sticking

1/0 x 6/8    2/6 x 6/8  
1/3 x 6/8    2/8 x 6/8  
1/4 x 6/8    3/0 x 6/8  
1/6 x 6/8  
1/8 x 6/8  
2/0 x 6/8  
2/4 x 6/8



SMP

**F63 1-3/8" BIFOLD**  
3/4" Raised Panel,  
Ovolo Sticking

2/0 x 6/8  
2/6 x 6/8  
3/0 x 6/8  
4/0 x 6/8  
5/0 x 6/8  
6/0 x 6/8



WG

**F82A 1-3/8"**  
1-3/16" Raised Panel,  
Ovolo Sticking

1/6 x 6/8  
2/0 x 6/8  
2/4 x 6/8  
2/6 x 6/8  
2/8 x 6/8  
2/10 x 6/8  
3/0 x 6/8

**SMP** SIMPSON

**WG** WOODGRAIN

**RSP** REEB SPECIALTY PRODUCTS



# Douglas Fir

## FRENCH




Douglas Fir is a large, generally straight-grained tree characterized by exceptional natural strength, hardness and durability. The wood varies in color from yellowish tan to light, bright brown.



Clear Glass, Ovolo Sticking

### CLEAR GLASS



Full Lite Profile

#### F1501 1-3/8"

Clear Glass, Ovolo Sticking

2/0 x 6/8  
2/4 x 6/8  
2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



#### F318 1-3/8"

3/4" Raised Panel, Clear Glass,  
Ovolo Sticking


2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



#### F418 1-3/8"

3/4" Raised Panel, Clear Glass,  
Ovolo Sticking

2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



Panel Profile






White Laminate Glass, Shaker Sticking

# WHITE LAMINATE GLASS




**F1501WL 1-3/8"**  
White Laminate Glass,  
Shaker Sticking

2/0 x 6/8  
2/4 x 6/8  
2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



Full Lite Profile





# Douglas Fir

## 1-1/4" BAR




Douglas Fir is a large, generally straight-grained tree characterized by exceptional natural strength, hardness and durability. The wood varies in color from yellowish tan to light, bright brown.



1-1/4" Bar, Clear Glass



1-1/4" Bar, Satin Etch Glass



1-1/4" Bar Profile



## CLEAR GLASS



### F1505 1-3/8"

1-1/4" Bar, Clear Glass

2/0 x 6/8  
2/4 x 6/8  
2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



### F1580 1-3/8"

1-1/4" Bar, Clear Glass

2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



### F1309 1-3/8"

1-1/4" Bar, Clear Glass

2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8

## SATIN ETCH GLASS



### F1310 1-3/8"

1-1/4" Bar, Clear Glass

2/0 x 6/8



### F1315 1-3/8"

1-1/4" Bar, Clear Glass

2/4 x 6/8  
2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



### F1505E 1-3/8"

1-1/4" Bar, Satin Etch Glass

2/0 x 6/8  
2/4 x 6/8  
2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



### F1510E 1-3/8"

1-1/4" Bar, Satin Etch Glass


2/0 x 6/8



# Douglas Fir

## DECORATIVE

Douglas Fir is a large, generally straight-grained tree characterized by exceptional natural strength, hardness and durability. The wood varies in color from yellowish tan to light, bright brown.



Decorative Glass, Silver Caming



**F1590 1-3/8"**  
Decorative Glass,  
Satin Etch

2/0 x 6/8  
2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



**F1592 1-3/8"**  
Decorative Glass,  
Satin Etch

2/4 x 6/8  
2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8







### F88405 1-3/8"

Decorative Glass,  
Brass Caming

2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



### F88421 1-3/8"

Decorative Glass,  
Black Caming

2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



### F88464 1-3/8"

Decorative Glass,  
Silver Caming

2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



Visit [simpsondoor.com](http://simpsondoor.com) for more information  
about decorative glass privacy ratings.




# Douglas Fir


## 20 MINUTE FIRE RATED DOORS




Douglas Fir is a large, generally straight-grained tree characterized by exceptional natural strength, hardness and durability. The wood varies in color from yellowish tan to light, bright brown.




3/4" Fire Rated Flat Panel



1-7/16" Fire Rated Double Hip Raised Panel



Panel Profile



Panel Profile



### 3/4" FIRE RATED FLAT PANEL



SMP

#### F9220 1-3/4"

3/4" Fire Rated Flat Panel  
Ovolo Sticking  
20 Minute Fire Rating

2/8 x 6/8  
3/0 x 6/8




SMP

#### F9282 1-3/4"

3/4" Fire Rated Flat Panel  
Ovolo Sticking  
20 Minute Fire Rating

2/8 x 6/8  
3/0 x 6/8



Panel Profile

### 1-7/16" FIRE RATED RAISED PANEL



SMP

#### F9244 1-3/4"

1-7/16" Fire Rated Raised Panel  
Ovolo Sticking  
20 Minute Fire Rating

2/8 x 6/8  
3/0 x 6/8



SMP

#### F9255 1-3/4"

1-7/16" Fire Rated Raised Panel  
Ovolo Sticking  
20 Minute Fire Rating

2/8 x 6/8  
3/0 x 6/8




SMP

#### F9266 1-3/4"

1-7/16" Fire Rated Raised Panel  
Ovolo Sticking  
20 Minute Fire Rating

2/8 x 6/8  
3/0 x 6/8



Panel Profile




# Maple

## 3/8" FLAT PANEL

Maple offers a very fine grain and a whitish color tinged with reddish brown.





3/8" Flat Panel, Shaker Sticking



Species Close Up



Shaker Sticking



Panel Profile



## 3/8" FLAT PANEL



SMP

### MP1022 1-3/8"

3/8" Flat Panel,  
Shaker Sticking

2/0 x 6/8  
2/4 x 6/8  
2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



SMP

### MP1033 1-3/8"

3/8" Flat Panel,  
Shaker Sticking

2/0 x 6/8  
2/4 x 6/8  
2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



MP1033, Simpson

SMP SIMPSON

WG WOODGRAIN

RSP REEB SPECIALTY PRODUCTS



# Knotty Alder

## 1-3/16" RAISED PANEL



Knotty Alder is a medium density hardwood with an even grain appearance. The wood is normally light brown with hues of red or peach. Its softer nature makes it easy to machine and receptive to a variety of stains and finishes.





V-Groove Plank Raised Panel, Tapered Sticking



Species Close Up




Tapered Sticking



KA82ASRR/KA82SRR  
Tapered Sticking  
(Shown from above)



## 1-1/8" V-GROOVE PLANK RAISED PANEL



### KA82ASRP 1-3/8"

1-1/8" V-Groove Plank  
Raised Panel,  
Tapered Sticking

2/0 x 6/8  
2/4 x 6/8  
2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8

KA82ASRP  
Tapered Sticking  
(Shown from above)

## 1-3/16" RAISED PANEL



### KA82ASRR 1-3/8"

1-3/16" Raised Panel,  
Tapered Sticking

1/6 x 6/8    2/4 x 8/0  
2/0 x 6/8    2/6 x 8/0  
2/4 x 6/8    2/8 x 8/0  
2/6 x 6/8    3/0 x 8/0  
2/8 x 6/8  
3/0 x 6/8



### KA82SRR 1-3/8"

1-3/16" Raised Panel,  
Tapered Sticking

1/6 x 6/8  
2/0 x 6/8  
2/4 x 6/8  
2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



KA82ASRP, Woodgrain



# Red Oak


## 3/4" RAISED PANEL



Red Oak has a coarse texture and a straight, prominent grain. It accepts a broad range of stains and finishes.



Red Oak, 3/4" Double Hip Raised Panel



Panel Profile



## RED OAK, DOUBLE HIP RAISED PANEL

Bifolds are carton packed with track and hardware.



### O44 1-3/8"

3/4" Raised Panel,  
Ovolo Sticking

1/6 x 6/8  
2/0 x 6/8  
2/4 x 6/8  
2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



### O66 1-3/8"

3/4" Raised Panel,  
Ovolo Sticking

1/6 x 6/8  
2/0 x 6/8  
2/4 x 6/8  
2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



### O66 1-3/8" BIFOLD

3/4" Raised Panel,  
Ovolo Sticking

2/0 x 6/8  
2/6 x 6/8  
3/0 x 6/8  
4/0 x 6/8  
5/0 x 6/8  
6/0 x 6/8



O66, Simpson



# Red Oak

## FRENCH - 1-1/4" BAR




Red Oak has a coarse texture and a straight, prominent grain. It accepts a broad range of stains and finishes.



1-1/4" Bar, Clear Glass



1-1/4" Bar Close Up



1-1/4" Bar Profile





#### 1-1/4" BAR



#### O1315 1-3/8"

1-1/4" Bar, Clear Glass

2/6 x 6/8

2/8 x 6/8

3/0 x 6/8



#### O1310 1-3/8"

1-1/4" Bar, Clear Glass

2/0 x 6/8



# Flat Jambs



## Flat Jambs

Flat jambs come in a variety of species including solid and veneered wood. They include the need for a stop. This option may not be available in all markets so please confirm availability prior to ordering.



PRIMED



CLEAR PINE



PINE VENEERED



KNOTTY ALDER VENEERED



FIR VENEERED





MAPLE VENEERED



SOLID POPLAR



PRIMED SOLID POPLAR



SOLID OAK



OAK VENEERED

## Stops

Known as a “stop”, these small pieces of wood attach to a flat jamb to give the door a place to stop. Optional Portaseal weatherstripped stops are available for use to prevent drafts.



PRIMED WM-888



PRIMED WM-876



PRIMED WM-888H



PRIMED WM-936



PRIMED WM-948



PORTASEAL WEATHERSTRIP



# Rabbeted Jamb



## Single Rabbeted

Single rabbeted jambs mimic the appearance of exterior frames for interior use. This option may not be available in all markets so please confirm availability prior to ordering.



PRIMED



CLEAR PINE



PRIMED SOLID POPLAR



## Double Rabbeted

Double rabbeted jambs work well with either a 1-3/8" or 1-3/4" thick door. This option may not be available in all markets so please confirm availability prior to ordering.



PRIMED



CLEAR PINE



PRIMED SOLID POPLAR



ENGINEERED VERTICAL GRAIN FIR



# Split Jambs



## Split

Split jambs are two pieces of wood together which work well for odd wall sizes. This option may not be available in all markets so please confirm availability prior to ordering.



PRIMED



CLEAR PINE

Because of their construction, a split jamb is able to work for a range of wall sizes. For example, Reeb stocks a split jamb that has a size range of 4-1/2" to 5-1/4" thick.

Also with split jambs is the availability to use interior casing. When installing a split jamb with casing, the two pieces must be taken apart. This allows Reeb to ship the unit with the casing pre-attached and ready for a complete install. This option may not be available in all markets so please confirm availability prior to ordering.

---

## Sills



OAK SADDLE SILL

## Oak Saddle Sill

This oak saddle sill is a cost effective option for use on interior door units with weather-strip which provide access to unheated spaces i.e. an unfinished attic.



# Hinges

## BALL BEARING HINGES

Ball bearing hinges have a steel ball bearing, or buffer, in between the knuckles. Heavier doors put more stress on the hinges so having the ball bearings reduce friction, are better performing and longer lasting.



Ball Bearing Square



Ball Bearing Radius

## NON BALL BEARING HINGES

Standard, or plain bearing, have no buffer between each knuckle of the barrel. This tends to wear the hinge down over time as the sections grind against one another and are better suited for lightweight doors.



Non Ball Bearing Square



Non Ball Bearing Radius

## HINGE SIZES

Most interior doors are 1-3/8" thick and use 3.5" x 3.5" hinges. On an 1-3/4" door in an interior application Reeb will automatically utilize a 4" hinge.



3.5" x 3.5"



4" x 4"



# Baldwin®

Baldwin believes that quality should never be a compromise. From using the finest materials to crafting hardware by hand, they are committed to creating high-quality hardware that not only looks beautiful and flawless but also endures the rigors of time.



3.5" X 3.5" SQUARE  
Non Ball Bearing - Shown in US3



3.5" X 3.5" RADIUS  
Non Ball Bearing - Shown in US3




4" X 4" SQUARE  
Ball Bearing - Shown in US15




4" X 4" RADIUS / US3  
Non Ball Bearing - Shown in US3

AVAILABLE FINISHES	3.5" X 3.5" SQUARE		3.5" X 3.5" RADIUS		4" X 4" SQUARE		4" X 4" RADIUS	
	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING
US3		X		X		X		X
US10B		X		X		X		
US15		X		X		X		
VB		X				X		

## AVAILABLE FINISHES




US3  
BRIGHT BRASS



US10B  
OIL RUBBED  
BRONZE



US15  
SATIN NICKEL



VB  
VENETIAN BRONZE






# Hinges

Emtek®


Emtek is dedicated to bring personal style to life. Door hardware is more than a way to open, close, and secure a space. It is an integral part of a room’s design theme and an extension of personal style.



3.5" X 3.5" SQUARE  
Ball Bearing - Shown in US26



3.5" X 3.5" RADIUS  
Non Ball Bearing - Shown in US7




4" X 4" SQUARE  
Ball Bearing - Shown in US15

AVAILABLE FINISHES	3.5" X 3.5" SQUARE		3.5" X 3.5" RADIUS		4" X 4" SQUARE	
	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING
US1D		X	X		X	X
US3		X	X	X	X	X
US7		X	X	X	X	X
US10B		X	X	X	X	X
US15		X	X	X	X	X
US14		X	X		X	X
US26		X			X	X
US26D		X	X		X	X


AVAILABLE FINISHES



USP  
PRIMED WHITE



US1D  
FLAT BLACK



US3  
BRIGHT BRASS



US4  
SATIN BRASS



US4B  
BRIGHT SATIN  
BRASS



US5  
ANTIQUE BRASS



US7  
FRENCH  
ANTIQUE



# Reeb® Specialty Products

RSP offers a large selection of hinges in a variety of finishes carrying on a tradition of innovative design, superior quality and service excellence.



3.5" X 3.5" SQUARE  
Ball Bearing - Shown in US4



3.5" X 3.5" RADIUS  
Non Ball Bearing - Shown in USP




4" X 4" SQUARE  
Non Ball Bearing - Shown in US10B




4" X 4" RADIUS  
Ball Bearing - Shown in US15

AVAILABLE FINISHES	3.5" X 3.5" SQUARE		3.5" X 3.5" RADIUS		4" X 4" SQUARE		4" X 4" RADIUS	
	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING
<b>USP</b>				X				X
<b>US1D</b>		X	X	X		X	X	X
<b>US3</b>	X	X	X	X	X	X	X	X
<b>US4</b>	X	X		X	X	X		X
<b>US4B</b>	X		X	X	X		X	X
<b>US5</b>	X	X	X	X	X	X	X	X
<b>US7</b>								
<b>US10B</b>	X	X	X	X	X	X	X	X
<b>US15</b>	X	X	X	X	X	X	X	X
<b>US15A</b>				X			X	X
<b>US26</b>	X	X	X	X	X	X	X	X
<b>US26D</b>	X	X	X	X	X	X	X	X
<b>US32D</b>				X			X	X




**US10B**  
OIL RUBBED  
BRONZE




**US14**  
POLISHED  
NICKEL



**US15**  
SATIN NICKEL



**US15A**  
ANTIQUE NICKEL




**US26**  
BRIGHT CHROME



**US26D**  
SATIN CHROME



**US32D**  
STAINLESS STEEL



**VB**  
VENETIAN BRONZE



# Locks

Schlage® door knobs fit and accentuate decor from a classic look to bold contemporary designs.

For available functions, reference the Reeb In-Stock Price Catalog.

The **Standard Residential Series** provides tough, reliable performance in a variety of styles and finishes.

The **Builders Series** provides an economical lock that delivers on style.


## STANDARD RESIDENTIAL SERIES

### Accent


Shown in Bright Chrome



Lockset available in:




**US3**  
BRIGHT BRASS




**US5**  
ANTIQUE BRASS




**US15**  
SATIN NICKEL



**US15A**  
ANTIQUE NICKEL



**US26**  
BRIGHT CHROME




**716**  
AGED BRONZE

### Flair


Shown in US5



Lockset available in:




**US3**  
BRIGHT BRASS



**US5**  
ANTIQUE BRASS



**US15**  
SATIN NICKEL



**716**  
AGED BRONZE

### Jazz

Shown in US15



Lockset available in:



**US15**  
SATIN NICKEL



**LaSalle**

Shown in US3



Lockset available in:



**US3**  
BRIGHT BRASS



**US15**  
SATIN NICKEL

**Dover**

Shown in US32D



Lockset available in:




**US32D**  
STAINLESS STEEL

**Torino**

Shown in US3



Lockset available in:



**US3**  
BRIGHT BRASS



**US15**  
SATIN NICKEL

**Marin**

Shown in US32D



Lockset available in:



**US32D**  
STAINLESS STEEL



# Locks


## STANDARD RESIDENTIAL SERIES

### Plymouth

Shown in US26D




Lockset available in:



**US3**  
BRIGHT BRASS




**US15**  
SATIN NICKEL



**US26**  
BRIGHT CHROME



**US26D**  
SATIN CHROME




**716**  
AGED BRONZE

### Georgian


Shown in US5



Lockset available in:




**US3**  
BRIGHT BRASS




**US5**  
ANTIQUE BRASS




**US15**  
SATIN NICKEL



**US15A**  
ANTIQUE NICKEL



**US26**  
BRIGHT CHROME




**716**  
AGED BRONZE

### Andover


Shown in US26




Lockset available in:



**US3**  
BRIGHT BRASS




**US5**  
ANTIQUE BRASS




**US10B**  
OIL RUBBED BRONZE



**US15**  
SATIN NICKEL



**US15A**  
ANTIQUE NICKEL



**US26**  
BRIGHT CHROME



**US26D**  
SATIN CHROME




# Byron

Shown in US3



Lockset available in:



**US3**  
BRIGHT BRASS



**US32D**  
STAINLESS STEEL

# Corona

Shown in US15



Lockset available in:



**US3**  
BRIGHT BRASS



**US15**  
SATIN NICKEL

The **Standard Residential Series** features a limited lifetime mechanical warranty, has a limited lifetime finish warranty, fits universal backsets, and all levers are non-handed.



The **Builders Series** features a limited lifetime mechanical warranty, a 5-year finish warranty, and fits universal backsets.






# Barn Doors

PONDEROSA PINE - TRUE RAISED PANEL



P180, Woodgrain



**P180**

True Raised Panel

2/6 x 6/8   2/6 x 7/0   2/6 x 8/0  
2/8 x 6/8   2/8 x 7/0   2/8 x 8/0  
3/0 x 6/8   3/0 x 7/0   3/0 x 8/0



**P181**

True Raised Panel

2/6 x 6/8   2/6 x 7/0   2/6 x 8/0  
2/8 x 6/8   2/8 x 7/0   2/8 x 8/0  
3/0 x 6/8   3/0 x 7/0   3/0 x 8/0


Barn doors can be hung in many different configurations according to your design preference. Please be sure to specify when ordering.

## Layout Options

STANDARD




REVERSE



UNIFORM A



UNIFORM B





# Barn Doors

KNOTTY ALDER - TRUE RAISED PANEL



KA181, Woodgrain



**KA180**

True Raised Panel

2/6 x 6/8   2/6 x 7/0   2/6 x 8/0  
2/8 x 6/8   2/8 x 7/0   2/8 x 8/0  
3/0 x 6/8   3/0 x 7/0   3/0 x 8/0



WG



**KA181**

True Raised Panel

2/6 x 6/8   2/6 x 7/0   2/6 x 8/0  
2/8 x 6/8   2/8 x 7/0   2/8 x 8/0  
3/0 x 6/8   3/0 x 7/0   3/0 x 8/0



WG

Barn doors can be hung in many different configurations according to your design preference. Please be sure to specify when ordering.

## Layout Options

STANDARD



REVERSE



UNIFORM A



UNIFORM B





# Barn Door Hardware



Goldberg's line of interior, residential sliding barn door hardware kits make the most of the available living space, while adding a rustic, yet elegant look. All major components are manufactured from steel and come with a 1-year warranty.

## FINISHES



BLACK



SILVER



ARCHITECTURAL  
BRONZE

## HARDWARE OPTIONS



ROLLER HANGER



7" PULL HANDLE



6" FLUSH PULL



PRIVACY LATCH







For a more polished or contemporary look, solid stainless steel barn door track hardware is a great alternative. All the same accessories are available as well for a complete look.

## FINISH



STAINLESS STEEL

## HARDWARE OPTIONS



ROLLER HANGER



7" PULL HANDLE



6" FLUSH PULL



PRIVACY LATCH



# Stile & Rail Dimensions

DOOR STYLE	PAGE	DOOR HEIGHT	SPECIES	3'0" STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	VENDOR
KA180	69	6/8	KNOTTY ALDER	4-1/2"	4-9/16"	4-9/16"	9"	3/4"	WOODGRAIN
KA180	69	7/0	KNOTTY ALDER	4-1/2"	4-9/16"	4-9/16"	9"	3/4"	WOODGRAIN
KA180	69	8/0	KNOTTY ALDER	4-1/2"	4-9/16"	4-9/16"	9"	3/4"	WOODGRAIN
KA181	69	6/8	KNOTTY ALDER	4-1/2"	4-9/16"	4-9/16"	9"	3/4"	WOODGRAIN
KA181	69	7/0	KNOTTY ALDER	4-1/2"	4-9/16"	4-9/16"	9"	3/4"	WOODGRAIN
KA181	69	8/0	KNOTTY ALDER	4-1/2"	4-9/16"	4-9/16"	9"	3/4"	WOODGRAIN
P180	68	6/8	PONDEROSA PINE	4-1/2"	4-9/16"	4-9/16"	9"	3/4"	WOODGRAIN
P180	68	7/0	PONDEROSA PINE	4-1/2"	4-9/16"	4-9/16"	9"	3/4"	WOODGRAIN
P180	68	8/0	PONDEROSA PINE	4-1/2"	4-9/16"	4-9/16"	9"	3/4"	WOODGRAIN
P181	68	6/8	PONDEROSA PINE	4-1/2"	4-9/16"	4-9/16"	9"	3/4"	WOODGRAIN
P181	68	7/0	PONDEROSA PINE	4-1/2"	4-9/16"	4-9/16"	9"	3/4"	WOODGRAIN
P181	68	8/0	PONDEROSA PINE	4-1/2"	4-9/16"	4-9/16"	9"	3/4"	WOODGRAIN
F20	37	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	3/8"	SIMPSON
F20	37	7/0	FIR	4-1/2"	6-7/16"	N/A	11-3/16"	3/8"	SIMPSON
F20 1-3/4"	37	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	3/8"	SIMPSON
F20 1-3/4"	37	7/0	FIR	4-1/2"	6-7/16"	N/A	11-3/16"	3/8"	SIMPSON
F30	37	6/8	FIR	4-1/2"	4-7/16"	4-1/2"	9-3/16"	3/8"	SIMPSON
F44	41	6/8	FIR	4-5/8"	4-7/16"	7-1/2"	9-3/16"	3/4"	SIMPSON
F46	41	6/8	FIR	4-1/2"	4-7/16"	7-1/2"	9-3/16"	3/4"	SIMPSON
F55	41	6/8	FIR	4-1/2"	4-7/16"	4-1/2"	9-3/16"	3/4"	SIMPSON
F55	41	7/0	FIR	4-1/2"	6-7/16"	4-1/2"	11-3/16"	3/4"	SIMPSON
F63 BIFOLD	41	6/8	FIR	1-19/16"	4-7/16"	7-1/2"	7-7/8"	3/4"	SIMPSON
F66	41	6/8	FIR	4-5/8"	4-7/16"	7-1/2"	9-1/8"	3/4"	SIMPSON
F82R	41	6/8	FIR	4-1/2"	4-7/16"	7-1/2"	9-3/16"	3/4"	SIMPSON
F82	37	6/8	FIR	4-1/2"	4-7/16"	7-1/2"	9-3/16"	3/8"	SIMPSON
F82	37	7/0	FIR	4-1/2"	6-7/16"	7-1/2"	11-3/16"	3/8"	SIMPSON
F82 1-3/4"	37	6/8	FIR	4-1/2"	4-7/16"	7-1/2"	9-3/16"	3/8"	SIMPSON
F82 1-3/4"	37	7/0	FIR	4-1/2"	6-9/16"	7-1/2"	11-3/16"	3/8"	SIMPSON
F82A *	41	6/8	FIR	4-17/32"	8-3/64"	7-1/2"	9"	1-1/8"	WOODGRAIN
F318	42	6/8	FIR	4-1/2"	4-7/16"	4-1/2"	9-3/16"	3/4"	SIMPSON
F418	42	6/8	FIR	4-1/2"	4-7/16"	4-1/2"	9-3/16"	3/4"	SIMPSON
F465 *	41	6/8	FIR	4-1/2"	9-1/2"	7-1/2"	9-3/16"	3/4"	SIMPSON
F720	39	6/8	FIR	4-7/16"	4-5/16"	N/A	9-3/16"	3/8"	SIMPSON
F730	39	6/8	FIR	4-7/16"	4-5/16"	N/A	9-3/16"	3/8"	SIMPSON
F755	39	6/8	FIR	4-7/16"	4-5/16"	N/A	9-3/16"	3/8"	SIMPSON
F760	39	6/8	FIR	4-7/16"	4-5/16"	N/A	9-3/16"	3/8"	SIMPSON
F762	39	6/8	FIR	4-7/16"	4-5/16"	N/A	9-3/16"	3/8"	SIMPSON
F782	39	6/8	FIR	4-7/16"	4-5/16"	7-3/8"	9-3/16"	3/8"	SIMPSON
F1120	37	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	1/4"	SIMPSON
F1309	45	6/8	FIR	5-1/2"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
F1310	45	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
F1315	45	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
F1501	42	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
F1501WL	43	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON



DOOR STYLE	PAGE	DOOR HEIGHT	SPECIES	3'0" STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	VENDOR
F1505	45	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
F1505E	45	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
F1510E	45	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
F1580 *	45	6/8	FIR	4-1/2"	7-1/32"	N/A	9-3/16"	N/A	SIMPSON
F1590	46	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
F1592	46	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
F9220 1-3/4"	49	6/8	FIR	5-1/2"	5-7/16"	N/A	9-3/16"	3/4"	SIMPSON
F9282 1-3/4"	49	6/8	FIR	5-1/2"	5-7/16"	7-1/2"	9-3/16"	3/4"	SIMPSON
F9244 1-3/4"	49	6/8	FIR	5-1/2"	5-7/16"	7-1/2"	9-3/16"	1-7/16"	SIMPSON
F9255 1-3/4"	49	6/8	FIR	5-1/2"	5-7/16"	N/A	9-3/16"	1-7/16"	SIMPSON
F9266 1-3/4"	49	6/8	FIR	5-1/2"	5-7/16"	7-1/2"	9-3/16"	1-7/16"	SIMPSON
F88405	47	6/8	FIR	4-1/2"	4-7/16"	N/A	9-7/16"	N/A	SIMPSON
F88421	47	6/8	FIR	4-1/2"	4-7/16"	N/A	9-7/16"	N/A	SIMPSON
F88464	47	6/8	FIR	4-1/2"	4-7/16"	N/A	9-7/16"	N/A	SIMPSON
IP22V *	25	6/8	PLANTATION PINE	4-9/16"	6-5/16"	7-1/2"	9-1/4"	11/16"	RSP
IP22V *	25	8/0	PLANTATION PINE	4-9/16"	6-5/16"	7-1/2"	9-1/4"	11/16"	RSP
IP44	25	6/8	PLANTATION PINE	4-9/16"	4-1/2"	7-1/2"	9-1/4"	11/16"	RSP
IP44	25	8/0	PLANTATION PINE	4-9/16"	4-1/2"	7-1/2"	9-1/4"	11/16"	RSP
IP44 BIFOLD	25	6/8	PLANTATION PINE	2-1/8"	4-1/2"	7-1/2"	8-1/4"	11/16"	RSP
IP55	27	6/8	PLANTATION PINE	4-17/32"	4-9/16"	N/A	9"	9/16"	RSP
IP56	27	8/0	PLANTATION PINE	4-17/32"	4-9/16"	N/A	9"	9/16"	RSP
IP66	25	6/8	PLANTATION PINE	4-9/16"	4-1/2"	7-1/2"	9-1/4"	11/16"	RSP
IP66	25	8/0	PLANTATION PINE	4-9/16"	4-1/2"	7-1/2"	9-1/4"	11/16"	RSP
IP66 BIFOLD	25	6/8	PLANTATION PINE	2-1/8"	4-1/2"	N/A	8-1/4"	11/16"	RSP
IP82	27	6/8	PLANTATION PINE	4-17/32"	4-9/16"	N/A	9"	9/16"	RSP
IP82	27	8/0	PLANTATION PINE	4-17/32"	4-9/16"	N/A	9"	9/16"	RSP
IP82A	27	6/8	PLANTATION PINE	4-17/32"	4-9/16"	N/A	9"	9/16"	RSP
IP82A	27	8/0	PLANTATION PINE	4-17/32"	4-9/16"	N/A	9"	9/16"	RSP
IP620	31	6/8	PLANTATION PINE	4-9/16"	4-7/16"	N/A	9-1/8"	N/A	RSP
IP620	31	8/0	PLANTATION PINE	4-9/16"	4-7/16"	N/A	9-1/8"	N/A	RSP
IP625	31	6/8	PLANTATION PINE	4-9/16"	4-7/16"	N/A	9-1/8"	N/A	RSP
IP626	31	6/8	PLANTATION PINE	4-9/16"	4-7/16"	N/A	9-1/8"	N/A	RSP
IP627	31	6/8	PLANTATION PINE	4-9/16"	4-7/16"	N/A	9-1/8"	N/A	RSP
IP628	31	8/0	PLANTATION PINE	4-9/16"	4-7/16"	N/A	9-1/8"	N/A	RSP
IP720	29	6/8	PLANTATION PINE	4-3/8"	4-3/8"	N/A	8-13/16"	3/8"	RSP
IP720	29	8/0	PLANTATION PINE	4-3/8"	4-3/8"	N/A	8-13/16"	3/8"	RSP
IP730	29	6/8	PLANTATION PINE	4-3/8"	4-3/8"	N/A	8-13/16"	3/8"	RSP
IP730	29	8/0	PLANTATION PINE	4-3/8"	4-3/8"	N/A	8-13/16"	3/8"	RSP
IP760	29	6/8	PLANTATION PINE	4-3/8"	4-3/8"	N/A	8-13/16"	3/8"	RSP
IP760	29	8/0	PLANTATION PINE	4-3/8"	4-3/8"	N/A	8-13/16"	3/8"	RSP
IP755	29	6/8	PLANTATION PINE	4-9/16"	4-7/16"	N/A	9-1/8"	7/16"	RSP
IP756	29	8/0	PLANTATION PINE	4-9/16"	4-7/16"	N/A	9-1/8"	7/16"	RSP
IP782	29	6/8	PLANTATION PINE	4-9/16"	4-1/2"	7-1/2"	9-1/4"	7/16"	RSP
IP782	29	8/0	PLANTATION PINE	4-9/16"	4-1/2"	7-1/2"	9-1/4"	7/16"	RSP



# Stile & Rail Dimensions

DOOR STYLE	PAGE	DOOR HEIGHT	SPECIES	3'0" STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	VENDOR
KA82ASRR *	53	6/8	KNOTTY ALDER	4-11/32"	8-1/32"	7-1/2"	9"	1-1/8"	WOODGRAIN
KA82ASRR *	53	8/0	KNOTTY ALDER	4-11/32"	8-1/32"	7-1/2"	9"	1-1/8"	WOODGRAIN
KA82ASRR	53	6/8	KNOTTY ALDER	4-11/32"	8-1/32"	7-1/2"	9"	1-1/8"	WOODGRAIN
KA82ASRP *	53	6/8	KNOTTY ALDER	4-11/32"	8-1/32"	7-1/2"	9"	1-1/8"	WOODGRAIN
KP22	35	6/8	KNOTTY PINE	4-9/16"	4-1/2"	7-1/2"	9-1/4"	11/16"	RSP
KP22	35	8/0	KNOTTY PINE	4-9/16"	4-1/2"	7-1/2"	9-1/4"	11/16"	RSP
KP22V *	35	6/8	KNOTTY PINE	4-9/16"	6-5/16"	7-1/2"	9-1/4"	11/16"	RSP
KP22V *	35	8/0	KNOTTY PINE	4-9/16"	6-5/16"	7-1/2"	9-1/4"	11/16"	RSP
KP66	35	6/8	KNOTTY PINE	4-9/16"	4-1/2"	7-1/2"	9-1/4"	11/16"	RSP
MP1022	51	6/8	MAPLE	4-1/2"	4-3/8"	4-1/2"	9-3/16"	3/8"	SIMPSON
MP1033	51	6/8	MAPLE	4-1/2"	4-3/8"	4-1/2"	9-3/16"	3/8"	SIMPSON
O44	55	6/8	OAK	4-5/8"	4-7/16"	7-1/2"	9-3/16"	3/4"	SIMPSON
O66	55	6/8	OAK	4-5/8"	4-7/16"	7-1/2"	9-1/8"	3/4"	SIMPSON
O66 BIFOLD	55	6/8	OAK	1-19/16"	4-7/16"	7-1/2"	7-7/8"	3/4"	SIMPSON
O1310	57	6/8	OAK	4-5/8"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
O1315	57	6/8	OAK	4-5/8"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
P44	13	6/0	PONDEROSA PINE	4-17/32'	4-9/16"	7-1/2"	9"	9/16"	WOODGRAIN
P44	13	6/6	PONDEROSA PINE	4-17/32'	4-9/16"	7-1/2"	9"	9/16"	WOODGRAIN
P44	13	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	7-1/2"	9"	9/16"	WOODGRAIN
P44	13	7/0	PONDEROSA PINE	4-17/32'	4-9/16"	7-1/2"	9"	9/16"	WOODGRAIN
P44 BIFOLD	13	6/8	PONDEROSA PINE	2-1/8"	4-9/16"	7-1/2"	8-1/4"	9/16"	WOODGRAIN
P45 *	13	6/8	PONDEROSA PINE	4-17/32'	6-1/16"	7-1/2"	9"	9/16"	WOODGRAIN
P64	11	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	7-1/2"	9"	1-3/16"	WOODGRAIN
P67	13	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	7-1/2"	9"	9/16"	WOODGRAIN
P82A *	11	6/8	PONDEROSA PINE	4-17/32'	8-3/64"	7-1/2"	9"	1-3/16"	WOODGRAIN
P82	11	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	7-1/2"	9"	1-3/16"	WOODGRAIN
P85	13	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	9/16"	WOODGRAIN
P108	13	6/0	PONDEROSA PINE	4-17/32'	4-9/16"	7-1/2"	9"	9/16"	WOODGRAIN
P108	13	6/6	PONDEROSA PINE	4-17/32'	4-9/16"	7-1/2"	9"	9/16"	WOODGRAIN
P108	13	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	7-1/2"	9"	9/16"	WOODGRAIN
P108	13	7/0	PONDEROSA PINE	4-17/32'	4-9/16"	7-1/2"	9"	9/16"	WOODGRAIN
P108 BIFOLD	13	6/8	PONDEROSA PINE	2-1/8"	4-9/16"	7-1/2"	8-1/4"	9/16"	WOODGRAIN
P508	15	3/7-1/2	PONDEROSA PINE	1-3/16"	7-1/8"	N/A	7-1/8"	9/16"	WOODGRAIN
P730	33	6/8	PONDEROSA PINE	4-1/4"	4-1/16"	5-3/16"	7"	N/A	WOODGRAIN
P730 BIFOLD	33	6/8	PONDEROSA PINE	2-5/32"	4-1/16"	5-3/16"	6"	N/A	WOODGRAIN
P732	33	6/8	PONDEROSA PINE	4-1/4"	4-1/16"	5-3/16"	7"	9/16"	WOODGRAIN
P732 BIFOLD	33	6/8	PONDEROSA PINE	2-5/32"	4-1/16"	5-3/16"	6"	9/16"	WOODGRAIN
P733	15	3/7-1/2	PONDEROSA PINE	1-3/16"	7-3/8"	N/A	7-3/8"	N/A	WOODGRAIN
P1051	21	6/6	WHITE PINE	4-1/2"	4-1/2"	9"	7-1/2"	27/64"	RSP
P1051	21	6/8	WHITE PINE	4-1/2"	4-1/2"	9"	7-1/2"	27/64"	RSP
P1051 BIFOLD	21	6/8	WHITE PINE	2-3/16"	4-1/2"	9"	6-1/2"	27/64"	RSP
P1053	21	6/6	WHITE PINE	4-1/2"	4-1/2"	9"	7-1/2"	27/64"	RSP
P1053	21	6/8	WHITE PINE	4-1/2"	4-1/2"	9"	7-1/2"	27/64"	RSP
P1053 BIFOLD	21	6/8	WHITE PINE	2-3/16"	4-1/2"	9"	6-1/2"	27/64"	RSP



DOOR STYLE	PAGE	DOOR HEIGHT	SPECIES	3'0" STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	VENDOR
P1088	13	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	9/16"	WOODGRAIN
P1501	19	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	WOODGRAIN
P1501	19	7/0	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	WOODGRAIN
P1505	17	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	WOODGRAIN
P1509	17	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	WOODGRAIN
P1510	17	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	WOODGRAIN
P1510	17	7/0	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	WOODGRAIN
P1510FC	18	6/8	PONDEROSA PINE	4-5/8"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
P1512	17	8/0	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	WOODGRAIN
P1515	17	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	WOODGRAIN
P1515	17	7/0	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	WOODGRAIN
P1515B	17	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	WOODGRAIN
P1515FC	18	6/8	PONDEROSA PINE	4-5/8"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
P1518	17	8/0	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	WOODGRAIN
P1705 BIFOLD	17	6/8	PONDEROSA PINE	2-1/8"	4-9/16"	N/A	8"	N/A	WOODGRAIN
P3901F	23	6/8	WHITE PINE	4-1/2"	4-1/2"	N/A	9-1/4"	N/A	RSP
P3911	22	6/8	WHITE PINE	4-1/2"	4-1/2"	N/A	9-1/4"	N/A	RSP
P3911	22	7/0	WHITE PINE	4-1/2"	4-1/2"	N/A	9-1/4"	N/A	RSP
P3911F	23	6/8	WHITE PINE	4-1/2"	4-1/2"	N/A	9-1/4"	N/A	RSP
P3912	22	6/8	WHITE PINE	4-1/2"	4-1/2"	N/A	9-1/4"	N/A	RSP
P3912	22	7/0	WHITE PINE	4-1/2"	4-1/2"	N/A	9-1/4"	N/A	RSP
P3912F	23	6/8	WHITE PINE	4-1/2"	4-1/2"	N/A	9-1/4"	N/A	RSP
P3915V	19	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	WOODGRAIN
P4127	14	6/8	PONDEROSA PINE	5-17/32"	4-9/16"	N/A	9"	1/4"	WOODGRAIN
PN108 BIFOLD	33	6/8	PINE	1-1/4"	3-3/16"	3-5/16"	3"	1/4"	RSP
PN730 BIFOLD	33	6/8	PINE	1-1/4"	3-3/16"	3-5/16"	3"	N/A	RSP
PN732 BIFOLD	33	6/8	PINE	1-1/4"	3-3/16"	3-5/16"	3"	1/4"	RSP
T001 TRANSOM	19	1/0	PONDEROSA PINE	4-1/2"	2-3/8"	N/A	2-3/8"	N/A	WOODGRAIN
T003 TRANSOM	19	1/0	PONDEROSA PINE	4-1/2"	2-3/8"	N/A	2-3/8"	N/A	WOODGRAIN
T004 TRANSOM	19	1/0	PONDEROSA PINE	4-1/2"	2-3/8"	N/A	2-3/8"	N/A	WOODGRAIN
T005 TRANSOM	19	1/0	PONDEROSA PINE	4-1/2"	2-3/8"	N/A	2-3/8"	N/A	WOODGRAIN



# Finishing

## HANDLING

1. Protect door from abuse and mishandling. Take special care with glass.
2. Avoid dragging doors across one another and keep doors clean.
3. Store flat on a level surface in a dry, well ventilated building.
4. Doors should be conditioned to average prevailing relative humidity of the locality before hanging.
5. Doors should not be subjected to extreme or rapid changes in heat or humidity. Avoid sudden changes such as forced heat to dry out a building.
6. If the doors are to be stored on the job site, all surfaces including ends and edges must be sealed with an effective quality oil-base sealer in order to prevent undue moisture absorption. Primers are not sealants.

## GENERAL NOTES ON FINISHING

1. Before applying the first coat of finish, sand the entire surface lightly with 5/0 sandpaper (180 grit). This is to remove fingerprints and handling marks.
2. Adjust or align components if necessary before finishing. Wood panels "float" and may be knocked into alignment with a wood block and hammer. Be careful not to damage door.
3. After sanding, clean the door thoroughly with a cloth to remove all dust or foreign material. However, avoid using caustic or abrasive cleaners.
4. All surfaces of the door must be properly finished. The edges (top, bottom and sides) should be coated with each and every coat of finish that is applied to the exterior surface of the door. Doors must be dry before finishing. There can be significant humidity variance in homes from winter to summer and interior millwork will move. Finishing all sides properly protects your doors.
5. Note: It is the finisher's responsibility to protect glass prior to and during finishing. If using tape, conduct a test of the tape being used on a small area of the glass before applying to a large surface. After finishing, remove the tape as soon as possible. If the glass has plastic film protection, removal of the plastic film protection immediately after applying the finish is required. Failure to remove the plastic film at this time may cause harm to the glass and will create difficulty in removing the film at a later time. Do not use razor blades or sharp objects to remove the film or clean the glass. These items will scratch the glass.

## INTERIOR FINISHING - STAIN

All stained products should use a stain controller prior to staining. Some species stain better than others. Please see individual species for stainmeter.

A good preparation is critical for good results. Sand the door and keep it very clean. Use a tack cloth to remove all particulate matter. Apply stain conditioner following manufacturers' instructions. Stain product and let dry. Finish with 2 or more coats of finish. InteriorClear finishes can be varnish, tung/teak oils, lacquers, etc.

**Varnishes** - Oil and water based. Oil finishes dry slower and give the finish coat a slight glow in color. Water based varnishes are fast drying and have little or no color and depth.

**Oils** like tung and teak oils are wipe on finishes. These dry slow and require many coats (4 or more). They typically give an amber color to the finish.

**Lacquers** are fast drying finishes that are durable and give a nice depth and soft color.

## A NOTE ABOUT PINE.

Pine varies sometimes dramatically in density.

The best stained pine finishes come from Ponderosa Pine. This species has the best consistency in density and finishes nicely. This product is the "best" Pine door species. All exterior Pine doors are Domestic Ponderosa Pine.

The "White" pine product is beautiful in unfinished color consistency but has a characteristic of very pronounced color variation when stained. This product is great for Clear coats and paints. This is Reeb's "better" Pine door.

Plantation Pine has very pronounced grain patterns. The trees it is made from are very fast growing and the growth rings are very large. It can stain inconsistently. This is a "good" pine door that is made very well and good for value stain/paint needs.

## INTERIOR FINISHING - PAINT

Unprimed doors should be primed with a good quality primer followed by two or more top coats of a good quality solvent-base or latex enamel paint.

## MAINTENANCE

Best results will include light sanding and thorough cleaning between coats of paint. Do not skip light sanding after applying the coat of primer. Take care not to sand any glass. Let paint dry between coats. Always use top quality brushes, rollers and paint.

## CHALKBOARD PANEL DOOR

Breaking in a new chalkboard door:

1. Wash the chalkboard surface daily with cool water for one week.
2. Wash only a small section at a time, immediately rubbing dry with a lint-free cloth.
3. Repeat until the entire surface of the chalkboard has been washed.
4. After washing, hold a stick of chalk flat on the board and cover the entire surface.
5. Erase evenly. The chalkboard is now ready to use.

## MAINTENANCE TIPS:

1. Clean erasers frequently.
2. Use white chalk rather than yellow or colored chalk, as the pigments can make them more difficult to erase.
3. Wash the chalkboard weekly if necessary.
4. Look for high grade chalk (95% chalk with a 5% binder), as inferior chalk may permanently mark the chalkboard.





Visit the Reeb® Learning Center for education on choosing the proper door unit, new products, and what product options are available.

Visit The Reeb Learning Center at **[learn.reeb.com](http://learn.reeb.com)**



A learning center for everything door related.



## Online Interior Stile & Rail Catalog

View product warranties, care and finishing instructions for the following companies at **[reeb.com/catalogs/](http://reeb.com/catalogs/)**



## Warranty Information

View product warranties at **[reeb.com/warranties/](http://reeb.com/warranties/)**



▣ **Bethlehem, PA**

1000 Maloney Cir.  
Bethlehem, PA 18015  
(800) 862-8622 voice  
(800) 772-7332 fax

▣ **Barclay, MD**

1315 Goldsboro Rd.  
Barclay, MD 21607  
(800) 825-8331 voice  
(800) 331-9387 fax

▣ **Mocksville, NC**

346 Bethel Church Rd.  
Mocksville, NC 27028  
(800) 642-0886 voice  
(800) 618-0620 fax

▣ **Providence, RI**

19 Business Park Dr.  
Smithfield, RI 02917  
(800) 343-5703 voice  
(800) 388-5979 fax

▣ **Syracuse, NY**

7475 Henry Clay Blvd.  
Liverpool, NY 13088  
(800) 422-5224 voice  
(800) 531-7332 fax



PART# REEBINT19

VERSION 1.0.0