



INTERIOR DOORS

REEB® IN-STOCK INTERIOR STILE & RAIL CATALOG



Introduction



F44, Simpson

Interior Doors

Interior stile and rail doors are made from real wood bringing a warmth to any home. Reeb® stocks a number of species and designs to ensure that the style you are looking for is available. Reeb offers choices and options to help make the house feel like a home.

Table of Contents

Wood Species	4	Knotty Pine	34	Barn Door Hardware	60
Glass Options	6	11/16" Double Hip Raised Panel.....	34	Goldberg, Finish Options.....	60
Get Creative	7	Douglas Fir	36	Flat Frames	62
Wood Doors Construction	8	3/8" Flat Panel.....	36	Stops.....	63
Ponderosa Pine	10	Double Hip Raised Panel.....	40	Rabbeted Frames	64
1-3/16" Double Hip Raised Panel.....	10	3/4" Double Hip Raised Panel.....	41	Single Rabbeted.....	64
9/16" Single Hip Raised Panel.....	12	1-3/16" Double Hip Raised Panel.....	41	Double Rabbeted.....	64
1/4" Flat Panel.....	14	French, Clear Glass.....	42	Split Frames	65
French, 1-5/16" Bar, Clear Glass.....	16	French, White Laminate Glass.....	43	Sills	65
French, 1" TDL Bar, Clear Glass.....	18	French, 1-1/4" Bar.....	44	Hinges	66
French, Clear Glass.....	18	French, 1-1/4" Bar, Clear Glass.....	45	Baldwin®.....	67
French, V-Groove Glass.....	19	French, 1-1/4" Bar, Satin Etch Glass.....	45	Emtek®.....	68
Transoms, Clear Glass.....	19	Decorative Glass.....	46	Reeb® Specialty Products.....	69
White Pine	20	20 Minute Fire Rated Doors.....	48	Locks	70
27/64" Single Hip Raised Panel.....	20	3/4" Fire Rated Flat Panel.....	49	Stile & Rail Dimensions	74
French, 1-1/4" Bar, Clear Glass.....	22	1-7/16" Fire Rated Raised Panel.....	49	Finishing	78
French, 1-1/4" Bar, Frit Glass.....	23	Maple	50	Educational Tools	79
Plantation Pine	24	3/8" Flat Panel.....	50		
11/16" Double Hip Raised Panel.....	24	Knotty Alder	52		
9/16" Single Hip Raised Panel.....	26	1-1/8" V-Groove Plank Raised Panel.....	53		
3/8" Flat Panel.....	28	1-3/16" Aspen Raised Panel.....	53		
French, 1-3/8" Bar, Clear Glass.....	30	Red Oak	54		
French, Clear Glass.....	31	3/4" Double Hip Raised Panel.....	55		
Pine Louvers	32	French, 1-1/4" Bar, Clear Glass.....	56		
Ponderosa Pine Louvers.....	33	Barn Doors	58		
Plantation Pine Louvers.....	33	Woodgrain, Ponderosa Pine.....	58		
		Woodgrain, Knotty Alder.....	59		

Wood Species

Reeb® stocks a variety of wood species to match any home's design. Staining a door brings a layer of beauty and sophistication to an area. Each species of wood has different characteristics, colors, and grain patterns which affect the stain application. To help understand which doors stain well and which are better painted, Reeb has created icons which identify the stainability of a species.



EASY
STAINABILITY



MODERATE
STAINABILITY



DIFFICULT
STAINABILITY



PONDEROSA PINE - \$ **PAGE** 10 - 19, 33 (Louvers)



WHITE PINE - \$ **PAGE** 20 - 23



PLANTATION PINE - \$ **PAGE** 24 - 31, 33 (Louvers)



KNOTTY PINE - \$ **PAGE** 34 - 35




DOUGLAS FIR - \$\$

PAGE 36 - 49



MAPLE - \$\$

PAGE 50 - 51



KNOTTY ALDER - \$\$

PAGE 52 - 53



RED OAK - \$\$\$

PAGE 54 - 57

See pages 8 - 9 for more information on Interior Wood door construction.

Glass Options

Glass brings additional natural light and warmth into a room. Clear glass brings the maximum natural light flow while frit or satin etch glass add privacy. To easily identify the level of privacy, a privacy indicator is included with each glass type below.




Clear glass provides the maximum amount of light with no privacy; Reeb's stock of clear glass is tempered.



Clear Beveled glass has a bevel to the edge of the glass to provide a decorative element.



Satin Etch glass is semi-opaque glass with an etched frosted texture on one side that resists dirt.



White Laminate glass offers the highest level of privacy with a vinyl interlayer between 2 pieces of glass, resulting in a smooth surface on both sides.



Frit glass in non-primed wood doors is a non-porous, semi-opaque glass with a texture on one side. The glass has a bright white appearance.

Get Creative

Add a level of creativity to the home by choosing one of these unique door styles.



DECORATIVE - F88421



DECORATIVE - F88464



CLEAR ART ON SATIN ETCH - F1590



MAGNETIC CHALKBOARD - F1120



Special Order Products

Reeb's in-stock collection includes many design options for your convenience, however the possibilities are endless. If you do not see what you are looking for in this catalog, it is likely we can still create it as a special order product.


Contact your Reeb representative for custom door designs.

Wood Doors

CONSTRUCTION

For homeowners seeking a classic look, authentic stile and rail doors offer a level of detail and definition that cannot be matched. Stile and rail construction is architecturally correct and provides crisp shadow lines and highly defined panel details. Staining an interior wood door protects and enhances the natural beauty of real wood. Any door can be painted, however Reeb stocks Primed Stile and Rail doors that are specifically designed for this purpose. **For more information, go to reeb.com/catalogs.**

- 1 Stile:** The stiles have a solid engineered core for added strength and stability.
- 2 Rail:** The rails are also made of solid engineered core.
- 3 Panel/Glass:** Panels can be wood to create a solid door, or replaced with glass to create a French door.
- 4 Dowel Pins:** Dowel pins are used to join the stiles and rails together.
- 5 Veneer:** A veneer is added over the core to create a smooth staining or painting surface.




Sharp Detail

Door components in a wood stile and rail door join together creating sharp shadow lines and greater definition.



Architectural Correctness

Each door is made with perfectly proportioned stiles, rails and panels that are created individually to ensure that every door is architecturally correct.





Panel Design

Doors can be designed with 3/8" flat panels or raised panels with an option of single hip or double hip.



Finishing

The surface of the door can be painted or stained depending on the wood species. Some species are easier to stain than others and we identify this with a "stainability" icon. **See page 4.**



Solid Engineered Core

The interior of a wood stile and rail door has a solid engineered core adding stability and reducing sound transmission.



Dowel Pins

Traditional dowel pin construction creates a secure joint, connecting stile and rail components together.



Veneer

A high-quality veneer is applied on top of the core for a perfect staining or painting surface.

Ponderosa Pine



1-3/16" DOUBLE HIP RAISED PANEL

Ponderosa Pine is one of America's most abundant tree species. It has straight, uniform grain with minimal amounts of reddish-brown heartwood. The sapwood has wide growth bands, which are honey-toned or straw-colored.





1-3/16" Double Hip Raised Panel, Ovolo Sticking



Species Close Up



Ovolo Sticking



Panel Profile

1-3/16" DOUBLE HIP RAISED PANEL



P82 1-3/8"

1-3/16" Raised Panel,
Ovolo Sticking

1/0 x 6/8	1/6 x 6/8	2/4 x 6/8	3/0 x 6/8
1/2 x 6/8	1/8 x 6/8	2/6 x 6/8	
1/3 x 6/8	1/10 x 6/8	2/8 x 6/8	
1/4 x 6/8	2/10 x 6/8	2/10 x 6/8	



P82A 1-3/8"

1-3/16" Raised Panel,
Ovolo Sticking

1/0 x 6/8	1/6 x 6/8	2/4 x 6/8	3/0 x 6/8
1/2 x 6/8	1/8 x 6/8	2/6 x 6/8	
1/3 x 6/8	1/10 x 6/8	2/8 x 6/8	
1/4 x 6/8	2/10 x 6/8	2/10 x 6/8	



P64 1-3/8"

1-3/16" Raised Panel,
Ovolo Sticking

1/6 x 6/8	2/8 x 6/8
2/10 x 6/8	3/0 x 6/8
2/4 x 6/8	
2/6 x 6/8	



P82, Woodgrain

Ponderosa Pine



9/16" SINGLE HIP RAISED PANEL


Ponderosa Pine is one of America's most abundant tree species. It has straight, uniform grain with minimal amounts of reddish-brown heartwood. The sapwood has wide growth bands, which are honey-toned or straw-colored.





9/16" Single Hip Raised Panel, Ovolo Sticking



Species Close Up



Ovolo Sticking



Panel Profile

9/16" SINGLE HIP RAISED PANEL

Bifolds are carton packed with track and hardware.



WG

1/0 - 1/8

P44 1-3/8"

9/16" Raised Panel, Ovolo Sticking

1/0 x 6/0	1/0 x 6/6	1/0 x 6/8	1/0 x 7/0
1/2 x 6/0	1/2 x 6/6	1/2 x 6/8	1/2 x 7/0
1/3 x 6/0	1/3 x 6/6	1/3 x 6/8	1/3 x 7/0
1/4 x 6/0	1/4 x 6/6	1/4 x 6/8	1/4 x 7/0
1/6 x 6/0	1/6 x 6/6	1/6 x 6/8	1/6 x 7/0
1/8 x 6/0	1/8 x 6/6	1/8 x 6/8	1/8 x 7/0
2/0 x 6/0	2/0 x 6/6	2/0 x 6/8	2/0 x 7/0
2/2 x 6/0	2/2 x 6/6	2/2 x 6/8	2/2 x 7/0
2/4 x 6/0	2/4 x 6/6	2/4 x 6/8	2/4 x 7/0
2/6 x 6/0	2/6 x 6/6	2/6 x 6/8	2/6 x 7/0
2/8 x 6/0	2/8 x 6/6	2/8 x 6/8	2/8 x 7/0
3/0 x 6/0	3/0 x 6/6	2/8 x 6/8	2/10 x 7/0
		2/10 x 6/8	3/0 x 7/0
		3/0 x 6/8	



WG

P44 BIFOLD 1-3/8"

9/16" Raised Panel, Ovolo Sticking

2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8
4/0 x 6/8
4/8 x 6/8
5/0 x 6/8
5/4 x 6/8
6/0 x 6/8



WG

1/6

P45 1-3/8"

9/16" Raised Panel, Ovolo Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



WG

1/3 - 1/6

P85 1-3/8"

9/16" Raised Panel, Ovolo Sticking

1/3 x 6/8
1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



WG

1/0 - 1/8

P108 1-3/8"

9/16" Raised Panel, Ovolo Sticking

1/0 x 6/0	1/0 x 6/6	1/0 x 6/8	1/0 x 7/0
1/2 x 6/0	1/2 x 6/6	1/2 x 6/8	1/2 x 7/0
1/3 x 6/0	1/3 x 6/6	1/3 x 6/8	1/3 x 7/0
1/4 x 6/0	1/4 x 6/6	1/4 x 6/8	1/4 x 7/0
1/6 x 6/0	1/6 x 6/6	1/6 x 6/8	1/6 x 7/0
1/8 x 6/0	1/8 x 6/6	1/8 x 6/8	1/8 x 7/0
2/0 x 6/0	2/0 x 6/6	2/0 x 6/8	2/0 x 7/0
2/2 x 6/0	2/2 x 6/6	2/2 x 6/8	2/2 x 7/0
2/4 x 6/0	2/4 x 6/6	2/4 x 6/8	2/4 x 7/0
2/6 x 6/0	2/6 x 6/6	2/6 x 6/8	2/6 x 7/0
2/8 x 6/0	2/8 x 6/6	2/8 x 6/8	2/8 x 7/0
3/0 x 6/0	3/0 x 6/6	2/8 x 6/8	2/10 x 7/0
		2/10 x 6/8	3/0 x 7/0
		3/0 x 6/8	



WG

P108 BIFOLD 1-3/8"

9/16" Raised Panel, Ovolo Sticking

2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8
4/0 x 6/8
4/8 x 6/8
5/0 x 6/8
5/4 x 6/8
6/0 x 6/8



WG

1/4 - 1/6

P67 1-3/8"

9/16" Raised Panel, Ovolo Sticking

1/4 x 6/8
1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



WG

1/6

P1088 1-3/8"

9/16" Raised Panel, Ovolo Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8

Ponderosa Pine



1/4" FLAT PANEL

Ponderosa Pine is one of America's most abundant tree species. It has straight, uniform grain with minimal amounts of reddish-brown heartwood. The sapwood has wide growth bands, which are honey-toned or straw-colored.





1/4" Flat Panel



Species Close Up



Picture Frame Layout



Panel Profile



P733, Woodgrain



WG

P4127 1-3/8"
1/4" Flat Panel,
Picture Frame Layout

2/0 x 6/8 3/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8

SMP SIMPSON

WG WOODGRAIN

RSP REEB SPECIALTY PRODUCTS

Ponderosa Pine

FRENCH - 1-5/16" BAR




Ponderosa Pine is one of America's most abundant tree species. It has straight, uniform grain with minimal amounts of reddish-brown heartwood. The sapwood has wide growth bands, which are honey-toned or straw-colored.



1-5/16" Bar with Clear Glass



1-5/16" Bar Close Up



1-5/16" Bar Profile



P1515B, Clear Beveled Glass

1-5/16" BAR

Bifolds are carton packed with track and hardware.



P1509 1-3/8"
1-5/16" Bar, Clear Glass
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



P1505 1-3/8"
1-5/16" Bar, Clear Glass
1/0 x 6/8 2/6 x 6/8
1/2 x 6/8 2/8 x 6/8
1/3 x 6/8 3/0 x 6/8
1/4 x 6/8
1/6 x 6/8



P1510 1-3/8"
1-5/16" Bar, Clear Glass
1/8 x 6/8 2/0 x 7/0
1/10 x 6/8
2/0 x 6/8
2/2 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



P1515 1-3/8"
1-5/16" Bar, Clear Glass
2/4 x 6/8 2/4 x 7/0
2/6 x 6/8 2/6 x 7/0
2/8 x 6/8 2/8 x 7/0
2/10 x 6/8 3/0 x 7/0
3/0 x 6/8



P1515B 1-3/8"
1-5/16" Bar, Clear Beveled Glass
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



P1705 BIFOLD 1-3/8"
1-5/16" Bar, Clear Glass
2/0 x 6/8 4/0 x 6/8
2/6 x 6/8 5/0 x 6/8
2/8 x 6/8 5/4 x 6/8
3/0 x 6/8 6/0 x 6/8



P1512 1-3/8"
1-5/16" Bar, Clear Glass
2/0 x 8/0



P1518 1-3/8"
1-5/16" Bar, Clear Glass
2/4 x 8/0
2/6 x 8/0
2/8 x 8/0
3/0 x 8/0

Ponderosa Pine

FRENCH



Ponderosa Pine is one of America's most abundant tree species. It has straight, uniform grain with minimal amounts of reddish-brown heartwood. The sapwood has wide growth bands, which are honey-toned or straw-colored.



1" TDL Bar with Clear Glass

1" TDL BAR



P1510FC 1-3/8"

1" TDL Bar, Clear Glass


2/0 x 6/8
2/4 x 6/8



P1515FC 1-3/8"

1" TDL Bar, Clear Glass

2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



1" TDL Bar Profile


CLEAR GLASS



P1501 1-3/8"

Clear Glass

2/0 x 6/8	2/8 x 6/8	2/0 x 7/0	2/8 x 7/0
2/2 x 6/8	2/10 x 6/8	2/2 x 7/0	3/0 x 7/0
2/4 x 6/8	3/0 x 6/8	2/4 x 7/0	
2/6 x 6/8		2/6 x 7/0	



Full Lite Profile

V-GROOVE




P3915 V-GROOVE 1-3/8"

V-Groove Glass

2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



V-Groove Close Up



5/32" V-Groove Glass

Transoms

CLEAR GLASS



T001

Clear Glass

2/6, 2/8 & 3/0 for use with Single Door
4/0 for use of 2/0 Double Door

2/6 x 1/0 4/0 x 1/0
2/8 x 1/0 5/0 x 1/0
3/0 x 1/0 6/0 x 1/0



T003

Divided Lites, Clear Glass
For use with Single Door

2/6 x 1/0
2/8 x 1/0
3/0 x 1/0



T004

Divided Lites, Clear Glass

For use with 2/0 Double Door

4/0 x 1/0



T005

Divided Lites, Clear Glass

5/0 x 1/0 for use with 2/6 Double Door

6/0 x 1/0 for use with 3/0 Double Door

5/0 x 1/0
6/0 x 1/0

White Pine



27/64" SINGLE HIP RAISED PANEL

White Pine is a straight grained wood with a fine uniform texture. The heartwood is a creamy white, pale yellow or light brown while the sapwood is a creamy white.





27/64" Single Hip Raised Panel, Ovolo Sticking



Species Close Up



Ovolo Sticking



Panel Profile

27/64" SINGLE HIP RAISED PANEL

Bifolds are carton packed with track and hardware.



P1053 1-3/8"
27/64" Raised Panel,
Ovolo Sticking

1/6 x 6/6	1/0 x 6/8	2/0 x 6/8
2/0 x 6/6	1/2 x 6/8	2/2 x 6/8
2/4 x 6/6	1/3 x 6/8	2/4 x 6/8
2/6 x 6/6	1/4 x 6/8	2/6 x 6/8
2/8 x 6/6	1/6 x 6/8	2/8 x 6/8
3/0 x 6/6	1/8 x 6/8	2/10 x 6/8
	1/10 x 6/8	3/0 x 6/8



P1053 BIFOLD 1-3/8"
27/64" Raised Panel,
Ovolo Sticking

2/0 x 6/8	5/0 x 6/8
2/4 x 6/8	5/4 x 6/8
2/6 x 6/8	6/0 x 6/8
2/8 x 6/8	
3/0 x 6/8	
4/0 x 6/8	
4/8 x 6/8	




P1051 1-3/8"
27/64" Raised Panel,
Ovolo Sticking

1/6 x 6/6	1/0 x 6/8	2/0 x 6/8
2/0 x 6/6	1/2 x 6/8	2/2 x 6/8
2/4 x 6/6	1/3 x 6/8	2/4 x 6/8
2/6 x 6/6	1/4 x 6/8	2/6 x 6/8
2/8 x 6/6	1/6 x 6/8	2/8 x 6/8
3/0 x 6/6	1/8 x 6/8	2/10 x 6/8
	1/10 x 6/8	3/0 x 6/8



P1051 BIFOLD 1-3/8"
27/64" Raised Panel,
Ovolo Sticking

2/0 x 6/8	5/0 x 6/8
2/4 x 6/8	5/4 x 6/8
2/6 x 6/8	6/0 x 6/8
2/8 x 6/8	
3/0 x 6/8	
4/0 x 6/8	
4/8 x 6/8	



P1051, Reeb Specialty Products

White Pine

FRENCH



White Pine is a straight grained wood with a fine uniformed texture. The heartwood is a creamy white, pale yellow or light brown while the sapwood is a creamy white.



1-1/4" Bar, Clear Glass

CLEAR GLASS



P3911 1-3/8"

1-1/4" Bar, Clear Glass


1/8 x 6/8 2/4 x 6/8 2/0 x 7/0
1/10 x 6/8 2/6 x 6/8
2/0 x 6/8 2/8 x 6/8
2/2 x 6/8 3/0 x 6/8



P3912 1-3/8"

1-1/4" Bar, Clear Glass

2/4 x 6/8 2/4 x 7/0
2/6 x 6/8 2/6 x 7/0
2/8 x 6/8 2/8 x 7/0
2/10 x 6/8 3/0 x 7/0
3/0 x 6/8



1-1/4" Bar Profile



1-1/4" Bar, Frit Glass

FRIT GLASS



P3911F 1-3/8"
1-1/4" Bar, Frit Glass

1/8 x 6/8 2/6 x 6/8
1/10 x 6/8 2/8 x 6/8
2/10 x 6/8 3/0 x 6/8
2/2 x 6/8
2/4 x 6/8




P3912F 1-3/8"
1-1/4" Bar, Frit Glass

2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8



P3901F 1-3/8"
Frit Glass

2/10 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



Full Lite Profile

Plantation Pine

11/16" DOUBLE HIP RAISED PANEL


Plantation Pine has a distinctive grain pattern with a pale cream color. It tends to be harder than other pine species and has fewer knots.





11/16" Double Hip Raised Panel, Ovolo Sticking



Species Close Up



Ovolo Sticking



Panel Profile

11/16" DOUBLE HIP RAISED PANEL

Bifolds are carton packed with track and hardware.



RSP

IP22V 1-3/8"

11/16" V-Groove Raised Panel,
Ovolo Sticking

1/0 x 6/8	1/6 x 8/0
1/3 x 6/8	2/0 x 8/0
1/6 x 6/8	2/4 x 8/0
2/0 x 6/8	2/6 x 8/0
2/4 x 6/8	2/8 x 8/0
2/6 x 6/8	2/10 x 8/0
2/8 x 6/8	3/0 x 8/0
2/10 x 6/8	
3/0 x 6/8	



RSP

1/0 - 1/6

IP44 1-3/8"

11/16" Raised Panel,
Ovolo Sticking

1/0 x 6/8	1/6 x 8/0
1/3 x 6/8	2/0 x 8/0
1/6 x 6/8	2/4 x 8/0
2/0 x 6/8	2/6 x 8/0
2/4 x 6/8	2/8 x 8/0
2/6 x 6/8	2/10 x 8/0
2/8 x 6/8	3/0 x 8/0
2/10 x 6/8	
3/0 x 6/8	



RSP

IP44 BIFOLD 1-3/8"

11/16" Raised Panel,
Ovolo Sticking

2/0 x 6/8
2/6 x 6/8
3/0 x 6/8
4/0 x 6/8
5/0 x 6/8
6/0 x 6/8



RSP

1/0 - 1/10

IP66 1-3/8"

11/16" Raised Panel,
Ovolo Sticking

1/0 x 6/8	2/0 x 6/8	1/6 x 8/0
1/2 x 6/8	2/2 x 6/8	2/0 x 8/0
1/3 x 6/8	2/4 x 6/8	2/4 x 8/0
1/4 x 6/8	2/6 x 6/8	2/6 x 8/0
1/6 x 6/8	2/8 x 6/8	2/8 x 8/0
1/8 x 6/8	2/10 x 6/8	2/10 x 8/0
1/10 x 6/8	3/0 x 6/8	3/0 x 8/0



RSP

IP66 BIFOLD 1-3/8"

11/16" Raised Panel,
Ovolo Sticking

2/0 x 6/8
2/6 x 6/8
3/0 x 6/8
4/0 x 6/8
5/0 x 6/8
6/0 x 6/8

Plantation Pine

9/16" SINGLE HIP RAISED PANEL


Plantation Pine has a distinctive grain pattern with a pale cream color. It tends to be harder than other pine species and has fewer knots.





9/16" Single Hip Raised Panel, Ovolo Sticking



Species Close Up



Ovolo Sticking



Panel Profile



IP82A, Reeb Specialty Products

9/16" SINGLE HIP RAISED PANEL



RSP

IP82 1-3/8"

9/16" Raised Panel,
Ovolo Sticking

1/6 x 6/8	1/6 x 8/0
2/0 x 6/8	2/0 x 8/0
2/4 x 6/8	2/4 x 8/0
2/6 x 6/8	2/6 x 8/0
2/8 x 6/8	2/8 x 8/0
3/0 x 6/8	3/0 x 8/0



RSP

IP82A 1-3/8"

9/16" Raised Panel,
Ovolo Sticking

1/6 x 6/8	1/6 x 8/0
2/0 x 6/8	2/0 x 8/0
2/4 x 6/8	2/4 x 8/0
2/6 x 6/8	2/6 x 8/0
2/8 x 6/8	2/8 x 8/0
3/0 x 6/8	3/0 x 8/0



RSP

IP55 1-3/8"

9/16" Raised Panel,
Ovolo Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



RSP

IP56 1-3/8"

9/16" Raised Panel,
Ovolo Sticking

1/6 x 8/0
2/0 x 8/0
2/4 x 8/0
2/6 x 8/0
2/8 x 8/0
3/0 x 8/0


Plantation Pine

3/8" FLAT PANEL

Plantation Pine has a distinctive grain pattern with a pale cream color. It tends to be harder than other pine species and has fewer knots.





3/8" Flat Panel, Shaker Sticking



Species Close Up



Shaker Sticking



Panel Profile

3/8" FLAT PANEL



RSP

IP720 1-3/8"

3/8" Flat Panel,
Shaker Sticking

1/6 x 6/8	1/6 x 8/0
2/0 x 6/8	2/0 x 8/0
2/4 x 6/8	2/4 x 8/0
2/6 x 6/8	2/6 x 8/0
2/8 x 6/8	2/8 x 8/0
3/0 x 6/8	3/0 x 8/0



RSP

IP730 1-3/8"

3/8" Flat Panel,
Shaker Sticking

1/6 x 6/8	1/6 x 8/0
2/0 x 6/8	2/0 x 8/0
2/4 x 6/8	2/4 x 8/0
2/6 x 6/8	2/6 x 8/0
2/8 x 6/8	2/8 x 8/0
3/0 x 6/8	3/0 x 8/0



RSP

1/6

IP760 1-3/8"

3/8" Flat Panel,
Shaker Sticking

1/6 x 6/8	1/6 x 8/0
2/0 x 6/8	2/0 x 8/0
2/4 x 6/8	2/4 x 8/0
2/6 x 6/8	2/6 x 8/0
2/8 x 6/8	2/8 x 8/0
3/0 x 6/8	3/0 x 8/0



RSP

IP782 1-3/8"

3/8" Flat Panel,
Shaker Sticking

1/0 x 6/8	2/8 x 6/8	1/6 x 8/0
1/3 x 6/8	2/10 x 6/8	2/0 x 8/0
1/4 x 6/8	3/0 x 6/8	2/4 x 8/0
1/6 x 6/8		2/6 x 8/0
2/0 x 6/8		2/8 x 8/0
2/4 x 6/8		2/10 x 8/0
2/6 x 6/8		3/0 x 8/0



RSP

IP755 1-3/8"

3/8" Flat Panel,
Shaker Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8



RSP

IP756 1-3/8"

3/8" Flat Panel,
Shaker Sticking

1/6 x 8/0
2/0 x 8/0
2/4 x 8/0
2/6 x 8/0
2/8 x 8/0
2/10 x 8/0
3/0 x 8/0

Plantation Pine

FRENCH




Plantation Pine has a distinctive grain pattern with a pale cream color. It tends to be harder than other pine species and has fewer knots.



1-3/8" Bar. Clear Glass



1-3/8" Bar Close Up



1-3/8" Bar Profile

1-3/8" BAR



IP625 1-3/8"

1-3/8" Bar, Clear Glass

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



IP627 1-3/8"

1-3/8" Bar, Clear Glass

2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8



IP626 1-3/8"

1-3/8" Bar, Clear Glass

1/6 x 8/0
2/0 x 8/0



IP628 1-3/8"

1-3/8" Bar, Clear Glass

2/4 x 8/0
2/6 x 8/0
2/8 x 8/0
2/10 x 8/0
3/0 x 8/0


CLEAR GLASS



IP620 1-3/8"

Clear Glass

1/6 x 6/8 1/6 x 8/0
2/0 x 6/8 2/0 x 8/0
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8



Full Lite Profile

Pine Louvers




Louver doors allow for air flow while providing privacy.




1-1/4" Louver Slats

When ordering a louver door, it is important to specify which side is the blind side. View the door as if you are in the inside of the room and the door is opening toward you.



When the Blind Side is on the Hinge Side, the Louvers run down, meaning you cannot see into the next room



When the Blind Side is on the Stop Side, the Louvers run up, meaning you can see into the next room.

PONDEROSA PINE

Bifolds are carton packed with track and hardware.



WG

P730 1-3/8"

1-1/4" Louver Slats

2/0 x 6/0	1/0 x 6/8	2/2 x 6/8	1/6 x 7/0
2/6 x 6/0	1/2 x 6/8	2/4 x 6/8	2/0 x 7/0
1/6 x 6/6	1/3 x 6/8	2/6 x 6/8	2/4 x 7/0
2/0 x 6/6	1/4 x 6/8	2/8 x 6/8	2/6 x 7/0
2/4 x 6/6	1/6 x 6/8	2/10 x 6/8	2/8 x 7/0
2/6 x 6/6	1/8 x 6/8	3/0 x 6/8	3/0 x 7/0
2/8 x 6/6	1/10 x 6/8		
3/0 x 6/6	2/0 x 6/8		



WG

P730 BIFOLD 1-3/8"

1-1/4" Louver Slats

2/0 x 6/8	5/4 x 6/8
2/4 x 6/8	6/0 x 6/8
2/6 x 6/8	
2/8 x 6/8	
3/0 x 6/8	
4/0 x 6/8	
4/8 x 6/8	
5/0 x 6/8	



WG

P732 1-3/8"

1-1/4" Louver Slats,
9/16" Single Hip Raised Panel

1/6 x 6/6	1/0 x 6/8	2/2 x 6/8
2/0 x 6/6	1/2 x 6/8	2/4 x 6/8
2/4 x 6/6	1/3 x 6/8	2/6 x 6/8
2/6 x 6/6	1/4 x 6/8	2/8 x 6/8
2/8 x 6/6	1/6 x 6/8	2/10 x 6/8
3/0 x 6/6	1/8 x 6/8	3/0 x 6/8
	1/10 x 6/8	
	2/0 x 6/8	



WG

P732 BIFOLD 1-3/8"

1-1/4" Louver Slats
9/16" Single Hip Raised Panel

2/0 x 6/8	5/0 x 6/8
2/4 x 6/8	5/4 x 6/8
2/6 x 6/8	6/0 x 6/8
2/8 x 6/8	
3/0 x 6/8	
4/0 x 6/8	
4/8 x 6/8	

PLANTATION PINE

Bifolds are carton packed with track and hardware.



RSP

PN730 BIFOLD 1-1/8"

1-1/4" Louver Slats
1/2" Single Hip Raised Panel
Recessed Rail

2/0 x 6/8
2/6 x 6/8
3/0 x 6/8
4/0 x 6/8
5/0 x 6/8
6/0 x 6/8



RSP

PN732 BIFOLD 1-1/8"

1-1/4" Louver Slats
1/2" Single Hip Raised Panel
Recessed Rail

2/0 x 6/8
2/6 x 6/8
3/0 x 6/8
4/0 x 6/8
5/0 x 6/8
6/0 x 6/8



RSP

PN108 BIFOLD 1-1/8"

1-1/4" Louver Slats
1/2" Single Hip Raised Panel
Recessed Rail

2/0 x 6/8
2/6 x 6/8
3/0 x 6/8
4/0 x 6/8
5/0 x 6/8
6/0 x 6/8

Recessed rails are rails that are not as thick as the stiles.

Knotty Pine



11/16" DOUBLE HIP RAISED PANEL


Knotty Pine has a rich display of knots that reflects the randomness and beauty of nature. The wood tends to be a honey-toned or straw color while the knots are generally reddish-brown.



KP22/KP66, 11/16" Double Hip Raised Panel, Ovolo Sticking



KP22/KP66, Ovolo Sticking



KP22V, Reticulated Sticking and Joint



KP22/KP66



KP22V

11/16" DOUBLE HIP RAISED PANEL



RSP

KP22 1-3/8"

11/16" Raised Panel,
Ovolo Sticking

1/6 x 6/8	1/6 x 8/0
2/0 x 6/8	2/0 x 8/0
2/4 x 6/8	2/4 x 8/0
2/6 x 6/8	2/6 x 8/0
2/8 x 6/8	2/8 x 8/0
2/10 x 6/8	2/10 x 8/0
3/0 x 6/8	3/0 x 8/0




RSP

1/6


KP66 1-3/8"

11/16" Raised Panel,
Ovolo Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8



KP22/KP66,
Ovolo Sticking



V-Groove Close Up




RSP

KP22V 1-3/8"

11/16" V-Groove Raised Panel,
Reticulated Sticking and Joint

1/6 x 6/8	1/6 x 8/0
2/0 x 6/8	2/0 x 8/0
2/4 x 6/8	2/4 x 8/0
2/6 x 6/8	2/6 x 8/0
2/8 x 6/8	2/8 x 8/0
2/10 x 6/8	2/10 x 8/0
3/0 x 6/8	3/0 x 8/0



KP22V Reticulated
Sticking and Joint
(Shown from above)

Douglas Fir

3/8" FLAT PANEL



Douglas Fir is a large, generally straight-grained tree characterized by exceptional natural strength, hardness and durability. The wood varies in color from yellowish tan to light, bright brown.





3/8" Flat Panel, Ovolo Sticking



Species Close Up



Ovolo Sticking



Panel Profile

OVOLO STICKING



F20 1-3/8"

3/8" Flat Panel,
Ovolo Sticking

1/0 x 6/8	2/4 x 6/8	2/0 x 7/0
1/2 x 6/8	2/6 x 6/8	2/4 x 7/0
1/3 x 6/8	2/8 x 6/8	2/6 x 7/0
1/4 x 6/8	3/0 x 6/8	2/8 x 7/0
1/6 x 6/8		3/0 x 7/0
1/8 x 6/8		
2/0 x 6/8		



F20 1-3/4"

3/8" Flat Panel,
Ovolo Sticking

1/4 x 6/8	2/6 x 6/8	1/4 x 7/0	2/6 x 7/0
1/6 x 6/8	2/8 x 6/8	1/6 x 7/0	2/8 x 7/0
1/8 x 6/8	2/10 x 6/8	1/8 x 7/0	2/10 x 7/0
1/10 x 6/8	3/0 x 6/8	1/10 x 7/0	3/0 x 7/0
2/0 x 6/8		2/0 x 7/0	
2/2 x 6/8		2/2 x 7/0	
2/4 x 6/8		2/4 x 7/0	



F82 1-3/8"

3/8" Flat Panel,
Ovolo Sticking

1/0 x 6/8	2/4 x 6/8	1/6 x 7/0
1/2 x 6/8	2/6 x 6/8	2/0 x 7/0
1/3 x 6/8	2/8 x 6/8	2/4 x 7/0
1/4 x 6/8	3/0 x 6/8	2/6 x 7/0
1/6 x 6/8		2/8 x 7/0
1/8 x 6/8		3/0 x 7/0
2/0 x 6/8		



F82 1-3/4"

3/8" Flat Panel,
Ovolo Sticking

2/0 x 6/8	2/0 x 7/0
2/2 x 6/8	2/2 x 7/0
2/4 x 6/8	2/4 x 7/0
2/6 x 6/8	2/6 x 7/0
2/8 x 6/8	2/8 x 7/0
2/10 x 6/8	2/10 x 7/0
3/0 x 6/8	3/0 x 7/0

MAGNETIC CHALKBOARD



F30 1-3/8"

3/8" Flat Panel,
Ovolo Sticking


2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



F1120 1-3/8"

Magnetic Chalkboard,
Ovolo Sticking

2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



Panel Profile

Magnetic Chalkboard Paint

For information about maintenance and finishing, see page 78.

Douglas Fir

3/8" FLAT PANEL



Douglas Fir is a large, generally straight-grained tree characterized by exceptional natural strength, hardness and durability. The wood varies in color from yellowish tan to light, bright brown.





3/8" Flat Panel, Shaker Sticking



Species Close Up



Shaker Sticking



Panel Profile

SHAKER STICKING



SMP

F720 1-3/8"

3/8" Flat Panel,
Shaker Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



SMP

F782 1-3/8"

3/8" Flat Panel,
Shaker Sticking

2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



SMP

F730 1-3/8"

3/8" Flat Panel,
Shaker Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



SMP

F760 1-3/8"

3/8" Flat Panel,
Shaker Sticking

2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



SMP

F762 1-3/8"

3/8" Flat Panel,
Shaker Sticking

2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



SMP

F755 1-3/8"

3/8" Flat Panel,
Shaker Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8

Douglas Fir




DOUBLE HIP RAISED PANEL


Douglas Fir is a large, generally straight-grained tree characterized by exceptional natural strength, hardness and durability. The wood varies in color from yellowish tan to light, bright brown.




3/4" Double Hip Raised Panel, Ovolo Sticking



1-3/16" Double Hip Raised Panel, Ovolo Sticking



Panel Profile



Panel Profile

3/4" DOUBLE HIP RAISED PANEL

Bifolds are carton packed with track and hardware.



SMP

F82R 1-3/8"
3/4" Raised Panel,
Ovolo Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



SMP

F465 1-3/8"
3/4" Raised Panel,
Ovolo Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



SMP

1/4 - 1/6

F44 1-3/8"
3/4" Raised Panel,
Ovolo Sticking

1/4 x 6/8 3/0 x 6/8
1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8



SMP

F55 1-3/8"
3/4" Raised Panel,
Ovolo Sticking

1/6 x 6/8 1/6 x 7/0
2/0 x 6/8 2/0 x 7/0
2/4 x 6/8 2/4 x 7/0
2/6 x 6/8 2/6 x 7/0
2/8 x 6/8 2/8 x 7/0
3/0 x 6/8 2/10 x 7/0
3/0 x 7/0

1-3/16" DOUBLE HIP RAISED PANEL



SMP

F46 1-3/8"
3/4" Raised Panel,
Ovolo Sticking

2/4 x 6/8
2/6 x 6/8
3/0 x 6/8



SMP

1/0 - 1/8

F66 1-3/8"
3/4" Raised Panel,
Ovolo Sticking

1/0 x 6/8 2/6 x 6/8
1/3 x 6/8 2/8 x 6/8
1/4 x 6/8 3/0 x 6/8
1/6 x 6/8
1/8 x 6/8
2/0 x 6/8
2/4 x 6/8



SMP

F63 1-3/8" BIFOLD
3/4" Raised Panel,
Ovolo Sticking

2/0 x 6/8
2/6 x 6/8
3/0 x 6/8
4/0 x 6/8
5/0 x 6/8
6/0 x 6/8



WG

F82A 1-3/8"
1-3/16" Raised Panel,
Ovolo Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8

SMP SIMPSON

WG WOODGRAIN

RSP REEB SPECIALTY PRODUCTS

Douglas Fir

FRENCH



Douglas Fir is a large, generally straight-grained tree characterized by exceptional natural strength, hardness and durability. The wood varies in color from yellowish tan to light, bright brown.



Clear Glass, Ovolo Sticking


CLEAR GLASS



F1501 1-3/8"

Clear Glass, Ovolo Sticking

2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



Full Lite Profile



F318 1-3/8"

3/4" Raised Panel, Clear Glass,
Ovolo Sticking


2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



F418 1-3/8"

3/4" Raised Panel, Clear Glass,
Ovolo Sticking

2/8 x 6/8
3/0 x 6/8



Panel Profile




White Laminate Glass, Shaker Sticking

WHITE LAMINATE GLASS




F1501WL 1-3/8"
White Laminate Glass,
Shaker Sticking

2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



Full Lite Profile



Douglas Fir

1-1/4" BAR




Douglas Fir is a large, generally straight-grained tree characterized by exceptional natural strength, hardness and durability. The wood varies in color from yellowish tan to light, bright brown.



1-1/4" Bar, Clear Glass



1-1/4" Bar, Satin Etch Glass



1-1/4" Bar Profile

CLEAR GLASS



F1505 1-3/8"

1-1/4" Bar, Clear Glass

2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



F1580 1-3/8"

1-1/4" Bar, Clear Glass

2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



F1309 1-3/8"

1-1/4" Bar, Clear Glass

2/6 x 6/8
2/8 x 6/8
3/0 x 6/8

SATIN ETCH GLASS



F1310 1-3/8"

1-1/4" Bar, Clear Glass

2/0 x 6/8



F1315 1-3/8"

1-1/4" Bar, Clear Glass

2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



F1505E 1-3/8"

1-1/4" Bar, Satin Etch Glass

2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



F1510E 1-3/8"


1-1/4" Bar, Satin Etch Glass

2/0 x 6/8

Douglas Fir

DECORATIVE

Douglas Fir is a large, generally straight-grained tree characterized by exceptional natural strength, hardness and durability. The wood varies in color from yellowish tan to light, bright brown.



Decorative Glass, Silver Coming



F1590 1-3/8"

Decorative Glass,
Clear Art on Satin Etch

2/0 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



F1592 1-3/8"

Decorative Glass,
Clear Art on Satin Etch

2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8





F88405 1-3/8"

Decorative Glass,
Brass Caming


2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



F88421 1-3/8"

Decorative Glass,
Black Caming

2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



F88464 1-3/8"

Decorative Glass,
Silver Caming

2/6 x 6/8
2/8 x 6/8
3/0 x 6/8


Visit simpsondoor.com for more information
about decorative glass privacy ratings.

Douglas Fir


20 MINUTE FIRE RATED DOORS




Douglas Fir is a large, generally straight-grained tree characterized by exceptional natural strength, hardness and durability. The wood varies in color from yellowish tan to light, bright brown.




3/4" Fire Rated Flat Panel



1-7/16" Fire Rated Double Hip Raised Panel



Panel Profile



Panel Profile

3/4" FIRE RATED FLAT PANEL



SMP

F9220 1-3/4"

3/4" Fire Rated Flat Panel
Ovolo Sticking
20 Minute Fire Rating

2/8 x 6/8
3/0 x 6/8




SMP

F9282 1-3/4"

3/4" Fire Rated Flat Panel
Ovolo Sticking
20 Minute Fire Rating

2/8 x 6/8
3/0 x 6/8



Panel Profile

1-7/16" FIRE RATED RAISED PANEL



SMP

F9244 1-3/4"

1-7/16" Fire Rated Raised Panel
Ovolo Sticking
20 Minute Fire Rating

2/8 x 6/8
3/0 x 6/8



SMP

F9255 1-3/4"

1-7/16" Fire Rated Raised Panel
Ovolo Sticking
20 Minute Fire Rating

2/8 x 6/8
3/0 x 6/8




SMP

F9266 1-3/4"

1-7/16" Fire Rated Raised Panel
Ovolo Sticking
20 Minute Fire Rating

2/8 x 6/8
3/0 x 6/8



Panel Profile


Maple

3/8" FLAT PANEL

Maple offers a very fine grain and a whitish color tinged with reddish brown.





3/8" Flat Panel, Shaker Sticking



Species Close Up



Shaker Sticking



Panel Profile

3/8" FLAT PANEL



SMP

MP1022 1-3/8"

3/8" Flat Panel,
Shaker Sticking

2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



SMP

MP1033 1-3/8"

3/8" Flat Panel,
Shaker Sticking

2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



MP1033, Simpson

SMP SIMPSON

WG WOODGRAIN

RSP REEB SPECIALTY PRODUCTS

Knotty Alder

1-3/16" RAISED PANEL




Knotty Alder is a medium density hardwood with an even grain appearance. The wood is normally light brown with hues of red or peach. Its softer nature makes it easy to machine and receptive to a variety of stains and finishes.





V-Groove Plank Raised Panel, Tapered Sticking



Species Close Up




Tapered Sticking



KA82ASRR/KA82SRR
Tapered Sticking
(Shown from above)

1-1/8" V-GROOVE PLANK RAISED PANEL




KA82ASRP 1-3/8"

1-3/16" V-Groove Plank
Raised Panel,
Tapered Sticking

2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8

KA82ASRP
Tapered Sticking
(Shown from above)

1-3/16" RAISED PANEL



KA82ASRR 1-3/8"

1-3/16" Raised Panel,
Tapered Sticking

1/6 x 6/8 2/4 x 8/0
2/0 x 6/8 2/6 x 8/0
2/4 x 6/8 2/8 x 8/0
2/6 x 6/8 3/0 x 8/0
2/8 x 6/8
3/0 x 6/8



KA82SRR 1-3/8"

1-3/16" Raised Panel,
Tapered Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



KA82ASRP, Woodgrain

Red Oak


3/4" RAISED PANEL



Red Oak has a coarse texture and a straight, prominent grain. It accepts a broad range of stains and finishes.



Red Oak, 3/4" Double Hip Raised Panel



Panel Profile

RED OAK, DOUBLE HIP RAISED PANEL

Bifolds are carton packed with track and hardware.



O44 1-3/8"

3/4" Raised Panel,
Ovolo Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



O66 1-3/8"

3/4" Raised Panel,
Ovolo Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



O66 1-3/8" BIFOLD

3/4" Raised Panel,
Ovolo Sticking

2/0 x 6/8
2/6 x 6/8
3/0 x 6/8
4/0 x 6/8
5/0 x 6/8
6/0 x 6/8



O66, Simpson

Red Oak

FRENCH - 1-1/4" BAR




Red Oak has a coarse texture and a straight, prominent grain. It accepts a broad range of stains and finishes.



1-1/4" Bar, Clear Glass




1-1/4" Bar Close Up



1-1/4" Bar Profile



1-1/4" BAR



O1315 1-3/8"

1-1/4" Bar, Clear Glass

2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



O1310 1-3/8"

1-1/4" Bar, Clear Glass

2/0 x 6/8

Barn Doors

PONDEROSA PINE - TRUE RAISED PANEL



P180, Woodgrain



P180

True Raised Panel

2/6 x 6/8 2/6 x 7/0 2/6 x 8/0
2/8 x 6/8 2/8 x 7/0 2/8 x 8/0
3/0 x 6/8 3/0 x 7/0 3/0 x 8/0



P181


True Raised Panel

2/6 x 6/8 2/6 x 7/0 2/6 x 8/0
2/8 x 6/8 2/8 x 7/0 2/8 x 8/0
3/0 x 6/8 3/0 x 7/0 3/0 x 8/0

Barn doors can be hung in many different configurations according to your design preference. Please be sure to specify when ordering.

Layout Options


STANDARD



REVERSE



UNIFORM A



UNIFORM B



Barn Doors

KNOTTY ALDER - TRUE RAISED PANEL



KA181, Woodgrain



KA180

True Raised Panel

2/6 x 6/8 2/6 x 7/0 2/6 x 8/0
2/8 x 6/8 2/8 x 7/0 2/8 x 8/0
3/0 x 6/8 3/0 x 7/0 3/0 x 8/0



WG



KA181

True Raised Panel

2/6 x 6/8 2/6 x 7/0 2/6 x 8/0
2/8 x 6/8 2/8 x 7/0 2/8 x 8/0
3/0 x 6/8 3/0 x 7/0 3/0 x 8/0



WG

Barn doors can be hung in many different configurations according to your design preference. Please be sure to specify when ordering.

Layout Options


STANDARD



REVERSE




UNIFORM A



UNIFORM B



Barn Door Hardware





Goldberg's line of interior, residential sliding barn door hardware kits make the most of the available living space, while adding a rustic, yet elegant look. All major components are manufactured from steel and come with a 1-year warranty.


For a more polished or contemporary look, solid stainless steel barn door track hardware is a great alternative. All the same accessories are available as well for a complete look.

HARDWARE OPTIONS (shown in black)


HARDWARE OPTIONS (shown in stainless steel)




AVAILABLE FINISHES




Black



Silver



Architectural Bronze



Stainless Steel





Barnfold Set, Black

Because of the wall space required for the long track, sometimes there's no room to install a conventional barn door. Barnfold® Series folding barn door hardware combines the style of the popular J-strap hangers with the space-saving convenience of bifold doors.

**INCLUDED
HARDWARE**



**BARNFOLD J-STRAP
HANGER**



HINGE



4" PULL HANDLE

**AVAILABLE
FINISHES**



Black

Flat Frames



Flat Frames

Flat frames come in a variety of species including solid and veneered wood. They include the need for a stop. This option may not be available in all markets so please confirm availability prior to ordering.



PRIMED



CLEAR PINE



PINE VENEERED



KNOTTY ALDER VENEERED



FIR VENEERED



MAPLE VENEERED



SOLID POPLAR



PRIMED SOLID POPLAR



SOLID OAK



OAK VENEERED

Stops

Known as a “stop”, these small pieces of wood attach to a flat frame to give the door a place to stop. Optional Portaseal weatherstripped stops are available for use to prevent drafts.



PRIMED WM-888



PRIMED WM-876



PRIMED WM-888H



PRIMED WM-936



PRIMED WM-948



PORTASEAL WEATHERSTRIP

Rabbeted Frames



Single Rabbeted

Single rabbeted frames mimic the appearance of exterior frames for interior use. This option may not be available in all markets so please confirm availability prior to ordering.



PRIMED



CLEAR PINE



PRIMED SOLID POPLAR



Double Rabbeted

Double rabbeted frames work well with either a 1-3/8" or 1-3/4" thick door. This option may not be available in all markets so please confirm availability prior to ordering.



PRIMED



CLEAR PINE



PRIMED SOLID POPLAR

Split Frames



Split

Split frames are two pieces of wood together which work well for odd wall sizes. This option may not be available in all markets so please confirm availability prior to ordering.



PRIMED



CLEAR PINE

Because of their construction, a split frame is able to work for a range of wall sizes. For example, Reeb stocks a split frame that has a size range of 4-1/2" to 5-1/4" thick.

Also with split frames is the availability to use interior casing. When installing a split frame with casing, the two pieces must be taken apart. This allows Reeb to ship the unit with the casing pre-attached and ready for a complete install. This option may not be available in all markets so please confirm availability prior to ordering.

Sills



OAK SADDLE SILL

Oak saddle sills provide an aesthetic solution to residential threshold applications. If the unit does not include weatherstrip, a standard width saddle sill works well.



OAK SADDLE SILL WITH WEATHERSTRIP

For flat frames with portoseal or single rabbeted frames with weatherstrip, a wider saddle sill works best. It allows the bottom of the frame to sit flush on top of the sill. Three sided units do not need a sweep, but a four-sided unit will use a sweep for the best seal.

Hinges

BALL BEARING HINGES

Ball bearing hinges have a steel ball bearing, or buffer, in between the knuckles. Heavier doors put more stress on the hinges so having the ball bearings reduce friction, are better performing and longer lasting.



Ball Bearing Square



Ball Bearing Radius

NON BALL BEARING HINGES

Standard, or plain bearing, have no buffer between each knuckle of the barrel. This tends to wear the hinge down over time as the sections grind against one another and are better suited for lightweight doors.



Non Ball Bearing Square



Non Ball Bearing Radius

HINGE SIZES

Most interior doors are 1-3/8" thick and use 3.5" x 3.5" hinges. On an 1-3/4" door in an interior application Reeb will automatically utilize a 4" hinge.



3.5" x 3.5"



4" x 4"

Baldwin®

Baldwin believes that quality should never be a compromise. From using the finest materials to crafting hardware by hand, they are committed to creating high-quality hardware that not only looks beautiful and flawless but also endures the rigors of time.



3.5" X 3.5" SQUARE
Non Ball Bearing - Shown in US3LF



3.5" X 3.5" RADIUS
Non Ball Bearing - Shown in US3LF




4" X 4" SQUARE
Ball Bearing - Shown in US15




4" X 4" RADIUS
Non Ball Bearing - Shown in US3LF

AVAILABLE FINISHES	3.5" X 3.5" SQUARE		3.5" X 3.5" RADIUS		4" X 4" SQUARE		4" X 4" RADIUS	
	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING
US3LF		X		X		X		X
US10B		X		X		X		
US15		X		X		X		
VB		X				X		

AVAILABLE FINISHES




US3LF
BRIGHT BRASS
LIFETIME



US10B
OIL RUBBED
BRONZE



US15
SATIN NICKEL



VB
VENETIAN BRONZE

Hinges

Emtek®

Emtek is dedicated to bring personal style to life. Door hardware is more than a way to open, close, and secure a space. It is an integral part of a room’s design theme and an extension of personal style.



3.5" X 3.5" SQUARE
Ball Bearing - Shown in US26




3.5" X 3.5" RADIUS
Non Ball Bearing - Shown in US7



4" X 4" SQUARE
Ball Bearing - Shown in US15

AVAILABLE FINISHES	3.5" X 3.5" SQUARE		3.5" X 3.5" RADIUS		4" X 4" SQUARE	
	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING
US1D		X	X		X	X
US3		X	X	X	X	X
US7		X	X	X	X	X
US10B		X	X	X	X	X
US15		X	X	X	X	X
US14		X	X		X	X
US26		X			X	X

AVAILABLE FINISHES



USP
PRIMED WHITE



US1D
FLAT BLACK




US3
BRIGHT BRASS



US4
SATIN BRASS



US4B
BRIGHT SATIN
BRASS



US5
ANTIQUE BRASS



US7
FRENCH
ANTIQUE

Reeb® Specialty Products

RSP offers a large selection of hinges in a variety of finishes carrying on a tradition of innovative design, superior quality and service excellence.



3.5" X 3.5" SQUARE
Ball Bearing - Shown in US4



3.5" X 3.5" RADIUS
Non Ball Bearing - Shown in USP




4" X 4" SQUARE
Non Ball Bearing - Shown in US10B




4" X 4" RADIUS
Ball Bearing - Shown in US15

AVAILABLE FINISHES	3.5" X 3.5" SQUARE		3.5" X 3.5" RADIUS		4" X 4" SQUARE		4" X 4" RADIUS	
	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING
USP				X				X
US1D		X	X	X		X	X	X
US3	X	X	X	X	X	X	X	X
US4	X	X		X	X	X		X
US4B	X		X	X	X		X	X
US5	X	X	X	X	X	X	X	X
US7								
US10B	X	X	X	X	X	X	X	X
US15	X	X	X	X	X	X	X	X
US15A				X				X
US26	X	X	X	X	X	X	X	X
US26D	X	X	X	X	X	X	X	X
US32D				X			X	X




US10B
OIL RUBBED
BRONZE




US14
POLISHED
NICKEL




US15
SATIN NICKEL



US15A
ANTIQUE NICKEL




US26
BRIGHT CHROME



US26D
SATIN CHROME



US32D
STAINLESS STEEL



VB
VENETIAN BRONZE

Locks

Schlage® door knobs fit and accentuate decor from a classic look to bold contemporary designs.

For available functions, reference the Reeb In-Stock Price Catalog.

The **Standard Residential Series** provides tough, reliable performance in a variety of styles and finishes.

The **Builders Series** provides an economical lock that delivers on style.

STANDARD RESIDENTIAL SERIES

Accent


Shown in Bright Chrome



Lockset available in:




US3
BRIGHT BRASS




US5
ANTIQUE BRASS




US15
SATIN NICKEL



US15A
ANTIQUE NICKEL



US26
BRIGHT CHROME



716
AGED BRONZE

Flair


Shown in US5



Lockset available in:




US3
BRIGHT BRASS



US5
ANTIQUE BRASS



US15
SATIN NICKEL



716
AGED BRONZE

Jazz

Shown in US15



Lockset available in:



US15
SATIN NICKEL

LaSalle

Shown in US3



Lockset available in:



US3
BRIGHT BRASS



US15
SATIN NICKEL

Dover

Shown in US32D



Lockset available in:



US32D
STAINLESS STEEL

Torino

Shown in US3



Lockset available in:



US3
BRIGHT BRASS



US15
SATIN NICKEL

Marin

Shown in US32D



Lockset available in:



US32D
STAINLESS STEEL

Locks

STANDARD RESIDENTIAL SERIES

Plymouth

Shown in US26D




Lockset available in:



US3
BRIGHT BRASS




US15
SATIN NICKEL



US26
BRIGHT CHROME



US26D
SATIN CHROME




716
AGED BRONZE

Georgian


Shown in US5



Lockset available in:




US3
BRIGHT BRASS




US5
ANTIQUE BRASS




US15
SATIN NICKEL



US15A
ANTIQUE NICKEL



US26
BRIGHT CHROME



716
AGED BRONZE

Andover


Shown in US26




Lockset available in:




US3
BRIGHT BRASS




US5
ANTIQUE BRASS



US15
SATIN NICKEL



US15A
ANTIQUE NICKEL



US26
BRIGHT CHROME



US26D
SATIN CHROME

Byron

Shown in US3



Lockset available in:



US3
BRIGHT BRASS



US32D
STAINLESS STEEL

Corona

Shown in US15



Lockset available in:



US3
BRIGHT BRASS



US15
SATIN NICKEL

The **Standard Residential Series** features a limited lifetime mechanical warranty, has a limited lifetime finish warranty, fits universal backsets, and all levers are non-handed.



The **Builders Series** features a limited lifetime mechanical warranty, a 5-year limited finish warranty, and fits universal backsets.



Stile & Rail Dimensions

DOOR STYLE	PAGE	DOOR HEIGHT	SPECIES	3'0" STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	VENDOR
KA180	59	6/8	KNOTTY ALDER	4-11/32"	4-9/16"	N/A	9"	3/4"	WOODGRAIN
KA180	59	7/0	KNOTTY ALDER	4-11/32"	4-9/16"	N/A	9"	3/4"	WOODGRAIN
KA180	59	8/0	KNOTTY ALDER	4-11/32"	4-9/16"	N/A	9"	3/4"	WOODGRAIN
KA181	59	6/8	KNOTTY ALDER	4-11/32"	4-9/16"	4-9/16"	9"	3/4"	WOODGRAIN
KA181	59	7/0	KNOTTY ALDER	4-11/32"	4-9/16"	4-9/16"	9"	3/4"	WOODGRAIN
KA181	59	8/0	KNOTTY ALDER	4-11/32"	4-9/16"	4-9/16"	9"	3/4"	WOODGRAIN
P180	58	6/8	PONDEROSA PINE	4-11/32"	4-9/16"	N/A	9"	11/16"	WOODGRAIN
P180	58	7/0	PONDEROSA PINE	4-11/32"	4-9/16"	N/A	9"	11/16"	WOODGRAIN
P180	58	8/0	PONDEROSA PINE	4-11/32"	4-9/16"	N/A	9"	11/16"	WOODGRAIN
P181	58	6/8	PONDEROSA PINE	4-11/32"	4-9/16"	4-9/16"	9"	11/16"	WOODGRAIN
P181	58	7/0	PONDEROSA PINE	4-11/32"	4-9/16"	4-9/16"	9"	11/16"	WOODGRAIN
P181	58	8/0	PONDEROSA PINE	4-11/32"	4-9/16"	4-9/16"	9"	11/16"	WOODGRAIN
F20	37	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	3/8"	SIMPSON
F20	37	7/0	FIR	4-1/2"	6-7/16"	N/A	11-3/16"	3/8"	SIMPSON
F20 1-3/4"	37	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	3/8"	SIMPSON
F20 1-3/4"	37	7/0	FIR	4-1/2"	6-7/16"	N/A	11-3/16"	3/8"	SIMPSON
F30	37	6/8	FIR	4-1/2"	4-7/16"	4-1/2"	9-3/16"	3/8"	SIMPSON
F44	41	6/8	FIR	4-1/2"	4-7/16"	7-1/2"	9-3/16"	3/4"	SIMPSON
F46	41	6/8	FIR	4-1/2"	4-7/16"	7-1/2"	9-3/16"	3/4"	SIMPSON
F55	41	6/8	FIR	4-1/2"	4-7/16"	4-1/2"	9-3/16"	3/4"	SIMPSON
F55	41	7/0	FIR	4-1/2"	6-7/16"	4-1/2"	11-3/16"	3/4"	SIMPSON
F63 BIFOLD	41	6/8	FIR	2-1/16"	4-7/16"	7-1/2"	7-7/8"	3/4"	SIMPSON
F66	41	6/8	FIR	4-1/2"	4-7/16"	7-1/2"	9-1/8"	3/4"	SIMPSON
F82R	41	6/8	FIR	4-1/2"	4-7/16"	7-1/2"	9-3/16"	3/4"	SIMPSON
F82	37	6/8	FIR	4-1/2"	4-7/16"	7-1/2"	9-3/16"	3/8"	SIMPSON
F82	37	7/0	FIR	4-1/2"	6-7/16"	7-1/2"	11-3/16"	3/8"	SIMPSON
F82 1-3/4"	37	6/8	FIR	4-1/2"	4-7/16"	7-1/2"	9-3/16"	3/8"	SIMPSON
F82 1-3/4"	37	7/0	FIR	4-1/2"	6-9/16"	7-1/2"	11-3/16"	3/8"	SIMPSON
F82A *	41	6/8	FIR	4-17/32"	8-3/64"	7-1/2"	9"	1-1/8"	WOODGRAIN
F318	42	6/8	FIR	4-1/2"	4-7/16"	4-1/2"	9-3/16"	3/4"	SIMPSON
F418	42	6/8	FIR	4-1/2"	4-7/16"	4-1/2"	9-3/16"	3/4"	SIMPSON
F465 *	41	6/8	FIR	4-1/2"	9-1/2"	7-1/2"	9-3/16"	3/4"	SIMPSON
F720	39	6/8	FIR	4-7/16"	4-5/16"	N/A	9-3/16"	3/8"	SIMPSON
F730	39	6/8	FIR	4-7/16"	4-5/16"	N/A	9-3/16"	3/8"	SIMPSON
F755	39	6/8	FIR	4-7/16"	4-5/16"	N/A	9-3/16"	3/8"	SIMPSON
F760	39	6/8	FIR	4-7/16"	4-5/16"	N/A	9-3/16"	3/8"	SIMPSON
F762	39	6/8	FIR	4-7/16"	4-5/16"	N/A	9-3/16"	3/8"	SIMPSON
F782	39	6/8	FIR	4-7/16"	4-5/16"	7-3/8"	9-3/16"	3/8"	SIMPSON
F1120	37	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	1/4"	SIMPSON
F1309	45	6/8	FIR	5-1/2"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
F1310	45	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
F1315	45	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
F1501	42	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
F1501WL	43	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON

DOOR STYLE	PAGE	DOOR HEIGHT	SPECIES	3'0" STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	VENDOR
F1505	45	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
F1505E	45	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
F1510E	45	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
F1580 *	45	6/8	FIR	4-1/2"	7-1/32"	N/A	9-3/16"	N/A	SIMPSON
F1590	46	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
F1592	46	6/8	FIR	4-1/2"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
F9220 1-3/4"	49	6/8	FIR	5-1/2"	5-7/16"	N/A	9-3/16"	3/4"	SIMPSON
F9282 1-3/4"	49	6/8	FIR	5-1/2"	5-7/16"	7-1/2"	9-3/16"	3/4"	SIMPSON
F9244 1-3/4"	49	6/8	FIR	5-1/2"	5-7/16"	7-1/2"	9-3/16"	1-7/16"	SIMPSON
F9255 1-3/4"	49	6/8	FIR	5-1/2"	5-7/16"	N/A	9-3/16"	1-7/16"	SIMPSON
F9266 1-3/4"	49	6/8	FIR	5-1/2"	5-7/16"	7-1/2"	9-3/16"	1-7/16"	SIMPSON
F88405	47	6/8	FIR	4-1/2"	4-7/16"	N/A	9-7/16"	N/A	SIMPSON
F88421	47	6/8	FIR	4-1/2"	4-7/16"	N/A	9-7/16"	N/A	SIMPSON
F88464	47	6/8	FIR	4-1/2"	4-7/16"	N/A	9-7/16"	N/A	SIMPSON
IP22V *	25	6/8	PLANTATION PINE	4-9/16"	6-5/16"	7-1/2"	9-1/8"	11/16"	RSP
IP22V *	25	8/0	PLANTATION PINE	4-9/16"	6-5/16"	7-1/2"	9-1/8"	11/16"	RSP
IP44	25	6/8	PLANTATION PINE	4-9/16"	4-1/2"	7-1/2"	9-1/8"	11/16"	RSP
IP44	25	8/0	PLANTATION PINE	4-9/16"	4-1/2"	7-1/2"	9-1/8"	11/16"	RSP
IP44 BIFOLD	25	6/8	PLANTATION PINE	2-1/8"	4-1/2"	7-1/2"	8-1/8"	11/16"	RSP
IP55	27	6/8	PLANTATION PINE	4-17/32"	4-9/16"	N/A	9-1/8"	9/16"	RSP
IP56	27	8/0	PLANTATION PINE	4-17/32"	4-9/16"	N/A	9-1/8"	9/16"	RSP
IP66	25	6/8	PLANTATION PINE	4-9/16"	4-1/2"	7-1/2"	9-1/8"	11/16"	RSP
IP66	25	8/0	PLANTATION PINE	4-9/16"	4-1/2"	7-1/2"	9-1/8"	11/16"	RSP
IP66 BIFOLD	25	6/8	PLANTATION PINE	2-1/8"	4-1/2"	N/A	8-1/8"	11/16"	RSP
IP82	27	6/8	PLANTATION PINE	4-17/32"	4-9/16"	N/A	9"	9/16"	RSP
IP82	27	8/0	PLANTATION PINE	4-17/32"	4-9/16"	N/A	9"	9/16"	RSP
IP82A	27	6/8	PLANTATION PINE	4-17/32"	4-9/16"	N/A	9"	9/16"	RSP
IP82A	27	8/0	PLANTATION PINE	4-17/32"	4-9/16"	N/A	9"	9/16"	RSP
IP620	31	6/8	PLANTATION PINE	4-9/16"	4-7/16"	N/A	9-1/8"	N/A	RSP
IP620	31	8/0	PLANTATION PINE	4-9/16"	4-7/16"	N/A	9-1/8"	N/A	RSP
IP625	31	6/8	PLANTATION PINE	4-9/16"	4-7/16"	N/A	9-1/8"	N/A	RSP
IP626	31	6/8	PLANTATION PINE	4-9/16"	4-7/16"	N/A	9-1/8"	N/A	RSP
IP627	31	6/8	PLANTATION PINE	4-9/16"	4-7/16"	N/A	9-1/8"	N/A	RSP
IP628	31	8/0	PLANTATION PINE	4-9/16"	4-7/16"	N/A	9-1/8"	N/A	RSP
IP720	29	6/8	PLANTATION PINE	4-3/8"	4-3/8"	N/A	8-13/16"	3/8"	RSP
IP720	29	8/0	PLANTATION PINE	4-3/8"	4-3/8"	N/A	8-13/16"	3/8"	RSP
IP730	29	6/8	PLANTATION PINE	4-3/8"	4-3/8"	N/A	8-13/16"	3/8"	RSP
IP730	29	8/0	PLANTATION PINE	4-3/8"	4-3/8"	N/A	8-13/16"	3/8"	RSP
IP760	29	6/8	PLANTATION PINE	4-3/8"	4-3/8"	N/A	8-13/16"	3/8"	RSP
IP760	29	8/0	PLANTATION PINE	4-3/8"	4-3/8"	N/A	8-13/16"	3/8"	RSP
IP755	29	6/8	PLANTATION PINE	4-7/16"	4-5/16"	N/A	9-3/16"	7/16"	RSP
IP756	29	8/0	PLANTATION PINE	4-7/16"	4-5/16"	N/A	9-3/16"	7/16"	RSP
IP782	29	6/8	PLANTATION PINE	4-7/16"	4-5/16"	7-1/2"	9-3/16"	7/16"	RSP
IP782	29	8/0	PLANTATION PINE	4-7/16"	4-5/16"	7-1/2"	9-3/16"	7/16"	RSP

Stile & Rail Dimensions

DOOR STYLE	PAGE	DOOR HEIGHT	SPECIES	3'0" STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	VENDOR
KA82ASRR *	53	6/8	KNOTTY ALDER	4-11/32"	8-1/32"	7-1/2"	9"	1-3/16"	WOODGRAIN
KA82ASRR *	53	8/0	KNOTTY ALDER	4-11/32"	8-1/32"	7-1/2"	9"	1-3/16"	WOODGRAIN
KA82ASRR	53	6/8	KNOTTY ALDER	4-11/32"	8-1/32"	7-1/2"	9"	1-3/16"	WOODGRAIN
KA82ASRP *	53	6/8	KNOTTY ALDER	4-11/32"	8-1/32"	7-1/2"	9"	1-3/16"	WOODGRAIN
KP22	35	6/8	KNOTTY PINE	4-9/16"	4-1/2"	7-1/2"	9-1/8"	11/16"	RSP
KP22	35	8/0	KNOTTY PINE	4-9/16"	4-1/2"	7-1/2"	9-1/8"	11/16"	RSP
KP22V *	35	6/8	KNOTTY PINE	4-9/16"	6-5/16"	7-1/2"	9-1/8"	11/16"	RSP
KP22V *	35	8/0	KNOTTY PINE	4-9/16"	6-5/16"	7-1/2"	9-1/8"	11/16"	RSP
KP66	35	6/8	KNOTTY PINE	4-9/16"	4-1/2"	7-1/2"	9-1/8"	11/16"	RSP
MP1022	51	6/8	MAPLE	4-1/2"	4-3/8"	4-1/2"	9-3/16"	3/8"	SIMPSON
MP1033	51	6/8	MAPLE	4-1/2"	4-3/8"	4-1/2"	9-3/16"	3/8"	SIMPSON
O44	55	6/8	OAK	4-5/8"	4-7/16"	7-1/2"	9-3/16"	3/4"	SIMPSON
O66	55	6/8	OAK	4-5/8"	4-7/16"	7-1/2"	9-1/8"	3/4"	SIMPSON
O66 BIFOLD	55	6/8	OAK	1-19/16"	4-7/16"	7-1/2"	7-7/8"	3/4"	SIMPSON
O1310	57	6/8	OAK	4-5/8"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
O1315	57	6/8	OAK	4-5/8"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
P44	13	6/0	PONDEROSA PINE	4-17/32'	4-9/16"	7-1/2"	9"	9/16"	WOODGRAIN
P44	13	6/6	PONDEROSA PINE	4-17/32'	4-9/16"	7-1/2"	9"	9/16"	WOODGRAIN
P44	13	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	7-1/2"	9"	9/16"	WOODGRAIN
P44	13	7/0	PONDEROSA PINE	4-17/32'	4-9/16"	7-1/2"	9"	9/16"	WOODGRAIN
P44 BIFOLD	13	6/8	PONDEROSA PINE	2-1/8"	4-9/16"	7-1/2"	8-1/4"	9/16"	WOODGRAIN
P45 *	13	6/8	PONDEROSA PINE	4-17/32'	6-1/16"	7-1/2"	9"	9/16"	WOODGRAIN
P64	11	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	7-1/2"	9"	1-3/16"	WOODGRAIN
P67	13	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	7-1/2"	9"	9/16"	WOODGRAIN
P82A *	11	6/8	PONDEROSA PINE	4-17/32'	8-3/64"	7-1/2"	9"	1-3/16"	WOODGRAIN
P82	11	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	7-1/2"	9"	1-3/16"	WOODGRAIN
P85	13	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	9/16"	WOODGRAIN
P108	13	6/0	PONDEROSA PINE	4-17/32'	4-9/16"	7-1/2"	9"	9/16"	WOODGRAIN
P108	13	6/6	PONDEROSA PINE	4-17/32'	4-9/16"	7-1/2"	9"	9/16"	WOODGRAIN
P108	13	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	7-1/2"	9"	9/16"	WOODGRAIN
P108	13	7/0	PONDEROSA PINE	4-17/32'	4-9/16"	7-1/2"	9"	9/16"	WOODGRAIN
P108 BIFOLD	13	6/8	PONDEROSA PINE	2-1/8"	4-9/16"	7-1/2"	8-1/4"	9/16"	WOODGRAIN
P730	33	6/8	PONDEROSA PINE	4-1/4"	4-1/16"	5-3/16"	7"	N/A	WOODGRAIN
P730 BIFOLD	33	6/8	PONDEROSA PINE	2-5/32"	4-1/16"	5-3/16"	6"	N/A	WOODGRAIN
P732	33	6/8	PONDEROSA PINE	4-1/4"	4-1/16"	5-3/16"	7"	9/16"	WOODGRAIN
P732 BIFOLD	33	6/8	PONDEROSA PINE	2-5/32"	4-1/16"	5-3/16"	6"	9/16"	WOODGRAIN
P1051	21	6/6	WHITE PINE	4-1/2"	4-1/2"	9"	7-1/2"	27/64"	RSP
P1051	21	6/8	WHITE PINE	4-1/2"	4-1/2"	9"	7-1/2"	27/64"	RSP
P1051 BIFOLD	21	6/8	WHITE PINE	2-3/16"	4-1/2"	9"	6-1/2"	27/64"	RSP
P1053	21	6/6	WHITE PINE	4-1/2"	4-1/2"	9"	7-1/2"	27/64"	RSP
P1053	21	6/8	WHITE PINE	4-1/2"	4-1/2"	9"	7-1/2"	27/64"	RSP
P1053 BIFOLD	21	6/8	WHITE PINE	2-3/16"	4-1/2"	9"	6-1/2"	27/64"	RSP
P1088	13	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	9/16"	WOODGRAIN
P1501	19	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	WOODGRAIN

DOOR STYLE	PAGE	DOOR HEIGHT	SPECIES	3'0" STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	VENDOR
P1501	19	7/0	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	WOODGRAIN
P1505	17	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	WOODGRAIN
P1509	17	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	WOODGRAIN
P1510	17	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	WOODGRAIN
P1510	17	7/0	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	WOODGRAIN
P1510FC	18	6/8	PONDEROSA PINE	4-5/8"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
P1512	17	8/0	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	WOODGRAIN
P1515	17	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	WOODGRAIN
P1515	17	7/0	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	WOODGRAIN
P1515B	17	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	WOODGRAIN
P1515FC	18	6/8	PONDEROSA PINE	4-5/8"	4-7/16"	N/A	9-3/16"	N/A	SIMPSON
P1518	17	8/0	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	WOODGRAIN
P1705 BIFOLD	17	6/8	PONDEROSA PINE	2-1/8"	4-9/16"	N/A	8"	N/A	WOODGRAIN
P3901F	23	6/8	WHITE PINE	4-1/2"	4-1/2"	N/A	9-1/4"	N/A	RSP
P3911	22	6/8	WHITE PINE	4-1/2"	4-1/2"	N/A	9-1/4"	N/A	RSP
P3911	22	7/0	WHITE PINE	4-1/2"	4-1/2"	N/A	9-1/4"	N/A	RSP
P3911F	23	6/8	WHITE PINE	4-1/2"	4-1/2"	N/A	9-1/4"	N/A	RSP
P3912	22	6/8	WHITE PINE	4-1/2"	4-1/2"	N/A	9-1/4"	N/A	RSP
P3912	22	7/0	WHITE PINE	4-1/2"	4-1/2"	N/A	9-1/4"	N/A	RSP
P3912F	23	6/8	WHITE PINE	4-1/2"	4-1/2"	N/A	9-1/4"	N/A	RSP
P3915V	19	6/8	PONDEROSA PINE	4-17/32'	4-9/16"	N/A	9"	N/A	WOODGRAIN
P4127	14	6/8	PONDEROSA PINE	5-17/32"	4-9/16"	N/A	9"	1/4"	WOODGRAIN
PN108 BIFOLD	33	6/8	PINE	1-1/4"	3-3/16"	3-5/16"	3"	1/4"	RSP
PN730 BIFOLD	33	6/8	PINE	1-1/4"	3-3/16"	3-5/16"	3"	N/A	RSP
PN732 BIFOLD	33	6/8	PINE	1-1/4"	3-3/16"	3-5/16"	3"	1/4"	RSP
T001 TRANSOM	19	1/0	PONDEROSA PINE	4-1/2"	2-3/8"	N/A	2-3/8"	N/A	WOODGRAIN
T003 TRANSOM	19	1/0	PONDEROSA PINE	4-1/2"	2-3/8"	N/A	2-3/8"	N/A	WOODGRAIN
T004 TRANSOM	19	1/0	PONDEROSA PINE	4-1/2"	2-3/8"	N/A	2-3/8"	N/A	WOODGRAIN
T005 TRANSOM	19	1/0	PONDEROSA PINE	4-1/2"	2-3/8"	N/A	2-3/8"	N/A	WOODGRAIN

Finishing

HANDLING

1. Protect door from abuse and mishandling. Take special care with glass.
2. Avoid dragging doors across one another and keep doors clean.
3. Store flat on a level surface in a dry, well ventilated building.
4. Doors should be conditioned to average prevailing relative humidity of the locality before hanging.
5. Doors should not be subjected to extreme or rapid changes in heat or humidity. Avoid sudden changes such as forced heat to dry out a building.
6. If the doors are to be stored on the job site, all surfaces including ends and edges must be sealed with an effective quality oil-base sealer in order to prevent undue moisture absorption. Primers are not sealants.

GENERAL NOTES ON FINISHING

1. Before applying the first coat of finish, sand the entire surface lightly with 5/0 sandpaper (180 grit). This is to remove fingerprints and handling marks.
2. Adjust or align components if necessary before finishing. Wood panels "float" and may be knocked into alignment with a wood block and hammer. Be careful not to damage door.
3. After sanding, clean the door thoroughly with a cloth to remove all dust or foreign material. However, avoid using caustic or abrasive cleaners.
4. All surfaces of the door must be properly finished. The edges (top, bottom and sides) should be coated with each and every coat of finish that is applied to the exterior surface of the door. Doors must be dry before finishing. There can be significant humidity variance in homes from winter to summer and interior millwork will move. Finishing all sides properly protects your doors.
5. Note: It is the finisher's responsibility to protect glass prior to and during finishing. If using tape, conduct a test of the tape being used on a small area of the glass before applying to a large surface. After finishing, remove the tape as soon as possible. If the glass has plastic film protection, removal of the plastic film protection immediately after applying the finish is required. Failure to remove the plastic film at this time may cause harm to the glass and will create difficulty in removing the film at a later time. Do not use razor blades or sharp objects to remove the film or clean the glass. These items will scratch the glass.

INTERIOR FINISHING - STAIN

All stained products should use a stain controller prior to staining. Some species stain better than others. Please see individual species for stainmeter.

A good preparation is critical for good results. Sand the door and keep it very clean. Use a tack cloth to remove all particulate matter. Apply stain conditioner following manufacturers' instructions. Stain product and let dry. Finish with 2 or more coats of finish. InteriorClear finishes can be varnish, tung/teak oils, lacquers, etc.

Varnishes - Oil and water based. Oil finishes dry slower and give the finish coat a slight glow in color. Water based varnishes are fast drying and have little or no color and depth.

Oils like tung and teak oils are wipe on finishes. These dry slow and require many coats (4 or more). They typically give an amber color to the finish.

Lacquers are fast drying finishes that are durable and give a nice depth and soft color.

A NOTE ABOUT PINE.

Pine varies sometimes dramatically in density.

The best stained pine finishes come from Ponderosa Pine. This species has the best consistency in density and finishes nicely. This product is the "best" Pine door species. All exterior Pine doors are Domestic Ponderosa Pine.

The "White" pine product is beautiful in unfinished color consistency but has a characteristic of very pronounced color variation when stained. This product is great for Clear coats and paints. This is Reeb's "better" Pine door.

Plantation Pine has very pronounced grain patterns. The trees it is made from are very fast growing and the growth rings are very large. It can stain inconsistently. This is a "good" pine door that is made very well and good for value stain/paint needs.

INTERIOR FINISHING - PAINT

Follow all manufacturer finishing instructions for the best result. Unprimed doors should be primed with a good quality primer followed by two or more top coats of good quality solvent-base or latex enamel paint. It is recommended that sanding be done between coats of primer and paint.

MAINTENANCE

Best results will include light sanding and thorough cleaning between coats of paint. Do not skip light sanding after applying the coat of primer. Take care not to sand any glass. Let paint dry between coats. Always use top quality brushes, rollers and paint.

CHALKBOARD PANEL DOOR

Breaking in a new chalkboard door:

1. Wash the chalkboard surface daily with cool water for one week.
2. Wash only a small section at a time, immediately rubbing dry with a lint-free cloth.
3. Repeat until the entire surface of the chalkboard has been washed.
4. After washing, hold a stick of chalk flat on the board and cover the entire surface.
5. Erase evenly. The chalkboard is now ready to use.

MAINTENANCE TIPS:

1. Clean erasers frequently.
2. Use white chalk rather than yellow or colored chalk, as the pigments can make them more difficult to erase.
3. Wash the chalkboard weekly if necessary.
4. Look for high grade chalk (95% chalk with a 5% binder), as inferior chalk may permanently mark the chalkboard.



Visit the Reeb® Learning Center for education on choosing the proper door unit, new products, and what product options are available.

Visit The Reeb Learning Center at **learn.reeb.com**



A learning center for everything door related.



Online Interior Stile & Rail Catalog

View product warranties, care and finishing instructions for the following companies at **reeb.com/catalogs/**



Warranty Information

View product warranties at **reeb.com/warranties/**

▣ **Bethlehem, PA**
1000 Maloney Cir.
Bethlehem, PA 18015
(800) 862-8622 voice
(800) 772-7332 fax

▣ **Barclay, MD**
1315 Goldsboro Rd.
Barclay, MD 21607
(800) 825-8331 voice
(800) 331-9387 fax

▣ **Mocksville, NC**
346 Bethel Church Rd.
Mocksville, NC 27028
(800) 642-0886 voice
(800) 618-0620 fax

▣ **Providence, RI**
19 Business Park Dr.
Smithfield, RI 02917
(800) 343-5703 voice
(800) 388-5979 fax

▣ **Syracuse, NY**
7475 Henry Clay Blvd.
Liverpool, NY 13088
(800) 422-5224 voice
(800) 531-7332 fax



PART# REEBINT21

VERSION 1.0.0