

INTERIOR DOORS

REEB® IN-STOCK INTERIOR PRIMED STILE & RAIL DOORS



Introduction

Primed stile and rail doors are an ideal choice for homeowners seeking to add a clean look to their Modern, Traditional or Craftsman style homes. They feature architecturally correct layouts, crisp shadow lines and highly defined panels providing a superior level of detail.

Recent developments within the millwork industry continue to strengthen the case for primed stile and rail doors, making them an excellent choice for discerning homeowners seeking increased strength, better durability and greater life expectancy at a similar price point to their molded door counterparts.




Table of Contents


Construction	4
9/16" Single Hip Raised Panel	6
3/8" MDF Flat Panel, Ovolo Sticking	8
3/8" MDF Flat Panel, Shaker Sticking	10
5/8" MDF Flat Panel, Ovolo Sticking	12
5/8" MDF Flat Panel, Shaker Sticking	13
1-1/4" Bar, Clear Glass	14
1-1/4" Bar, Frit Glass	16
Decorative Glass	17
French, Clear Glass, Ovolo Sticking	18
French, Frit Glass, Ovolo Sticking	18
French, White Laminate Glass, Ovolo Sticking	19
French, Clear Glass, Shaker Sticking	20
1-1/4" Louver Slats	
2-1/2" Louver Slats	

Contemporary Doors, Flush MDF24	4
Contemporary Doors, Flat Panel Louver	5
Interior Door Units, Transoms, Sidelites	ô
Primed Barn Doors27	7
Barn Door Hardware28	8
Positive Pressure Fire Rated Doors	С
Frames	8
Sills	5
Hinges	ô
Locks	С
Catches	2
Stile & Rail Dimensions43	3
Finishing & Warranty47	7
Educational Tools47	7

Reeb® Specialty Products

Our Reeb Specialty Products (RSP) brand offers high quality products with big savings. The quality of the products provided under the RSP brand are competitive with other major brands within our industry. Reeb Specialty Products – providing value pricing on quality products.





Construction

Primed stile and rail doors are wood components joined together with dowel pins. The stiles and rails have an engineered wood core covered with an MDF veneer creating an excellent surface for painting. Constructing a door with different components brings definition that cannot be replicated by a molded door.



Stile: The stiles have a solid wood engineered core for added strength, stability, and reduced sound transmission.



5

Rail: The rails also include a solid wood engineered core.



Panel: Flat and Raised Panels are made with MDF for a smooth paint finish, stability, and comply with no added formaldehyde regulation.

4 Dowel Pins: Traditional dowel pin construction creates a secure joint, connecting the stile and rail components together.

Veneer: An MDF veneer is permanently bonded to the engineered wood core, eliminating dents, dings, and gouges which makes a superior paint surface.




Stiles, Rails & Veneer

The stiles and rails have a solid wood engineered core for added strength, stability, and reduced sound transmission.

An MDF veneer is permanently bonded to the core resisting dents, dings, and gouges. The veneer when compared to other imitation products makes for a superior and smooth painting surface.





Architecturally Correct

Each door is made with perfectly proportioned stiles, rails and panels that are created individually to ensure that every door is architecturally correct.

Sharp Details

Primed stile and rail doors join components together to create sharp shadow lines with a 90 degree Shaker sticking.




Primed 9/16" SINGLE HIP RAISED PANEL



9/16" Raised Panel, Ovolo Sticking





Panel Profile



PR82R 1-3/8" 9/16" Raised Panel, Ovolo Sticking

1/0 x 6/8 1/2 x 6/8 1/3 x 6/8 1/4 x 6/8	2/8 x 6/8 2/10 x 6/8 3/0 x 6/8	2/8 x 7/0 2/10 x 7/0 3/0 x 7/0
1/6 x 6/8 1/6 x 6/8 1/8 x 6/8 1/10 x 6/8 2/0 x 6/8	1/6 x 7/0 1/8 x 7/0 1/10 x 7/0 2/0 x 7/0	1/6 x 8/0 2/0 x 8/0 2/4 x 8/0 2/6 x 8/0
2/2 x 6/8 2/4 x 6/8 2/6 x 6/8	2/2 x 7/0 2/4 x 7/0 2/6 x 7/0	2/8 x 8/0 2/10 x 8/0 3/0 x 8/0



PR82R 1-3/4" 9/16" Raised Panel, Ovolo Sticking

1/0 x 6/8	2/8 x 6/8	2/0 x 7/0	2/6 x 8/0
1/2 x 6/8	2/10 x 6/8	2/2 x 7/0	2/8 x 8/0
1/3 x 6/8	3/0 x 6/8	2/4 x 7/0	2/10 x 8/0
1/4 x 6/8		2/6 x 7/0	3/0 x 8/0
1/6 x 6/8	1/0 x 7/0	2/8 x 7/0	
1/8 x 6/8	1/2 x 7/0	2/10 x 7/0	
1/10 x 6/8	1/3 x 7/0	3/0 x 7/0	
2/0 x 6/8	1/4 x 7/0		
2/2 x 6/8	1/6 x 7/0	1/6 x 8/0	
2/4 x 6/8	1/8 x 7/0	2/0 x 8/0	
2/6 x 6/8	1/10 x 7/0	2/4 x 8/0	





SIZES 2/4 AND UP HAVE WIDE (5-1/2") STILES

PR82A 1-3/8" 9/16" Raised Panel,

Ovolo Sticking

1/0 x 6/8 1/2 x 6/8 1/3 x 6/8 1/4 x 6/8 1/6 x 6/8	2/2 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8	2/0 x 7/0 2/4 x 7/0 2/6 x 7/0 2/8 x 7/0 3/0 x 7/0	2/4 x 8/0 2/6 x 8/0 2/8 x 8/0 2/10 x 8/0 3/0 x 8/0
1/8 x 6/8 1/10 x 6/8	3/0 x 6/8	1/6 x 8/0	
2/0 x 6/8	1/6 x 7/0	2/0 x 8/0	



1/6 x 8/0

2/0 x 8/0

1/10 x 7/0

2/0 x 7/0

2/2 x 7/0

2/4 x 6/8

2/6 x 6/8

2/8 x 6/8



9/16" Raised Panel, Ovolo Sticking

 $\begin{array}{ll} 1/0 \times 6/8 & 2/0 \times 6/8 \\ 1/2 \times 6/8 & 2/2 \times 6/8 \\ 1/3 \times 6/8 & 2/4 \times 6/8 \\ 1/4 \times 6/8 & 2/6 \times 6/8 \\ 1/6 \times 6/8 & 2/8 \times 6/8 \\ 1/8 \times 6/8 & 2/10 \times 6/8 \\ 1/10 \times 6/8 & 3/0 \times 6/8 \end{array}$



PR55R 1-3/8"

9/16" Raised Panel, Ovolo Sticking

1/6 x 6/8 1/8 x 6/8 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8 3/0 x 6/8



PR66 1-3/8"

9/16" Raised Panel, Ovolo Sticking

1/0 x 6/8	1/10 x 6/8	2/10 x 6/8
1/2 x 6/8	2/0 x 6/8	3/0 x 6/8
1/3 x 6/8	2/2 x 6/8	
1/4 x 6/8	2/4 x 6/8	
1/6 x 6/8	2/6 x 6/8	
1/8 x 6/8	2/8 x 6/8	



PR66 1-3/4"

9/16" Raised Panel, Ovolo Sticking 1/6 x 6/8 2/6 x 6/8

1/6 x 6/8	2/6 x 6/8
1/8 x 6/8	2/8 x 6/8
1/10 x 6/8	2/10 x 6/8
2/0 x 6/8	3/0 x 6/8
2/2 x 6/8	
2/4 x 6/8	

PR56R 1-3/8"

9/16" Raised Panel, Ovolo Sticking


1/6 x 8/0 2/0 x 8/0 2/4 x 8/0 2/6 x 8/0 2/8 x 8/0 3/0 x 8/0

Primed 3/8" MDF FLAT PANEL



3/8" Flat Panel. Ovolo Sticking





Panel Profile, Ovolo Sticking



OVOLO STICKING



PR8020 1-3/8"

3/8" MDF Flat Panel, Ovolo Sticking



PR8082 1-3/8" 3/8" MDF Flat Panel, Ovolo Sticking

1/0 x 6/8 1/2 x 6/8 1/3 x 6/8 1/4 x 6/8 1/6 x 6/8 1/8 x 6/8 1/10 x 6/8 2/0 x 6/8 2/0 x 6/8 2/2 x 6/8	2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8 3/0 x 6/8 1/6 x 8/0 1/6 x 8/0 1/10 x 8/0	2/0 x 8/0 2/2 x 8/0 2/4 x 8/0 2/6 x 8/0 2/8 x 8/0 2/10 x 8/0 3/0 x 8/0
---	--	--



PR8044 1-3/8" * 3/8" MDF Flat Panel, Ovolo Sticking

2/0 × 6/8 2/2 × 6/8 2/4 × 6/8 2/6 × 6/8 2/8 × 6/8 2/10 × 6/8 3/0 × 6/8



PR8040 1-3/8" 3/8" MDF Flat Panel, Ovolo Sticking

3/0 x 6/8	2/6 x 7/0
	2/8 x 7/0
1/6 x 7/0	3/0 x 7/0
2/0 x 7/0	
2/4 x 7/0	
	1/6 x 7/0 2/0 x 7/0



PR8055 1-3/8" 3/8" MDF Flat Panel, Ovolo Sticking

 1/6 x 6/8
 2/4 x 6/8

 1/8 x 6/8
 2/6 x 6/8

 1/10 x 6/8
 2/8 x 6/8

 2/0 x 6/8
 2/10 x 6/8

 2/2 x 6/8
 3/0 x 6/8



PR8055 1-3/8" (8/0) 3/8" MDF Flat Panel, Ovolo Sticking


 1/6 x 8/0
 2/10 x 8/0

 2/0 x 8/0
 3/0 x 8/0

 2/4 x 8/0
 2/6 x 8/0

 2/8 x 8/0
 2/8 x 8/0





SHAKER STICKING



PR8720 1-3/8" 3/8" MDF Flat Panel, Shaker Sticking

1/0 x 6/8 1/2 x 6/8 1/3 x 6/8 1/4 x 6/8 1/6 x 6/8 1/0 X 6/8 1/10 X 6/8 2/0 x 6/8 2/2 X 6/8	2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8 3/0 x 6/8 1/6 x 7/0 2/0 x 7/0 2/4 x 7/0	2/6 x 7/0 2/8 x 7/0 2/10 x 7/0 3/0 x 7/0 1/6 x 8/0 1/8 x 8/0 1/10 x 8/0 2/0 x 8/0	2/2 x 8/0 2/4 x 8/0 2/6 x 8/0 2/8 x 8/0 2/10 x 8/0 3/0 x 8/0
--	---	--	---





PR8782 1-3/8" 3/8" MDF Flat Panel, Shaker Sticking

1/0 x 6/8 1/2 x 6/8 1/3 x 6/8 1/4 x 6/8 1/6 x 6/8 1/8 x 6/8 1/10 X 6/8 2/0 x 6/8 2/0 x 6/8 2/2 X 6/8	2/4 × 6/8 2/6 × 6/8 2/8 × 6/8 2/10 × 6/8 3/0 × 6/8 1/6 × 70 2/0 × 7/0 2/4 × 7/0	2/6 × 7/0 2/8 × 7/0 2/10 × 7/0 3/0 × 7/0 1/6 × 8/0 1/8 × 8/0 1/10 × 8/0 2/0 × 8/0	2/2 x 8/0 2/4 x 8/0 2/6 x 8/0 2/8 x 8/0 2/10 x 8/0 3/0 x 8/0
---	--	--	---



PR8760 1-3/8"

3/8" MDF Flat Panel, Shaker Sticking 1/0 x 6x8 2/4 x 6/8 2/6 x 7/0 1/2 x 6/8 2/6 x 6/8 2/8 x 7/0 1/3 x 6/8 2/8 x 6/8 2/10 x 7/0 1/4 x 6/8 2/10 x 6/8 3/0 x 7/0 1/6 x 6/8 3/0 x 6/8 1/8 x 6/8 1/10 X 6/8 1/6 x 7/0 2/0 x 6/8 2/0 x 7/0 2/2 X 6/8 2/4 x 7/0



PR8760 1-3/8" (8/0) 3/8" MDF Flat Panel,

Shaker Sticking

1/8 x 8/0 1/10 x 8/0 2/0 x 8/0 2/2 x 8/0 2/4 x 8/0 2/6 x 8/0 2/8 x 8/0 2/10 x 8/0 3/0 x 8/0

SHAKER STICKING



PR8730 1-3/8"

3/8" MDF Flat Panel, Shaker Sticking

1/0 x 6/8	2/2 x 6/8	1/8 x 7/0	3/0 x 7/0
1/2 x 6/8	2/4 x 6/8	1/10 x 7/0	1/0 0/0
1/3 x 6/8 1/4 x 6/8	2/6 x 6/8 2/8 x 6/8	2/0 x 7/0 2/2 x 7/0	1/6 x 8/0 2/0 x 8/0
1/4 x 6/8 1/6 x 6/8	2/8 x 6/8 2/10 x 6/8	2/2 x 7/0 2/4 x 7/0	2/0 x 8/0 2/4 x 8/0
1/8 x 6/8	3/0 x 6/8	2/4 x 7/0 2/6 x 7/0	2/4 x 8/0 2/6 x 8/0
1/10 x 6/8	J/0 X 0/8	2/8 x 7/0	2/8 x 8/0
2/0 x 6/8	1/6 x 7/0	2/10 x 7/0	3/0 x 8/0




PR8762 1-3/8" 3/8" MDF Flat Panel, Shaker Sticking

1/6 x 6/8	
2/0 x 6/8	
2/4 x 6/8	
2/6 x 6/8	
2/8 x 6/8	
2/10 x 6/8	
3/0 x 6/8	



PR8762 1-3/8" (8/0) 3/8" MDF Flat Panel, Shaker Sticking

2/0 x 8/0 2/4 x 8/0 2/6 x 8/0 2/8 x 8/0 3/0 x 8/0



2/0 x 6/8 2/2 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8 3/0 x 6/8



PR8740 1-3/8"

3/8" MDF Flat Panel, Shaker Sticking

1/6 x 6/8	1/6 x 7/0
2/0 x 6/8	2/0 x 7/0
2/4 x 6/8	2/4 x 7/0
2/6 x 6/8	2/6 x 7/0
2/8 x 6/8	2/8 x 7/0
2/8 x 6/8	2/8 x 7/0
3/0 x 6/8	3/0 x 7/0



PR8755 1-3/8" 3/8" MDF Flat Panel, Shaker Sticking 1/0 x 6/8 2/0 x 6/8 1/6 x 7/0 1/2 x 6/8 2/2 x 6/8 2/0 x 7/0 1/3 x 6/8 2/4 x 6/8 2/4 x 7/0 1/4 x 6/8 2/6 x 6/8 2/6 x 7/0 1/6 x 6/8 2/8 x 6/8 2/8 x 7/0 1/8 x 6/8 2/10 x 6/8 2/10 x 7/0 1/10 x 6/8 3/0 x 6/8 3/0 x 7/0




PR8755 1-3/8" (8/0) 3/8" MDF Flat Panel, Shaker Sticking

1/6 x 8/0 2/0 x 8/0 2/4 x 8/0 2/6 x 8/0 2/8 x 8/0 2/10 x 8/0 3/0 x 8/0









5/8" Flat Panel, Ovolo Sticking

OVOLO STICKING



PR8020 1-3/4" 5/8" MDF Flat Panel Ovolo Sticking

1/0 x 6/8	2/2 X 6/8	1/2 x 7/0	2/4 x 7/0	2/4 x 8/0
1/2 x 6/8	2/4 x 6/8	1/3 x 7/0	2/6 x 7/0	2/6 x 8/0
1/3 x 6/8	2/6 x 6/8	1/4 x 7/0	2/8 x 7/0	2/8 x 8/0
1/4 x 6/8	2/8 x 6/8	1/6 x 7/0	2/10 x 7/0	2/10 x 8/0
1/6 x 6/8	2/10 x 6/8	1/8 x 7/0	3/0 x 7/0	3/0 x 8/0
1/8 x 6/8	3/0 x 6/8	1/10 x 7/0		
1/10 X 6/8		2/0 x 7/0	1/6 x 8/0	
2/0 x 6/8	1/0 x 7/0	2/2 x 7/0	2/0 x 8/0	





PR8082 1-3/4" 5/8" MDF Flat Panel

Ovolo St	icking	lei	
1/0 × 6/8 1/2 × 6/8 1/3 × 6/8 1/4 × 6/8 1/6 × 6/8 1/8 × 6/8 1/10 × 6/8 2/0 × 6/8 2/0 × 6/8 2/2 × 6/8	2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8 3/0 x 6/8 1/6 x 7/0 1/8 x 7/0 1/10 x 7/0	2/0 x 7/0 2/2 x 7/0 2/4 x 7/0 2/6 x 7/0 2/8 x 7/0 2/10 x 7/0 3/0 x 7/0 1/6 x 8/0	1/8 x 8/0 1/10 x 8/0 2/0 x 8/0 2/2 x 8/0 2/4 x 8/0 2/6 x 8/0 2/10 x 8/0 3/0 x 8/0

Panel Profile, Ovolo Sticking







Panel Profile, Shaker Sticking

5/8" Flat Panel, Shaker Sticking

SHAKER STICKING



PR8720 1-3/4" 5/8" MDF Flat Panel Shaker Sticking

	5		
1/0 x 6/8	2/6 x 6/8	1/8 x 7/0	1/6 x 8/0
1/2 x 6/8	2/8 x 6/8	1/10 x 7/0	1/8 X 8/0
1/3 x 6/8	2/10 x 6/8	2/0 x 7/0	1/10 X 8/0
1/4 x 6/8	3/0 x 6/8	2/2 x 7/0	2/0 x 8/0
1/6 x 6/8		2/4 x 7/0	2/2 X 8/0
1/8 x 6/8	1/0 x 7/0	2/6 x 7/0	2/4 x 8/0
1/10 X 6/8	1/2 x 7/0	2/8 x 7/0	2/6 x 8/0
2/0 x 6/8	1/3 x 7/0	2/10 x 7/0	2/8 x 8/0
2/2 X 6/8	1/4 x 7/0	3/0 x 7/0	2/10 x 8/0
2/4 x 6/8	1/6 x 7/0		3/0 x 8/0



PR8782 1-3/4" 5/8" MDF Flat Panel Shaker Sticking 1/0 x 6/8 2/6 x 6/8 2/4 x 7/0 1/2 x 6/8 2/8 x 6/8 2/6 x 7/0 1/3 x 6/8 2/10 x 6/8 2/8 x 7/0 1/4 x 6/8 3/0 x 6/8 2/10 x 7/0 2/8 x 8/0 1/6 x 6/8 3/0 x 7/0 2/10 x 8/0 _ _ 1/8 x 6/8 1/6 x 7/0 _ _ 1/6 x 8/0

2/0 x 6/8 1/10 x 7/0 1/8 X 8/0

2/2 x 6/8 2/0 x 7/0 1/10 X 8/0 2/4 x 6/8 2/2 x 7/0 2/0 x 8/0

1/10 X 8/0

1/10 X 6/8 1/8 x 7/0

2/2 X 8/0

2/4 x 8/0

2/6 x 8/0

3/0 x 8/0



PR8760 1-3/4" 5/8" MDF Flat Panel Shaker Sticking 1/6 x 6/8 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8 3/0 x 6/8



PR8755 1-3/4" 5/8" MDF Flat Panel Shaker Sticking 1/6 x 6/8


2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8 3/0 x 6/8





1-1/4" Bar, Clear Glass. Ovolo Sticking

CLEAR GLASS





1-1/4" Bar, Clear Glass Ovolo Sticking 1/6 x 6/8 2/0 x 6/8 2/6 x 6/8

1/6



PR8010 1-3/4" 1-1/4" Bar, Clear Glass Ovolo Sticking 1/6 x 6/8 2/0 x 6/8



PR8015 1-3/8" 1-1/4" Bar, Clear Glass Ovolo Sticking

2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8 3/0 x 6/8



PR8015 1-3/4" 1-1/4" Bar, Clear Glass Ovolo Sticking 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8



3/0 x 6/8

1-1/4" Bar Profile





CLEAR GLASS



PR8012 1-3/8" (8/0) 1-1/4" Bar, Clear Glass Ovolo Sticking 1/6 x 8/0 2/0 x 8/0



PR8012 1-3/4" (8/0) 1-1/4" Bar, Clear Glass Ovolo Sticking 1/6 x 8/0 2/0 x 8/0



PR8018 1-3/8" (8/0) 1-1/4" Bar, Clear Glass Ovolo Sticking

2/4 x 8/0 2/6 x 8/0 2/8 x 8/0 2/10 x 8/0 3/0 x 8/0




PR8018 1-3/4" (8/0) 1-1/4" Bar, Clear Glass Ovolo Sticking

2/4 x 8/0 2/6 x 8/0 2/8 x 8/0 2/10 x 8/0 3/0 x 8/0 Primed



1-1/4" Bar, Frit Glass. Ovolo Sticking

FRIT GLASS



1-1/4"

Bar Profile



PR8010F 1-3/8" 1-1/4" Bar, Frit Glass Ovolo Sticking 1/6 x 6/8 2/0 x 6/8



PR8015F 1-3/8" 1-1/4" Bar, Frit Glass Ovolo Sticking 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8 3/0 x 6/8




PR8018F 1-3/8" (8/0) 1-1/4" Bar, Frit Glass Ovolo Sticking 2/4 x 8/0 2/6 x 8/0 2/8 x 8/0 2/10 x 8/0 3/0 x 8/0



PR8012F 1-3/8" (8/0) 1-1/4" Bar, Frit Glass Ovolo Sticking 1/6 x 8/0 2/0 x 8/0








DECORATIVE GLASS



PR8490 1-3/8" Decorative Glass, Clear Art on Satin Etch, Ovolo Sticking 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8







PR8423 1-3/8" Decorative Glass, Black Caming, Ovolo Sticking 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8







Clear Glass, Ovolo Sticking




Frit Glass, Ovolo Sticking







White Laminate Glass, Ovolo Sticking



Sticking

-	
	<

PR8001 1-3/8" Clear Glass,

Ovolo Sticking 1/6 x 6/8 1/6 x 8/0

1/6 X 6/8	1/6 X 8/U
2/0 x 6/8	2/0 x 8/0
2/4 x 6/8	2/4 x 8/0
2/6 x 6/8	2/6 x 8/0
2/8 x 6/8	2/8 x 8/0
2/10 x 6/8	2/10 x 8/0
3/0 x 6/8	3/0 x 8/0

FRIT GLASS



PR8001F 1-3/8" Frit Glass, Ovolo Sticking

1/6 x 6/8 1/6 x 8/0 2/0 x 6/8 2/0 x 8/0 2/4 x 6/8 2/4 x 8/0
 2/4 × 6/8
 2/4 × 8/0

 2/6 × 6/8
 2/6 × 8/0

 2/8 × 6/8
 2/8 × 8/0

 2/10 × 6/8
 2/10 × 8/0


 3/0 × 6/8
 3/0 × 8/0

WHITE LAMINATE GLASS



PR1501WL 1-3/8" White Laminate Glass, Ovolo Sticking





Clear Glass, Shaker Sticking





OBSCURE



Primed Louvers

Louver doors allow for air flow while providing privacy.







1-1/4" Louver Slats

2-1/2" Louver Slats

When ordering a louver door, it is important to specify which side is the blind side. View the door as if you are in the inside of the room and the door is opening toward you.



When the Blind Side is on the Hinge Side, the Louvers run down, meaning you cannot see into the next room



When the Blind Side is on the Stop Side, the Louvers run up, meaning you can see into the next room.



For Louver Doors with a Contemporary style, featuring a unique slatted ventilation, please see page 25.



Bifolds are carton packed with track and hardware.

F		1
-		
-		
-		
-		
-		
-		

PR730 1-3/8" Primed, 1-1/4" Slats

1/6 x 6/8 1/8 x 6/8 1/10 x 6/8 2/0 x 6/8 2/2 x 6/8 2/4 x 6/8 2/6 x 6/8	2/8 × 6/8 2/10 × 6/8 3/0 × 6/8 1/6 × 7/0 2/0 × 7/0 2/4 × 7/0	2/6 x 7/0 2/8 x 7/0 2/10 x 7/0 3/0 x 7/0
--	---	---



PR730 1-3/4" Primed, 1-1/4" Slats

1/6 x 6/8 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8 3/0 x 6/8



PR730W 1-3/8" Primed, 2-1/2" Slats

1/6 x 6/8 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8 3/0 x 6/8



PRN730FJ 1-1/8" BIFOLD Primed, 1-1/4" Slats

1-1/8" Modified Finger Joint

2/0 x 6/8	4/0 x 6/8
2/4 x 6/8	4/8 x 6/8
2/6 x 6/8	5/0 x 6/8
2/8 x 6/8	5/4 x 6/8
3/0 x 6/8	6/0 x 6/8



PR732 1-3/8" Primed, 1-1/4" Slats

 1/6 x 6/8
 1/6 x 7/0

 2/0 x 6/8
 2/0 x 7/0

 2/2 x 6/8
 2/4 x 7/0

 2/4 x 6/8
 2/6 x 7/0

 2/6 x 6/8
 2/8 x 7/0

 2/8 x 6/8
 3/0 x 7/0

 2/10 x 6/8
 3/0 x 6/8



PR742 1-3/8" Primed, 1-1/4" Slats

1/6 x 6/8 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8 3/0 x 6/8



PR732W 1-3/8" Primed, 2-1/2" Slats

1/6 x 6/8 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8 3/0 x 6/8



PRN732FJ 1-1/8" BIFOLD

Primed, 1-1/4" Slats 1-1/8" Modified Finger Joint

2/0 x 6/8 2/6 x 6/8 3/0 x 6/8 4/0 x 6/8 5/0 x 6/8 6/0 x 6/8

Contemporary Doors

Reeb's modern-style contemporary doors are a premium flush door. While traditional flush doors have a thin veneer over a solid particle core, any groove cut into the door for a design appeal must be shallow. Our new contemporary flush doors feature a 1/4" thick veneer. The grooves are cut 1/8" deep resulting in sharper shadow lines and a greater definition.




PRF2315 1-3/8" Flush MDF

1/6 x 6/8 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



1/6 x 6/8	1/6 x 7/0	1/6 x 8/0
2/0 x 6/8	2/0 x 7/0	2/0 x 8/0
2/4 x 6/8	2/4 x 7/0	2/4 x 8/0
2/6 x 6/8	2/6 x 7/0	2/6 x 8/0
2/8 x 6/8	2/8 x 7/0	2/8 x 8/0
2/10 x 6/8	2/10 x 7/0	2/10 x 8/0
3/0 x 6/8	3/0 x 7/0	3/0 x 8/0



PRF2315 1-3/4" Flush MDF 1/6 x 6/8 1/6 x 7/0 1/6 x 8/0 2/0 x 6/8 2/0 x 7/0 2/0 x 8/0 2/4 x 7/0 2/4 x 8/0 2/4 x 6/8 2/6 x 6/8 2/6 x 7/0 2/6 x 8/0 2/8 x 6/8 2/8 x 7/0 2/8 x 8/0 2/10 x 6/8 2/10 x 7/0 2/10 x 8/0 3/0 x 6/8 3/0 x 7/0 3/0 x 8/0



PRF2302 1-3/8" Flush MDF

1/6 x 6/8	
2/0 x 6/8	
2/4 x 6/8	
2/6 x 6/8	
2/8 x 6/8	
3/0 x 6/8	



PRF2310 1-3/8" Flush MDF 1/6 x 6/8 2/0 x 6/8

2/4 x 6/8

2/6 x 6/8

2/8 x 6/8


3/0 x 6/8




PRF2302 1-3/4" Flush MDF

The contemporary doors have a unique lattice wood core that provides exceptional strength and improved stability. It has the feel of a real wood door without the weight that can lead to hinge issues. These doors can be prepped for the typical backset options or even a mortise pocket.





PRF2315



design, the strike side will always be on the stile line side of the door.

For a consistent












Reeb's Contemporary Louver Door has shaker-style sticking and a unique slotted ventilation. Cut at an angle into the panel of the door, flat slotted louvers give the same ventilation possibilities but with a different aesthetic appearance. This contemporary door pairs well with other shaker-style flat panel doors.





Interior Door Units

After choosing the perfect door, there are additional features that can be included for a complete door unit. These include adding transoms and sidelites for more light, choosing a frame that matches your door, and selecting hardware to match your home's interior.

INTERIOR TRANSOM



PRTOO1 Primed, Clear Glass Ovolo Sticking

2/6, 2/8 & 3/0 for use with Single Door 4/0 x 1/0 for use with 2/0 Double Door 5/0 x 1/0 for use with 2/6 Double Door 6/0 x 1/0 for use with 3/0 Double Door

 2/6 x 1/0
 4/0 x 1/0

 2/8 x 1/0
 5/0 x 1/0

 3/0 x 1/0
 6/0 x 1/0



PRT003

Primed, Divided Lites, Clear Glass Ovolo Sticking For use with Single Door

2/6 x 1/0 2/8 x 1/0 3/0 x 1/0



PRT004

Primed, Divided Lites, Clear Glass Ovolo Sticking For use with 2/0 Double Door

4/0 x 1/0



PRT005

Primed, Divided Lites, Clear Glass Ovolo Sticking

5/0 x 1/0 for use with 2/6 Double Door 5/4 x 1/0 for use with 2/8 Double Door 6/0 x 1/0 for use with 3/0 Double Door

5/0 x 1/0 5/4 x 1/0 6/0 x 1/0



INTERIOR SIDELITES



PR8705 1-3/8" (6/8) Clear Glass, 1-1/4" Bar Ovolo Sticking

1/0 x 6/8 1/2 x 6/8 **PR8706 1-3/8" (8/0)** Clear Glass, 1-1/4" Bar Ovolo Sticking

1/2 x 8/0

Barn Doors



Barn doors can be hung in many different configurations according to your design preference. Please be sure to specify when ordering. Primed barn doors come with groove already machined in the bottom of the door to be used with barn door hardware.

STANDARD

















PR180 1-3/8" Planked 9/16" Panel Z

2/6 x 6/8 3/0 x 7/0 3/0 x 8/0 2/8 x 6/8 3/0 x 6/8









2/6 x 6/8 3/0 x 7/0 3/0 x 8/0 2/8 x 6/8 3/0 x 6/8



Barn Door Hardware



Goldberg's line of interior, residential sliding barn door hardware kits make the most of the available living space, while adding a rustic, yet elegant look. All major components are manufactured from steel and come with a 1-year warranty.

HARDWARE **OPTIONS**



Roller Hanger

6" Flush Pull



Privacy Latch







Silver




Architectural Bronze



Stainless Steel





Because of the wall space required for the long track, sometimes there's no room to install a conventional barn door. Barnfold[®] Series folding barn door hardware combines the style of the popular J-strap hangers with the space-saving convenience of bifold doors.

INCLUDED HARDWARE



Barnfold J-Strap Hanger




Hinge



4" Pull Handle

AVAILABLE FINISHES



Black

Primed Fire Doors

These doors are labeled with a 20 minute rating. The panels are layered with a fire rated material and the stiles are solid wood. Additional requirements may be necessary for door installation.

20 Minute Fire Rated 13/16" Flat Panel

OVOLO STICKING



PR8020FR 1-3/4" 20 Minute Flat Panel. Ovolo Sticking

2/8 x 6/8 2/8 x 7/0 2/8 x 8/0 2/10 x 6/8 2/10 x 7/0 2/10 x 8/0 3/0 x 6/8 3/0 x 7/0 3/0 x 8/0

SHAKER STICKING



PR8720FR 1-3/4" 20 Minute Flat Panel, Shaker Sticking

2/8 x 6/8	2/8 x 7/0	2/8 x 8/0
2/10 x 6/8	2/10 x 7/0	2/10 x 8/0
3/0 x 6/8	3/0 x 7/0	3/0 x 8/0





PR8082FR 1-3/4" 20 Minute Flat Panel. Ovolo Sticking



PR8055FR 1-3/4" 20 Minute Flat Panel. **Ovolo Sticking**

2/8 x 6/8 2/10 x 6/8 3/0 x 6/8



PR8055FR 1-3/4" (8/0) 20 Minute Flat Panel.

2/8 x 8/0 2/10 x 8/0 3/0 x 8/0

Ovolo Sticking



PR8760FR 1-3/4" (8/0) 20 Minute Flat Panel, Shaker Sticking

2/8 x 8/0 2/10 x 8/0 3/0 x 8/0



PR8782FR 1-3/4" 20 Minute Flat Panel, Shaker Sticking

2/8 x 6/8	2/8 x 7/0	2/8 x 8/0
2/10 x 6/8	2/10 x 7/0	2/10 x 8/0
3/0 x 6/8	3/0 x 7/0	3/0 x 8/0

PR8760FR 1-3/4" 20 Minute Flat Panel, Shaker Sticking

2/8 x 6/8 3/0 x 7/0 2/10 x 6/8 3/0 x 6/8

2/8 x 6/8 2/8 x 7/0 2/8 x 8/0 2/10 × 6/8 2/10 × 7/0 2/10 × 8/0 3/0 × 6/8 3/0 × 7/0 3/0 × 8/0

SHAKER STICKING

PR8730FR 1-3/4" 20 Minute Flat Panel, Shaker Sticking

2/8 x 6/8 3/0 x 7/0 3/0 x 8/0 3/0 x 6/8



PR8740FR 1-3/4" 20 Minute Flat Panel, Shaker Sticking

2/8 x 6/8 3/0 x 7/0 3/0 x 8/0 3/0 x 6/8



PR8755FR 1-3/4" 20 Minute Flat Panel, Shaker Sticking

2/8 x 6/8 2/10 x 6/8 3/0 x 6/8



PR8755FR 1-3/4" (8/0) 20 Minute Flat Panel, Shaker Sticking

2/8 x 8/0 2/10 x 8/0 3/0 x 8/0

20 Minute Fire Rated 1-1/4" Raised Panel

OVOLO STICKING

DOORS HAVE WIDE (5-1/2") STILES



PR82RFR 1-3/4

	RFR 1-3/ ute Raise Sticking	-		AFR 1-3, ute Raise Sticking	-
2/8 x 6/8 2/10 x 6/8 3/0 x 6/8	2/8 x 7/0 2/10 x 7/0 3/0 x 7/0	2/8 x 8/0 2/10 x 8/0 3/0 x 8/0	2/8 x 6/8 2/10 x 6/8 3/0 x 6/8	2/8 x 7/0 2/10 x 7/0 3/0 x 7/0	2/8 x 8/0 2/10 x 8/0 3/0 x 8/0



PR66FR 1-3/4" 20 Minute Raised Panel, Ovolo Sticking

2/8 x 6/8 2/10 x 6/8 3/0 x 6/8



PR55RFR 1-3/4" 20 Minute Raised Panel, Ovolo Sticking

2/8 x 6/8 3/0 x 7/0 3/0 x 6/8



PR56RFR 1-3/4" (8/0) 20 Minute Raised Panel, Ovolo Sticking

3/0 x 8/0

Flat Frames



Flat

Flat frames come in a variety of species including solid and veneered wood. They include the need for a stop. This option may not be available in all markets so please confirm availability prior to ordering.



PRIMED



CLEAR PINE



PINE VENEERED



KNOTTY ALDER VENEERED



FIR VENEERED







MAPLE VENEERED

SOLID POPLAR

PRIMED SOLID POPLAR





SOLID OAK

OAK VENEERED

Stops


Known as a "stop", these small pieces of wood attach to a flat frame to give the door a place to stop. Optional Portaseal weatherstrip stops are available for use to prevent drafts.



PRIMED WM-888



PRIMED WM-876



PRIMED WM-888H



PRIMED WM-936

PRIMED WM-948



Rabbeted Frames



Single Rabbeted

Single rabbeted frames mimic the appearance of exterior frames for interior use. This option may not be available in all markets so please confirm availability prior to ordering.





CLEAR PINE



PRIMED SOLID POPLAR



Double Rabbeted

Double rabbeted frames work well with either a 1-3/8" or 1-3/4" thick door. This option may not be available in all markets so please confirm availability prior to ordering.





CLEAR PINE



PRIMED SOLID POPLAR

PRIMED

Split Frames



Split

Split frames are two pieces of wood together which work well for odd wall sizes. This option may not be available in all markets so please confirm availability prior to ordering.



PRIMED



CLEAR PINE

Because of their construction, a split frame is able to work for a range of wall sizes. For example, Reeb[®] stocks a split frame that has a size range of 4-1/2" to 5-1/4" thick.

Also with split frames is the availability to use interior casing. When installing a split frame with casing, the two pieces must be taken apart. This allows Reeb to ship the unit with the casing pre-attached and ready for a complete install. This option may not be available in all markets so please confirm availability prior to ordering.

Sills



OAK SADDLE SILL

Oak saddle sills provide an aesthetic solution to residential threshold applications. If the unit does not include weatherstrip, a standard width saddle sill works well.



OAK SADDLE SILL WITH WEATHERSTRIP

For flat frames with portoseal or single rabbeted frames with weatherstrip, a wider saddle sill works best. It allows the bottom of the frame to sit flush on top of the sill. Three sided units do not need a sweep, but a four-sided unit will use a sweep for the best seal.

Hinges

BALL BEARING HINGES

Ball bearing hinges have a steel ball bearing, or buffer, in between the knuckles. Heavier doors put more stress on the hinges so having the ball bearings reduce friction, are better performing and longer lasting.



Ball Bearing Square



Ball Bearing Radius

NON BALL BEARING HINGES

Standard, or plain bearing, have no buffer between each knuckle of the barrel. This tends to wear the hinge down over time as the sections grind against one another and are better suited for lightweight doors.



Non Ball Bearing Square



Non Ball Bearing Radius

HINGE SIZES

Most interior doors are 1-3/8" thick and use $3.5'' \times 3.5''$ hinges. On an 1-3/4" door in an interior application Reeb will automatically utilize a 4" hinge.



3.5" x 3.5"



Baldwin®

Baldwin believes that quality should never be a compromise. From using the finest materials to crafting hardware by hand, they are committed to creating high-quality hardware that not only looks beautiful and flawless but also endures the rigors of time.





3.5" X 3.5" SQUARE 3.5" X 3.5" RADIUS Non Ball Bearing - Shown in US3LF Non Ball Bearing - Shown in US3LF



4" X 4" SQUARE



4" X 4" RADIUS / US3 Ball Bearing - Shown in US15 Non Ball Bearing - Shown in US3LF

AVAILABLE FINISHES	3.5" X 3.5" SQUARE		3.5" X 3.5" RADIUS		4" X 4" SQUARE		4" X 4" RADIUS	
	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING
US3LF		х		х		х		х
US10B		Х		Х		Х		
US15		Х		Х		Х		
VB		Х				Х		

AVAILABLE FINISHES



US3LF LIFETIME BRASS

US10B OIL RUBBED BRONZE



US15 SATIN NICKEL



VB VENETIAN BRONZE



Hinges

Emtek®

Emtek is dedicated to bring personal style to life. Door hardware is more than a way to open, close, and secure a space. It is an integral part of a room's design theme and an extension of personal style.





Non Ball Bearing - Shown in US7




3.5" X 3.5" SQUARE Ball Bearing - Shown in US26

4" X 4" SQUARE Ball Bearing - Shown in US15

AVAILABLE FINISHES	3.5" X 3.5	" SQUARE	3.5" X 3.5	" RADIUS	4" X 4" SQUARE		
	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	
US1D		х	х		х	х	
US3		Х	х	Х	х	х	
US7		х	х	х	х	х	
US10B		Х	х	Х	Х	х	
US15		х	х	х	х	х	
US14		Х	х		Х	х	
US26		Х			Х	х	

AVAILABLE FINISHES













USP US1D PRIMED WHITE FLAT BLACK **US3** BRIGHT BRASS

US4 SATIN BRASS

US4B BRIGHT SATIN BRASS

US5 ANTIQUE BRASS

US7 FRENCH ANTIQUE

Reeb[®] Specialty Products

RSP offers a large selection of hinges in a variety of finishes carrying on a tradition of innovative design, superior quality and service excellence.



3.5" X 3.5" SQUARE Ball Bearing - Shown in US4



3.5" X 3.5" RADIUS Non Ball Bearing - Shown in USP



4" X 4" SQUARE Non Ball Bearing - Shown in US10B

2 -A A 27 (27) (2)

4" X 4" RADIUS Ball Bearing - Shown in US15

AVAILABLE FINISHES	3.5" X 3.5" SQUARE		3.5" X 3.5" RADIUS		4" X 4" SQUARE		4" X 4" RADIUS	
	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING
USP				х				х
US1D		Х	х	х		Х	Х	х
US3	Х	Х	Х	Х	Х	Х	Х	х
US4	Х	Х		Х	Х	Х		х
US4B	Х		х	Х	Х		Х	х
US5	Х	Х	Х	Х	Х	Х	Х	Х
US7								
US10B	х	Х	х	Х	Х	Х	Х	Х
US15	Х	Х	Х	Х	Х	Х	Х	Х
US15A				Х				Х
US26	Х	Х	Х	Х	Х	Х	Х	х
US26D	х	Х	х	Х	Х	Х	Х	х
US32D				Х			Х	Х















US10B OIL RUBBED BRONZE

US14 US15 POLISHED NICKEL

US15A SATIN NICKEL

US26 ANTIQUE NICKEL BRIGHT CHROME SATIN CHROME

US26D

VB US32D STAINLESS STEEL VENETIAN BRONZE





Locks


Schlage® door knobs fit and accentuate decor from a classic look to bold contemporary designs.

For available functions, reference the Reeb In-Stock Price Catalog.

The Standard Residential Series provides tough, reliable performance in a variety of styles and finishes.

The **Builders Series** provides an economical lock that delivers on style.

STANDARD RESIDENTIAL SERIES



40

STANDARD RESIDENTIAL SERIES



Available in: US3, US15, US26, US26D, Aged Bronze



Georgian

Available in: US3, US5, US15, US15A, US26, Aged Bronze



Andover Shown in US26

Available in: US3, US5, US10B, US15, US15A, US26, US26D

BUILDER'S SERIES



Available in: US3, US32D



Corona Shown in US15

Available in: US3, US15

The Standard Residential Series features a limited lifetime mechanical warranty, has a limited lifetime finish warranty, fits universal backsets, and all levers are non-handed.







The Builders Series features a limited lifetime mechanical warranty, a 5-year finish warranty, and fits universal backsets.



US26 BRIGHT CHROME



US26D SATIN CHROME



US32D STAINLESS STEEL



716 AGED BRONZE



Catches

Catches are an alternative way to close a door and are often used in a closet application. Ball catches and Roller catches are recessed in the top of the door while a Surface Magnetic Catch is installed on the face of the door. A strike is installed on the head frame and the two keep the door closed without the need of a latch. The Concealed Magnetic Catch is recessed into the top of the door and the head frame which conceals the catch.

Precision[™] Concealed Magnetic Catch







Reeb[®] Specialty Products Ball Catch

Strike Plate available in: US1D, US3, US5, US10B, US15, US26, US26D



Ives® Surface Magnetic Catch

Magnetic Catch available in: US3, US92



lves® Roller Catch

Roller Catch Face and Strike available in: US3, US10B, US15, US26

AVAILABLE FINISHES



US1D FLAT BLACK

42



US10B S OIL RUBBED BRONZE



US15 SATIN NICKEL





US26 US26D BRIGHT CHROME SATIN CHROME



US92 Aluminum







DOOR STYLE	PAGE	DOOR HEIGHT	3'0" STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	VENDOR
PR1501WL	19	6/8	4-9/16"	4-9/16"	N/A	9-3/32"	N/A	RSP
PR1501WL	19	8/0	4-9/16"	4-9/16"	N/A	9-3/32"	N/A	RSP
PR180	27	6/8	4-3/8"	4-5/16"	4-5/16"	9-3/16"	9/16"	RSP
PR180	27	7/0	4-3/8"	4-5/16"	4-5/16"	9-3/16"	9/16"	RSP
PR180	27	8/0	4-3/8"	4-5/16"	4-5/16"	9-3/16"	9/16"	RSP
PR181	27	6/8	4-3/8"	4-5/16"	4-5/16"	9-3/16"	9/16"	RSP
PR181	27	7/0	4-3/8"	4-5/16"	4-5/16"	9-3/16"	9/16"	RSP
PR181	27	8/0	4-3/8"	4-5/16"	4-5/16"	9-3/16"	9/16"	RSP
PR44	7	6/8	4-5/8"	4-9/16"	7-1/2"	9-3/16"	9/16"	RSP
PR55R	7	6/8	4-5/8"	4-9/16"	N/A	9-3/16"	9/16"	RSP
PR55RFR	31	6/8	5-3/4"	4-9/16"	N/A	9-3/16"	1-1/4"	RSP
PR55RFR	31	7/0	5-3/4"	4-9/16"	N/A	9-3/16"	1-1/4"	RSP
PR56R	7	8/0	4-5/8"	4-9/16"	N/A	9-3/16"	9/16"	RSP
PR56RFR	31	8/0	5-3/4"	4-9/16"	N/A	9-3/16"	1-1/4"	RSP
PR66	7	6/8	4-5/8"	4-9/16"	7-1/2"	9-3/16"	9/16"	RSP
PR66 1-3/4"	7	6/8	5-3/4"	4-9/16"	7-1/2"	9-3/16"	9/16"	RSP
PR66FR 1-3/4"	31	6/8	5-3/4"	4-9/16"	7-1/2"	9-3/16"	1-1/4"	RSP
PR730	23	6/8	4-5/16"	4-5/16"	5-1/4"	7"	N/A	RSP
PR730	23	7/0	4-5/16"	4-5/16"	5-1/4"	7"	N/A	RSP
PR730 1-3/4"	23	6/8	4-1/4"	4-1/16"	5-3/16"	7"	N/A	RSP
PR730F	25	6/8	4-3/8"	4-5/16"	7-3/8"	9-3/16"	3/8"	RSP
PR730F 1-3/4"	25	6/8	4-3/8"	4-5/16"	7-3/8"	9-3/16"	3/8"	RSP
PR730F 1-3/4"	25	7/0	4-3/8"	4-5/16"	7-3/8"	9-3/16"	3/8"	RSP
PR730W	23	6/8	4-5/16"	4-1/4"	5-1/2"	7"	N/A	RSP
PR732	23	6/8	4-5/16"	4-1/4"	5-1/4"	7"	9/16"	RSP
PR732	23	7/0	4-5/16"	4-1/4"	5-1/4"	7"	9/16"	RSP
PR732W	23	6/8	4-5/16"	4-1/4"	5-1/4"	7"	9/16"	RSP
PR742	23	6/8	4-1/4"	4-1/16"	5-3/16"	7"	9/16"	RSP
PR8001	19	6/8	4-5/8"	4-9/16"	N/A	9-3/16"	N/A	RSP
PR8001	19	8/0	4-5/8"	4-9/16"	N/A	9-3/16"	N/A	RSP
PR8001F	19	6/8	4-5/8"	4-9/16"	N/A	9-3/16"	N/A	RSP
PR8001F	19	8/0	4-5/8"	4-9/16"	N/A	9-3/16"	N/A	RSP
PR8010	14	6/8	4-5/8"	4-9/16"	N/A	9-3/16"	N/A	RSP
PR8010 1-3/4"	14	6/8	4-5/8"	4-9/16"	N/A	9-3/16"	N/A	RSP
PR8010F	16	6/8	4-5/8"	4-9/16"	N/A	9-3/16"	N/A	RSP
PR8012	15	8/0	4-5/8"	4-9/16"	N/A	9-3/16"	N/A	RSP
PR8012 1-3/4"	15	6/8	4-5/8"	4-9/16"	N/A	9-3/16"	N/A	RSP
PR8012F	16	8/0	4-5/8"	4-9/16"	N/A	9-3/16"	N/A	RSP
PR8015	14	6/8	4-5/8"	4-9/16"	N/A	9-3/16"	N/A	RSP
PR8015 1-3/4"	14	6/8	4-5/8"	4-9/16"	N/A	9-3/16"	N/A	RSP
PR8015F	16	6/8	4-5/8"	4-9/16"	N/A	9-3/16"	N/A	RSP
PR8018	15	8/0	4-5/8"	4-9/16"	N/A	9-3/16"	N/A	RSP
PR8018 1-3/4"	15	8/0	4-5/8"	4-9/16"	N/A	9-3/16"	N/A	RSP
PR8018F	16	8/0	4-5/8"	4-9/16"	N/A	9-3/16"	N/A	RSP

DOOR STYLE	PAGE	DOOR HEIGHT	3'0" STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	VENDOR
PR8020	9	6/8	4-5/8"	4-9/16"	N/A	9-3/16"	3/8"	RSP
PR8020	9	8/0	4-5/8"	4-9/16"	N/A	9-3/16"	3/8"	RSP
PR8020 1-3/4"	12	6/8	4-5/8"	4-9/16"	N/A	9-3/16"	5/8"	RSP
PR8020 1-3/4"	12	7/0	4-5/8"	4-9/16"	N/A	9-3/16"	5/8"	RSP
PR8020 1-3/4"	12	8/0	4-5/8"	4-9/16"	N/A	9-3/16"	5/8"	RSP
PR8020FR 1-3/4"	30	6/8	4-5/8"	4-9/16"	N/A	9-3/16"	13/16"	RSP
PR8020FR 1-3/4"	30	7/0	4-5/8"	4-9/16"	N/A	9-3/16"	13/16"	RSP
PR8020FR 1-3/4"	30	8/0	4-5/8"	4-9/16"	N/A	9-3/16"	13/16"	RSP
PR8040	9	6/8	4-5/8"	4-9/16"	N/A	9-3/16"	3/8"	RSP
PR8040	9	7/0	4-3/8"	4-9/16"	N/A	9"	3/8"	RSP
PR8044	9	6/8	4-5/8"	4-9/16"	7-1/2"	9-3/16"	3/8"	RSP
PR8055	9	6/8	4-5/8"	4-9/16"	N/A	9-3/16"	3/8"	RSP
PR8055	9	8/0	4-5/8"	4-9/16"	N/A	9-3/16"	3/8"	RSP
PR8055FR 1-3/4"	30	6/8	4-5/8"	4-9/16"	N/A	9-3/16"	13/16"	RSP
PR8055FR 1-3/4"	30	8/0	4-5/8"	4-9/16"	N/A	9-3/16"	13/16"	RSP
PR8082	9	6/8	4-5/8"	4-9/16"	7-5/8"	9-3/16"	3/8"	RSP
PR8082	9	8/0	4-5/8"	4-9/16"	7-5/8"	9-3/16"	3/8"	RSP
PR8082 1-3/4"	12	6/8	4-5/8"	4-9/16"	7-5/8"	9-3/16"	5/8"	RSP
PR8082 1-3/4"	12	7/0	4-5/8"	4-9/16"	7-5/8"	9-3/16"	5/8"	RSP
PR8082 1-3/4"	12	8/0	4-5/8"	4-9/16"	7-5/8"	9-3/16"	5/8"	RSP
PR8082FR 1-3/4"	30	6/8	4-5/8"	4-9/16"	7-5/8"	9-3/16"	13/16"	RSP
PR8082FR 1-3/4"	30	7/0	4-5/8"	4-9/16"	7-5/8"	9-3/16"	13/16"	RSP
PR8082FR 1-3/4"	30	8/0	4-5/8"	4-9/16"	7-5/8"	9-3/16"	13/16"	RSP
PR82A	7	6/8	4-5/8"	6-1/2"	7-1/2"	9-3/16"	9/16"	RSP
PR82A	7	7/0	4-5/8"	6-1/2"	7-1/2"	9-3/16"	9/16"	RSP
PR82A	7	8/0	4-5/8"	6-1/2"	7-1/2"	9-3/16"	9/16"	RSP
PR82A 1-3/4"	7	6/8	5-3/4"	6-1/2"	7-1/2"	9-3/16"	9/16"	RSP
PR82A 1-3/4"	7	7/0	5-3/4"	8-1/2"	7-1/2"	11-3/16"	9/16"	RSP
PR82A 1-3/4"	7	8/0	5-3/4"	6-1/2"	7-1/2"	9-3/16"	9/16"	RSP
PR82AFR 1-3/4"	31	6/8	5-3/4"	6-1/2"	7-1/2"	9-3/16"	1-1/4"	RSP
PR82AFR 1-3/4"	31	7/0	5-3/4"	6-1/2"	7-1/2"	9-3/16"	1-1/4"	RSP
PR82AFR 1-3/4"	31	8/0	5-3/4"	6-1/2"	7-1/2"	9-3/16"	1-1/4"	RSP
PR82R	6	6/8	4-5/8"	4-9/16"	7-1/2"	9-3/16"	9/16"	RSP
PR82R	6	7/0	4-5/8"	4-9/16"	7-1/2"	9-3/16"	9/16"	RSP
PR82R	6	8/0	4-5/8"	4-9/16"	7-1/2"	9-3/16"	9/16"	RSP
PR82R 1-3/4"	6	6/8	5-3/4"	4-9/16"	7-1/2"	9-3/16"	9/16"	RSP
PR82R 1-3/4"	6	7/0	5-3/4"	6-9/16"	7-1/2"	11-3/16"	9/16"	RSP
PR82R 1-3/4"	6	8/0	5-3/4"	4-9/16"	7-1/2"	9-3/16"	9/16"	RSP
PR82RFR 1-3/4"	31	6/8	5-3/4"	4-9/16"	7-1/2"	9-3/16"	1-1/4"	RSP
PR82RFR 1-3/4"	31	7/0	5-3/4"	4-9/16"	7-1/2"	9-3/16"	1-1/4"	RSP
PR82RFR 1-3/4"	31	8/0	5-3/4"	4-9/16"	7-1/2"	9-3/16"	1-1/4"	RSP
PR8423	17	6/8	4-7/16"	4-5/16"	N/A	9-3/16"	N/A	SIMPSON
PR8490	17	6/8	4-7/16"	4-5/16"	N/A N/A	9-3/16"	N/A	SIMPSON
PR8490	26	6/8	2-7/16"	4-5/16"	N/A N/A	9-3/16"	N/A	RSP


DOOR STYLE	PAGE	DOOR HEIGHT	3'0" STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	VENDOR
PR8706	26	8/0	2-7/16"	4-5/16"	N/A	9-3/16"	N/A	RSP
PR8711	20	6/8	4-3/8"	4-5/16"	N/A	9-3/16"	N/A	RSP
PR8711 1-3/4"	20	6/8	4-3/8"	4-5/16"	N/A	9-3/16"	N/A	RSP
PR8711 1-3/4"	20	7/0	4-3/8"	4-5/16"	N/A	9-3/16"	N/A	RSP
PR8711F	20	6/8	4-3/8"	4-5/16"	N/A	9-3/16"	N/A	RSP
PR8711F 1-3/4"	20	6/8	4-3/8"	4-5/16"	N/A	9-3/16"	N/A	RSP
PR8711F 1-3/4"	20	7/0	4-3/8"	4-5/16"	N/A	9-3/16"	N/A	RSP
PR8720	10	6/8	4-3/8"	4-5/16"	N/A	9-3/16"	3/8"	RSP
PR8720	10	7/0	4-3/8"	6-1/8"	N/A	10-11/16"	3/8"	RSP
PR8720	10	8/0	4-3/8"	4-5/16"	N/A	9-3/16"	3/8"	RSP
PR8720 1-3/4"	13	6/8	4-3/8"	4-5/16"	N/A	9-3/16"	5/8"	RSP
PR8720 1-3/4"	13	7/0	4-3/8"	4-5/16"	N/A	9-3/16"	5/8"	RSP
PR8720 1-3/4"	13	8/0	4-3/8"	4-5/16"	N/A	9-3/16"	5/8"	RSP
PR8720FR 1-3/4"	30	6/8	4-3/8"	4-5/16"	N/A	9-3/16"	13/16"	RSP
PR8720FR 1-3/4"	30	7/0	4-3/8"	4-5/16"	N/A	9-3/16"	13/16"	RSP
PR8720FR 1-3/4"	30	8/0	4-3/8"	4-5/16"	N/A	9-3/16"	13/16"	RSP
PR8730	11	6/8	4-3/8"	4-5/16"	N/A	9-3/16"	3/8"	RSP
PR8730	11	7/0	4-3/8"	4-5/16"	N/A	9-3/16"	3/8"	RSP
PR8730	11	8/0	4-3/8"	4-5/16"	N/A	9-3/16"	3/8"	RSP
PR8730FR	31	6/8	4-3/8"	4-5/16"	N/A	9-3/16"	13/16"	RSP
PR8730FR	31	7/0	4-3/8"	4-5/16"	N/A	9-3/16"	13/16"	RSP
PR8730FR	31	8/0	4-3/8"	4-5/16"	N/A	9-3/16"	13/16"	RSP
PR8740	11	6/8	4-3/8"	4-5/16"	N/A	9-3/16"	3/8"	RSP
PR8740	11	7/0	4-3/8"	4-3/8"	N/A	9-3/16"	3/8"	RSP
PR8740FR	31	6/8	4-3/8"	4-3/8"	N/A	9-3/16"	13/16"	RSP
PR8740FR	31	7/0	4-3/8"	4-3/8"	N/A	9-3/16"	13/16"	RSP
PR8740FR	31	8/0	4-3/8"	4-3/8"	N/A	9-3/16"	13/16"	RSP
PR8744	11	6/8	4-3/8"	4-5/16"	7-7/16"	9-3/16"	3/8"	RSP
PR8755	11	6/8	4-3/8"	4-5/16"	N/A	9-3/16"	3/8"	RSP
PR8755	11	7/0	4-3/8"	4-5/16"	N/A	9-3/16"	3/8"	RSP
PR8755	11	8/0	4-3/8"	4-5/16"	N/A	9-3/16"	3/8"	RSP
PR8755FR 1-3/4"	31	6/8	4-3/8"	4-5/16"	N/A	9-3/16"	13/16"	RSP
PR8755FR 1-3/4"	31	8/0	4-3/8"	4-5/16"	N/A	9-3/16"	13/16"	RSP
PR8760	10	6/8	4-3/8"	4-5/16"	N/A	9-3/16"	3/8"	RSP
PR8760	10	7/0	4-3/8"	4-5/16"	N/A	9-3/16"	3/8"	RSP
PR8760	10	8/0	4-3/8"	4-5/16"	N/A	9-3/16"	3/8"	RSP
PR8760FR 1-3/4"	30	6/8	4-3/8"	4-5/16"	N/A	9-3/16"	13/16"	RSP
PR8760FR 1-3/4"	30	7/0	4-3/8"	4-5/16"	N/A	9-3/16"	13/16"	RSP
PR8760FR 1-3/4"	30	8/0	4-3/8"	4-5/16"	N/A	9-3/16"	13/16"	RSP
PR8762	11	6/8	4-3/8"	4-5/16"	N/A	9-3/16"	3/8"	RSP
PR8762	11	8/0	4-3/8"	4-5/16"	N/A	9-3/16"	3/8"	RSP
PR8782	10	6/8	4-3/8"	4-5/16"	7-7/16"	9-3/16"	3/8"	RSP
PR8782	10	7/0	4-3/8"	6-1/8"	7-7/16"	10-11/16"	3/8"	RSP
PR8782	10	8/0	4-3/8"	4-5/16"	7-7/16"	9-3/16"	3/8"	RSP

DOOR STYLE	PAGE	DOOR HEIGHT	3'0" STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	VENDOR
PR8782 1-3/4"	13	6/8	4-3/8"	4-5/16"	7-7/16"	9-3/16"	5/8"	RSP
PR8782 1-3/4"	13	7/0	4-3/8"	4-5/16"	7-7/16"	9-3/16"	5/8"	RSP
PR8782 1-3/4"	13	8/0	4-3/8"	4-5/16"	7-7/16"	9-3/16"	5/8"	RSP
PR8782FR 1-3/4"	30	6/8	4-3/8"	4-5/16"	7-7/16"	9-3/16"	13/16"	RSP
PR8782FR 1-3/4"	30	7/0	4-3/8"	4-5/16"	7-7/16"	9-3/16"	13/16"	RSP
PR8782FR 1-3/4"	30	8/0	4-3/8"	4-5/16"	7-7/16"	9-3/16"	13/16"	RSP
PRF2302	24	6/8	N/A	N/A	N/A	N/A	N/A	RSP
PRF2302 1-3/4"	24	6/8	N/A	N/A	N/A	N/A	N/A	RSP
PRF2302 1-3/4"	24	7/0	N/A	N/A	N/A	N/A	N/A	RSP
PRF2302 1-3/4"	24	8/0	N/A	N/A	N/A	N/A	N/A	RSP
PRF2310	24	6/8	N/A	N/A	N/A	N/A	N/A	RSP
PRF2310 1-3/4"	24	6/8	N/A	N/A	N/A	N/A	N/A	RSP
PRF2310 1-3/4"	24	7/0	N/A	N/A	N/A	N/A	N/A	RSP
PRF2310 1-3/4"	24	8/0	N/A	N/A	N/A	N/A	N/A	RSP
PRF2315	24	6/8	N/A	N/A	N/A	N/A	N/A	RSP
PRF2315 1-3/4"	24	6/8	N/A	N/A	N/A	N/A	N/A	RSP
PRF2315 1-3/4"	24	7/0	N/A	N/A	N/A	N/A	N/A	RSP
PRF2315 1-3/4"	24	8/0	N/A	N/A	N/A	N/A	N/A	RSP
PRN730FJ BIFOLD	23	6/8	1-1/4"	3-3/16"	3-5/16"	3"	N/A	RSP
PRN732FJ BIFOLD	23	6/8	1-1/4"	3-3/16"	3-5/16"	3"	N/A	RSP
PRT001 TRANSOM	26	1/0	4-1/2"	2-13/16"	N/A	2-13/16"	N/A	RSP
PRT003 TRANSOM	26	1/0	4-1/2"	2-13/16"	N/A	2-13/16"	N/A	RSP
PRT004 TRANSOM	26	1/0	4-1/2"	2-13/16"	N/A	2-13/16"	N/A	RSP
PRT005 TRANSOM	26	1/0	4-1/2"	2-13/16"	N/A	2-13/16"	N/A	RSP

Same Construction, with the Beauty of Real Wood

While a painted door is beautiful, staining a door brings a layer of beauty and sophistication. Check out our in-stock Interior Stile and Rail Catalog to view the available species and designs to help your house feel like a home.







Visit the Reeb[®] Learning Center for education on choosing the proper door unit, new products, and what product options are available.

Visit the Reeb Learning Center at learn.reeb.com



Online Primed Interior Stile & Rail Catalog

For an interactive format of this catalog, please visit **reeb.com/catalogs**



Reeb[®] Warranty Information View product warranties visit reeb.com/warranties

Bethlehem, PA

1000 Maloney Cir. Bethlehem, PA 18015 (800) 862-8622 voice (800) 772-7332 fax

Barclay, MD

1315 Goldsboro Rd. Barclay, MD 21607 (800) 825-8331 voice (800) 331-9387 fax

Mocksville, NC

346 Bethel Church Rd. Mocksville, NC 27028 (800) 642-0886 voice (800) 618-0620 fax

D Providence, RI

19 Business Park Dr. Smithfield, RI 02917 (800) 343-5703 voice (800) 388-5979 fax

Syracuse, NY

7475 Henry Clay Blvd. Liverpool, NY 13088 (800) 422-5224 voice (800) 531-7332 fax



PART# REEBPSR22 VERSION 1.0.0

COPYRIGHT © 2022 REEB* MILLWORK CORP. ALL RIGHTS RESERVED.