



EXTERIOR DOORS

REEB® IN-STOCK EXTERIOR STILE & RAIL CATALOG



Introduction



F7860 in Douglas Fir
See Page 51 for details


Wood Doors: A Beautiful and Durable Addition to Your Home

Wood doors are a timeless choice. They offer a level of definition that cannot be matched, and they are available in a wide variety of designs and dimensions. Every wood door features unique grain patterns, bringing natural beauty to your entryway. If you are looking for a beautiful, durable, and sustainable door for your home, wood doors are a great option.

Table of Contents

Why Choose Reeb®?	4	Sash, 7/8" SDL Bar, 3/4" Flat Panel	56	Hinges	102
Why Buy a Wood Door?	5	Contemporary, Satin Etch Glass	58	Baldwin®	103
Durability Factor	7	French	60	Emtek®	104
Exposure Types	8	French, 7/8" SDL Bar	64	Reeb® Specialty Products	105
Wood Joinery	10	French, 1-1/4" TDL Bar	68	Hardware	106
Nantucket® Collection	10	Dutch Doors	70	Endura Trilennium®	106
Performance Series®	12	Transoms & Dentil Shelves	72	Ultimate Flip Lever Astragal	107
WaterBarrier® Series	13	Sapele Mahogany	74	Ultimate Multi-Point Astragal	107
Standard	14	Panel, 1-7/16" DHRP	74	Ultimate Trilennium Astragal	107
Wood Species	15	Sash, 7/8" SDL Bar, 1-7/16" DHRP	78	PanoLock+	108
Natural Light & Efficiency	16	Sash, 1-3/8" SDL Bar, 1-7/16" DHRP	80	PanoLock+ Astragal	108
Glass Types	17	French	81	Schlage®	110
Douglas Fir	18	French, 7/8" SDL Bar	82	Custom Doors	118
Panel, 1-7/16" DHRP	18	Ponderosa Pine	84	Index	122
Panel, 1-7/16" Beaded V-Groove DHRP	22	Panel, 1-7/16" DHRP	84	Unit Dimensions &	
Panel, V-Groove Plank	23	Sash, 1-7/16" DHRP	85	Rough Openings	132
Panel, 1-1/4" DHRP	24	Panel, 3/4" SHRP	86	Education	134
Panel, 3/4" DHRP	26	Sash, 1-5/16" TDL Bar, 1-3/16" DHRP	87	Care & Finishing	136
Sash, 1-7/16" DHRP	28	French	90	Other Products	138
Sash, 1-7/16" DHRP, Santa Fe Glass	32	French, 1-5/16" TDL Bar	91		
Sash, 3/4" DHRP	33	Red Oak	92		
Sash, 3/4" Flat Panel	34	Panel, 1-7/16" DHRP	92		
Sash, 3/4" Flat Panel, Solano® Glass	36	Sash, 7/8" SDL Bars, 1-7/16" DHRP	93		
Sash, 7/8" SDL Bar, 1-7/16" DHRP	38	Anatomy of an Exterior Door	94		
Sash, 7/8" SDL Bar, 1-7/16" Beaded V-Groove DHRP	48	Door Unit Configurations	95		
Sash, 1-3/8" TDL, 1-7/16" DHRP	50	Door Handing	95		
Sash, 2-3/4" TDL Bar, 1-7/16" DHRP	51	Frames	96		
Sash, 1-1/4" TDL Bar, 3/4" DHRP	52	Brickmould & Casing	98		
Sash, 2-3/4" TDL Bar, 3/4" Flat Panel	54	Sills	100		
Sash, 1-3/8" TDL Bar, 3/4" Flat Panel	55				

Why Choose Reeb?



Our Company.

The secret to Reeb's success is no secret at all! We understand the daily decisions owners in our industry face and earn your business by stocking more products, offering shorter lead times, more options, and better support. Reeb® hires the best, and they go to work for you every day.

Awe-inspiring inventory.

Reeb has five east coast locations with over 1.2 million sq. ft. of warehouse space, all capable of operating as one cohesive unit when production levels increase. In addition to door products, we also stock a full complement of columns, hardware, jambs, brickmould, casing, and finishing options so your order ships complete. We routinely handle special orders and unusual stock sizes.

Unmatched support.

Customer service starts well before the order is placed and doesn't stop at delivery. Suppose there is a question about your order before, during, or after delivery. In that case, Reeb has a whole staff of inside and outside sales managers, customer service associates, CAD professionals, estimators, and field technicians ready to assist you.



Why Buy a Wood Door?

The Best Choice for Your Home

Every wood door is a work of art. From its unique grain pattern to its unlimited design flexibility, no two wood doors are ever the same. Whether you're looking to stain or paint your door, the beautiful look of real wood shows through and creates a truly memorable impression.

Stiles and rails provide details that you will not find in any alternative products, and wood doors are made from many different components that can be joined together to make interesting custom designs and sizes. From a sticking with crisp lines to a sharp panel raise, wood doors are unique and will add a touch of luxury to your home.



Flat Panel
Ovolo Sticking
Shown in Douglas Fir



Single Hip Raised Panel
Ovolo Sticking
Shown in Ponderosa Pine




Double Hip Raised Panel
Ovolo Sticking
Shown in Sapele Mahogany



Double Hip Raised Panel
w/ Raised Moulding
Ovolo Sticking
Shown in Sapele Mahogany



Glass
Shaker Sticking
Shown in Douglas Fir



Glass
Ovolo Sticking
Shown in Sapele Mahogany

Why Buy a Wood Door?

Wood Door Design and Construction

Looking for a new wood door for your home? Here are a few things to consider:

Privacy: If you want maximum privacy, choose a panel door with no glass.

Light: If you want to bring more light into your home, consider a sash door with glass panels or a French door.

Layout: There are a variety of layout options available, including architecturally correct doors with proportional stiles and rails, and wide layout doors with larger 5-1/2" stiles to accommodate certain locking mechanisms.

Construction: Solid wood doors are made from real wood, which provides strength, durability, and beauty.

Security: Wood doors are a secure option for your home. They can be locked with a variety of different locks, including deadbolts and security bars.




Panel



Sash



French



Architecturally Correct



Wide Layout



Reverse Layout

Wood doors are a great investment for your home. They add beauty, value, and security. Plus, they're made from a renewable resource that is sustainable. So why not choose a wood door for your next home improvement project?



The Durability Factor

Knowing the durability of your door is important when it comes to moisture management. Moisture affects a door and causes it to warp or rot over time. Reeb® stocks three durability levels – good, better, and best.



Wood Doors with Good Durability

Wood doors with good durability are made from multiple blocks of wood that are glued together and covered with a veneer. These blocks of wood are not solid lumber, but they are still strong and durable. The product is glued together only at the dowel pins, which helps to prevent the door from warping or bowing. However, even though these doors are made from durable materials, they can still be damaged by moisture, causing the veneer delamination, the stile and rail to separate, and eventually rot.

Wood Doors with Better Durability

Better durability wood doors are made with a core that is covered with a veneer, and a composite block that blocks water from entering the stile. The bottom rail is solid lumber, and the stile and rails are glued together at the dowel pins. The entire surface area of the stile and rail joint is covered with glue, which makes it a tough joint and helps to seal the bottom rail. This makes the door much tougher and more durable than a door with a good level of durability. It is resistant to water and moisture, and it will not warp or bow.



Wood Doors with Best Durability

Best durability wood doors are made from solid lumber and are constructed with the highest quality materials and craftsmanship. These doors are designed to withstand the elements and will last for years to come.

There are two main types of best durability wood doors:

- MDO doors: MDO doors are made from a medium-density overlay, which is a composite material that is resistant to moisture and damage. MDO doors are a good option for areas with high humidity or where the door will be exposed to the elements.
- Solid lumber doors: Solid lumber doors are made from solid pieces of wood that are glued together. Solid lumber doors are a good option for areas with low humidity or where the door will not be exposed to the elements.

Wood doors are a beautiful and classic choice for any home. But not all wood doors are created equal. When choosing a wood door, it is important to consider the durability of the door. A durable door will last for many years and will add value to your home.



For more on Why to Buy a Wood Door

Exposure Types and Durability

The amount of exposure your door experiences will affect its durability. Doors with the most exposure will need to be made from more durable materials and will need to be sealed more effectively.




Fully Protected Doorway

Fully protected doors are sheltered from the elements by an overhang. This type of door is the most durable and will last the longest.

Partially Protected Doorway

Partially protected doors are exposed to some elements, but not as much as fully exposed doors. This type of door is less durable than fully protected doors, but it will still last for many years.



Is it Partially Protected?

The overhang (X) of a partially protected doorway must extend half of the height (Y) distance ($X = 1/2 Y$). If you have a height (Y) of 10 feet, the overhang of a partially protected doorway must come out 5 feet (X).





Unprotected Doorway

Unprotected doors are exposed to all elements. This type of door is the least durable and will need to be replaced more often.

Exposure and Durability

The amount of exposure your door experiences will affect its durability. Doors with the most exposure will need to be made from more durable materials and will need to be sealed more effectively. Throughout the catalog, the doors are labeled as good durability, better durability, or best durability to help you choose a door that will work in your exposure type but also last a lifetime.



	GOOD DURABILITY	BETTER DURABILITY	BEST DURABILITY
Fully Protected Doorway	✓	✓	✓
Partially Protected Doorway		✓	✓
Unprotected Doorway			✓

Nantucket® Collection Doors

BEST DURABILITY

The Toughest Wood Doors Available

Simpson® Nantucket® Collection doors are the toughest wood doors available.

All the components of the Nantucket door are solid wood, and the stiles and rails utilize a two-piece laminated construction, resulting in a straighter and more stable stile. The stile and rails are joined with a modified mortise-and-tenon, ensuring no stile and rail separation.


All Nantucket Collection doors feature Innerbond® panels, created with offsetting grain patterns to provide extra strength to resist warping and splitting.



Two-Piece Laminated Stiles and Rails



Innerbond Panels




Glue on Cope

Nantucket doors feature a flat or double hip raised panel and have the choice to include a variety of glass options. Made from wood that is naturally moisture-resistant, Nantucket® doors are stocked by Reeb® in 2 species: Douglas Fir and Sapele Mahogany.

The Nantucket® Collection features the best durability possible with an unmatched character that can only be found in real wood. They feature a 10-year limited warranty and can be used in any exposure with no overhang required.



Flat Panel in Douglas Fir




Raised Panel in Sapele Mahogany

There are two joinery options: **Standard Joinery** includes a hardwood tenon with face-driven pin that matches the wood species of the door. **Optional Joinery** features an oversized grip tenon and no face pins.




Nantucket® Standard Joinery

Standard Joinery - With Face Pins



Nantucket® Optional Joinery

Optional Joinery - Without Face Pins



Standard



Optional



Standard



Optional

Nantucket® doors with standard construction have visible face pins, compared to optional joinery, which has a cleaner, more simple look.



For more on
Nantucket Doors

The Performance Series®

BETTER DURABILITY

Made for Harsh Weather



Simpson® Performance Series® features three moisture blocking features to protect the door from water damage.



UltraBlock® Technology:

A water-resistant composite block added to the bottom of both door stiles.



Weather Seal process: The sides of the rails are covered with glue as well as additional glue added to the holes for the dowels pins.



Solid Bottom Rail: Solid lumber for the vulnerable area of the door.

By incorporating all three of these into a door, the entire bottom of the door is protected against moisture penetration.

Reeb® stocks Performance Doors in Douglas Fir, Sapele Mahogany, Ponderosa Pine, and Red Oak; they come with a 5-year limited warranty in a partially protected doorway.



DOUGLAS FIR



SAPELE MAHOGANY



PONDEROSA PINE



RED OAK




Included as part of the Performance Series is the **WaterBarrier® Series**, designed for wet areas. They're made with a Primed Medium Density Overlay (MDO) that covers the flat exterior portions of the door, creating a water-resistant barrier. This makes them perfect for homes in areas with high moisture levels or extreme weather conditions.

WaterBarrier technology can be used on virtually any species to receive the highest protection on the exterior of the door while getting the unmatched beauty of a real wood door on the inside. WaterBarrier doors are stocked by Reeb in Fir.



WaterBarrier® with Low-E Glass - Exterior Side



Interior Side (in Douglas Fir)

Simpson Performance Series® doors are the perfect combination of beauty and durability. They're made with real wood that's been crafted with impeccable details, and they're built to last. With three layers of security, Performance Series doors are designed to keep your home safe and sound.



SCAN ME



For more on
Performance Doors


Standard Wood Joinery

GOOD DURABILITY

The Risks of Moisture



Standard construction wood doors are made with a veneer over a finger-jointed core. This makes them susceptible to moisture damage, especially in partially or unprotected doorways.



The stile and rail joints are joined by dowel pins, but the glue is only applied at the dowels. This means that water can seep into the coped area, which is not sealed by the glue. Once water begins to seep in, it can lead to moisture infiltration, door swelling, and eventually rot and decay.

If you live in an area with high moisture levels, or if your home is exposed to extreme weather conditions, standard wood doors are not the best choice.



Wood Species

Reeb® stocks a variety of wood species to match any home's design. Staining a door brings a layer of beauty and sophistication to an area. Each species has different characteristics, colors, and grain patterns which affect the stain application. To help understand which doors stain well, Reeb has created icons which identify the stainability of a species.




DOUGLAS FIR

PAGE 18




SAPELE MAHOGANY

PAGE 74



PONDEROSA PINE

PAGE 84



RED OAK

PAGE 92

Reeb's in-stock collection of exterior doors includes the species shown on this page, however there is a broad range of wood species available. You can choose from the satin texture of Cherry, the chocolate-brown coloring of Walnut, or the textile-like surface appearance of Bamboo plus many more. If you are interested in another species type, it is likely that we can help.




SCAN ME




To view Simpson's
Wood Selector Tool

Natural Light and Energy Efficiency

Glass is an excellent way to bring natural light into any home. It also helps to improve energy efficiency. There are two main types of glass used in doors. Single pane glass is made up of a single layer of glass, while double pane glass has two layers of glass separated by an air pocket. Double pane glass is more energy-efficient than single pane glass, as it helps to reduce heat transfer.




Double Pane Glass




Single Pane Glass

There are two main types of divided lites: true divided lites (TDLs) and simulated divided lites (SDLs). TDLs feature individual pieces of glass divided by muntin bars, while SDLs are a single piece of double pane glass with bars applied to the glass surface. Many doors that utilize SDL Bars will also have a spacer bar in between for a more authentic look.



Single Pane
True Divided Lite



Simulated Divided Lite


Reeb® offers the option to apply SDL bars without an internal shadow spacer allowing for customized looks.



7/8" SDL Bar in Douglas Fir



7/8" SDL Bar in Sapele Mahogany



7/8" SDL Bar in PVC



1-3/8" SDL Bar in Douglas Fir




1-3/8" SDL Bar in Sapele Mahogany



1-3/8" SDL Bar in PVC

Custom Lite Designs



Choose from a design shown or contact Reeb for a custom design. See page118 for more about Custom Doors.

Glass Types for Your Wood Door

There are many different types of glass that can be used for exterior doors. Each type has its own unique properties and benefits:

Clear glass is the most common type of glass for exterior doors. It lets in the most natural light and gives your home a bright, airy feel.

Insulated glass is made up of two panes of glass separated by an air pocket. It helps to keep your home cooler in the summer and warmer in the winter, making it a more energy-efficient option.

Low-E glass is similar to insulated glass, but it also has a low-emissivity coating that helps to reflect heat back into your home. This makes it even more energy-efficient than insulated glass.

Textured glass adds a touch of privacy and style to your home. It's available in a variety of textures, from etched frost to beveled glass.


Decorative glass brings intricate designs and reflects meticulous attention to detail. Available with black coming or wrought iron, doors with decorative glass bring a level of sophistication to any home.



BEVELED GLASS PAGE 50



SATIN ETCH GLASS PAGE 59



SOLANO® III GLASS PAGE 36



TERRACE RIDGE® GLASS PAGE 63



SANTA FE GLASS PAGE 32

While the glass styles shown here are our in-stock options, there are many more textured and decorative glass options available.



SCAN ME



To view Simpson's Glass Taste Test.

Douglas Fir


PANEL DOORS 1-7/16" DOUBLE HIP RAISED PANEL



Nantucket® Standard Joinery 1-7/16" Double Hip Raised Panel




Nantucket® Standard Joinery
Door Corner



Panel Profile



Nantucket® Optional Joinery
Door Corner



Panel Profile

NANTUCKET® BEST DURABILITY

STANDARD JOINERY



F77465

1-7/16" Double Hip
Raised Panel
Ovolo Sticking
Wide Layout

3/0 x 6/8



F77144

1-7/16" Double Hip
Raised Panel
Ovolo Sticking
Wide Layout

3/0 x 6/8



F77130

1-7/16" Double Hip
Raised Panel
Ovolo Sticking
Wide Layout

3/0 x 6/8

NANTUCKET® BEST DURABILITY

OPTIONAL JOINERY



MF7282*

1-7/16" Double Hip
Raised Panel
Wide Layout
Ovolo Sticking

2/8 x 6/8 2/8 x 7/0 3/0 x 8/0
3/0 x 6/8 3/0 x 7/0

NANTUCKET® BEST DURABILITY

OPTIONAL JOINERY



MF7465

1-7/16" Double Hip
Raised Panel
Wide Layout
Ovolo Sticking

2/8 x 6/8 2/8 x 7/0 3/0 x 8/0
3/0 x 6/8 3/0 x 7/0



MF7230*

1-7/16" Double Hip
Raised Panel
Wide Layout
Ovolo Sticking

3/0 x 6/8 3/0 x 7/0 3/0 x 8/0



MF7701

Low-E
Ovolo Sticking
1/2 x 6/8 1/2 x 8/0
1/2 x 7/0



*Optional Raised Moulding
on 1 Side

MF7465, MF7230, and MF7701 styles now feature Nantucket Optional Joinery.

Douglas Fir


PANEL DOORS 1-7/16" DOUBLE HIP RAISED PANEL



Performance 1-7/16" Double Hip Raised Panel



Performance Door Corner



Panel Profile

PERFORMANCE BETTER DURABILITY



F7130

1-7/16" Double Hip
Raised Panel
Wide Layout*
Ovolo Sticking

2/0 x 6/8	2/0 x 7/0	3/0 x 8/0*
2/4 x 6/8	2/4 x 7/0	
2/6 x 6/8	2/6 x 7/0	
2/8 x 6/8*	2/8 x 7/0*	
3/0 x 6/8*	3/0 x 7/0*	



F7130, Simpson

Douglas Fir


PANEL DOORS 1-7/16" BEADED V-GROOVE DOUBLE HIP RAISED PANEL



Performance 1-7/16" Beaded V-Groove Double Hip Raised Panel



Performance Door Corner (top)



Panel Profile
(viewed from above)

PERFORMANCE BETTER DURABILITY



F7304

1-7/16" Beaded V-Groove
Double Hip Raised Panel
Wide Layout, Ovolo Sticking

3/0 x 6/8 3/0 x 8/0
3/0 x 7/0



F7326

1-7/16" Beaded V-Groove
Double Hip Raised Panel
Wide Layout, Ovolo Sticking

2/8 x 6/8
3/0 x 6/8


PANEL DOORS V-GROOVE PLANK



Standard V-Groove Plank




Standard Door Corner (top)



Panel Profile
(viewed from above)

STANDARD GOOD DURABILITY



F4416V

V-Groove Plank


2/8 x 6/8 3/0 x 7/0
3/0 x 6/8

Douglas Fir


PANEL DOORS 1-1/4" DOUBLE HIP RAISED PANEL



Performance 1-1/4" Double Hip Raised Panel, Raised Moulding 1 Side



Performance Door Corner



Panel Profile

Due to the raised moulding applied on the exterior, not all handlesets will work.



F3044
1-1/4" Double Hip
Raised Panel
Raised Moulding 1 Side
Ovolo Sticking
3/0 x 6/8



F3130
1-1/4" Double Hip
Raised Panel
Raised Moulding 1 Side
Ovolo Sticking
3/0 x 6/8




F3010
1-1/4" Double Hip
Raised Panel
Raised Moulding 1 Side
Ovolo Sticking
3/0 x 6/8



F3130, Simpson

Douglas Fir


PANEL DOORS 3/4" DOUBLE HIP RAISED PANEL



Standard 3/4" Double Hip Raised Panel



Standard Door Corner



Panel Profile

STANDARD GOOD DURABILITY



F2044

3/4" Double Hip
Raised Panel
Ovolo Sticking

2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



F2055, Simpson

STANDARD GOOD DURABILITY



F2055
3/4" Double Hip
Raised Panel
Ovolo Sticking

2/6 x 6/8 2/6 x 7/0
2/8 x 6/8 2/8 x 7/0
3/0 x 6/8 3/0 x 7/0



F2130
3/4" Double Hip
Raised Panel
Ovolo Sticking

2/6 x 6/8 2/6 x 7/0
2/8 x 6/8 2/8 x 7/0
3/0 x 6/8 3/0 x 7/0



F2010
3/4" Double Hip
Raised Panel
Ovolo Sticking

2/8 x 6/8
3/0 x 6/8



F2060
3/4" Double Hip
Raised Panel
Ovolo Sticking

3/0 x 6/8

Douglas Fir


SASH DOORS 1-7/16" DOUBLE HIP RAISED PANEL



WaterBarrier® 1-7/16" Double Hip Raised Panel with Low-E Glass - Exterior Side



WaterBarrier® Door Corner



Panel Profile

Glass Profile



1-7/16" Double Hip Raised Panel - Interior Side



F7044LEW, Simpson
Custom Painted

WATERBARRIER® BEST DURABILITY



F7081LEW

Low-E
1-7/16" Double Hip
Raised Panel
Wide Layout
Ovolo Sticking

2/8 x 6/8 2/8 x 7/0
3/0 x 6/8 3/0 x 7/0



F7044LEW

Low-E
1-7/16" Double Hip
Raised Panel
Wide Layout
Ovolo Sticking

2/8 x 6/8 2/8 x 7/0
3/0 x 6/8 3/0 x 7/0



F7501LEW

Low-E
1-7/16" Double Hip
Raised Panel
Wide Layout
Ovolo Sticking

2/8 x 6/8 2/8 x 7/0
3/0 x 6/8 3/0 x 7/0



F7801LEW

Low-E
1-7/16" Double Hip
Raised Panel
Ovolo Sticking

1/0 x 6/8 1/0 x 7/0
1/2 x 6/8 1/2 x 7/0

Douglas Fir


SASH DOORS 1-7/16" DOUBLE HIP RAISED PANEL




Performance 1-7/16" Double Hip Raised Panel with IG Glass



Performance Door Corner



Panel Profile



Glass Profile

PERFORMANCE BETTER DURABILITY



F7044LE
Low-E
1-7/16" Double Hip
Raised Panel
Ovolo Sticking

2/6 x 6/8 3/0 x 8/0
2/8 x 6/8
3/0 x 6/8



F7702
IG
1-7/16" Double Hip
Raised Panel
Ovolo Sticking

1/0 x 6/8 1/0 x 8/0 (LE)
1/2 x 6/8 1/2 x 8/0 (LE)



F7031LE, Simpson

PERFORMANCE BETTER DURABILITY



F7031LE

Low-E
1-7/16" Double Hip
Raised Panel
Ovolo Sticking
2/8 x 6/8
3/0 x 6/8



F7501LE

Low-E
1-7/16" Double Hip
Raised Panel
Wide Layout
Ovolo Sticking
2/6 x 6/8 2/6 x 8/0
2/8 x 6/8 2/8 x 8/0
3/0 x 6/8 3/0 x 8/0



F7801LE

Low-E
1-7/16" Double Hip
Raised Panel
Ovolo Sticking
1/0 x 6/8 1/0 x 8/0
1/2 x 6/8 1/2 x 8/0



F7132

IG
1-7/16" Double Hip
Raised Panel
Wide Layout*
Ovolo Sticking
2/6 x 6/8 2/6 x 7/0
2/8 x 6/8* 2/8 x 7/0*
3/0 x 6/8* 3/0 x 7/0*

Douglas Fir

SASH DOORS SANTA FE DECORATIVE GLASS & 1-7/16" DOUBLE HIP RAISED PANEL




Performance 1-7/16" Double Hip Raised Panel with Santa Fe Wrought Iron Glass

PERFORMANCE BETTER DURABILITY



Performance Door Corner



Panel Profile

Glass Profile



F6490

IG
Wrought Iron
1-7/16" Double Hip
Raised Panel
Wide Layout, Ovolo Sticking
Raised Moulding 2 Sides

3/0 x 6/8 3/0 x 7/0



F6493

IG
Wrought Iron
1-7/16" Double Hip
Raised Panel
Wide Layout, Ovolo Sticking
Raised Moulding 2 Sides

1/0 x 6/8 1/0 x 7/0


SASH DOORS 3/4" DOUBLE HIP RAISED PANEL




Standard 3/4" Double Hip Raised Panel



Standard Door Corner



Panel Profile



Glass Profile

STANDARD GOOD DURABILITY



F2132

Single Pane
Safety Glass
3/4" Double Hip
Raised Panel
Ovolo Sticking

2/8 x 6/8 3/0 x 7/0
3/0 x 6/8

Douglas Fir


SASH DOORS 3/4" FLAT PANEL




Performance 3/4" Flat Panel with IG Glass



Performance Door Corner



Panel Profile



Glass Profile

PERFORMANCE BETTER DURABILITY



F6801LE
Low-E
3/4" Flat Panel
Wide Layout
Ovolo Sticking
3/0 x 6/8 3/0 x 8/0



F6175LE
Low-E
3/4" Flat Panel
Ovolo Sticking
1/0 x 6/8
1/2 x 6/8



F6861LE
Low-E
3/4" Flat Panel
Ovolo Sticking
3/0 x 6/8 3/0 x 8/0



F6801
IG
3/4" Flat Panel
Wide Layout
Ovolo Sticking
3/0 x 6/8 3/0 x 8/0



F6175
IG
3/4" Flat Panel
Ovolo Sticking
1/0 x 6/8
1/2 x 6/8



F6861
IG
3/4" Flat Panel
Ovolo Sticking
3/0 x 6/8 3/0 x 8/0



© Moser Architects, PLLC



EASY
STAINABILITY

For more information on custom door options, see page 118.

SASH DOORS
3/4" FLAT PANEL

Douglas Fir


SASH DOORS SOLANO® III DECORATIVE GLASS & 3/4" FLAT PANEL




Performance 3/4" Flat Panel with Solano® III Decorative Glass



Performance Door Corner




Panel Profile



Solano® III Glass with Black Caming Close-up



F6841
Black Caming IG
3/4" Flat Panel
Wide Layout
Ovolo Sticking
3/0 x 6/8 3/0 x 8/0



F6171
Black Caming IG
Ovolo Sticking
1/0 x 6/8
1/2 x 6/8



F6881
Black Caming IG
3/4" Flat Panel
Ovolo Sticking
3/0 x 6/8 3/0 x 8/0



F6841, Simpson

Douglas Fir


SASH DOORS 7/8" SDL BAR & 1-7/16" DOUBLE HIP RAISED PANEL




Nantucket® Standard Joinery 7/8" SDL Bar, 1-7/16" Double Hip Raised Panel with Low-E Glass



Nantucket® Standard Joinery
Door Corner



Panel Profile



Glass Profile

STANDARD JOINERY



F77662

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Ovolo Sticking
Wide Layout
3/0 x 6/8



F77663RP

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Ovolo Sticking
1/2 x 6/8



F77944

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Ovolo Sticking
Wide Layout
2/8 x 6/8
3/0 x 6/8



F77703

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Ovolo Sticking
1/2 x 6/8



F77212

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Ovolo Sticking
Wide Layout
3/0 x 6/8



F77804

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Ovolo Sticking
1/2 x 6/8



F77598

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Ovolo Sticking
Wide Layout
2/8 x 6/8
3/0 x 6/8



F77599

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Ovolo Sticking
1/2 x 6/8

Douglas Fir


SASH DOORS 7/8" SDL BAR & 1-7/16" DOUBLE HIP RAISED PANEL



Nantucket® Optional Joinery 7/8" SDL Bar, 1-7/16" Double Hip Raised Panel with Low-E Glass



Nantucket® Optional Joinery
Door Corner



Panel Profile



F77504G

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel

3/0 x 6/8 3/0 x 7/0
3/6 x 6/8 3/6 x 7/0



F77802G

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel

1/2 x 6/8 1/2 x 7/0



F77506G

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel

3/0 x 6/8 3/0 x 7/0
3/6 x 6/8 3/6 x 7/0



F77803G

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel

1/2 x 6/8 1/2 x 7/0



F77664G

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel

3/0 x 6/8 3/0 x 7/0



F77663G

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel

1/2 x 6/8 1/2 x 7/0

Douglas Fir


SASH DOORS 7/8" SDL BAR & 1-7/16" DOUBLE HIP RAISED PANEL




WaterBarrier® 7/8" SDL Bar, 1-7/16" Double Hip Raised Panel with Low-E Glass - Exterior Side



WaterBarrier® Door Corner



Panel Profile



Glass Profile



1-7/16" Double Hip Raised Panel - Interior Side



WATERBARRIER® BEST DURABILITY



F37662LEW

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Wide Layout
Ovolo Sticking

3/0 x 6/8



F37663LEW

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Ovolo Sticking

1/0 x 6/8
1/2 x 6/8



F37508LEW

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Wide Layout
Ovolo Sticking

2/6 x 6/8 2/6 x 7/0
2/8 x 6/8 2/8 x 7/0
3/0 x 6/8 3/0 x 7/0



F37982LEW

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Wide Layout
Ovolo Sticking

2/8 x 6/8 2/8 x 7/0
3/0 x 6/8 3/0 x 7/0

Douglas Fir


SASH DOORS 7/8" SDL BAR & 1-7/16" DOUBLE HIP RAISED PANEL




Performance 7/8" SDL Bar, 1-7/16" Double Hip Raised Panel with Low-E Glass



Performance Door Corner



Panel Profile



Glass Profile



F37662LE, Simpson

PERFORMANCE BETTER DURABILITY



F37120

IG
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Ovolo Sticking
2/8 x 6/8
3/0 x 6/8



F37662LE

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Wide Layout
Ovolo Sticking
3/0 x 8/0



F37504LE

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Wide Layout
Ovolo Sticking
3/0 x 8/0



F37506LE

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Wide Layout
Ovolo Sticking
2/8 x 8/0
3/0 x 8/0



F37512LE

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Wide Layout
Ovolo Sticking
3/0 x 8/0

Douglas Fir


SASH DOORS 7/8" SDL BAR & 1-7/16" DOUBLE HIP RAISED PANEL




Performance 7/8" SDL Bar, 1-7/16" Double Hip Raised Panel with IG Glass



Performance Door Corner



Panel Profile



Glass Profile



F37134

IG
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Wide Layout
Ovolo Sticking

2/8 x 6/8 3/0 x 7/0
3/0 x 6/8



F37662LE

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Wide Layout
Ovolo Sticking

3/0 x 6/8 3/0 x 7/0



F37663LE

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Wide Layout
Ovolo Sticking

1/0 x 6/8 1/0 x 7/0
1/2 x 6/8 1/2 x 7/0



F37944

IG
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Ovolo Sticking

2/6 x 6/8 2/6 x 7/0
2/8 x 6/8 2/8 x 7/0
3/0 x 6/8 3/0 x 7/0



F37703

IG
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Ovolo Sticking

1/0 x 6/8 1/0 x 7/0
1/2 x 6/8 1/2 x 7/0



F37512

IG
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Wide Layout
Ovolo Sticking

2/8 x 6/8 2/8 x 7/0
3/0 x 6/8 3/0 x 7/0



F37508

IG
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Wide Layout
Ovolo Sticking

2/0 x 6/8 2/0 x 7/0
2/6 x 6/8 2/6 x 7/0
2/8 x 6/8 2/8 x 7/0
3/0 x 6/8 3/0 x 7/0



F37804

IG
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Wide Layout
Ovolo Sticking

1/0 x 6/8 1/0 x 7/0
1/2 x 6/8 1/2 x 7/0

Douglas Fir


SASH DOORS 7/8" SDL BAR & 1-7/16" BEADED V-GROOVE DOUBLE HIP RAISED PANEL



Performance 1-7/16" Beaded V-Groove Double Hip Raised Panel with Low-E Glass



Performance Door Corner



Panel Profile
(viewed from above)

Glass Profile

PERFORMANCE BETTER DURABILITY



F37228

Low-E
7/8" SDL Bar
1-7/16" Beaded V-Groove
Double Hip Raised Panel
Wide Layout
Ovolo Sticking

3/0 x 6/8 3/0 x 7/0



F37219

Low-E
7/8" SDL Bar
1-7/16" Beaded V-Groove
Double Hip Raised Panel
Wide Layout
Ovolo Sticking

1/0 x 6/8 1/0 x 7/0
1/2 x 6/8 1/2 x 7/0



F37226

Low-E
7/8" SDL Bar
1-7/16" Beaded
V-Groove
Double Hip
Raised Panel
Wide Layout
Ovolo Sticking
3/0 x 6/8



F37217

Low-E
7/8" SDL Bar
1-7/16" Beaded
V-Groove
Double Hip
Raised Panel
Ovolo Sticking
1/0 x 6/8 1/0 x 8/0
1/2 x 6/8 1/2 x 8/0



F37224

Low-E
7/8" SDL Bar
1-7/16" Beaded
V-Groove
Double Hip
Raised Panel
Wide Layout
Ovolo Sticking
2/8 x 6/8 2/8 x 7/0
3/0 x 6/8 3/0 x 7/0



F37215

Low-E
7/8" SDL Bar
1-7/16" Beaded
V-Groove
Double Hip
Raised Panel
Ovolo Sticking
1/0 x 6/8 1/0 x 7/0
1/2 x 6/8 1/2 x 7/0



F37222

Low-E
7/8" SDL Bar
1-7/16" Beaded
V-Groove
Double Hip
Raised Panel
Wide Layout
Ovolo Sticking
3/0 x 6/8



F37213

Low-E
7/8" SDL Bar
1-7/16" Beaded
V-Groove
Double Hip
Raised Panel
Ovolo Sticking
1/0 x 6/8
1/2 x 6/8



F37218

Low-E
7/8" SDL Bar
1-7/16" Beaded V-Groove
Double Hip
Raised Panel
Wide Layout
Ovolo Sticking
3/0 x 6/8



F37216

Low-E
7/8" SDL Bar
1-7/16" Beaded V-Groove
Double Hip
Raised Panel
Wide Layout
Ovolo Sticking
3/0 x 6/8



F37214

Low-E
7/8" SDL Bar
1-7/16" Beaded V-Groove
Double Hip
Raised Panel
Wide Layout
Ovolo Sticking
3/0 x 6/8



F37212

Low-E
7/8" SDL Bar
1-7/16" Beaded V-Groove
Double Hip
Raised Panel
Wide Layout
Ovolo Sticking
3/0 x 6/8

Douglas Fir

SASH DOORS 1-3/8" TDL BAR & 1-7/16" DOUBLE HIP RAISED PANEL



Performance 1-3/8" TDL Bar, 1-7/16" Double Hip Raised Panel & IG Beveled Glass

PERFORMANCE BETTER DURABILITY



F7598
IG Beveled
1-3/8" TDL Bar
1-7/16" Double Hip
Raised Panel
Wide Layout
Ovolo Sticking

3/0 x 6/8
3/0 x 7/0




F7599
IG Beveled
1-3/8" TDL Bar
1-7/16" Double Hip
Raised Panel
Ovolo Sticking


1/0 x 6/8 1/0 x 7/0
1/2 x 6/8 1/2 x 7/0



Performance Door Corner



Panel Profile



Glass Profile
Beveled

SASH DOORS 2-3/4" TDL BAR & 1-7/16" DOUBLE HIP RAISED PANEL



Performance 2-3/4" TDL Bar, 1-7/16" Double Hip Raised Panel

PERFORMANCE BETTER DURABILITY



F7860

IG
2-3/4" TDL Bar
1-7/16" Double Hip
Raised Panel
Wide Layout
Ovolo Sticking

3/0 x 6/8
3/0 x 7/0




F7260

IG
2-3/4" TDL Bar
1-7/16" Double Hip
Raised Panel
Ovolo Sticking


1/0 x 6/8 1/0 x 7/0
1/2 x 6/8 1/2 x 7/0



Performance Door Corner



Panel Profile



Glass Profile



F7860LE

Low-E
2-3/4" TDL Bar
1-7/16" Double Hip
Raised Panel
Ovolo Sticking

3/0 x 8/0



F7260LE

Low-E
2-3/4" TDL Bar
1-7/16" Double Hip
Raised Panel
Ovolo Sticking

1/0 x 8/0
1/2 x 8/0

Douglas Fir


SASH DOORS 1-1/4" TDL BAR & 3/4" DOUBLE HIP RAISED PANEL




Standard 1-1/4" TDL Bar, 3/4" Double Hip Raised Panel with Single Pane Safety Glass



Standard Door Corner



Panel Profile



Glass Profile



F2134

Single Pane
Safety Glass
1-1/4" TDL Bar
3/4" Double Hip
Raised Panel
Ovolo Sticking

2/8 x 6/8
3/0 x 6/8



F2005

Single Pane
Safety Glass
1-3/4" TDL Bar
3/4" Double Hip
Raised Panel
Ovolo Sticking

3/0 x 6/8



F1662

Single Pane
Safety Glass
1-1/4" TDL Bar
3/4" Double Hip
Raised Panel
Ovolo Sticking

2/8 x 6/8
3/0 x 6/8



F318

Single Pane
Safety Glass
1-1/4" TDL Bar
3/4" Double Hip
Raised Panel
Ovolo Sticking

2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



F418

Single Pane
Safety Glass
1-1/4" TDL Bar
3/4" Double Hip
Raised Panel
Ovolo Sticking

2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



F944

Single Pane
Safety Glass
1-1/4" TDL Bar
3/4" Double Hip
Raised Panel
Ovolo Sticking

2/6 x 6/8
2/8 x 6/8
3/0 x 6/8




F2035

Single Pane
Safety Glass
1-1/4" TDL Bar
3/4" Double Hip
Raised Panel
Ovolo Sticking

2/8 x 6/8 3/0 x 6/8

Douglas Fir


SASH DOORS 2-3/4" TDL BAR & 3/4" FLAT PANEL



Nantucket® Standard Joinery 2-3/4" TDL Bar, 3/4" Flat Panel with Low-E Glass



Nantucket® Standard Joinery
Door Corner



Panel Profile



Glass Profile

NANTUCKET® BEST DURABILITY

STANDARD JOINERY



F77860

Low-E
2-3/4" TDL Bar
3/4" Flat Panel
Ovolo Sticking
Wide Layout
3/0 x 6/8



F77260

Low-E
2-3/4" TDL Bar
3/4" Flat Panel
Ovolo Sticking
1/2 x 6/8


SASH DOORS 1-3/8" TDL BAR & 3/4" FLAT PANEL




Performance 1-3/8" TDL Bar, 3/4" Flat Panel with IG Glass



Performance Door Corner



Panel Profile



Glass Profile

PERFORMANCE BETTER DURABILITY



F6803

IG
1-3/8" TDL Bar
3/4" Flat Panel
Wide Layout
Ovolo Sticking
3/0 x 6/8



F6803LE

Low-E
1-3/8" TDL Bar
3/4" Flat Panel
Wide Layout
Ovolo Sticking
3/0 x 6/8

Douglas Fir


SASH DOORS 7/8" SDL BAR & 3/4" FLAT PANEL



Nantucket® Standard Joinery 7/8" SDL Bar, 3/4" Flat Panel with Low-E Glass



Nantucket® Standard Joinery
Door Corner



Panel Profile

Glass Profile



F77660, Simpson

NANTUCKET® BEST DURABILITY

STANDARD JOINERY



F77660

Low-E
7/8" SDL Bar
3/4" Flat Panel
Ovolo Sticking
Wide Layout

3/0 x 6/8



F77663

Low-E
7/8" SDL Bar
3/4" Flat Panel
Ovolo Sticking


1/2 x 6/8



SDL Close-up

Douglas Fir


CONTEMPORARY DOORS SATIN ETCH GLASS



Contemporary with Satin Etch Low-E Glass



Glass Close-up



Glass Profile

Contemporary doors feature shaker sticking on the interior, with a gently sloped waterfall profile on the exterior, which allows water to cascade off and away from the door.

PERFORMANCE BETTER DURABILITY



F7403LEE
Low-E
Satin Etch Glass
Wide Layout
Shaker Sticking
2/8 x 6/8
3/0 x 6/8



F7404LEE
Low-E
Satin Etch Glass
Wide Layout
Shaker Sticking
2/8 x 6/8 3/0 x 8/0
3/0 x 6/8



F7405LEE
Low-E
Satin Etch Glass
Wide Layout
Shaker Sticking
2/8 x 6/8
3/0 x 6/8



F7406LEE
Low-E
Satin Etch Glass
Wide Layout
Shaker Sticking
3/0 x 8/0



F7701LEE
Low-E
Satin Etch Glass
Wide Layout
Shaker Sticking
1/2 x 6/8 1/2 x 8/0




Douglas Fir

FRENCH DOORS



Nantucket® Standard Joinery with Low-E Glass



Glass Profile

NANTUCKET® BEST DURABILITY

STANDARD JOINERY



F77002
Low-E
Ovolo Sticking
Wide Layout
3/0 x 6/8




F77701
Low-E
Ovolo Sticking
1/2 x 6/8



WaterBarrier® with Low-E Glass - Exterior Side



Interior Side



Glass Profile

WATERBARRIER® BEST DURABILITY



F7002LEW

Low-E
Ovolo Sticking
Wide Layout

2/6 x 6/8	2/0 x 8/0
2/8 x 6/8	2/6 x 8/0
3/0 x 6/8	2/8 x 8/0
	3/0 x 8/0



F7701LEW

Low-E
Ovolo Sticking

1/0 x 6/8	1/0 x 7/0
1/2 x 6/8	1/2 x 7/0



F7037W

IG
Ovolo Sticking
Wide Layout

2/6 x 6/8	2/6 x 7/0
2/8 x 6/8	2/8 x 7/0
3/0 x 6/8	3/0 x 7/0


Douglas Fir

FRENCH DOORS



Performance with Low-E Glass

PERFORMANCE BETTER DURABILITY



Glass Profile



F7001

IG
Ovolo Sticking

2/0 x 6/8	2/0 x 7/0	2/0 x 8/0
2/4 x 6/8	2/4 x 7/0	2/6 x 8/0
2/6 x 6/8	2/6 x 7/0	2/8 x 8/0
2/8 x 6/8	2/8 x 7/0	3/0 x 8/0
3/0 x 6/8	3/0 x 7/0	



F7701

IG
Ovolo Sticking

1/0 x 6/8	1/0 x 7/0
1/2 x 6/8	1/2 x 7/0




F7037LE

Low-E
Wide Layout
Ovolo Sticking

3/0 x 8/0

PERFORMANCE BETTER DURABILITY

STANDARD GOOD DURABILITY



Glass Profile



F7002LE

Low-E
Ovolo Sticking
Wide Layout


2/0 x 6/8	2/0 x 8/0
2/6 x 6/8	2/6 x 8/0
2/8 x 6/8	2/8 x 8/0
3/0 x 6/8	3/0 x 8/0



F7701LE

Low-E
Ovolo Sticking

1/0 x 6/8	1/0 x 8/0
1/2 x 6/8	1/2 x 8/0
1/0 x 7/0	
1/2 x 7/0	



Glass Profile



F1501

1/8" Single Pane
Safety Glass
Ovolo Sticking

2/0 x 8/0	2/6 x 8/0	3/0 x 8/0
2/4 x 8/0	2/8 x 8/0	


PERFORMANCE BETTER DURABILITY



F6422

Black Caming IG
Wide Layout
Ovolo Sticking

3/0 x 6/8
3/0 x 7/0



F6423

Black Caming IG
Ovolo Sticking

1/0 x 6/8	1/0 x 7/0
1/2 x 6/8	1/2 x 7/0



Terrace Ridge® Glass with Black Caming Close-up

Douglas Fir


FRENCH DOORS 7/8" SDL BAR



Nantucket® Standard Joinery 7/8" SDL Bar with Low-E Glass

NANTUCKET® BEST DURABILITY

STANDARD JOINERY



Glass Profile




F77015

Low-E
7/8" SDL Bar
Ovolo Sticking
Wide Layout
3/0 x 6/8

F77705

Low-E
7/8" SDL Bar
Ovolo Sticking
1/2 x 6/8



WaterBarrier® 7/8" SDL Bar with Low-E Glass - Exterior Side

WATERBARRIER® BEST DURABILITY



F37010LEW

Low-E
7/8" SDL Bar
Wide Layout
Ovolo Sticking

2/0 x 6/8
2/0 x 7/0



F37705LEW

Low-E
7/8" SDL Bar
Ovolo Sticking

1/0 x 6/8 1/0 x 7/0
1/2 x 6/8 1/2 x 7/0



F37015LEW

Low-E
7/8" SDL Bar
Wide Layout
Ovolo Sticking

2/6 x 6/8 2/6 x 7/0
2/8 x 6/8 2/8 x 7/0
3/0 x 6/8 3/0 x 7/0




SDL Close-up - Interior Side

Douglas Fir

FRENCH DOORS 7/8" SDL BAR



Performance 7/8" SDL Bar with IG Glass



Glass Profile

PERFORMANCE BETTER DURABILITY



F37010
IG
7/8" SDL Bar
Ovolo Sticking

2/0 x 6/8
2/0 x 7/0



F37705
IG
7/8" SDL Bar
Ovolo Sticking

1/0 x 6/8 1/0 x 7/0
1/2 x 6/8 1/2 x 7/0



F37015
IG
7/8" SDL Bar
Wide Layout*
Ovolo Sticking

2/6 x 6/8 2/6 x 7/0
2/8 x 6/8* 2/8 x 7/0*
3/0 x 6/8* 3/0 x 7/0*



F37109, Simpson

PERFORMANCE BETTER DURABILITY



F37109

IG
7/8" SDL Bar
Ovolo Sticking

2/8 x 6/8 2/8 x 7/0
3/0 x 6/8 3/0 x 7/0



F37709

IG
7/8" SDL Bar
Ovolo Sticking

1/0 x 6/8 1/0 x 7/0
1/2 x 6/8 1/2 x 7/0



SDL Close-up

Douglas Fir


FRENCH DOORS 1-1/4" TDL BAR



Standard 1-1/4" TDL Bar with Single Pane Safety Glass



TDL Close-up



Glass Profile



STANDARD GOOD DURABILITY



F1510
Single Pane
Safety Glass
Film Protected
1-1/4" TDL Bar
Ovolo Sticking

2/0 x 6/8
2/0 x 7/0



F1512
Single Pane
Safety Glass
1-1/4" TDL Bar
Ovolo Sticking
2/0 x 8/0



F1515
Single Pane
Safety Glass
Film Protected
1-1/4" TDL Bar
Ovolo Sticking

2/4 x 6/8 2/4 x 7/0
2/6 x 6/8 2/6 x 7/0
2/8 x 6/8 2/8 x 7/0
2/10 x 6/8 2/10 x 7/0
3/0 x 6/8 3/0 x 7/0

Douglas Fir

DUTCH DOORS: A BEAUTIFUL AND FUNCTIONAL CHOICE

Dutch doors are a great way to add style and functionality to your home. They're perfect for homes with young children or pets, as they allow you to keep the door open while still keeping your home safe and secure. Reeb's stock of dutch doors are for inswing applications only.



1-7/16" Double Hip Raised Panel




For more information on custom door options, see page 118.




Performance Door Corner


Dutch Doors feature a solid bottom rail and the Weather Seal™ process, but do not come standard with UltraBlock®.



Panel Profile



SDL Close-up




Glass Profile




FD7130

IG
1-7/16" Double Hip
Raised Panel
Solid Bottom Rail
Ovolo Sticking
3/0 x 6/8




FD37944

IG
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Solid Bottom Rail
Ovolo Sticking
2/8 x 6/8
3/0 x 6/8




FD37035

IG
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Solid Bottom Rail
Ovolo Sticking
2/8 x 6/8
3/0 x 6/8



Dutch Door Quadrant




Dutch Door Bolt

Recommended where the top half will be opened frequently.


Both the Door Quadrant and the Door Bolt are available in the following finishes:



US3
Bright Brass



US15
Satin Nickel



US10B
Oil Rubbed
Bronze

Douglas Fir

TRANSOMS: LET IN THE LIGHT

A transom is a small window above a door. It can be a great way to let more natural light into your home. All rectangular transom units have a Unit Dimension height of 13-1/2". Transoms with 5-1/2" stiles will match doors that have a wide layout. If you're looking for a way to make your home feel brighter and more airy, a transom is a great option.

Single Door Unit



F37743

Used with a single door
Clear Glass
7/8" SDL Bar
4-1/2" Stiles



F37753

Used with a single door
Clear Glass
7/8" SDL Bar
5-1/2" Stiles

Single Door with Sidelite Unit



F7711LE

Used with a 1/0 x 3/0 x 1/0 Continuous Unit
Low-E Glass
2-3/16" Stiles



F37715

Used with a 1/0 x 3/0 x 1/0 Continuous Unit
Clear Glass
7/8" SDL Bar
2-3/16" Stiles



F37725

Used with a 1/2 x 3/0 x 1/2 Continuous Unit
Clear Glass
7/8" SDL Bar
2-3/16" Stiles

Double Door Unit



F3774560

Used with a 6/0 Double Door Unit
Clear Glass
7/8" SDL Bar
4-1/2" Stiles

Double Door Unit or Single Door with Sidelites Unit



F7751

72" Width
Used with a 1/2 x 3/0 x 1/2 or 6/0 Double Door Unit
Clear Glass
5-1/2" Stiles



F7751LE

72" Width
Used with a 1/2 x 3/0 x 1/2 or 6/0 Double Door Unit
Low-E Glass
5-1/2" Stiles



F37755

72" Width
Used with a 1/2 x 3/0 x 1/2 or 6/0 Double Door Unit
Clear Glass
7/8" SDL Bar
5-1/2" Stiles

Dentil Shelves

Dentil shelves are a nice complement to a Craftsman style door. Choose from a 4 block or a 16 block option.



F9541

4 Block Dentil Shelf



F9540

20 Block Dentil Shelf



F6803 (door), **F9541** (optional dentil shelf)
Custom sidelite and transom, Simpson

Sapele Mahogany

PANEL DOORS 1-7/16" DOUBLE HIP RAISED PANEL




Nantucket® Standard Joinery 1-7/16" Double Hip Raised Panel



Nantucket® Optional Joinery 1-7/16" Double Hip Raised Panel




Nantucket® Standard Joinery
Door Corner



Panel Profile



Nantucket® Optional Joinery
Door Corner



Panel Profile

NANTUCKET® BEST DURABILITY

STANDARD JOINERY



SM77465

1-7/16" Double Hip
Raised Panel
Ovolo Sticking
Wide Layout

3/0 x 6/8



SM77144

1-7/16" Double Hip
Raised Panel
Ovolo Sticking
Wide Layout

3/0 x 6/8



SM77130

1-7/16" Double Hip
Raised Panel
Ovolo Sticking
Wide Layout

3/0 x 6/8
3/6 x 6/8



SM77701

Low-E
Ovolo Sticking

1/2 x 6/8

NANTUCKET® BEST DURABILITY

OPTIONAL JOINERY



MSM7282*

1-7/16" Double Hip
Raised Panel
Ovolo Sticking
Wide Layout

3/0 x 6/8 3/0 x 7/0 3/0 x 8/0



MSM7701

Low-E
Ovolo Sticking

1/2 x 6/8 1/2 x 8/0
1/2 x 7/0



MSM7465

1-7/16" Double Hip
Raised Panel
Ovolo Sticking
Wide Layout

3/0 x 6/8 3/0 x 7/0 3/0 x 8/0



MSM7282M*

1-7/16" Double Hip
Raised Panel
Wide Layout
Ovolo Sticking
Modified Layout

3/0 x 6/8 3/0 x 7/0 3/0 x 8/0



MSM7230M*

1-7/16" Double Hip
Raised Panel
Ovolo Sticking
Modified Layout
Wide Layout

3/0 x 6/8 3/0 x 7/0

MSM7282, MSM7701, MSM7465, MSM7282M, and MSM7230M styles now feature Nantucket Optional Joinery.

Sapele Mahogany

PANEL DOORS 1-7/16" DOUBLE HIP RAISED PANEL




Performance 1-7/16" Double Hip Raised Panel



Performance Door Corner



Raised Moulding on 1 Side - Exterior Side



Panel Profile



SM7282

1-7/16" Double Hip
Raised Panel
Ovolo Sticking
Wide Layout

3/0 x 6/8 3/0 x 7/0



SM7702

IG
1-7/16" Double Hip
Raised Panel
Ovolo Sticking

1/0 x 6/8 1/0 x 7/0
1/2 x 6/8 1/2 x 7/0



SM7344

1-7/16" Double Hip
Raised Panel
Ovolo Sticking
Wide Layout


3/0 x 6/8 3/0 x 7/0



SM7130

1-7/16" Double Hip
Raised Panel
Ovolo Sticking
Wide Layout

3/0 x 6/8 3/0 x 7/0



Panel Profile



SM7282RM

1-7/16" Double Hip
Raised Panel
Wide Layout
Raised Moulding, 1 Side
Ovolo Sticking


3/0 x 6/8
3/0 x 7/0



SM7702RM

IG
1-7/16" Double Hip
Raised Panel
Raised Moulding, 1 Side
Ovolo Sticking

1/2 x 6/8
1/2 x 7/0



Glass Profile



SM7501LE

Low-E
1-7/16" Double Hip
Raised Panel
Wide Layout
Ovolo Sticking

2/6 x 6/8 2/6 x 8/0
2/8 x 6/8 2/8 x 8/0
3/0 x 6/8 3/0 x 8/0



SM7801LE

Low-E
1-7/16" Double Hip
Raised Panel
Ovolo Sticking

1/0 x 6/8 1/0 x 8/0
1/2 x 6/8 1/2 x 8/0

Sapele Mahogany


SASH DOORS 7/8" SDL BAR & 1-7/16" DOUBLE HIP RAISED PANEL



Nantucket® Standard Joinery 7/8" SDL Bar & 1-7/16" Double Hip Raised Panel with Low-E Glass




Nantucket® Standard Joinery
Door Corner



Panel
Profile Glass
Profile



Nantucket® Optional Joinery
Door Corner



Panel
Profile Glass
Profile

NANTUCKET® BEST DURABILITY

STANDARD JOINERY



SM77506

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Ovolo Sticking
Wide Layout
3/0 x 6/8



SM77803

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Ovolo Sticking
1/2 x 6/8



SM77944

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Ovolo Sticking
Wide Layout
3/0 x 6/8



SM77703

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Ovolo Sticking
1/2 x 6/8



SM77662

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Ovolo Sticking
Wide Layout
3/0 x 6/8



SM77663

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Ovolo Sticking
1/2 x 6/8

NANTUCKET® BEST DURABILITY

OPTIONAL JOINERY



SM77504G

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Ovolo Sticking
Wide Layout
3/0 x 6/8 3/0 X 7/0
3/6 X 6/8 3/6 X 7/0



SM77802G

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Ovolo Sticking
Wide Layout
1/2 x 6/8 1/2 X 7/0



SM77506G

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Ovolo Sticking
Wide Layout
3/0 x 6/8 3/0 X 7/0
3/6 X 6/8 3/6 X 7/0



SM77803G

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Ovolo Sticking
Wide Layout
1/2 x 6/8 1/2 X 7/0



SM77664G

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Ovolo Sticking
Wide Layout
3/0 x 6/8 3/0 X 7/0
3/6 X 6/8 3/6 X 7/0



SM77663G

Low-E
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Ovolo Sticking
Wide Layout
1/2 x 6/8 1/2 X 7/0

Sapele Mahogany


SASH DOORS 7/8" SDL BAR & 1-7/16" DOUBLE HIP RAISED PANEL



Performance 7/8" SDL Bar, 1-7/16" Double Hip Raised Panel with IG Glass



Performance Door Corner



Panel
Profile

Glass
Profile

PERFORMANCE BETTER DURABILITY



SM37944

IG
1-3/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Wide Layout
Ovolo Sticking
3/0 x 6/8 3/0 x 7/0

SM37703


IG
1-3/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Ovolo Sticking
1/0 x 6/8 1/0 x 7/0
1/2 x 6/8 1/2 x 7/0

FRENCH DOORS



SM7002, Simpson

PERFORMANCE BETTER DURABILITY



Glass Profile



SM7002

IG
Ovolo Sticking
Wide Layout

3/0 x 6/8 3/0 x 7/0



SM37705

IG
1-3/8" SDL Bar
Ovolo Sticking


1/0 x 6/8 1/0 x 7/0
1/2 x 6/8 1/2 x 7/0

Sapele Mahogany

FRENCH DOORS 7/8" SDL BAR



Nantucket® Standard Joinery 7/8" SDL Bar with Low-E Glass



Glass Profile

NANTUCKET® BEST DURABILITY
STANDARD JOINERY



SM77015
Low-E
7/8" SDL Bar
Ovolo Sticking
Wide Layout
3/0 x 6/8



SM77705
Low-E
7/8" SDL Bar
Ovolo Sticking
1/2 x 6/8



SM77015, Simpson

Ponderosa Pine


PANEL DOORS 1-7/16" DOUBLE HIP RAISED PANEL



Performance 1-7/16" Double Hip Raised Panel



Performance Door Corner



Panel Profile

PERFORMANCE BETTER DURABILITY



P7282
1-7/16" Double Hip
Raised Panel
Ovolo Sticking
Wide Layout

2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



P7130
1-7/16" Double Hip
Raised Panel
Ovolo Sticking
Wide Layout


2/8 x 6/8
2/10 x 6/8
3/0 x 6/8

SASH DOORS 1-7/16" DOUBLE HIP RAISED PANEL



Performance 1-7/16" Double Hip Raised Panel with IG Glass

PERFORMANCE BETTER DURABILITY



Glass Profile



P7132

IG
1-7/16" Double Hip
Raised Panel
Ovolo Sticking
Wide Layout

3/0 x 6/8



P7044

IG
1-7/16" Double Hip
Raised Panel
Wide Layout
Ovolo Sticking

2/8 x 6/8
3/0 x 6/8
3/0 x 7/0



P7702

IG
1-7/16" Double Hip
Raised Panel
Ovolo Sticking

1/0 x 6/8 1/0 x 7/0
1/2 x 6/8 1/2 x 7/0



P7501

IG
1-7/16" Double Hip
Raised Panel
Ovolo Sticking
Wide Layout

3/0 x 6/8
3/0 x 7/0

Ponderosa Pine


PANEL DOORS 3/4" SINGLE HIP RAISED PANEL



Standard 3/4" Single Hip Raised Panel



Standard Door Corner



Panel Profile

STANDARD GOOD DURABILITY



P1053

3/4" Single Hip
Raised Panel
Reverse Layout
Ovolo Sticking

2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



P100


3/4" Single Hip
Raised Panel
Reverse Layout
Ovolo Sticking

2/0 x 6/8 2/10 x 6/8 2/6 x 7/0
2/4 x 6/8 3/0 x 6/8 2/8 x 7/0
2/6 x 6/8 3/6 x 6/8 2/10 x 7/0
2/8 x 6/8 3/0 x 7/0

SASH DOORS 1-5/16" TDL BAR & 1-3/16" DOUBLE HIP RAISED PANEL




Standard 1-5/16" TDL Bar



Standard 1-3/16" Double Hip Raised Panel



Standard Door Corner



Panel Profile

Glass Profile

STANDARD GOOD DURABILITY



P182
Single Pane
1-3/16" Double Hip
Raised Panel
Ovolo Sticking

2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



P944
Single Pane
1-5/16" TDL Bar
1-3/16" Double Hip
Raised Panel
Ovolo Sticking

2/8 x 6/8
3/0 x 6/8

Ponderosa Pine


SASH DOORS 1-5/16" TDL BAR & 1-3/16" DOUBLE HIP RAISED PANEL



Standard 1-5/16" TDL Bar & 1-3/16" Double Hip Raised Panel with Single Pane Glass




Standard Door Corner



Panel Profile



TDL Close-up



Glass Profile



P26146

Single Pane
1-5/16" TDL Bar
1-3/16" Double Hip
Raised Panel
Ovolo Sticking

3/0 x 6/8



P982

Single Pane
1-5/16" TDL Bar
1-3/16" Double Hip
Raised Panel
Ovolo Sticking

3/0 x 6/8



P2035

Single Pane
1-5/16" TDL Bar
1-3/16" Double Hip
Raised Panel
Ovolo Sticking

3/0 x 6/8



P512

Single Pane
1-5/16" TDL Bar
1-3/16" Double Hip
Raised Panel
Ovolo Sticking

2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



P1705

Single Pane
1-5/16" TDL Bar
Ovolo Sticking

1/0 x 6/8 1/0 x 7/0
1/2 x 6/8 1/2 x 7/0
1/4 x 6/8


Ponderosa Pine

FRENCH DOORS



Performance with Low-E Glass

PERFORMANCE BETTER DURABILITY



P7002LE

Low-E
Wide Layout
Ovolo Sticking

2/0 x 6/8 2/8 x 6/8
2/4 x 6/8 2/10 x 6/8
2/6 x 6/8 3/0 x 6/8




P7701LE

Low-E
Ovolo Sticking

1/0 x 6/8
1/2 x 6/8

STANDARD GOOD DURABILITY



P1501

Safety Glass
Ovolo Sticking

2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



P1701

Single Pane
Ovolo Sticking


1/0 x 6/8 1/0 x 7/0
1/2 x 6/8 1/2 x 7/0

FRENCH DOORS 1-5/16" TDL BAR



Standard 1-5/16" TDL Bar

STANDARD GOOD DURABILITY



Glass Profile



P1510

Safety Glass
1-5/16" TDL Bar
Ovolo Sticking

2/0 x 6/8 2/0 x 7/0



P1512

Safety Glass
1-5/16" TDL Bar
Ovolo Sticking

2/0 x 8/0



P1515

Safety Glass
1-5/16" TDL Bar
Ovolo Sticking

2/4 x 6/8 2/4 x 7/0
2/6 x 6/8 2/6 x 7/0
2/8 x 6/8 2/8 x 7/0
2/10 x 6/8 2/10 x 7/0
3/0 x 6/8 3/0 x 7/0



P1518

Safety Glass
1-5/16" TDL Bar
Ovolo Sticking

2/6 x 8/0
2/8 x 8/0
3/0 x 8/0

Red Oak

PANEL DOORS 1-7/16" DOUBLE HIP RAISED PANEL




Performance 1-7/16" Double Hip Raised Panel

PERFORMANCE BETTER DURABILITY



Performance Door Corner



Panel Profile



O7344
1-7/16" Double Hip
Raised Panel
Ovolo Sticking
Wide Layout
3/0 x 6/8




O7130
1-7/16" Double Hip
Raised Panel
Ovolo Sticking
Wide Layout
3/0 x 6/8

SASH DOORS 7/8" SDL BAR & 1-7/16" DOUBLE HIP RAISED PANEL



PERFORMANCE BETTER DURABILITY



Glass Profile



O37944

IG
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Ovolo Sticking
Wide Layout
3/0 x 6/8



O37703

IG
7/8" SDL Bar
1-7/16" Double Hip
Raised Panel
Ovolo Sticking
1/0 x 6/8 1/2 x 6/8



Anatomy of an Exterior Door Unit



Transoms



DIRECT SET TRANSOM




SASH SET TRANSOM

Additional Accessories



KICK PLATE




DOOR VIEWER






MAILSLOT

Door Unit Configurations and Handing



Door Handing

Handing is viewed from the exterior side of the door.



Frames

Exterior Frames come in a variety of options to best match your door unit. The kerf, or cutout, in the frame will have weatherstrip applied to help keep the elements out of the home. Choose from solid wood, FrameSaver® which has a composite block at the bottom, fully composite On-Guard™ jambs, or the PVC Ultra.



Primed



Solid Fir



Solid Clear Pine




Solid Oak



Solid Sapele Mahogany



Primed FrameSaver®




Ultra



On-Guard™ Grained



On-Guard™ Primed



On-Guard™ White Shield



For more information
on Frames

Brickmould & Casing



Primed

2" Brickmould
1x4 Flat Casing
1x6 Flat Casing

5/4x4 Flat Casing
5/4x6 Flat Casing



Solid Fir

2" Brickmould
5/4x4 Flat Casing
5/4x6 Flat Casing



Solid Clear Pine

2" Brickmould
5/4x4 Flat Casing
5/4x6 Flat Casing



Solid Oak

2" Brickmould
5/4x4 Flat Casing
5/4x6 Flat Casing




Solid Mahogany

2" Brickmould
5/4x4 Flat Casing
5/4x6 Flat Casing



Solid Sapele Mahogany

2" Brickmould
5/4x4 Flat Casing
5/4x6 Flat Casing



FrameSaver®

2" Brickmould
3" Brickmould
5/4x4 Flat Casing



Ultra

2" Brickmould
1x4 Flat Casing
1x6 Flat Casing

5/4x4 Flat Casing
5/4x6 Flat Casing



On-Guard™ Grained

2" Brickmould



On-Guard™ Primed

2" Brickmould



On-Guard™ White Shield

2" Brickmould


Sills



INSWING 7/4 OAK SILL



INSWING 7/4 MAHOGANY SILL




INSWING 7/4 SILL LINE ART



INSWING NEW ENGLAND PROFILE
OAK SILL



INSWING NEW ENGLAND PROFILE
MAHOGANY SILL



INSWING NEW ENGLAND PROFILE SILL LINE ART



OUTSWING 7/4 OAK SILL



OUTSWING 7/4 SILL LINE ART

SILL HORNS

Sill horns are a portion of the sill that extends in front of the jamb legs. The brickmould or casing rests on top of the horn, or extension, for a more traditional look.








INSWING ADJUSTABLE COMPOSITE SILL





INSWING ADJUSTABLE HARDWOOD SILL




INSWING SILL EXTENDERS




OUTSWING COMPOSITE SILLS




OUTSWING SILL EXTENDERS




OUTSWING BUMPER SILL



INSWING ENDURA® PUBLIC ACCESS SILL



OUTSWING ENDURA® PUBLIC ACCESS SILL



INSWING ENDURA® TILE BACK PUBLIC ACCESS SILL

SILL FINISH OPTIONS



Mill Finish



Bronze Finish




Satin Nickel Finish (N/A PA sill)

CAP COLOR OPTIONS



Light Cap



Dark Cap



Hardwood Cap (Inswing Only)



Hinges: The Essential Hardware

Hinges are the unsung heroes of your doors. They're what allow your doors to open and close smoothly, and they're what keep your doors safe and secure. They come in a variety of finishes to complement your door style.

The size of your hinges will depend on the type of door you have and the weight of the door. For standard doors, a 4" x 4" radius corner hinge is a good option. If you have a heavier door, you'll need a heavier-duty hinge, such as a 4-1/2" x 4-1/2" hinge. For a more architectural look, square corner hinges are available.

Hinge Size

The standard hinge size for a wood door is 4" x 4".

For a heavier duty hinge, a square 4-1/2" x 4-1/2" hinge is available for a 1-3/4" door.



4" X 4"



4-1/2" X 4-1/2"

Hinge Shape

The standard hinge has a corner with a 5/8" radius.

For a more architectural look, square corner hinges are available.



RADIUS



SQUARE

Hinge Types

Here's a quick overview of the most common types of hinges:



BALL BEARING HINGE

These hinges have steel ball bearings that reduce friction and make your door swing smoothly.



NON-BALL BEARING HINGE

These hinges don't have ball bearings, so they're not as smooth as ballbearing hinges. However, they're also not as expensive.



NRP HINGE

These hinges have a non-removable pin that prevents the door from being opened from the outside.



SELF-CLOSING HINGE

These hinges have a tension spring that automatically closes the door after it's been opened.

Baldwin®

HINGES

Baldwin believes that quality should never be a compromise. From using the finest materials to crafting hardware by hand, they are committed to creating high-quality hardware that not only looks beautiful and flawless but also endures the rigors of time.



4" X 4" 5/8" RADIUS

Non-Ball Bearing
(shown in US3LF)

Available in: US3LF



4" X 4" SQUARE

Non-Ball Bearing
(shown in US10B)

Available in: US3LF, US10B,
US15, VB



4-1/2" X 4-1/2" SQUARE

Non-Ball Bearing
(shown in US10B)

Available in: US3LF, US10B,
US15, VB



4-1/2" X 4-1/2" SQUARE


Ball Bearing
(shown in US3LF)

Available in: US3LF, US10B,
US15, VB


Available Finishes




US3LF
Lifetime Brass



US10B
Oil Rubbed Bronze



US15
Satin Nickel




VB
Venetian Bronze

Emtek is dedicated to bringing personal style to life. Door hardware is more than a way to open, close, and secure a space. It is an integral part of a room's design theme and an extension of personal style.



4" X 4" SQUARE
Non-Ball Bearing
(shown in US10B)

Available in: US1D, US3, US7, US10B, US14, US15, US26, US26D




4" X 4" SQUARE
Ball Bearing
(shown in US3)

Available in: US1D, US3, US7, US10B, US14, US15, US26, US26D



4" X 4" SQUARE
NRP Ball Bearing
(shown in US15)

Available in: US3, US10B, US15, US26, US26D



4" X 4" SQUARE
Non-Ball Bearing Solid Brass
(shown in US3)

Available in: US3, US4, US7, US10B, US14, US15, US26, US1D




4" X 4" SQUARE
Ball Bearing Solid Brass
(shown in US3)


Available in: US3, US4, US7, US10B, US14, US15, US26, US1D

Available Finishes


Not all finishes are available in both Emtek and RSP.




US1D
Flat Black




US3
Bright Brass




US4
Satin Brass




US4B
Light Brass



US15
Satin Nickel



US15A
Antique Nickel



US26
Polished Chrome



US26D
Satin Chrome

Reeb® Specialty Products

HINGES

RSP offers a large selection of hinges in a variety of finishes carrying on a tradition of innovative design, superior quality and service excellence.



4" X 4" 5/8" RADIUS
Non-Ball Bearing
(shown in US15)

Available in: US1D, US3, US4, US4B, US5, US10B, US15, US15A, US26, US26D, US32D, USP



4" X 4" 5/8" RADIUS
NRP Non-Ball Bearing
(shown in US10B)

Available in: US1D, US3, US4B, US5, US10B, US15, US26, US26D, US32D




4" X 4" 5/8" RADIUS
Ball Bearing
(shown in US15)

Available in: US1D, US3, US4B, US5, US10B, US15, US26, US26D



4" X 4" 5/8" RADIUS
NRP Ball Bearing
(shown in US15)

Available in: US1D, US3, US4B, US5, US10B, US15, US15A, US26, US26D, US32D



4" X 4" 5/8" RADIUS
Self-Closing
(shown in US15)

Available in: US1D, US3, US4B, US10B, US15, US26, US26D




4" X 4" SQUARE
Non-Ball Bearing
(shown in US10B)

Available in: US1D, US3, US4, US5, US10B, US15, US26, US26D




4" X 4" SQUARE
Ball Bearing
(shown in US10B)


Available in: US3, US4, US4B, US5, US10B, US15, US26, US26D




US5
Antique Brass




US7
French Antique




US10B
Oil Rubbed Bronze



US14
Polished Nickel



US32D
Stainless Steel



USP
Primed

Endura Trilennium®

HARDWARE

The Trilennium Multi-Point Lock is the ultimate security for your home. It features a beefy I-beam that strengthens the edge of the door, three latches that drop into the keeper without any action needed from the operator, and a key or thumb turn that extends the latches deeper into the frame for security.

The Trilennium Multi-Point Lock is perfect for 6/8, 7/0, and 8/0 1-3/4" thick wood doors. It's also easy to install, and it comes with a lifetime warranty. Reeb also stocks a lever x lever Eclipse trim and a grip handleset with an Eclipse lever on the inside in the finishes listed below.



ECLIPSE GRIP HANDSET
(shown in US10P)

Available in:
US3, US10P, US15



ECLIPSE HANDSET
(shown in US15)

Available in:
US3, US10P, US15




Available Finishes

*Trilennium MPL only


**Handset only




US3
Bright Brass



US10P
Victorian Bronze



US32D*
Stainless Steel



US15**
Satin Nickel

Ultimate Astragal

ULTIMATE FLIP LEVER ASTRAGAL SECURE AND EASY TO USE

The Ultimate Flip Lever Astragal is the perfect door lock for your home. It's easy to use, secure, and comes with a limited lifetime warranty. Just one flip of the lever activates the Floating Boot and Flush Bolt system, securing your home with two lasting seals. Even in imperfect or changing conditions, your home will be protected. The Ultimate Flip Lever Astragal is made of durable materials and construction. It's the perfect addition to any home for security and peace of mind.



With the Flip Lever upright, the Floating Boot and Flush Bolt are lifted clear of the sill.



As the Flip Lever is lowered, the Floating Boot drops independently to seal against the cap.



After the Floating Boot, the Flush Bolt lowers, engaging with the sill regardless of drill hole depth.

Available in: Bronze, Fir Wrap, Oak Wrap, Mahogany Wrap, Pine Wrap



ULTIMATE MULTI-POINT ASTRAGAL PROTECT YOUR HOME AND SAVE MONEY

The Ultimate Multi-Point Astragal is the perfect solution for anyone who wants to improve the security and accessibility of their home. With its multi-point lock, it delivers the sealing power of a multi-point lock without the multi-point price tag. It even works with standard deadbolt packages for ultimate cost-efficiency. Plus, it automatically forms a custom seal against the sill cap, even if conditions aren't perfect, saving time and eliminating costly service calls.

Available in: Bronze



ULTIMATE TRILENNIUM ASTRAGAL

THE PERFECT COMPLEMENT TO THE TRILENNIUM MULTI-POINT LOCKING SYSTEM

The Ultimate Trilennium Astragal is the perfect solution for anyone looking to secure and improve the performance of their double doors. It's designed to work with the Trilennium Multi-Point Locking System, which is the strongest lock on the market. The Ultimate Trilennium Astragal features a standard Flip lever that secures your French door unit with two lasting seals without reaching or bending. This protects against air and water infiltration, eliminating callbacks and putting your mind at ease.

Available in: Bronze, Fir Wrap, Oak Wrap, Mahogany Wrap, Pine Wrap



Bronze

Fir Wrap

Oak Wrap

Mahogany Wrap

Pine Wrap

ULTIMATE ASTRAGAL
HARDWARE

PanoLock+

HARDWARE

PANOLOCK PLUS

THE EASY-TO-USE, DURABLE MULTI-POINT LOCK

PanoLock Plus is a multi-point lock that works with most off-the-shelf hardware including Schlage and Kwikset electronic locks. It provides enhanced security and a smoother performance over traditional or other multi-point locks.




The handle controls the latch, which is the main locking point that keeps your door closed, while the deadbolt controls the top and bottom bolts, which provide additional security. PanoLock+ is easy to install and comes with a lifetime warranty.




Bronze Anodized Astragal with either a Victorian Bronze or Black Strike Plate.

PANOLOCK+




Bronze Anodized
Similar to US10B

STRIKE PLATES




US10P
Victorian Bronze



US1D
Black


Brushed Nickel Clear Anodized Astragal with either a stainless steel or satin nickel strike plate.

PANOLOCK+




Brushed Clear Anodized
Similar to US15

STRIKE PLATES



US32D*
Stainless Steel



US15**
Satin Nickel

PanoLock+ Astragal


HARDWARE

The PanoLock+ Flip Lever Astragal delivers superior sealing power and security combined with effortless operation to French doors. One flip is all you need to secure your inactive door and keep leaks at bay.

Effortless One-Flip Operation. Enhanced Accessibility: A single flip of the built-in lever activates both bolts and secures the door. No reaching or bending necessary.

Ultimate Security: When each of the astragal's bolts are engaged, the inactive door is secured in place. No extra locking steps necessary.

Extended Sealing Power: Spring-loaded Floating Boot, Simple Solution™ Corner Pad and weatherstrip get an added boost with a full-length Sealing Fin for an extra layer of protection against air and water infiltration.



White



Bronze



Clear Fir



Oak



Mahogany



LOCKING THE DOOR: YOUR OPTIONS

Locks are an essential part of keeping your home safe and secure. They come in a variety of styles, finishes, and options, so you can find the perfect one for your needs. Cylindrical locks are the most common type of lock available, and they're easy to install. Reeb® offers a wide variety of handlesets to choose from, so you can find the perfect one to match your décor.



J SERIES
JH58/JH59 (shown in US3)

The JH58 and JH59 work in tandem to create a functional locking system. The JH58 is the exterior lock, with the JH59 being the interior lock.

PAGE 111



F SERIES
F58/F59 (shown in US15)

The F58 and F59 work in tandem to create a functional locking system. The F58 is the exterior lock, with the F59 being the interior lock.

PAGE 112



F SERIES
F92/F94 (shown in US3LF)

The F92 and F94 work in tandem to make a dummy trim system. The F92 is the exterior portion, while the F94 is the interior portion.

PAGE 113



B SERIES/ F SERIES
BE365/FE285 (shown in US5)

The BE365 and FE285 work in tandem to make a functional locking system. The BE365 is a battery operated deadbolt, while the FE285 is the handleset portion.

PAGE 114



F SERIES
FE595 (shown in US15)


The FE595 is a stand-alone electronic battery operated locking system with a built in handleset.

PAGE 115

LOCKS AND HANDING

For certain levers, it's important to know whether your door swings left or right, as this will determine whether you need a left-handed or right-handed lever. **Here's how to tell:**

- If the hinges are on the left, you have a left-handed door. You'll need a left-handed lever.
- If the hinges are on the right, you have a right-handed door. You'll need a right-handed lever.



Once you know which lever you need, you can start shopping for a new lockset.

JH58 AND JH59

The JH58 is an exterior facing handle set, while the JH59 is an interior facing deadbolt and knob/lever. They are designed to work together to create a complete locking system for your home. The JH58 includes the outside grip and deadbolt trim, while the JH59 includes the inside knob or lever, inside deadbolt trim, deadbolt, latch, screws, and strikes.



JH58



PARIS (shown in US15)
Available in: US3, US15



JH58



BARCELONA (shown in US15)
Available in: US3, US15

JH59



BYRON (shown in US3)
Available in: US3



CORONA (shown in US3)
Available in: US3




LASALLE (shown in US3)
Available in: US3, US15




TORINO (shown in US15)
Available in: US3, US15

B-Series/F-Series/J-Series Available Finishes

Schlage's hardware finishes are designed to complement the fixtures and style in a home.



US3/US3LF
Bright Brass/Lifetime Brass
605/505



US15
Satin Nickel
619

F58

The F58 is an exterior facing handleset that includes the outside grip and deadbolt trim. It is designed to be used in conjunction with the F59, an interior facing deadbolt and knob/lever. The F59 includes the inside knob or lever, inside deadbolt trim, deadbolt, latch, screws, and strikes. It is designed to be used in conjunction with the F58 to create a complete entryway locking system.



CAMELOT (shown in US15)

Available in: US3, US3LF, US5, US15, US15A, 716 Aged Bronze



CENTURY (shown in US26D)

Available in: US26, US26D



PLYMOUTH (shown in US3LF)

Available in: US3, US3LF, US5, US10B, US15, US15A, US26, 716 Aged Bronze

F59

The F59 includes the inside knob or lever, inside deadbolt trim, deadbolt, latch, screws, and strikes. It is designed to be used in conjunction with the F58 to create a complete entryway locking system.



ACCENT (shown in US15A)

Available in: US3, US5, US10B, US15, US15A, US26, 716 Aged Bronze



AVANTI (shown in US15)

Available in: US15



ELAN (shown in US26D)

Available in: US26D



FLAIR (shown in U3)

Available in: US3, US5, US15, 716 Aged Bronze



GEORGIAN (shown in US15)

Available in: US3, US5, US15, US15A, 716 Aged Bronze



PLYMOUTH (shown in Aged Bronze)

Available in: US3, US15, US26, US26D, 716 Aged Bronze



SIENA (shown in US15)

Available in: US15



BELL (shown in US3)

Available in: US3

F92

The F92 is a keyless dummy exterior facing handleset that complements the F58 handleset. It is used in conjunction with the F94.



CAMELOT (shown in US3LF)

Available in: US3, US3LF, US5, US10B, US15, US15A



CENTURY (shown in US26)

Available in: US26, US26D



PLYMOUTH (shown in US10B)

Available in: US3, US3LF, US5, US10B, US15, US15A, US26

F94

The F94 is an interior facing dummy knob/lever with a blank deadbolt plate that complements the F59 knob/lever.



PLYMOUTH (shown in US15)

Available in: US3, US15



GEORGIAN (shown in US3)

Available in: US3, US5, US15, US15A



SIENA (shown in US15)

Available in: US15



ACCENT (shown in US10B)

Available in: US3, US10B, US15, US15A, US26




FLAIR (shown in US5)

Available in: US3, US5, US10B, US15

F-Series


Available Finishes

Schlage's hardware finishes are designed to complement the fixtures and style in a home.




US3/US3LF

Bright Brass/Lifetime Brass
605/505




US5

Antique Brass
609




US10B

Oil Rubbed Bronze
613




US15

Satin Nickel
619



US15A

Antique Pewter
620




US26

Polished Chrome
625



US26D

Satin Chrome
626



716

Aged Bronze
716

BE365

The BE365 is an electronic battery operated keypad deadbolt that allows you to unlock your door without having to carry a key. When used together, the BE365 and FE285 create a complete keyless entry system.



CAMELOT (shown in US15)
Available in: US3LF, US15,
716 Aged Bronze



PLYMOUTH (shown in US3LF)
Available in: US3LF, US15,
716 Aged Bronze

FE285

The FE285 is a knob or lever set that has no locking capabilities, so it cannot stand alone. When used together, the BE365 and FE285 create a complete keyless entry system.



CAMELOT (Exterior)
ACCENT (Interior)
(shown in Aged Bronze)
Available in: US3LF, US15, Aged Bronze



CAMELOT (Exterior)
GEORGIAN (Interior)
(shown in US15)
Available in: US3LF, US15, Aged Bronze



PLYMOUTH (Exterior)
FLAIR (Interior)
(shown in US15)
Available in: US3LF, US15, Aged Bronze



PLYMOUTH (Exterior)
PLYMOUTH (Interior)
(shown in US3LF)
Available in: US3LF

FE595

The FE595 is a stand alone electronic battery operated keypad entry that includes a knob or lever. It can be set up to unlock the door automatically when you enter your code, or to stay locked until you manually unlock it. You can also choose to have the door lock automatically after a certain amount of time, or to stay unlocked until you manually lock it.



CAMELOT Escutcheon
ACCENT Lever
(shown in US15)

Available in: US3LF, US15, Aged Bronze



CAMELOT Escutcheon
GEORGIAN Knob
(shown in Aged Bronze)

Available in: US3LF, US15, Aged Bronze



PLYMOUTH Escutcheon
FLAIR Lever
(shown in US15)

Available in: US3LF, US15, Aged Bronze




PLYMOUTH Escutcheon
PLYMOUTH Knob
(shown in US3LF)


Available in: US3LF

B-Series/F-Series Available Finishes


Schlage's hardware finishes are designed to complement the fixtures and style in a home.



US3/US3LF
Bright Brass/Lifetime Brass
605/505



US15
Satin Nickel
619



716
Aged Bronze
716

Schlage® Encode is a smart lock that allows you to lock and unlock your door using your smartphone, voice, or a PIN. It also has a built-in alarm system that will notify you if someone tries to tamper with your lock.

Schlage Encode is compatible with most Wi-Fi networks and can be installed on any door that has a standard deadbolt. It is also easy to use, even for people who are not familiar with smart home technology.

FE489

THE FE489 is a pairing of a handleset with the BE489WBC deadbolt. It has built-in WiFi allowing you to access your deadbolt from anywhere using your smartphone. Create and share up to 100 access codes with friends and family with the Schlage Home or Key by Amazon apps.



CAMELOT (Exterior)
ACCENT (Interior)
(shown in 619)



CAMELOT (Exterior)
ACCENT (Interior)
(shown in 716)



CAMELOT (Exterior)
GEORGIAN (Interior)
(shown in 622)



CENTURY (Exterior)
LATITUDE (Interior)
(shown in 622)

BE489WBC

The BE489WBC is an electronic battery-operated keypad deadbolt with built-in WiFi that allows you to lock and unlock from anywhere. It cannot stand alone as a locking system since it has no knob or lever to open the door.



CAMELOT
(shown in 619)



CAMELOT
(shown in 716)




CENTURY
(shown in 619)




CENTURY
(shown in 622)

Available Finishes


Schlage's hardware finishes are designed to complement the fixtures and style in a home.



US1D
Flat Black
622



US15
Satin Nickel
619



716
Aged Bronze
716

Custom Doors

Wood doors have very little limitations when it comes to design options. This catalog is a great resource for our in-stock items, however sometimes a different look is desired. Whether it is a modified stock item or a completely custom design, Reeb's Custom Design Team can help to create your ideal entryway. Not only will they help with your order, they ask questions along the way to help ensure your door will last.



Customer Sketch

Designing a custom door starts with the customer. A drawing or sketch is the best way to start the process. After submitting a sketch, our Custom Team will begin to help guide you through the quoting and buying process by asking about the following options:

Door Species: Beyond fir and mahogany, there is an entire array of wood species options available; among them are hemlock, cherry, maple, walnut, poplar, birch, red oak or white oak. Whether your tastes are classic or exotic, there is a wood species for you.

Glass Type: There are also many glass options available from clear glass allowing in the most abundant natural light to textured glass that is more opaque for a higher privacy level.

Door Width: Typical exterior doors range from 2'6" to 3'6" in width but Reeb has access to create doors up to 6'0" wide.


Door Height: Typical exterior doors range from 6'6" to 8'0" in height but Reeb has access to create doors up to 12'0" tall.

Door Thickness: 1-3/4" and 2-1/4" options are available in most species.

Creating a Custom Door... from idea to a reality

Once all the design decisions are picked, an initial CAD drawing is created based on the customer's sketch. Not only does this help the customer visualise the final product, but also helps to ensure the end product is what the customer desires.

The drawings are supplied to the customer for their review. Based on their needs, and the appearance of the door, the customer will then choose the layout and approve the purchase. The door is then ordered, and delivered to the customer.



CAD Drawing




Custom Door Installed on a Home


Finally, the door arrives and is shipped to the customer. The customer can then have the door installed and complete their custom design process.

Custom Doors

Sometimes a desired design is not aesthetically pleasing because the components of the door do not line up. The CAD team will provide consultative quotes and drawings to show the possibilities available to the customer.




CAD Drawing based on Customer's Order



CAD Drawing considering aesthetics

Any wood. Any glass. Any size. Any style. Imagine the possibilities.





Stile & Rail Dimensions / Index

STYLE	TYPE	PAGE	HEIGHT	STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	BAR	GLASS	STICKING	MANUFACTURER
F1501	DOOR	63	8/0	4-1/2"	4-7/16"	---	9-3/16"	---	---	SAFETY	OVOLO	SIMPSON
F1510	DOOR	69	6/8	4-1/2"	4-7/16"	---	9-3/16"	---	1-1/4" TDL	SAFETY	OVOLO	SIMPSON
F1510	DOOR	69	7/0	4-1/2"	4-7/16"	---	9-3/16"	---	1-1/4" TDL	SAFETY	OVOLO	SIMPSON
F1512	DOOR	69	8/0	4-1/2"	4-7/16"	---	9-3/16"	---	1-1/4" TDL	SAFETY	OVOLO	SIMPSON
F1515	DOOR	69	6/8	4-1/2"	4-7/16"	---	9-3/16"	---	1-1/4" TDL	SAFETY	OVOLO	SIMPSON
F1515	DOOR	69	7/0	4-1/2"	6-7/16"	---	11-3/16"	---	1-1/4" TDL	SAFETY	OVOLO	SIMPSON
F1662	DOOR	53	6/8	4-1/2"	4-7/16"	---	9-3/16"	3/4" DHRP	1-1/4" TDL	SAFETY	OVOLO	SIMPSON
F2005	DOOR	53	6/8	4-1/2"	6-1/2"	5-3/8"	9-3/16"	3/4" DHRP	1-1/4" TDL	SAFETY	OVOLO	SIMPSON
F2010	DOOR	27	6/8	4-1/2"	4-7/16"	---	9-3/16"	3/4" DHRP	---	---	OVOLO	SIMPSON
F2035	DOOR	53	6/8	4-1/2"	4-7/16"	7-1/2"	9-3/16"	3/4" DHRP	1-1/4" TDL	SAFETY	OVOLO	SIMPSON
F2044	DOOR	26	6/8	4-1/2"	4-7/16"	7-1/2"	9-3/16"	3/4" DHRP	---	---	OVOLO	SIMPSON
F2055	DOOR	27	6/8	4-1/2"	4-7/16"	---	9-3/16"	3/4" DHRP	---	---	OVOLO	SIMPSON
F2055	DOOR	27	7/0	4-1/2"	6-7/16"	---	11-3/16"	3/4" DHRP	---	---	OVOLO	SIMPSON
F2060	DOOR	27	6/8	4-1/2"	4-7/16"	---	9-3/16"	3/4" DHRP	---	---	OVOLO	SIMPSON
F2130	DOOR	27	6/8	4-1/2"	4-7/16"	7-1/2"	9-3/16"	3/4" DHRP	---	---	OVOLO	SIMPSON
F2130	DOOR	27	7/0	4-1/2"	6-7/16"	7-1/2"	11-3/16"	3/4" DHRP	---	---	OVOLO	SIMPSON
F2132	DOOR	33	6/8	4-1/2"	4-7/16"	7-1/2"	9-3/16"	3/4" DHRP	---	SAFETY	OVOLO	SIMPSON
F2132	DOOR	33	7/0	4-1/2"	6-7/16"	7-1/2"	11-3/16"	3/4" DHRP	---	SAFETY	OVOLO	SIMPSON
F2134	DOOR	53	6/8	4-1/2"	4-7/16"	7-1/2"	9-3/16"	3/4" DHRP	1-1/4" TDL	SAFETY	OVOLO	SIMPSON
F3010	DOOR	25	6/8	5-1/2"	4-7/16"	---	9-3/16"	1-1/4" DHRP	---	---	OVOLO	SIMPSON
F3044	DOOR	25	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-1/4" DHRP	---	---	OVOLO	SIMPSON
F3130	DOOR	25	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-1/4" DHRP	---	---	OVOLO	SIMPSON
F318	DOOR	53	6/8	4-1/2"	4-7/16"	4-1/2"	9-3/16"	3/4" DHRP	1-1/4" TDL	SAFETY	OVOLO	SIMPSON
F37010LEW	DOOR	65	6/8	5-1/2"	4-7/16"	---	9-3/16"	---	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37010LEW	DOOR	65	7/0	5-1/2"	6-7/16"	---	11-3/16"	---	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37015LEW	DOOR	65	6/8	5-1/2"	4-7/16"	---	9-3/16"	---	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37015LEW	DOOR	65	7/0	5-1/2"	6-7/16"	---	11-3/16"	---	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37120	DOOR	45	6/8	5-1/2"	4-5/16"	---	9-3/16"	1-7/16" DHRP	7/8" SDL	INSULATED	OVOLO	SIMPSON
F37504LE	DOOR	45	8/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37506LE	DOOR	45	8/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37508LEW	DOOR	47	6/8	5-1/2"	4-7/16"	---	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37508LEW	DOOR	47	7/0	5-1/2"	6-7/16"	---	11-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37512	DOOR	47	8/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	INSULATED	OVOLO	SIMPSON
F37662LE	DOOR	47	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON

Stile & Rail Dimensions / Index

STYLE	TYPE	PAGE	HEIGHT	STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	BAR	GLASS	STICKING	MANUFACTURER
F37662LE	DOOR	47	7/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37662LEW	DOOR	43	6/8	5-1/2"	4-7/16"	---	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37663LEW	DOOR	43	6/8	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37705LEW	SIDELITE	65	6/8	2-29/32"	4-7/16"	---	9-11/16"	---	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37705LEW	SIDELITE	65	7/0	2-29/32"	6-7/16"	---	11-11/16"	---	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37982LEW	DOOR	43	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37982LEW	DOOR	43	7/0	5-1/2"	6-7/16"	7-1/2"	11-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F418	DOOR	53	6/8	4-1/2"	4-7/16"	4-1/2"	9-3/16"	3/4" DHRP	1-1/4" TDL	SAFETY	OVOLO	SIMPSON
F4416V	DOOR	23	6/8	---	---	---	---	V-GROOVE	---	---	---	SIMPSON
F4416V	DOOR	23	7/0	---	---	---	---	V-GROOVE	---	---	---	SIMPSON
F6171	SIDELITE	37	6/8	2-29/32"	4-7/16"	---	9-11/16"	---	---	SOLANO	OVOLO	SIMPSON
F6175	SIDELITE	35	6/8	2-29/32"	4-7/16"	---	9-11/16"	3/4" FP	---	INSULATED	OVOLO	SIMPSON
F6175LE	SIDELITE	34	6/8	2-29/32"	4-7/16"	---	9-11/16"	3/4" FP	---	LOW-E	OVOLO	SIMPSON
F6422	DOOR	63	6/8	5-1/2"	4-9/16"	---	9-3/16"	---	---	TERRACE RIDGE	OVOLO	SIMPSON
F6422	DOOR	63	7/0	5-1/2"	6-7/16"	---	11-3/16"	---	---	TERRACE RIDGE	OVOLO	SIMPSON
F6423	SIDELITE	63	6/8	3"	4-7/16"	---	9-11/16"	---	---	TERRACE RIDGE	OVOLO	SIMPSON
F6423	SIDELITE	63	7/0	3"	6-7/16"	---	11-11/16"	---	---	TERRACE RIDGE	OVOLO	SIMPSON
F6490	DOOR	32	6/8	6"	5-9/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	SANTA FE	OVOLO	SIMPSON
F6490	DOOR	32	7/0	6"	7-9/16"	7-1/2"	11-3/16"	1-7/16" DHRP	---	SANTA FE	OVOLO	SIMPSON
F6493	SIDELITE	32	6/8	3-1/2"	5-9/16"	---	9-11/16"	1-7/16" DHRP	---	SANTA FE	OVOLO	SIMPSON
F6493	SIDELITE	32	7/0	3-1/2"	7-9/16"	---	11-11/16"	1-7/16" DHRP	---	SANTA FE	OVOLO	SIMPSON
F6801	DOOR	34	6/8	5-1/2"	4-7/16"	---	9-3/16"	3/4" FP	---	INSULATED	OVOLO	SIMPSON
F6801	DOOR	34	8/0	5-1/2"	4-7/16"	---	9-3/16"	3/4" FP	---	INSULATED	OVOLO	SIMPSON
F6801LE	DOOR	34	6/8	5-1/2"	4-7/16"	---	9-3/16"	3/4" FP	---	LOW-E	OVOLO	SIMPSON
F6801LE	DOOR	34	8/0	5-1/2"	4-7/16"	---	9-3/16"	3/4" FP	---	LOW-E	OVOLO	SIMPSON
F6803	DOOR	55	6/8	5-1/2"	4-7/16"	---	9-3/16"	3/4" FP	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
F6803LE	DOOR	55	6/8	5-1/2"	4-7/16"	---	9-3/16"	3/4" FP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F6841	DOOR	37	6/8	5-1/2"	4-7/16"	---	9-3/16"	3/4" FP	---	SOLANO	OVOLO	SIMPSON
F6841	DOOR	37	6/8	5-1/2"	4-7/16"	---	9-3/16"	3/4" FP	---	SOLANO	OVOLO	SIMPSON
F6861	DOOR	35	6/8	5-1/2"	4-7/16"	---	9-3/16"	3/4" FP	---	INSULATED	OVOLO	SIMPSON
F6861	DOOR	35	8/0	5-1/2"	4-7/16"	---	9-3/16"	3/4" FP	---	INSULATED	OVOLO	SIMPSON
F6861LE	DOOR	35	6/8	5-1/2"	4-7/16"	---	9-3/16"	3/4" FP	---	LOW-E	OVOLO	SIMPSON
F6861LE	DOOR	35	8/0	5-1/2"	4-7/16"	---	9-3/16"	3/4" FP	---	LOW-E	OVOLO	SIMPSON
F6881	DOOR	37	6/8	5-1/2"	4-7/16"	---	9-3/16"	3/4" FP	---	SOLANO	OVOLO	SIMPSON

Stile & Rail Dimensions / Index

STYLE	TYPE	PAGE	HEIGHT	STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	BAR	GLASS	STICKING	MANUFACTURER
F6881	DOOR	37	8/0	5-1/2"	4-7/16"	---	9-3/16"	3/4" FP	---	SOLANO	OVOLO	SIMPSON
F7001	DOOR	62	6/8	4-1/2"	4-7/16"	---	9-3/16"	---	---	INSULATED	OVOLO	SIMPSON
F7001	DOOR	62	7/0	4-1/2"	4-7/16"	---	9-3/16"	---	---	INSULATED	OVOLO	SIMPSON
F7001	DOOR	62	8/0	4-1/2"	4-7/16"	---	9-3/16"	---	---	INSULATED	OVOLO	SIMPSON
F7002LE	DOOR	63	6/8	5-1/2"	4-7/16"	---	9-3/16"	---	---	LOW-E	OVOLO	SIMPSON
F7002LE	DOOR	63	8/0	5-1/2"	4-7/16"	---	9-3/16"	---	---	LOW-E	OVOLO	SIMPSON
F7002LEW	DOOR	61	6/8	5-1/2"	4-7/16"	---	9-3/16"	---	---	LOW-E	OVOLO	SIMPSON
F7002LEW	DOOR	61	8/0	5-1/2"	4-7/16"	---	9-3/16"	---	---	LOW-E	OVOLO	SIMPSON
F37010	DOOR	66	6/8	4-1/2"	4-7/16"	---	9-3/16"	---	7/8" SDL	INSULATED	OVOLO	SIMPSON
F37010	DOOR	66	7/0	4-1/2"	4-7/16"	---	9-3/16"	---	7/8" SDL	INSULATED	OVOLO	SIMPSON
F37015	DOOR	66	6/8	5-1/2"	4-7/16"	---	9-3/16"	---	7/8" SDL	INSULATED	OVOLO	SIMPSON
F37015	DOOR	66	7/0	5-1/2"	4-7/16"	---	9-3/16"	---	7/8" SDL	INSULATED	OVOLO	SIMPSON
F7031LE	DOOR	31	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
F7037LE	DOOR	62	8/0	5-1/2"	4-7/16"	---	9-3/16"	---	---	LOW-E	OVOLO	SIMPSON
F7037W	DOOR	61	6/8	5-1/2"	6-7/16"	---	18-1/2"	---	---	INSULATED	OVOLO	SIMPSON
F7037W	DOOR	61	7/0	5-1/2"	6-7/16"	---	18-1/2"	---	---	INSULATED	OVOLO	SIMPSON
F7044LE	DOOR	30	6/8	4-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
F7044LE	DOOR	30	8/0	4-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
F7044LEW	DOOR	29	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
F7044LEW	DOOR	29	7/0	5-1/2"	6-7/16"	7-1/2"	11-3/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
F7081LEW	DOOR	29	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
F7081LEW	DOOR	29	7/0	5-1/2"	6-7/16"	7-1/2"	11-3/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
F37109	DOOR	67	6/8	5-1/2"	4-7/16"	---	9-3/16"	---	7/8" SDL	INSULATED	OVOLO	SIMPSON
F37109	DOOR	67	7/0	5-1/2"	6-7/16"	---	11-3/16"	---	7/8" SDL	INSULATED	OVOLO	SIMPSON
F7130	DOOR	20	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
F7130	DOOR	20	7/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
F7130	DOOR	20	8/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
F7132	DOOR	31	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	INSULATED	OVOLO	SIMPSON
F7132	DOOR	31	7/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	INSULATED	OVOLO	SIMPSON
F37134	DOOR	47	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	INSULATED	OVOLO	SIMPSON
F37134	DOOR	47	7/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	INSULATED	OVOLO	SIMPSON
F37212	DOOR	49	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37213	SIDELITE	49	6/8	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37214	DOOR	49	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON

Stile & Rail Dimensions / Index

STYLE	TYPE	PAGE	HEIGHT	STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	BAR	GLASS	STICKING	MANUFACTURER
F37215	SIDELITE	49	6/8	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37215	SIDELITE	49	7/0	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37216	DOOR	49	6/8	5-1/2"	4-7/16"	---	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37217	SIDELITE	49	6/8	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37217	SIDELITE	49	8/0	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37218	DOOR	49	6/8	5-1/2"	4-7/16"	---	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37219	SIDELITE	48	6/8	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37219	SIDELITE	48	7/0	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37222	DOOR	49	6/8	5-1/2"	4-7/16"	---	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37224	DOOR	49	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37224	DOOR	49	7/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37226	DOOR	49	6/8	5-1/2"	4-7/16"	---	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37228	DOOR	48	6/8	5-1/2"	4-7/16"	---	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37228	DOOR	48	7/0	5-1/2"	4-7/16"	---	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F7260	SIDELITE	51	6/8	3-3/4"	5-9/16"	---	9-11/16"	1-7/16" DHRP	2-3/4" TDL	INSULATED	OVOLO	SIMPSON
F7260	SIDELITE	51	7/0	3-3/4"	5-9/16"	---	9-11/16"	1-7/16" DHRP	2-3/4" TDL	INSULATED	OVOLO	SIMPSON
F7260LE	SIDELITE	51	8/0	3-3/4"	5-9/16"	---	9-11/16"	1-7/16" DHRP	2-3/4" TDL	LOW-E	OVOLO	SIMPSON
F7304	DOOR	22	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
F7304	DOOR	22	7/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
F7304	DOOR	22	8/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
F7326	DOOR	22	6/8	5-1/2"	4-7/16"	---	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
F7403LEE	DOOR	59	6/8	5-1/2"	4-7/16"	---	9-3/16"	---	---	SATIN ETCH	SHAKER	SIMPSON
F7404LEE	DOOR	59	6/8	5-1/2"	4-7/16"	---	9-3/16"	---	---	SATIN ETCH	SHAKER	SIMPSON
F7405LEE	DOOR	59	6/8	5-1/2"	4-7/16"	---	9-3/16"	---	---	SATIN ETCH	SHAKER	SIMPSON
F7406LEE	DOOR	59	8/0	5-1/2"	4-7/16"	---	9-3/16"	---	---	SATIN ETCH	SHAKER	SIMPSON
F7501LE	DOOR	31	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
F7501LE	DOOR	31	8/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
F7501LEW	DOOR	29	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
F7501LEW	DOOR	29	7/0	5-1/2"	6-7/16"	7-1/2"	11-3/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
F37508	DOOR	47	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	INSULATED	OVOLO	SIMPSON
F37508	DOOR	47	7/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	INSULATED	OVOLO	SIMPSON
F37508LEW	DOOR	43	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	INSULATED	OVOLO	SIMPSON
F37508LEW	DOOR	43	7/0	5-1/2"	6-7/16"	7-1/2"	11-3/16"	1-7/16" DHRP	7/8" SDL	INSULATED	OVOLO	SIMPSON

Stile & Rail Dimensions / Index

STYLE	TYPE	PAGE	HEIGHT	STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	BAR	GLASS	STICKING	MANUFACTURER
F37512	DOOR	47	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	INSULATED	OVOLO	SIMPSON
F37512	DOOR	47	7/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	INSULATED	OVOLO	SIMPSON
F7598	DOOR	50	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	1-3/8" TDL	BEVELED	OVOLO	SIMPSON
F7598	DOOR	50	7/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	1-3/8" TDL	BEVELED	OVOLO	SIMPSON
F7599	SIDELITE	50	6/8	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	1-3/8" TDL	BEVELED	OVOLO	SIMPSON
F7599	SIDELITE	50	7/0	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	1-3/8" TDL	BEVELED	OVOLO	SIMPSON
F37662LE	DOOR	45	6/8	5-1/2"	4-7/16"	---	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37663LE	SIDELITE	47	6/8	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37663LE	SIDELITE	47	7/0	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F77002	DOOR	60	6/8	5-1/2"	5-7/16"	---	9-3/16"	---	---	LOW-E	OVOLO	SIMPSON
F7701	SIDELITE	62	6/8	2-29/32"	4-7/16"	---	9-11/16"	---	---	INSULATED	OVOLO	SIMPSON
F7701	SIDELITE	62	7/0	2-29/32"	4-7/16"	---	9-11/16"	---	---	INSULATED	OVOLO	SIMPSON
F77015	DOOR	64	6/8	5-1/2"	5-7/16"	---	9-3/16"	---	7/8" SDL	LOW-E	OVOLO	SIMPSON
F7701LE	SIDELITE	63	6/8	2-29/32"	4-7/16"	---	9-7/8"	---	---	LOW-E	OVOLO	SIMPSON
F7701LE	SIDELITE	63	6/8	2-29/32"	6-7/16"	---	11-7/8"	---	---	LOW-E	OVOLO	SIMPSON
F7701LE	SIDELITE	63	7/0	2-29/32"	4-7/16"	---	9-7/8"	---	---	LOW-E	OVOLO	SIMPSON
F7701LEE	SIDELITE	59	6/8	2-29/32"	4-7/16"	---	9-11/16"	---	---	SATIN ETCH	SHAKER	SIMPSON
F7701LEE	SIDELITE	59	8/0	2-29/32"	4-7/16"	---	9-11/16"	---	---	SATIN ETCH	SHAKER	SIMPSON
F7701LEW	SIDELITE	61	6/8	2-29/32"	4-7/16"	---	9-11/16"	---	---	LOW-E	OVOLO	SIMPSON
F7701LEW	SIDELITE	61	7/0	2-29/32"	6-7/16"	---	11-11/16"	---	---	LOW-E	OVOLO	SIMPSON
F7702	SIDELITE	30	6/8	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	---	INSULATED	OVOLO	SIMPSON
F7702LE	SIDELITE	30	8/0	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
F37703	SIDELITE	47	6/8	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	INSULATED	OVOLO	SIMPSON
F37703	SIDELITE	47	7/0	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	INSULATED	OVOLO	SIMPSON
F37705	SIDELITE	66	6/8	2-29/32"	4-7/16"	---	9-11/16"	---	7/8" SDL	INSULATED	OVOLO	SIMPSON
F37705	SIDELITE	66	7/0	2-29/32"	4-7/16"	---	9-11/16"	---	7/8" SDL	INSULATED	OVOLO	SIMPSON
F37709	SIDELITE	67	6/8	2-29/32"	4-7/16"	---	9-11/16"	---	7/8" SDL	INSULATED	OVOLO	SIMPSON
F37709	SIDELITE	67	7/0	2-29/32"	6-7/16"	---	11-11/16"	---	7/8" SDL	INSULATED	OVOLO	SIMPSON
F7711LE	TRANSOM	72	1/0 (12")	1-29/32"	2-29/32"	---	2-29/32"	---	---	LOW-E	OVOLO	SIMPSON
F77130	DOOR	19	6/8	5-1/2"	5-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
F77144	DOOR	19	6/8	5-1/2"	5-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
F37715	TRANSOM	72	1/0 (12")	1-29/32"	2-29/32"	---	2-29/32"	---	7/8" SDL	INSULATED	OVOLO	SIMPSON
F77212	DOOR	39	6/8	5-1/2"	5-7/16"	---	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37725	TRANSOM	72	1/0 (12")	2-29/32"	2-29/32"	---	2-29/32"	---	7/8" SDL	INSULATED	OVOLO	SIMPSON

Stile & Rail Dimensions / Index

STYLE	TYPE	PAGE	HEIGHT	STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	BAR	GLASS	STICKING	MANUFACTURER
F77260	SIDELITE	54	6/8	2-29/32"	5-7/16"	---	9-3/16"	3/4" FP	2-3/4" TDL	LOW-E	OVOLO	SIMPSON
F37743	TRANSOM	72	1/0 (12")	4-1/2"	2-29/32"	---	2-29/32"	---	7/8" SDL	INSULATED	OVOLO	SIMPSON
F2774560	TRANSOM	72	1/0 (12")	4-1/2"	2-29/32"	---	2-29/32"	---	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
F77465	DOOR	19	6/8	5-1/2"	5-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
F77504G	DOOR	41	6/8	5-1/2"	5-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F77504G	DOOR	41	7/0	5-1/2"	5-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F77506G	DOOR	41	6/8	5-1/2"	5-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F77506G	DOOR	41	7/0	5-1/2"	5-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F7751	TRANSOM	72	1/0 (12")	5-1/2"	2-29/32"	---	2-29/32"	---	---	INSULATED	OVOLO	SIMPSON
F7751LE	TRANSOM	72	1/0 (12")	5-1/2"	2-29/32"	---	2-29/32"	---	---	LOW-E	OVOLO	SIMPSON
F37753	TRANSOM	72	1/0 (12")	5-1/2"	2-29/32"	---	2-29/32"	---	7/8" SDL	INSULATED	OVOLO	SIMPSON
F37755	TRANSOM	72	1/0 (12")	5-1/2"	2-29/32"	---	2-29/32"	---	7/8" SDL	INSULATED	OVOLO	SIMPSON
F77598	DOOR	39	6/8	5-1/2"	5-7/16"	---	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F77599	SIDELITE	39	6/8	2-29/32"	5-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F77660	DOOR	57	6/8	5-1/2"	5-7/16"	---	9-3/16"	3/4" FP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F77662	DOOR	39	6/8	5-1/2"	5-7/16"	---	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F77663	SIDELITE	57	6/8	2-29/32"	5-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F77663RP	SIDELITE	39	6/8	2-29/32"	5-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F77663G	SIDELITE	41	6/8	2-29/32"	5-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F77663G	SIDELITE	41	7/0	2-29/32"	5-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F77664G	DOOR	41	6/8	5-1/2"	5-7/16"	---	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F77664G	DOOR	41	7/0	5-1/2"	5-7/16"	---	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F77701	SIDELITE	60	6/8	2-29/32"	5-7/16"	---	9-11/16"	---	---	LOW-E	OVOLO	SIMPSON
F77703	SIDELITE	39	6/8	2-29/32"	5-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F77705	SIDELITE	64	6/8	2-29/32"	5-7/16"	---	9-11/16"	---	7/8" SDL	LOW-E	OVOLO	SIMPSON
F77802G	SIDELITE	41	6/8	2-29/32"	5-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F77802G	SIDELITE	41	7/0	2-29/32"	5-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F77803G	SIDELITE	41	6/8	2-29/32"	5-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F77803G	SIDELITE	41	7/0	2-29/32"	5-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F77804	SIDELITE	39	6/8	2-29/32"	5-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F77860	DOOR	54	6/8	5-1/2"	5-7/16"	---	9-3/16"	3/4" FP	2-3/4" TDL	LOW-E	OVOLO	SIMPSON
F77944	DOOR	39	6/8	5-1/2"	5-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F7801LE	SIDELITE	31	6/8	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON

Stile & Rail Dimensions / Index

STYLE	TYPE	PAGE	HEIGHT	STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	BAR	GLASS	STICKING	MANUFACTURER
F7801LE	SIDELITE	31	8/0	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
F7801LEW	SIDELITE	29	6/8	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
F7801LEW	SIDELITE	29	7/0	2-29/32"	6-7/16"	---	11-11/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
F37804	SIDELITE	47	6/8	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	INSULATED	OVOLO	SIMPSON
F37804	SIDELITE	47	7/0	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	INSULATED	OVOLO	SIMPSON
F7860	DOOR	51	6/8	5-1/2"	5-9/16"	---	9-3/16"	1-7/16" DHRP	2-3/4" TDL	INSULATED	OVOLO	SIMPSON
F7860	DOOR	51	7/0	5-1/2"	7-9/16"	---	11-3/16"	1-7/16" DHRP	2-3/4" TDL	INSULATED	OVOLO	SIMPSON
F7860LE	DOOR	51	8/0	5-1/2"	5-9/16"	---	9-3/16"	1-7/16" DHRP	2-3/4" TDL	LOW-E	OVOLO	SIMPSON
F37944	DOOR	47	6/8	4-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	INSULATED	OVOLO	SIMPSON
F37944	DOOR	47	7/0	4-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	INSULATED	OVOLO	SIMPSON
F944	DOOR	53	6/8	4-1/2"	4-7/16"	7-1/2"	9-3/16"	3/4" DHRP	1-1/4" TDL	SAFETY	OVOLO	SIMPSON
FD7130	DOOR	71	6/8	4-1/2"	4-7/16"	6-7/8"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
FD37944	DOOR	71	6/8	4-1/2"	4-7/16"	6-7/8"	9-3/16"	1-7/16" DHRP	7/8" SDL	INSULATED	OVOLO	SIMPSON
FD37035	DOOR	71	6/8	4-1/2"	4-7/16"	6-7/8"	9-3/16"	1-7/16" DHRP	7/8" SDL	INSULATED	OVOLO	SIMPSON
MF7230	DOOR	19	6/8	5-1/2"	4-7/16"	---	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
MF7230	DOOR	19	8/0	5-1/2"	5-1/2"	---	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
MF7282	DOOR	19	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
MF7282	DOOR	19	8/0	5-1/2"	5-1/2"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
MF7465	DOOR	19	6/8	5-1/2"	8"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
MF7465	DOOR	19	8/0	5-1/2"	8"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
MF7701	SIDELITE	19	6/8	2-29/32"	4-7/16"	---	9-11/16"	---	---	LOW-E	OVOLO	SIMPSON
MF7701	SIDELITE	19	8/0	2-29/32"	5-1/2"	---	9-11/16"	---	---	LOW-E	OVOLO	SIMPSON
MSM7230M	DOOR	75	6/8	5-1/2"	4-7/16"	---	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
MSM7282	DOOR	75	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
MSM7282	DOOR	75	8/0	5-1/2"	5-1/2"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
MSM7282M	DOOR	75	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
MSM7282M	DOOR	75	8/0	5-1/2"	5-1/2"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
MSM7465	DOOR	75	6/8	5-1/2"	8"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
MSM7465	DOOR	75	8/0	5-1/2"	8"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
MSM7701	SIDELITE	75	6/8	2-29/32"	4-7/16"	---	9-11/16"	---	---	LOW-E	OVOLO	SIMPSON
MSM7701	SIDELITE	75	8/0	2-29/32"	4-7/16"	---	9-11/16"	---	---	LOW-E	OVOLO	SIMPSON
O7130	DOOR	92	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
O7344	DOOR	92	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
O37703	SIDELITE	93	6/8	2-29/32"	4-7/16"	7-1/2"	9-11/16"	1-7/16" DHRP	7/8" SDL	INSULATED	OVOLO	SIMPSON

Stile & Rail Dimensions / Index

STYLE	TYPE	PAGE	HEIGHT	STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	BAR	GLASS	STICKING	MANUFACTURER
O37944	DOOR	93	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	INSULATED	OVOLO	SIMPSON
P100	DOOR	86	6/8	4-17/32"	4-9/16"	9"	7-1/2"	3/4" SHRP	---	---	OVOLO	WOODGRAIN
P100	DOOR	86	7/0	4-17/32"	4-9/16"	9"	7-1/2"	3/4" SHRP	---	---	OVOLO	WOODGRAIN
P1053	DOOR	86	6/8	4-17/32"	4-9/16"	9"	7-1/2"	3/4" SHRP	---	---	OVOLO	WOODGRAIN
P1501	DOOR	90	6/8	4-17/32"	4-9/16"	---	9"	---	---	SAFETY	OVOLO	WOODGRAIN
P1510	DOOR	91	6/8	4-17/32"	4-9/16"	---	9"	---	1-5/16" TDL	SAFETY	OVOLO	WOODGRAIN
P1510	DOOR	91	7/0	4-17/32"	4-9/16"	---	9"	---	1-5/16" TDL	SAFETY	OVOLO	WOODGRAIN
P1512	DOOR	91	8/0	4-17/32"	4-9/16"	---	9"	---	1-5/16" TDL	SAFETY	OVOLO	WOODGRAIN
P1515	DOOR	91	6/8	4-17/32"	4-9/16"	---	9"	---	1-5/16" TDL	SAFETY	OVOLO	WOODGRAIN
P1515	DOOR	91	7/0	4-17/32"	4-9/16"	---	9"	---	1-5/16" TDL	SAFETY	OVOLO	WOODGRAIN
P1518	DOOR	91	8/0	4-17/32"	4-9/16"	---	9"	---	1-5/16" TDL	SAFETY	OVOLO	WOODGRAIN
P1701	SIDELITE	90	6/8	2-1/4"	4-9/16"	---	9-1/2"	---	---	SINGLE	OVOLO	WOODGRAIN
P1701	SIDELITE	90	7/0	2-1/4"	4-9/16"	---	9-1/2"	---	---	SINGLE	OVOLO	WOODGRAIN
P1705	SIDELITE	89	6/8	2-1/4"	4-9/16"	---	9-1/2"	---	1-5/16" TDL	SINGLE	OVOLO	WOODGRAIN
P1705	SIDELITE	89	7/0	2-1/4"	4-9/16"	---	9-1/2"	---	1-5/16" TDL	SINGLE	OVOLO	WOODGRAIN
P182	DOOR	87	6/8	4-17/32"	4-9/16"	7-1/2"	9"	1-3/16" DHRP	---	SINGLE	OVOLO	WOODGRAIN
P2035	DOOR	89	6/8	4-17/32"	4-9/16"	7-1/2"	9"	1-3/16" DHRP	1-5/16" TDL	SINGLE	OVOLO	WOODGRAIN
P26146	DOOR	89	6/8	5-17/32"	4-9/16"	7-1/2"	9"	1-3/16" DHRP	1-5/16" TDL	SINGLE	OVOLO	WOODGRAIN
P512	DOOR	89	6/8	4-17/32"	4-9/16"	---	9"	1-3/16" DHRP	1-5/16" TDL	SINGLE	OVOLO	WOODGRAIN
P7002LE	DOOR	90	6/8	2-29/32"	4-7/16"	7-1/2"	9-11/16"	---	---	LOW-E	OVOLO	SIMPSON
P7044	DOOR	85	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	INSULATED	OVOLO	SIMPSON
P7044	DOOR	85	7/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	INSULATED	OVOLO	SIMPSON
P7130	DOOR	84	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
P7132	DOOR	85	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	INSULATED	OVOLO	SIMPSON
P7282	DOOR	84	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
P7501	DOOR	85	6/8	5-1/2"	4-7/16"	---	9-3/16"	1-7/16" DHRP	---	INSULATED	OVOLO	SIMPSON
P7501	DOOR	85	7/0	5-1/2"	6-7/16"	---	11-3/16"	1-7/16" DHRP	---	INSULATED	OVOLO	SIMPSON
P7701LE	SIDELITE	90	6/8	1-29/32"	4-7/16"	---	9-11/16"	---	---	LOW-E	OVOLO	SIMPSON
P7702	SIDELITE	85	6/8	2-29/32"	4-7/16"	7-1/2"	9-11/16"	1-7/16" DHRP	---	INSULATED	OVOLO	SIMPSON
P7702	SIDELITE	85	7/0	2-29/32"	4-7/16"	7-1/2"	9-11/16"	1-7/16" DHRP	---	INSULATED	OVOLO	SIMPSON
P944	DOOR	87	6/8	4-17/32"	4-9/16"	7-1/2"	9"	1-3/16" DHRP	1-5/16" TDL	SINGLE	OVOLO	WOODGRAIN
P982	DOOR	89	6/8	4-17/32"	4-9/16"	7-1/2"	9"	1-3/16" DHRP	1-5/16" TDL	SINGLE	OVOLO	WOODGRAIN
SM7002	DOOR	81	6/8	5-1/2"	4-7/16"	---	9-3/16"	---	---	INSULATED	OVOLO	SIMPSON
SM7002	DOOR	81	7/0	5-1/2"	6-7/16"	---	11-3/16"	---	---	INSULATED	OVOLO	SIMPSON

Stile & Rail Dimensions / Index

STYLE	TYPE	PAGE	HEIGHT	STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	BAR	GLASS	STICKING	MANUFACTURER
SM7130	DOOR	77	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
SM7130	DOOR	77	7/0	5-1/2"	6-7/16"	7-1/2"	11-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
SM7282	DOOR	77	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
SM7282	DOOR	77	7/0	5-1/2"	6-7/16"	7-1/2"	11-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
SM7282RM	DOOR	77	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
SM7282RM	DOOR	77	7/0	5-1/2"	6-7/16"	7-1/2"	11-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
SM7344	DOOR	77	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
SM7344	DOOR	77	7/0	5-1/2"	6-7/16"	7-1/2"	11-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
SM7501LE	DOOR	77	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
SM7501LE	DOOR	77	8/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
SM77015	DOOR	82	6/8	5-1/2"	5-7/16"	---	9-3/16"	---	7/8" SDL	LOW-E	OVOLO	SIMPSON
SM7702	SIDELITE	77	6/8	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	---	INSULATED	OVOLO	SIMPSON
SM7702	SIDELITE	77	7/0	2-29/32"	6-7/16"	---	11-11/16"	1-7/16" DHRP	---	INSULATED	OVOLO	SIMPSON
SM7702RM	SIDELITE	77	6/8	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	---	INSULATED	OVOLO	SIMPSON
SM7702RM	SIDELITE	77	7/0	2-29/32"	6-7/16"	---	11-11/16"	1-7/16" DHRP	---	INSULATED	OVOLO	SIMPSON
SM37703	SIDELITE	80	6/8	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	INSULATED	OVOLO	SIMPSON
SM37703	SIDELITE	80	7/0	2-29/32"	6-7/16"	---	11-11/16"	1-7/16" DHRP	7/8" SDL	INSULATED	OVOLO	SIMPSON
SM37705	SIDELITE	81	6/8	2-29/32"	4-7/16"	---	9-11/16"	---	7/8" SDL	INSULATED	OVOLO	SIMPSON
SM37705	SIDELITE	81	7/0	2-29/32"	6-7/16"	---	11-11/16"	---	7/8" SDL	INSULATED	OVOLO	SIMPSON
SM77130	DOOR	75	6/8	5-1/2"	5-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
SM77144	DOOR	75	6/8	5-1/2"	5-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
SM77465	DOOR	75	6/8	5-1/2"	5-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
SM77504G	DOOR	79	6/8	5-1/2"	5-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
SM77504G	DOOR	79	7/0	5-1/2"	5-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
SM77506	DOOR	79	6/8	5-1/2"	5-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
SM77506G	DOOR	79	6/8	5-1/2"	5-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
SM77506G	DOOR	79	7/0	5-1/2"	5-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
SM77662	DOOR	79	6/8	5-1/2"	5-7/16"	---	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
SM77663	SIDELITE	79	6/8	2-29/32"	5-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
SM77663G	SIDELITE	79	6/8	2-29/32"	5-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
SM77663G	SIDELITE	79	7/0	2-29/32"	5-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
SM77664G	DOOR	79	6/8	5-1/2"	5-7/16"	---	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
SM77664G	DOOR	79	7/0	5-1/2"	5-7/16"	---	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON

Stile & Rail Dimensions / Index

STYLE	TYPE	PAGE	HEIGHT	STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	BAR	GLASS	STICKING	MANUFACTURER
SM77701	SIDELITE	75	6/8	2-29/32"	5-7/16"	---	9-11/16"	---	---	LOW-E	OVOLO	SIMPSON
SM77703	SIDELITE	79	6/8	2-29/32"	5-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
SM77705	SIDELITE	82	6/8	2-29/32"	5-7/16"	---	9-11/16"	---	7/8" SDL	LOW-E	OVOLO	SIMPSON
SM77802G	SIDELITE	79	6/8	2-29/32"	5-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
SM77802G	SIDELITE	79	7/0	2-29/32"	5-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
SM77803	SIDELITE	79	6/8	2-29/32"	5-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
SM77803G	SIDELITE	79	6/8	2-29/32"	5-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
SM77803G	SIDELITE	79	7/0	2-29/32"	5-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
SM77944	DOOR	79	6/8	5-1/2"	5-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
SM7801LE	SIDELITE	77	6/8	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
SM7801LE	SIDELITE	77	8/0	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
SM37944	DOOR	80	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	INSULATED	OVOLO	SIMPSON
SM37944	DOOR	80	7/0	5-1/2"	6-7/16"	7-1/2"	11-3/16"	1-7/16" DHRP	7/8" SDL	INSULATED	OVOLO	SIMPSON

Unit Dimensions & Rough Openings

INSWING UNITS

Height

For a 6'8" unit, the height of the unit is dependent on the sill used.

Adjustable Composite Sill (Standard): Unit Size Height - 82", Rough Opening Height - 82-1/2"

Public Access Sill: Unit Size Height - 81", Rough Opening Height - 81-1/2"

7/4 Inswing Wood Sill: Unit Size Height - 82", Rough Opening Height - 82-1/2"

Note: All doors are 6'8" in height. To find the unit size or rough opening for other heights, please add or subtract the following:

6'6" doors: deduct 2" from the height

7'0" doors: add 4" to the height.

8'0" doors: add 16" to the height.

Width

The width of the unit is dependent on the configuration. Choose the configuration type of your unit and then the door size to find your unit size and rough opening widths.

Single Unit			Continuous Single with One Sidelite Standard Mull Post			Continuous Single with Two Sidelites Standard Mull Post		
Description	Unit Size Width	Rough Opening Width	Description	Unit Size Width	Rough Opening Width	Description	Unit Size Width	Rough Opening Width
10" sidelite	11-1/2"	12-1/4"	3'0" w/ 10" s/l	48-5/8"	49-3/8"	3'0" w/ 10" s/l	59-5/8"	60-3/8"
12" sidelite	13-1/2"	14-1/4"	3'0" w/ 12" s/l	50-5/8"	51-3/8"	3'0" w/ 12" s/l	63-5/8"	64-3/8"
14" sidelite	15-1/2"	16-1/4"	3'0" w/ 14" s/l	52-5/8"	53-3/8"	3'0" w/ 14" s/l	67-5/8"	68-3/8"
2'0"	25-5/8"	26-3/8"						
2'4"	29-5/8"	30-3/8"						
2'6"	31-5/8"	32-3/8"						
2'8"	33-5/8"	34-3/8"						
2'10"	35-5/8"	36-3/8"						
3'0"	37-5/8"	38-3/8"						
3'6"	43-5/8"	44-3/8"						

Double Door 7/8" Astragal			Patio Door Standard Mull Post			Triple Patio Door Standard Mull Post		
Description	Unit Size Width	Rough Opening Width	Description	Unit Size Width	Rough Opening Width	Description	Unit Size Width	Rough Opening Width
4'8"	58-9/16"	59-5/16"	4'8"	58-13/16"	59-9/16"	7'0"	88"	88-3/4"
5'0"	62-9/16"	63-5/16"	5'0"	62-13/16"	63-9/16"	7'6"	94"	94-3/4"
5'4"	66-9/16"	67-5/16"	5'4"	66-13/16"	67-9/16"	8'0"	100"	100-3/4"
5'8"	70-9/16"	71-5/16"	5'8"	70-13/16"	71-9/16"	8'6"	106"	106-3/4"
6'0"	74-9/16"	75-5/16"	6'0"	74-13/16"	75-9/16"	9'0"	112"	112-3/4"

Continuous Single with One Venting Sidelite Wide Mull Post			Continuous Single with Two Venting Sidelites Wide Mull Post			Continuous Double with Two Venting Sidelites 7/8" Astragal, Wide Mull Post		
Description	Unit Size Width	Rough Opening Width	Description	Unit Size Width	Rough Opening Width	Description	Unit Size Width	Rough Opening Width
2'6" w/1 12" s/l	45-3/8"	46-1/8"	3'0" w/2 12" s/l	65-1/16"	65-13/16"	5'0" w/2 12" s/l	90"	90-3/4"
2'6" w/1 14" s/l	47-3/8"	48-1/8"	3'0" w/2 14" s/l	69-1/16"	69-13/16"	5'0" w/2 14" s/l	94"	94-3/4"
2'8" w/1 12" s/l	47-3/8"	48-1/8"	Other sizes are available special order, contact Reeb for details			5'4" w/2 12" s/l	94"	94-3/4"
2'8" w/1 14" s/l	49-3/8"	50-1/8"				5'4" w/2 14" s/l	98"	98-3/4"
2'10" w/1 12" s/l	49-3/8"	50-1/8"	Note: 8/0 venting sidelites are only available in 14" width.			5'8" w/2 12" s/l	98"	98-3/4"
2'10" w/1 14" s/l	51-3/8"	52-1/8"				5'8" w/2 14" s/l	102"	102-3/4"
3'0" w/1 12" s/l	51-3/8"	52-1/8"				6'0" w/2 12" s/l	102"	102-3/4"
3'0" w/1 14" s/l	53-3/8"	54-1/8"				6'0" w/2 14" s/l	106"	106-3/4"

Dimension Adders

Rough Opening (the opening in a standard wall): add 3/4" to the Unit Width and 1/2" to the Unit Height

Brickmould Dimension (from edge of brickmould to edge of brickmould): add 2-1/2" to the Unit Width and 1-1/4" to the Unit Height

Masonry Opening (the opening in a masonry wall): add 3" to the Unit Width and 1-1/2" to the Unit Height

Boxed Unit Rough Opening (individual units muller together): Add each unit dimensions then add 3/4" to the Width and 1/2" to the Height

Transoms (glass component on top of the unit): Add door unit dimension and transom unit dimension, then add Rough Opening Adder

Unit Dimensions & Rough Openings

OUTSWING UNITS

Height

For a 6'8" unit, the height of the unit is dependent on the sill used.

Adjustable Composite Sill (Standard): Unit Size Height - 81-3/16", Rough Opening Height - 81-11/16"

Public Access Sill: Unit Size Height - 81", Rough Opening Height - 81-1/2"

Outswing Bumper Sill: Unit Size Height - 80-5/8", Rough Opening Height - 81-1/8"

7/4 Outswing Wood Sill: Unit Size Height - 82", Rough Opening Height - 82-1/2"

Note: All doors are 6'8" in height. To find the unit size or rough opening for other heights, please add or subtract the following:

6'6" doors: deduct 2" from the height

7'0" doors: add 4" to the height.

8'0" doors: add 16" to the height.

Width

The width of the unit is dependent on the configuration. Choose the configuration type of your unit and then the door size to find your unit size and rough opening widths.

Single Unit		
Description	Unit Size Width	Rough Opening Width
10" sidelite	11-1/2"	12-1/4"
12" sidelite	13-1/2"	14-1/4"
14" sidelite	15-1/2"	16-1/4"
2'0"	25-5/8"	26-3/8"
2'4"	29-5/8"	30-3/8"
2'6"	31-5/8"	32-3/8"
2'8"	33-5/8"	34-3/8"
2'10"	35-5/8"	36-3/8"
3'0"	37-5/8"	38-3/8"
3'6"	43-5/8"	44-3/8"

Double Door 7/8" Astragal		
Description	Unit Size Width	Rough Opening Width
4'8"	58-9/16"	59-5/16"
5'0"	62-9/16"	63-5/16"
5'4"	66-9/16"	67-5/16"
5'8"	70-9/16"	71-5/16"
6'0"	74-9/16"	75-5/16"

Continuous Single Unit with One Sidelite Standard Mull Post		
Description	Unit Size Width	Rough Opening Width
3'0" w/ 10" s/l	48-5/8"	49-3/8"
3'0" w/ 12" s/l	50-5/8"	51-3/8"
3'0" w/ 14" s/l	52-5/8"	53-3/8"

Continuous Single Unit with Two Sidelites Standard Mull Post		
Description	Unit Size Width	Rough Opening Width
3'0" w/ 10" s/l	59-5/8"	60-3/8"
3'0" w/ 12" s/l	63-5/8"	64-3/8"
3'0" w/ 14" s/l	67-5/8"	68-3/8"

Patio Door Standard Mull Post		
Description	Unit Size Width	Rough Opening Width
4'8"	58-13/16"	59-9/16"
5'0"	62-13/16"	63-9/16"
5'4"	66-13/16"	67-9/16"
5'8"	70-13/16"	71-9/16"
6'0"	74-13/16"	75-9/16"

Triple Patio Door Standard Mull Post		
Description	Unit Size Width	Rough Opening Width
7'0"	88"	88-3/4"
7'6"	94"	94-3/4"
8'0"	100"	100-3/4"
8'6"	106"	106-3/4"
9'0"	112"	112-3/4"

Dimension Adders


Rough Opening (the opening in a standard wall): add 3/4" to the Unit Width and 1/2" to the Unit Height

Brickmould Dimension (from edge of brickmould to edge of brickmould): add 3" to the Unit Width and 1-1/2" to the Unit Height

Masonry Opening (the opening in a masonry wall): add 3-1/2" to the Unit Width and 1-3/4" to the Unit Height

Boxed Unit Rough Opening (individual units mull together): Add each unit dimensions then add 3/4" to the Width and 1/2" to the Height

Transoms (glass component on top of the unit): Add door unit dimension and transom unit dimension, then add Rough Opening Adder



Visitors to **learn.reeb.com** have free unrestricted access to engaging, high-quality lessons taught by recognized industry experts.

For 20 years, Reeb has educated dealers, architects and industry professionals on everything door related, from how to choose the proper door unit and correctly install a door, to what options are available and new product information.

In an industry filled with many complex choices and regulations, Reeb is committed to offering training to dealers and their staff to empower them to better serve their customers each and every day.

Target Audience


Dealers require a lot of information, and a good dealer is only going to pick the best door products to sell based off the information they are given. In addition to the technical information (how the doors are made, material selections, options available, maintenance, efficiency/DP ratings), the dealer is also responsible for educating his or her employees and customers, the majority who may not be familiar with the technical terms or industry jargon, and thus need simplified facts.

Engaged Homeowners care about their family's safety, and their investment. The products they purchase need to be durable, provide security, and yet blend with the visual aesthetic of the home, all for a reasonable investment. The engaged homeowner will be more interested in the technical side and specs of the product than the general customer since they are the ones responsible for how the product will perform under real-world scenarios.

Having one spot to search and find information is important – that's why certain search engine sites have become so popular.

We are working to add more articles that give you the answers you need about a product or product line. You can simply use the search bar or dive into the topics to find the answer to your questions.



Some people are visual learners so we created videos to better share the stories. Some discuss our product offerings and compare similar products, while others share information about a specific topic.



The Reeb® Learning Center has expanded with the addition of Learning Paths.

It can be tough to know where to start learning. A learning path is a collection of courses that a learner can progress through. Each course contains step-by-step lessons to teach you about doors from start to finish.

- Guided learning to boost your door knowledge
- Knowledge Checks help gauge understanding
- A Final Quiz tests the overall knowledge gathered
- Earn certifications for every course
- Earn rewards when completing a learning path
- System tracks all progress
- Need to stop and come back later? No Problem!
- Education anytime and anywhere
- Great resource for employees new to the millwork industry



Subscribe Today!

By subscribing to the Learning Center, you will receive a monthly email informing you of the newest videos and articles that are available as well as a reminder of some of the recently released items. Whether you need a recap or want to learn more about something new, subscribing is the best way to stay informed. Head to learn.reeb.com and enter your email at the bottom of the page to subscribe!



For more of the
Reeb Learning Center

Care & Finishing

Your Reeb door has been handcrafted to last for years to come. And like any piece of fine furniture, it needs proper finishing and periodic maintenance to keep it performing its best. For a long-lasting, beautiful wood door, please follow the instructions as outlined in the appropriate section below. Failure to follow Reeb's care & finishing recommendations will void the door's warranty.

FINISHING OPTIONS

Because Reeb doors are crafted with only the finest materials, you can choose from a wide variety of stain or paint possibilities. Paint dealers have a broad selection of color chips on hand to demonstrate the look you can achieve when staining fine wood such as douglas fir, western hemlock or red oak used in wood doors.

If you choose paint instead of stain, you can apply either oil-base or acrylic resin-base paints over an oil-base primer. However, take care in following the finishing instructions provided here. Also, be sure to evaluate the conditions your door must endure, such as direct exposure to severe climates, before deciding on the specific finish to use. All Reeb wood doors must be finished within 72 hours after installation to meet manufacturer's warranty.

CAUTION: If during the finish process you are having issues and/or identify problems with your door, stop finishing immediately and contact the company from where you purchased your doors.

PREPARATION FOR FINISHING

1. Before applying the first coat of finish, remove all handling marks, raised grain and other undesirable blemishes by sanding all surfaces with 180 grit sandpaper (this applies to both raw wood and primed doors). For doors with shaker sticking, lightly ease the outside edge of the sticking with sandpaper. To avoid cross-grain scratches, sand with the grain. **NOTE:** small amounts of grease, oil or pitch can be wiped clean with denatured alcohol or turpentine.
2. Adjust or align components if necessary before finishing. Wood panels "float" and may be knocked into alignment with a wood block and hammer. Be careful not to damage door.
3. After sanding, clean door thoroughly with a cloth to remove all dust or foreign material. Do not use caustic or abrasive cleaners.
4. Hang door before finishing, and then remove to finish properly. Doors must be properly sealed prior to installation of hardware and exposure to moisture or weather. Properly finish door immediately before prolonged storage.

5. All surfaces of the door must be properly finished. The edges (top, bottom and sides) should be coated with each and every coat of finish that is applied to the exterior surface of the door. Doors must be dry before finishing.
6. On doors that are glazed with clear glass, the finish used should be flowed from the wood slightly onto the glass. This will provide assurance against water leakage and protect the glazing compound "putty" from drying out. Excess putty can be removed, just make sure to not use anything sharp like a razor blade, as glass can be scratched.
7. **NOTE:** It is the finisher's responsibility to protect glass prior to and during finishing. If using tape, conduct a test of the tape being used on a small area of the glass before applying to a large surface. After finishing, remove the tape as soon as possible.
8. On doors that have plastic film protection on glass, removal of plastic film protection immediately after applying the finish is required. Failure to remove the plastic film at this time may cause harm to the glass and will create difficulty in removing the film at a later time. Do not use razor blades or sharp objects to remove the film or clean the glass. These items will scratch the glass.

EXTERIOR FINISHING STAIN-AND-CLEAR FINISH

The recommended process for finishing Reeb wood doors is a 3-step process. Step 1: application of a wood conditioner. Step 2: application of a stain. Step 3: application of at least three top coats of a clear finish. When selecting the finishes for these three steps, select products that have been designed to work together.

A wood conditioner prepares the wood to accept finish uniformly and helps to spread the finish evenly. When selecting a wood conditioner, the type of conditioner needs to match the stain. For example a water-based conditioner for a water-based stain or an oil-based conditioner for an oil-based stain.

Stains are available in a wide range of colors. Whatever color you select should have an alkyd-resin base. Under no circumstances should a lacquer-based finish system be used on exterior doors.

The three (minimum) top coats may be a solvent-borne (oil-base, alkyd resin-base, polyurethane resin-base) or a water-borne (acrylic resin-base) clear finish. See notes (1) and (2) below.

The advantages and disadvantages of solvent-borne vs. water-borne clear finishes are as follows:

1. Solvent-Borne Advantages: Cures faster, harder and more water resistant. May be applied under variable weather conditions. Disadvantages: Subject to ultraviolet degradation and not as flexible or durable as water-borne clear finish.
2. Water-Borne Advantages: Very flexible, greater ultraviolet resistance, and good exterior durability. Disadvantages: Cannot be applied below 50° F, long curing period required, and may not fully cure for several weeks. Water-sensitive until cure is complete.

NOTE: Do not sand between coats of clear acrylic. All stain-and-clear finishes will perform measurably better if protected from the direct effects of sunlight and weathering, and refinishing will not be required as frequently.

PAINT FINISH

Either oil-base or acrylic resin-base exterior grade paints may be used with success on panel doors. Oil-base paints offer more resistance to the passage of water (liquid and vapor) than acrylic resin-base paints, but the latter have better durability and color retention.

Doors should be sealed with a good quality oil-base primer followed by two top coats of either an oil-base or acrylic resin-base paint. Of course, both primer and top coat should be made by the same manufacturer and designed to be used as a combination.

If the door has been provided factory-primed, there is some basic prep work that needs to be done before painting. All primed surfaces should be scuff sanded to encourage better paint adhesion. Any rough areas of primer or machined wood should also be sanded. For doors provided with WaterBarrier® technology, neither the exterior stile and rail surfaces nor the exterior divided lite bars (made from PVC) are to be sanded.

NOTE: Where possible exposure to direct sun or rain is a factor, to keep your wood doors beautiful they require periodic resealing or painting dependent on weather or moisture exposure. Do not use dark colored stains or paint on doors exposed to sunlight, as some expansion and contraction of door parts may occur. Further, a dark colored stain or paint can void the door's warranty.

CAUTION: Reeb cannot evaluate all the available paints and stains, nor the customers' specific application requirements. Your paint dealer should know of suitable finish systems that give satisfactory results in your region. It is highly recommended that top quality finishes be selected, and the application instructions on the container be followed explicitly.

Sikkens Cetol Door & Window finish products are not to be used in finishing Simpson doors. This product has resulted in poor performance in the field. Use of Sikkens Cetol Door & Window products will void Simpson's warranty.

HIGH EXPOSURE FINISHING

1. Use an oil-based primer followed by at least three top coats of a high quality oil or acrylic-based paint on the exterior. Acrylic is more durable and has better color retention.
2. Use a silicone or caulking bead (must be compatible with paint) around the perimeter of each glass pane. This will seal the putty and prevent any moisture from running directly into the door.
3. Ensure all finish coats are allowed to flow into the glass area at least 1/16".
4. Ensure all coatings that go on the surface of the door are also applied to the top and bottom. Coat all six sides of every door, or your warranty will be voided.
5. Silicone the door bottom sweep onto the bottom of the door and apply a surface mount drip cap to the bottom of each door to allow for moisture runoff onto the sill.
6. For outswing units: Prior to finishing the top of the inactive door, be sure to fill the mortise pocket around the flush bolt prep with silicone or caulking. Moisture has a history of pooling up in this area on outswing units. Consider a thin layer of metal across the top of the door to keep moisture from direct contact with the wood.
7. Storm or screen doors may be mandatory to completely eliminate moisture problems. Storm doors must be vented to eliminate temperature build-up.
8. Performance Series® upgrades are recommended for high exposure door openings. Request WaterBarrier® and UltraBlock® technologies from your Simpson retailer to get the most life out of your door. And if you are selecting a french door, we strongly recommend specifying Simpson's WaterBarrier technology.

PAINT FINISH SPECIFICS

1. "Bridge" finish from face of door to moulding, ensuring there is no gap between moulding and surface of the door.
2. "Bridge" finish as noted above on inside of panel area where moulding meets panel and/or glass.
3. Ensure all moulding miters are well-coated, leaving no gaps.



Other Products

While wood doors are natural and beautiful, they do require a certain amount of care and maintenance. If you are looking for an exterior door option that is a lower maintenance option, or love your wood front door, but need additional exterior doors to complement it, consider Therma-Tru® Fiberglass Exterior Doors.

Fiberglass is a great option for your main entry, as well as the other exterior doors in your home, like back doors, patio doors, or home to garage access.



Consider a Therma-Tru Fiberglass door finished in a Reeb Finish Prismaguard® Stain. It brings the authentic look of wood to life with rich tones that add dimension and are designed to enhance the wood grains.


Reeb® has what you need for all of your home's doors.



REEB
LEARNING CENTER

A learning center for everything door related.

Visit the Reeb® Learning Center for education on choosing the proper door unit, new products, and what product options are available.
Visit the Reeb Learning Center at learn.reeb.com.



Simpson Nantucket Collection doors feature unmatched character that can only be found in real wood. Nantucket Collection doors retain their rugged beauty and last for years, regardless of what nature sends their way.




Online Exterior Stile & Rail Catalog


Scan for an interactive format of this catalog!



Reeb® Warranty Information


Scan to view product warranties!

 **Bethlehem, PA**
1000 Maloney Cir.
Bethlehem, PA 18015
(800) 862-8622 voice
(800) 772-7332 fax

 **Barclay, MD**
1315 Goldsboro Rd.
Barclay, MD 21607
(800) 825-8331 voice
(800) 331-9387 fax

 **Mocksville, NC**
346 Bethel Church Rd.
Mocksville, NC 27028
(800) 642-0886 voice
(800) 618-0620 fax

 **Providence, RI**
19 Business Park Dr.
Smithfield, RI 02917
(800) 343-5703 voice
(800) 388-5979 fax

 **Syracuse, NY**
7475 Henry Clay Blvd.
Liverpool, NY 13088
(800) 422-5224 voice
(800) 531-7332 fax



PART# REEBEXT23
VERSION 1.0.0

For more information, visit **reeb.com**.

COPYRIGHT © 2023 REEB® MILLWORK ALL RIGHTS RESERVED.