



make the most of
**OUTDOOR
LIVING**







Photos © 2022 Warner Bros. Discovery, Inc. or its subsidiaries and affiliates. All rights reserved.

table of contents

<u>Decking</u>	8
<u>Green By Design</u>	18
<u>Railing</u>	20
<u>Digital Tools & Trex Academy</u>	26
<u>Shop Trex Extras</u>	28
<u>Specifications</u>	32



WHY TREX?

OUTPERFORMS WOOD

- ✓ Won't warp, rot or splinter.
- ✓ Easy soap & water cleanup.
- ✓ No sanding, no staining, no kidding.

GREEN, BY DESIGN

- ✓ Sustainably made of 95% reclaimed wood and recycled plastic in the USA.
- ✓ Diverted more than 431 million pounds of plastic film from landfills and waterways in 2021 alone.

ANY STYLE, ANY BUDGET

- ✓ Products that fit every home and every homeowner's price point.

ENDLESS POSSIBILITIES

- ✓ A full suite of beautiful, functional finishing touches such as lighting, railing, furniture and more.

[SEE THE TREX ADVANTAGE ›](#)



*nature-inspired
& nature-
withstanding*
COLORS

Choose from 24 hues that weather
Mother Nature and outlast Father Time.




COLOR SELECTOR

[EXPLORE YOUR OPTIONS ›](#)



SEE IT IN PERSON

[ORDER A SAMPLE ›](#)




**A RULE OF THUMB:
THE LIGHTER THE COLOR, THE COOLER* THE FEEL**

Please note that the darker the color, the hotter the deck will feel. For hotter climates, consumers should consider choosing a lighter color.

*Although Trex Transcend Lineage is designed to be cooler than most other composite decking products of a similar color, on a hot sunny day, it will get hot. On hot days, care should be taken to avoid extended contact between exposed skin and the deck surface, especially with young children and those with special needs.

COOLER —————  ————— HOTTER



The next generation of design and performance.



✓ UNYIELDING SHELL PROTECTION
MAINTAINS ITS COLOR AND LUXURIOUS
FINISH YEAR AFTER YEAR

featuring: Transcend Lineage in Carmel



featuring: Transcend Lineage in Rainier



featuring: Transcend Lineage in Jasper

COMES IN
FOUR
TRANQUIL,
ON-TREND
COLORS

LINEAGE DECKING
COLLECTION ›



featuring: Transcend Lineage in Biscayne



DESIGNED WITH HEAT-
MITIGATING TECHNOLOGY FOR
OUR COOLEST* DECKING YET

*Although Trex Transcend Lineage is designed to be cooler than most other composite decking products of a similar color, on a hot sunny day, it will get hot. On hot days, care should be taken to avoid extended contact between exposed skin and the deck surface, especially with young children and those with special needs.

Elevated
aesthetics
paired with
the highest
level of
performance.

ENGINEERED TO BE 
CURVEABLE, FOR ENDLESS
DESIGN POSSIBILITIES




“

We wanted something that was sustainable and known for long-lasting beauty. We ultimately decided on Rope Swing.


LIZ MARIE, SHOP OWNER
of The Found Cottage, author of Cozy White Cottage

COMES IN **EIGHT** MULTI-TONAL
& MONOCHROMATIC COLORS

TROPICALS



EARTH TONES



TRANSCEND DECKING COLLECTION ›



The perfect pairing of price and minimal maintenance.

✓ WIDE RANGE OF TRADITIONAL, COMPLEMENTARY COLORS

featuring: Select in Pebble Grey with Signature Aluminum Railing





featuring: Select in Pebble Grey



featuring: Select in Saddle

COMES IN
FIVE
NATURE-
INSPIRED
COLORS

[SELECT DECKING
COLLECTION](#) ›




I used Select decking because I wanted a very solid and durable feel. I notice the neighbors passing by glancing at it—makes me proud.

ED P., DIYer
owner of a historic 100-year-old craftsman bungalow

[SEE ED'S STORY](#) ›

The beauty
of wood
with the
ease of
composite,
practically
priced.

SCALLOPED UNDERSIDE,
FOR LIGHTER BOARDS
AND EASIER HANDLING




“

My family and I enjoy spending our weekend evenings on the deck. It's a great space to take in the sunset, listen to music, and relax after a long week.

ASHLEY, HOMEOWNER
on the space she built with Charlee of *Build & Create Home*

[SEE ASHLEY'S STORY](#) ›

COMES IN **SEVEN** CLASSIC
COLORS

NATURALS	
	
	
	
BASICS	
	
	


[ENHANCE DECKING COLLECTION](#) ›



Trex Transcend®
LINEAGE™

The next generation of design and performance.


\$\$\$\$  50 ★★★★★



Trex Transcend®
TROPICALS

Elevated aesthetics paired with the highest level of performance.


\$\$\$\$  50 ★★★★★



Trex Transcend®
EARTH TONES

A classic look for uncompromising homes.


\$\$\$\$  50 ★★★★★



Trex Select®
EARTH TONES

The perfect pairing of price and minimal maintenance.


\$\$\$  35 ★★



Trex Enhance®
NATURALS

The beauty of wood with the ease of composite.


\$\$  25 ★



Trex Enhance®
BASICS

Priced to put the pressure on treated lumber.

\$  25 ★



PRICE \$ - \$\$\$\$ BOARD PROFILES  SOLID  SCALLOPED YEARS OF WARRANTY 25 35 50 SCRATCH RESISTANCE ★ - ★★★★★

SQUARE EDGE  GROOVED EDGE  Use with Trex Hideaway® Hidden Fastening System for a clean, screw-free appearance

Compare pricing, colors, maintenance costs and durability.

[DECKING COMPARISON TOOL](#) ▸



✓ **646** MILLION POUNDS
OF RECLAIMED WOOD
used in our products in 2021

✓ **431** MILLION POUNDS
OF PLASTIC FILM
diverted from landfills in 2021 alone

✓ **99%** OF WATER
RECYCLED ANNUALLY
by closed-loop recirculation systems at our
Virginia and Nevada manufacturing facilities

✓ **2,500+**
COMMUNITY GROUPS
AND SCHOOLS
participating in Trex recycling programs

featuring: Transcend Tropicals in Spiced Rum

BUILT ON SUSTAINABILITY



RECLAIMED
WOOD



RECYCLED
PLASTIC FILM



A SUSTAINABLE
SUPPLY CHAIN



BUILDING A
BETTER TOMORROW

GREEN


by design

At Trex, we understand the importance of protecting our planet. To us, everyday is Earth Day as we commit ourselves to designing sustainably, operating responsibly, empowering our people and building stronger communities, together.

[OUR COMMITMENT TO A GREENER PLANET ›](#)



HEAR FROM
HGTV'S ALISON
VICTORIA
ABOUT TREX
SUSTAINABILITY



OFF-THE-SHELF EASE

Our one-box kit solution includes top and bottom rails, your preferred infill and all necessary hardware for a single section of railing. Available in our most popular colors, kits cut down on the number of steps in your selection and ordering processes.

Post sleeve, cap and skirt sold separately.

THE ANATOMY OF RAILING

There are several key components of a railing section that help you lean into the view.

[VIEW RAILING COLLECTIONS](#) ▶

COCKTAIL RAIL (OPTIONAL)

Add a Transcend or Select deck board on a universal top rail or an aluminum rail to create a flat surface.

RAILS

Top and bottom rails provide stability and structure.



POSTS

Vertical poles can be outfitted with caps and skirts.

ACCESSORY INFILL KIT

Hardware matched to your infill style and rail color.

BALUSTERS OR INFILL PANEL

Individual columns or full expanses maintain space and safety.

MIX & MATCH

Love a baluster in one style and a post in another? Want to combine different colors? You can customize your railing to fit your perfect vision.




Prefer a unique configuration?
[FIND A TREXPRO® CONTRACTOR](#) ▶



Effortless style, exceptional strength

TREX SIGNATURE® railing




WE START WITH STRONG, SLEEK AND ELEGANT RAILS

Then powder-coat them for a rich, tactile feel in a variety of natural colors. As for the style? That's up to you, with four unique infills to complement any design aesthetic.

TrexSignature® RAILING

ALUMINUM: posts & rails



OTHER: infill panels




TREX SIGNATURE® MESH RAILING

Crosshatching adds an industrial feel to any space.

TREX SIGNATURE® ROD RAIL

Pairs a sleek profile with modern design.



TREX SIGNATURE® ALUMINUM RAILING

Offers stunning lines and a contemporary feel.

TREX SIGNATURE® GLASS RAILING

Ensures sweeping views with transparent panels.

**SIGNATURE
RAILING
COLLECTION** ▶





featuring: Transcend Railing in Charcoal Black with round aluminum balusters in Charcoal Black



featuring: Select Railing in Classic White with round aluminum balusters in Charcoal Black

TIMELESS DESIGN YOU CAN TRUST— AND TAILOR

As strong and sturdy as its namesake decking, Trex Transcend puts every color combination within reach. Style your own, or eliminate the guesswork with pre-designed kits.

Trex Transcend® RAILING



COMPOSITE: top & bottom rails, square balusters

Classic White	Charcoal Black	Gravel Path
Rope Swing	Tree House	Vintage Lantern

ALUMINUM: round balusters

Classic White	Bronze	Charcoal Black
---------------	--------	----------------

THE SIMPLE CHOICE FOR YOUR BACKYARD

Crisp, safe and effective, Trex Select railing streamlines the design process by combining composite rails in Classic White and round aluminum balusters in Charcoal Black.

Trex Select® RAILING



COMPOSITE:
top & bottom rails

ALUMINUM:
round balusters

Classic White	Charcoal Black
---------------	----------------

TREX PLANNING TOOLS

PLANNING
MADE SIMPLE

Long before you break out the drill, plan your deck with these easy-to-use online tools, from simple comparisons and overviews to detailed plans and shopping lists.

[EXPLORE OUR DIGITAL TOOLS ›](#)



[COLOR
SELECTOR ›](#)



[COST
CALCULATOR ›](#)



[DECK
STARTER ›](#)



[DECK
DESIGNER ›](#)




[AR
VISUALIZER ›](#)



BRING YOUR
VISION TO LIFE

Our Deck Designer tool helps you handpick every element of your deck and preview it in 3D.



“
Plan your layout carefully...and you
will create a deck that will last eons!
”
– SHANNON VOS,
owner of Vos Creative Design


[SEE SHANNON'S STORY ›](#)

TREX® ACADEMY™

READY TO
ROLL UP
YOUR
SLEEVES?

If you can dream it, you can build it with Trex Academy. With answers to your most common questions, pro tips, how-to guides and more, we're here to help you at every step of your build.

[LEARN MORE AT
TREX ACADEMY ›](#)



SEE IT IN YOUR SPACE

Bring your new deck to life in your backyard space with the Trex Decking and Railing AR Visualizer App.

[DOWNLOAD IT ON MOBILE ›](#)



Winner of a Green Builder's 2022 Sustainable Product of the Year award in the "Smart Tech" category

HOW-TO GUIDES

From breaking ground to building, explore our step-by-step guides for every phase.

[START BUILDING ›](#)



WRAP THE HOUSE

THE GO-TO TOUCHES

*All the products to complete
and complement your space.*



Trex® Cladding™

Add instant curb appeal with this contemporary, high-performance exterior. We're talking minimal maintenance with maximum beauty.

[CLADDING ›](#)



Trex® Hideaway® HIDDEN FASTENERS

These self-gapping, glass-filled nylon hidden fasteners are used with our grooved-edge boards for a screw-free finish.

[HIDDEN FASTENERS ›](#)



Trex® Fascia

Achieve beauty at every angle with a fascia color to match every decking color (plus: Universal White for a crisp finish).

[FASCIA ›](#)



Trex® RainEscape® DECK DRAINAGE SYSTEM

Our underdeck drainage system keeps drips from the patio below. And you can shield your deck from moisture with Trex® Protect™, a non-skid, self-adhesive flashing tape.


[RAINESCAPE ›](#)



Trex® Outdoor Lighting™

Our LED lighting integrates into all our decking and railing, taking the outdoors from invisible to inviting.

[OUTDOOR LIGHTING ›](#)



Trex® Fencing

Our composite fencing will add to your outdoor experience with its beautiful colors, engineered artistry and quality.

[FENCING ›](#)

Trex® RainEscape® products are manufactured and sold by IBP, LLC under a Trademark License Agreement with Trex Company, Inc. RainEscape® is a federally registered trademark of IBP, LLC. A 20-year Limited Warranty is provided by the manufacturer.

For the terms of warranties on Trex® OutdoorLighting™, see page 50 or visit trex.com. Cree® is a registered trademark of Cree, Inc.

WRAP THE HOUSE

THE WOW TOUCHES

All the products to make your space feel even more you.



Trex® Outdoor Furniture™

A premium version of leave-them-outside tables, chairs, benches, swings and more.

[OUTDOOR FURNITURE ›](#)



Trex® Pergola™

A shady, sturdy retreat that’s virtually upkeep-free. Talk about a room with a view.

[PERGOLA ›](#)



Trex® Outdoor Kitchens™

Bring the joy of cooking outside (and your guests will follow).

[OUTDOOR KITCHENS ›](#)



Trex® Lattice™

The most classic (and durable) way to add privacy, utility and dimension deckside.


[LATTICE ›](#)



Trex® Cornhole™

Regulation size and surfaced, you can leave the set (and the bags) out all year long.

[CORNHOLE ›](#)



Trex® Spiral Stairs™

Take your deck to the next level (literally) and add some wow with stairs that are sure to turn heads.

[SPIRAL STAIRS ›](#)

Trex® Outdoor Furniture™ products are manufactured and sold by POLYWOOD, under a Trademark License Agreement with Trex Company, Inc. A 20-Year Limited Warranty is provided by the manufacturer.
Trex® Pergola™ products are manufactured and sold by Home & Leisure, Inc., d/b/a/ Structureworks, under a Trademark License Agreement with Trex Company, Inc. A 25-Year Limited Residential Warranty and a 10-Year Limited Commercial Warranty provided by the manufacturer. Sunbrella® is a registered trademark of Glen Raven, Inc. ShadeTree® Canopy is a registered trademark of Shade Tree Inc.
Trex® Outdoor Kitchens™ is manufactured and sold by CT Acquisitions LLC., under a Trademark License Agreement with Trex Company, Inc. A Limited Warranty is provided by the manufacturer.

Trex® Lattice™ is manufactured and sold by Home & Leisure, Inc., d/b/a/ Structureworks, under a Trademark License Agreement with Trex Company, Inc. A 12-year Limited Warranty is provided by the manufacturer.
Trex® Cornhole™ is manufactured and sold by IPG Global Marketing under a Trademark License Agreement with Trex Company, Inc. A 1-year Limited Warranty is provided by the manufacturer for the boards, and a 30-day Limited Warranty provided by the manufacturer for the bags.
Trex® Spiral Stairs™ are manufactured and sold by M. Cohen and Sons, Inc., d/b/a The Iron Shop, under a Trademark License Agreement with Trex Company, Inc. A 25-year Limited Residential Warranty is provided by the manufacturer.

PRODUCT SPECIFICATIONS

Trex Decking & Fascia

PROFILE		DESCRIPTION	ITEM #	COLORS
1" Square-Edge Board <i>Actual dimensions:</i> Transcend & Enhance: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft (24 mm x 140 mm x 365 cm / 487 cm / 609 cm) Select: .82 in x 5.5 in x 12 ft / 16 ft / 20 ft (20 mm x 140 mm x 365 cm / 487 cm / 609 cm)		1 x 6 x 16' 1 x 6 x 20'	Transcend Lineage XX010616TLS01 XX010620TLS01	RN, CL, BC, JA
		1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Tropicals XX010612TS01 XX010616TS01 XX010620TS01	IM, TT, HG, SR, LR
		1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Earth Tones XX010612T2S01 XX010616T2S01 XX010620T2S01	GP, RS, VL
		7/8 x 6 x 12' 7/8 x 6 x 16' 7/8 x 6 x 20'	Select XX010612SS01 XX010616SS01 XX010620SS01	PG, WG, SD, WB, MB
		1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Enhance Naturals XX010612E2S01 XX010616E2S01 XX010620E2S01	FW, RH, TS, CB
		1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Enhance Basics XX010612E2S01 XX010616E2S01 XX010620E2S01	CS, BD, SD
		1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Lineage XX010612TLG01 XX010616TLG01 XX010620TLG01	RN, CL, BC, JA
		1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Tropicals XX010612TG01 XX010616TG01 XX010620TG01	IM, TT, HG, SR, LR
		1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Earth Tones XX010612T2G01 XX010616T2G01 XX010620T2G01	GP, RS, VL
		7/8 x 6 x 12' 7/8 x 6 x 16' 7/8 x 6 x 20'	Select XX010612SG01 XX010616SG01 XX010620SG01	PG, WG, SD, WB, MB
		1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Enhance Naturals XX010612E2G01 XX010616E2G01 XX010620E2G01	FW, RH, TS, CB
		1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Enhance Basics XX010612E2G01 XX010616E2G01 XX010620E2G01	CS, BD, SD
1" Grooved-Edge Board <i>Actual dimensions:</i> Transcend & Enhance: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft (24 mm x 140 mm x 365 cm / 487 cm / 609 cm) Select: .82 in x 5.5 in x 12 ft / 16 ft / 20 ft (20 mm x 140 mm x 365 cm / 487 cm / 609 cm)		1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Lineage XX010612TLG01 XX010616TLG01 XX010620TLG01	RN, CL, BC, JA
		1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Tropicals XX010612TG01 XX010616TG01 XX010620TG01	IM, TT, HG, SR, LR
		1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Earth Tones XX010612T2G01 XX010616T2G01 XX010620T2G01	GP, RS, VL
		7/8 x 6 x 12' 7/8 x 6 x 16' 7/8 x 6 x 20'	Select XX010612SG01 XX010616SG01 XX010620SG01	PG, WG, SD, WB, MB
		1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Enhance Naturals XX010612E2G01 XX010616E2G01 XX010620E2G01	FW, RH, TS, CB
		1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Enhance Basics XX010612E2G01 XX010616E2G01 XX010620E2G01	CS, BD, SD
		1 x 8 x 12' 1 x 8 x 12' 1 x 8 x 12'	Transcend Lineage XX010812TLS01 Transcend Tropicals XX010812TS01 Transcend Earth Tones XX010812T2S01	RN, CL, BC, JA IM, TT, HG, SR, LR GP, RS, VL
		1 x 8 x 12'	Select XX010812SS01	PG, WG, SD, WB, MB
		1 x 8 x 12' 1 x 8 x 12' 1 x 8 x 12'	Enhance Naturals XX010812E2S01 Enhance Basics XX010812E2S01	FW, RH, TS, CB CS, BD, SD
		1 x 8 x 12'	Universal White WW010812ES01	WW
		1 x 12 x 12' 1 x 12 x 12' 1 x 12 x 12'	Transcend Lineage XX011212TLS01 Transcend Tropicals XX011212TS01 Transcend Earth Tones XX011212T2S01	RN, CL, BC, JA IM, TT, HG, SR, LR GP, RS, VL
		1 x 12 x 12'	Select XX011212SS01	PG, WG, SD, WB, MB
1" x 12" Fascia Board <i>Actual dimensions:</i> Transcend, Enhance, Select, Universal White: .56 in x 7.25 in x 12 ft (14 mm x 184 mm x 365 cm)		1 x 12 x 12' 1 x 12 x 12' 1 x 12 x 12'	Enhance Naturals XX011212E2S01 Enhance Basics XX011212E2S01	FW, RH, TS, CB CS, BD, SD
		1 x 12 x 12'	Universal White WW011212ES01	WW
		2 x 4 x 16'	Transcend Tropicals XX020416TS01	IM, TT, HG, SR, LR
		2 x 6 x 12' 2 x 6 x 16' 2 x 6 x 20'	Transcend Tropicals XX020612TS01 XX020616TS01 XX020620TS01	IM, TT, HG, SR, LR
		2 x 6 x 12' 2 x 6 x 16' 2 x 6 x 20'	Select XX020612SS01 XX020616SS01 XX020620SS01	PG, SD, WB, MB
		2 x 6 x 12' 2 x 6 x 16' 2 x 6 x 20'	Transcend Tropicals XX020612TS01 XX020616TS01 XX020620TS01	IM, TT, HG, SR, LR
		2 x 6 x 12' 2 x 6 x 16' 2 x 6 x 20'	Transcend Tropicals XX020612TS01 XX020616TS01 XX020620TS01	IM, TT, HG, SR, LR
		2 x 6 x 12' 2 x 6 x 16' 2 x 6 x 20'	Select XX020612SS01 XX020616SS01 XX020620SS01	PG, SD, WB, MB
		2 x 6 x 12' 2 x 6 x 16' 2 x 6 x 20'	Select XX020612SS01 XX020616SS01 XX020620SS01	PG, SD, WB, MB
		2 x 6 x 12' 2 x 6 x 16' 2 x 6 x 20'	Transcend Tropicals XX020612TS01 XX020616TS01 XX020620TS01	IM, TT, HG, SR, LR
		2 x 6 x 12' 2 x 6 x 16' 2 x 6 x 20'	Select XX020612SS01 XX020616SS01 XX020620SS01	PG, SD, WB, MB

XX = COLOR PREFIX

RN	Rainier	IM	Island Mist	GP	Gravel Path	PG	Pebble Grey	FW	Foggy Wharf	CS	Clam Shell
CL	Carmel	TT	Tiki Torch	RS	Rope Swing	WG	Winchester Grey	BD	Beach Dune	BD	Beach Dune
BC	Biscayne	HG	Havana Gold	VL	Vintage Lantern	SD	Saddle	TS	Toasted Sand	SD	Saddle
JA	Jasper	SR	Spiced Rum			WB	Woodland Brown	CB	Coastal Bluff	WW	Wood Grain White
		LR	Lava Rock			MB	Madeira				

TREX RAILING—three lines, endless possibilities


Please read the system descriptions at the top of each product section so you can choose exactly which railing components you need to complete your design. For additional guidance, the chart below depicts each railing system's components.

TREX POST COMPONENTS

TREX SIGNATURE® RAILING

TREX TRANSCEND® RAILING

TREX SELECT® RAILING



Trex Post Sleeves, Caps & Skirts

These components can be used as steps 1 & 2 for all Trex railing lines.

STEP	COMPONENT	DESCRIPTION	ITEM #
1	Post Sleeve Each 4x4 and 6x6 post sleeve fits over a 4x4 pressure treated post or equivalent post mount. <i>Dimensions are nominals. See below for actuals and metrics.</i> [4.45 in x 4.45 in x 40 in (113 mm x 113 mm x 101 cm) external dimensions] [4.45 in x 4.45 in x 108 in (113 mm x 113 mm x 274 cm) external dimensions] [5.5 in x 5.5 in x 39 in (139 mm x 139 mm x 990 mm) external dimensions] [5.5 in x 5.5 in x 108 in (139 mm x 139 mm x 274 cm) external dimensions]	4" x 4" x 39" Post Sleeve 4" x 4" x 108" Post Sleeve 6" x 6" x 39" Post Sleeve 6" x 6" x 108" Post Sleeve	XX040439APS XX0404108APS WT060639APS WT0606108APS
2a	Post Sleeve Cap Also available with LED lighting. <i>Dimensions are nominals. See below for actuals and metrics.</i> [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions] [5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]	Flat 4" x 4" Post Sleeve Cap Flat 6" x 6" Post Sleeve Cap	PXXSQCAP4X4 PWTSQCAP6X6
2b	Post Sleeve Skirt <i>Dimensions are nominals. See below for actuals and metrics.</i> [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions] [5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]	4" x 4" Post Sleeve Skirt 6" x 6" Post Sleeve Skirt	PXXSKIRT4X4 PWTSKIRT6X6

ACCESSORIES	COMPONENT	DESCRIPTION	ITEM #
	Surface Mount Post For use with 4x4 composite post sleeve. <i>Actual external dimensions of insert:</i> 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm) 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)	Aluminum Surface Mount Post for 36" (914 mm) Rail Height (1/box) Aluminum Surface Mount Post for 42" (1066 mm) Rail Height (1/box) Surface Mount Post Hardware—Wood (10 kits/box)	ALPOSTMOUNT36 ALPOSTMOUNT42 ALPOSTHWDECK
	Joist Mount Post For use with 4x4 composite post sleeve. <i>Actual external dimensions of insert:</i> 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)	Aluminum Joist Mount Post for use with all Trex railing heights (1/box)	CRJMNTPOST63

XX = COLOR PREFIX

WT	Classic White	GP	Gravel Path	TH	Tree House
BK	Charcoal Black	RS	Rope Swing	VL	Vintage Lantern

Trex Signature® Railing

Choose either aluminum posts or composite post sleeves, caps and skirts for steps 1 & 2. Pair with a rail kit (step 3) and infill panel (step 4) if needed.

STEP	DESCRIPTION	ITEM #	DESCRIPTION	ITEM #
1+2	Aluminum Posts			
	Can only be used within the Trex Signature line. Trex Signature aluminum posts fulfill steps 1 & 2. If using composite post sleeves, refer to previous page.			
	2.5" x 2.5" x 37" Aluminum Post—Horizontal 2.5" x 2.5" x 43" Aluminum Post—Horizontal 2.5" x 2.5" x 53" Aluminum Post—Stair <i>Comes with cap and skirt.</i>	XXAL252537RCAP XXAL252543RCAP XXAL252553RCAP	IRC Aluminum Mounting Plate & Hardware <i>For use with all Trex 2.5" Surface Mount Aluminum Posts.</i> Concrete Post Mount Kit	ALPOSTHWDECK ALPOSTHWCONC
	2.5" x 2.5" x 36" Crossover Post—Horizontal 2.5" x 2.5" x 42" Crossover Post—Horizontal <i>Comes with skirt.</i>	XXAL252536RCCP XXAL252542RCCP	2.5" x 2.5" x 63" Aluminum Joist Mount Post <i>Comes with cap and skirt.</i> Trex Signature Fascia Mount Kit - wood framing <i>For use with Joist Mount Trex Signature Railing Post only.</i>	XXJMNTPOST63 XXFMNTWOOD
	2.5" x 2.5" x 37" Line Post with Premounted Brackets 2.5" x 2.5" x 37" End Post with Premounted Brackets 2.5" x 2.5" x 37" Corner Post with Premounted Brackets 2.5" x 2.5" x 43" Line Post with Premounted Brackets 2.5" x 2.5" x 43" End Post with Premounted Brackets 2.5" x 2.5" x 43" Corner Post with Premounted Brackets <i>Comes with cap and skirt.</i>	BKAL252537RCAPLINE BKAL252537RCAPEND BKAL252537RCAPCNR BKAL252543RCAPLINE BKAL252543RCAPEND BKAL252543RCAPCNR	<i>Dimensions are nominals. See below for actuals and metrics.</i> [2.5 in x 2.5 in x 36 in (63 mm x 63 mm x 914 mm) actual dimensions] [2.5 in x 2.5 in x 37 in (63 mm x 63 mm x 939 mm) actual dimensions] [2.5 in x 2.5 in x 42 in (63 mm x 63 mm x 106 cm) actual dimensions] [2.5 in x 2.5 in x 43 in (63 mm x 63 mm x 109 cm) actual dimensions] [2.5 in x 2.5 in x 53 in (63 mm x 63 mm x 134 cm) actual dimensions] [2.5 in x 2.5 in x 63 in (63 mm x 63 mm x 160 cm) actual dimensions]	


STEP	DESCRIPTION	ITEM #	DESCRIPTION	ITEM #
3	Rail & Baluster Kit			
	<i>(includes top rail, bottom rail, balusters and mounting and support hardware)</i> <i>Available in WT, BZ, and BK.</i>			
	6' x 36" Rail Kit w. Round Balusters—Horizontal 6' x 36" Rail Kit w. Round Balusters—Stair 8' x 36" Rail Kit w. Round Balusters—Horizontal 8' x 36" Rail Kit w. Round Balusters—Stair	BKAR0636HRK BKAR0636SRK BKAR0836HRK BKAR0836SRK	6' x 42" Rail Kit w. Square Balusters—Horizontal 6' x 42" Rail Kit w. Square Balusters—Stair 8' x 42" Rail Kit w. Square Balusters—Horizontal 8' x 42" Rail Kit w. Square Balusters—Stair	XXAS0642HRK XXAS0642SRK XXAS0842HRK XXAS0842SRK
	6' x 42" Rail Kit w. Round Balusters—Horizontal 6' x 42" Rail Kit w. Round Balusters—Stair 8' x 42" Rail Kit w. Round Balusters—Horizontal 8' x 42" Rail Kit w. Round Balusters—Stair	BKAR0642HRK BKAR0642SRK BKAR0842HRK BKAR0842SRK	4' x 36" Assembled Panel (Square)—Horizontal 6' x 36" Assembled Panel (Square)—Horizontal 6' x 36" Assembled Panel (Square)—Stair 8' x 36" Assembled Panel (Square)—Horizontal 8' x 36" Assembled Panel (Square)—Stair 4' x 42" Assembled Panel (Square)—Horizontal 6' x 42" Assembled Panel (Square)—Horizontal 6' x 42" Assembled Panel (Square)—Stair 8' x 42" Assembled Panel (Square)—Horizontal 8' x 42" Assembled Panel (Square)—Stair	BKAS0436HRPNL BKAS0636HRPNL BKAS0636SRPNL BKAS0836HRPNL BKAS0836SRPNL BKAS0442HRPNL BKAS0642HRPNL BKAS0642SRPNL BKAS0842HRPNL BKAS0842SRPNL
	6' x 36" Rail Kit w. Square Balusters—Horizontal 6' x 36" Rail Kit w. Square Balusters—Stair 8' x 36" Rail Kit w. Square Balusters—Horizontal 8' x 36" Rail Kit w. Square Balusters—Stair	XXAS0636HRK XXAS0636SRK XXAS0836HRK XXAS0836SRK	<i>Does not include hardware. Assembled Panels available in BK.</i>	

3	Rod Rail Kit			
	<i>(includes top rail, bottom rail, rods and mounting and support hardware)</i>			
	6' x 36" Black Rails & Platinum Rods Kit—Horizontal 6' x 36" Black Rails & Platinum Rods Kit—Stair 8' x 36" Black Rails & Platinum Rods Kit—Horizontal 8' x 36" Black Rails & Platinum Rods Kit—Stair	BKPLROD0636HRK BKPLROD0636SRK BKPLROD0836HRK BKPLROD0836SRK	6' x 42" Black Rails & Black Rods Kit—Horizontal 6' x 42" Black Rails & Black Rods Kit—Stair 8' x 42" Black Rails & Black Rods Kit—Horizontal 8' x 42" Black Rails & Black Rods Kit—Stair	BKBKROD0642HRK BKBKROD0642SRK BKBKROD0842HRK BKBKROD0842SRK
	6' x 36" Bronze Rails & Platinum Rods Kit—Horizontal 6' x 36" Bronze Rails & Platinum Rods Kit—Stair 8' x 36" Bronze Rails & Platinum Rods Kit—Horizontal 8' x 36" Bronze Rails & Platinum Rods Kit—Stair	BZPLROD0636HRK BZPLROD0636SRK BZPLROD0836HRK BZPLROD0836SRK	36" Rod Rail Vertical Kit—Horizontal 36" Rod Rail Vertical Kit—Stair 42" Rod Rail Vertical Kit—Horizontal 42" Rod Rail Vertical Kit—Stair <i>Use as an accessory for cut rod rail sections.</i> <i>Available in BK and PL.</i>	XX36RODHVERTK XX36RODSVERTK XX42RODHVERTK XX42RODSVERTK
	6' x 36" Black Rails & Black Rods Kit—Horizontal 6' x 36" Black Rails & Black Rods Kit—Stair 8' x 36" Black Rails & Black Rods Kit—Horizontal 8' x 36" Black Rails & Black Rods Kit—Stair	BKBKROD0636HRK BKBKROD0636SRK BKBKROD0836HRK BKBKROD0836SRK	<i>Dimensions are nominals. See below for actuals and metrics.</i> [4' x 36": 48 in x 36 in (122 cm x 914 mm) actual dimensions] [4' x 42": 48 in x 42 in (122 cm x 106cm) actual dimensions] [6' x 36": 72 in x 36 in (182 cm x 914 mm) actual dimensions] [8' x 36": 96 in x 36 in (243 cm x 914 mm) actual dimensions] [6' x 42": 72 in x 42 in (182 cm x 106 cm) actual dimensions] [8' x 42": 96 in x 42 in (243 cm x 106 cm) actual dimensions]	
	6' x 42" Black Rails & Platinum Rods Kit—Horizontal 6' x 42" Black Rails & Platinum Rods Kit—Stair 8' x 42" Black Rails & Platinum Rods Kit—Horizontal 8' x 42" Black Rails & Platinum Rods Kit—Stair	BKPLROD0642HRK BKPLROD0642SRK BKPLROD0842HRK BKPLROD0842SRK		
	6' x 42" Bronze Rails & Platinum Rods Kit—Horizontal 6' x 42" Bronze Rails & Platinum Rods Kit—Stair 8' x 42" Bronze Rails & Platinum Rods Kit—Horizontal 8' x 42" Bronze Rails & Platinum Rods Kit—Stair	BZPLROD0642HRK BZPLROD0642SRK BZPLROD0842HRK BZPLROD0842SRK		

XX = COLOR PREFIX

WT Classic White BZ Bronze BK Charcoal Black PL Platinum

STEP	COMPONENT	DESCRIPTION	ITEM #
3	Mesh Rail Kit		
	<i>(includes top rail, bottom rail, foot block, verticals, anti-rattle gaskets, hardware and bracket pack)</i> <i>Available in BK and BZ. Mesh infill sold separately.</i>		
		6' x 36" Mesh Railing Kit—Horizontal 6' x 36" Mesh Railing Kit—Stair 8' x 36" Mesh Railing Kit—Horizontal 8' x 36" Mesh Railing Kit—Stair	XXA0636PNLHRK XXA0636PNLSRK XXA0836PNLHRK XXA0836PNLSRK
		6' x 42" Mesh Railing Kit—Horizontal 6' x 42" Mesh Railing Kit—Stair 8' x 42" Mesh Railing Kit—Horizontal 8' x 42" Mesh Railing Kit—Stair	XXA0642PNLHRK XXA0642PNLSRK XXA0842PNLHRK XXA0842PNLSRK
	<i>Dimensions are nominals. See below for actuals and metrics.</i> [6' x 36": 72 in x 36 in (182 cm x 914 mm) actual dimensions] [8' x 36": 96 in x 36 in (243 cm x 914 mm) actual dimensions] [6' x 42": 72 in x 42 in (182 cm x 106 cm) actual dimensions] [8' x 42": 96 in x 42 in (243 cm x 106 cm) actual dimensions]	36" Mesh Railing Vertical Kit—Horizontal 36" Mesh Railing Vertical Kit—Stair 42" Mesh Railing Vertical Kit—Horizontal 42" Mesh Railing Vertical Kit—Stair <i>Use as an accessory for cut mesh railing sections.</i>	XX36MSHHVERTK XX36MSHSVERTK XX42MSHHVERTK XX42MSHSVERTK

3	Glass Rail Kit		
	<i>(includes top rail, bottom rail, foot block, verticals, hardware and bracket pack)</i> <i>Available in BK and WT. Glass infill sold separately. Visit glass.trex.com to order custom glass panels to complete your build</i>		
		6' Glass Railing Kit—Horizontal <i>Dimension above is nominal. See below for actual and metric.</i> [6': 72 in (182 cm) actual dimension]	XXA06HGLRK
4	Mesh Panel		
	<i>(includes stainless steel mesh panel)</i> For use with Trex Signature Mesh Rail Kit.		
		6' x 36" Stainless Steel Mesh Panel—Horizontal 8' x 36" Stainless Steel Mesh Panel—Horizontal 8' x 42" Stainless Steel Mesh Panel—Horizontal Universal 316 Stainless Steel Mesh Panel—Stair	SSMESH0636HZ SSMESH0836HZ SSMESH0842HZ SSMESHUNIVST
		<i>Dimensions are nominals. See below for actuals and metrics.</i> [6' x 36": 64 in x 32.375 in (162 cm x 822 mm) actual dimensions] [8' x 36": 88 in x 32.375 in (223 cm x 822 mm) actual dimensions] [8' x 42": 88 in x 38.375 in (223 cm x 974 mm) actual dimensions] [Universal 316: 108.1875 in x 36.1875 in (274 cm x 919 mm) actual dimensions]	

4	Glass Panel		
	For use with Trex Signature Glass Rail Kit. <i>Visit glass.trex.com to order custom glass panels to complete your build.</i>	for 36" Rail Height—Horizontal for 42" Rail Height—Horizontal	

ACCESSORIES	COMPONENT	ITEM #	COMPONENT	ITEM #
	Signature Bracket Template—Horizontal (36" and 42") - Composite Sleeve	SIGTEMP4X4SLEEVE	Cocktail Rail Bracket (10/pack) Tabless Fixed Bracket—Horizontal (4/pack) Fixed Bracket—Stair (4/pack) Swivel Bracket—Horizontal (2/pack—1 top, 1 bottom) Swivel Bracket—Stair (2/pack—1 top, 1 bottom)	XXCTBKTAL10PK XXFHBKTALPNL XXFSBKTAL XXSWHBKTAL XXSPSBKTAL
	Signature Bracket Template—Horizontal (36" and 42") - 2.5" Aluminum Post	SIGTEMPIRCPOST	2.5" Crossover Bracket—Horizontal (1/pack) 90° Crossover Bracket—Horizontal (1/pack) 2.5" Swivel Crossover Bracket—Stair (1/pack) Compound Swivel Bracket (2/pack—1 top, 1 bottom)	XX25FHCBKTAL XX90FHCBKTAL XX25RCSWSCBKTAL XXCPDSWBKTAL
	Aluminum Foot Block Extended Aluminum Foot Block	XXALFTBLK XXAL08FTBLK	Rail End Cap Touch-up Pen	XXXOVERENDCAP XXTOUCHUPPEN

XX = COLOR PREFIX

WT Classic White BZ Bronze BK Charcoal Black

Trex Transcend® Railing

Transcend is either a 3-step or 5-Step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2), then choose a rail kit (step 3). OR choose each component individually for a custom design (steps 3a, 3b, 4 & 5).

STEP	COMPONENT	DESCRIPTION	ITEM #	COLOR
3	Rail & Square Composite Baluster Kit <i>(includes Crown top rail, Universal bottom rail, square composite balusters, baluster spacers, adjustable foot block and mounting hardware)</i> <i>Color option indicates rails and balusters.</i>	 6' x 36" Rail & Baluster Kit—Horizontal 6' x 36" Rail & Baluster Kit—Stair 8' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Stair	XX0636HRK WT0636SRK XX0836HRK XX0836SRK	WT, BK, VL
		6' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Stair	XX0642HRK XX0842HRK XX0842SRK	WT, BK, VL
3	Rail & Round Aluminum Baluster Kit <i>(includes Crown top rail, Universal bottom rail, round aluminum balusters, baluster spacers, adjustable foot block and mounting hardware)</i> <i>Color option indicates rails. Round aluminum balusters come in BK.</i>	 6' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Stair	XXRD0636HRK XXRD0836HRK XXRD0836SRK	WT, BK, VL
		6' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Stair	XXRD0642HRK XXRD0842HRK XXRD0842SRK	WT, BK, VL
3	Cocktail Rail & Round Aluminum Baluster Kit <i>(includes Universal top/bottom rails, round aluminum balusters, baluster spacers, adjustable foot block and mounting hardware)</i> <i>Round aluminum balusters come in BK.</i> <i>Only Trex Transcend and Select deck boards can be used for cocktail rail application.</i>	 6' x 36" Cocktail Rail & Baluster Kit—Horizontal 8' x 36" Cocktail Rail & Baluster Kit—Horizontal 8' x 36" Cocktail Rail & Baluster Kit—Stair	WTRD0636HRKCKTL WTRD0836HRKCKTL WTRD0836SRKCKTL	WT
<i>Dimensions are nominals. See below for actuals and metrics.</i> 6' x 36": 67.5 in x 36 in (171 cm x 914 mm) 6' x 42": 67.5 in x 42 in (171 cm x 106 cm) 8' x 36": 91.5 in x 36 in (232 cm x 914 mm) 8' x 42": 91.5 in x 42 in (232 cm x 106 cm)				

3a	Top Rail Universal top rail is used for cocktail rail applications. 	<table> <tr> <td>6' Crown Top Rail</td><td>XXCROWNTR06</td><td rowspan="2">WT, BK, GP, RS, TH, VL</td></tr> <tr> <td>8' Crown Top Rail</td><td>XXCROWNTR08</td></tr> <tr> <td>6' Universal Top/Bottom Rail</td><td>XXUNIVTBR06</td><td rowspan="2"></td></tr> <tr> <td>8' Universal Top/Bottom Rail</td><td>XXUNIVTBR08</td></tr> </table>	6' Crown Top Rail	XXCROWNTR06	WT, BK, GP, RS, TH, VL	8' Crown Top Rail	XXCROWNTR08	6' Universal Top/Bottom Rail	XXUNIVTBR06		8' Universal Top/Bottom Rail	XXUNIVTBR08
6' Crown Top Rail	XXCROWNTR06	WT, BK, GP, RS, TH, VL										
8' Crown Top Rail	XXCROWNTR08											
6' Universal Top/Bottom Rail	XXUNIVTBR06											
8' Universal Top/Bottom Rail	XXUNIVTBR08											
3b	Bottom Rail 	<table> <tr> <td>6' Universal Top/Bottom Rail</td><td>XXUNIVTBR06</td><td rowspan="2">WT, BK, GP, RS, TH, VL</td></tr> <tr> <td>8' Universal Top/Bottom Rail</td><td>XXUNIVTBR08</td></tr> </table>	6' Universal Top/Bottom Rail	XXUNIVTBR06	WT, BK, GP, RS, TH, VL	8' Universal Top/Bottom Rail	XXUNIVTBR08					
6' Universal Top/Bottom Rail	XXUNIVTBR06	WT, BK, GP, RS, TH, VL										
8' Universal Top/Bottom Rail	XXUNIVTBR08											
4	Balusters See chart below for number of balusters needed to complete each railing section. Composite balusters are available in WT, BK, GP, RS, TH and VL. Aluminum balusters are available in WT, BZ and BK. 	<table> <tr> <td>Square Composite Balusters for 36" Rail Height (16/pack)</td><td>XX020230SBK</td><td rowspan="2">WT, BK, GP, RS, TH, VL</td></tr> <tr> <td>Square Composite Balusters for 42" Rail Height (16/pack)</td><td>XX020236SBK</td></tr> </table>	Square Composite Balusters for 36" Rail Height (16/pack)	XX020230SBK	WT, BK, GP, RS, TH, VL	Square Composite Balusters for 42" Rail Height (16/pack)	XX020236SBK					
Square Composite Balusters for 36" Rail Height (16/pack)	XX020230SBK	WT, BK, GP, RS, TH, VL										
Square Composite Balusters for 42" Rail Height (16/pack)	XX020236SBK											
		<table> <tr> <td>Round Aluminum Balusters for 36" Rail Height (20/pack)</td><td>XXTA30RBK</td><td rowspan="2">WT, BZ, BK</td></tr> <tr> <td>Round Aluminum Balusters for 42" Rail Height (20/pack)</td><td>XXTA36RBK</td></tr> </table>	Round Aluminum Balusters for 36" Rail Height (20/pack)	XXTA30RBK	WT, BZ, BK	Round Aluminum Balusters for 42" Rail Height (20/pack)	XXTA36RBK					
Round Aluminum Balusters for 36" Rail Height (20/pack)	XXTA30RBK	WT, BZ, BK										
Round Aluminum Balusters for 42" Rail Height (20/pack)	XXTA36RBK											

BALUSTER	ORIENTATION	6' SECTION	8' SECTION
Square composite	Horizontal	13	18
	Stair	11	15
Round aluminum	Horizontal	15	20
	Stair	12	16

Dimensions are nominals. See below for actuals and metrics.

6' Rail: 67.5 in (171 cm)
8' Rail: 91.5 in (232 cm)

Composite 36" Baluster: 1.418 in x 1.418 in x 30.375 in (36 mm x 36 mm x 771 mm)
Composite 42" Baluster: 1.418 in x 1.418 in x 36.375 in (36 mm x 36 mm x 923 mm)
Aluminum 36" Baluster: .75 in x 30.25 in (19 mm x 768 mm)
Aluminum 42" Baluster: .75 in x 36.25 in (19 mm x 920 mm)

XX = COLOR PREFIX

Composite Colors

WT	Classic White	GP	Gravel Path	TH	Tree House
BK	Charcoal Black	RS	Rope Swing	VL	Vintage Lantern

Aluminum Colors

WT Classic White BK Charcoal Black
BZ Bronze

STEP	COMPONENT		DESCRIPTION	ITEM #	COLOR
5	Accessory Infill Kit		6' Accessory Infill Kit for Square Composite Balusters—Horizontal	XXSQHIK06	WT, BK, GP, RS, TH, VL
	(includes, baluster spacers, adjustable foot block and mounting hardware)		6' Accessory Infill Kit for Square Composite Balusters—Stair	XXSQSIK06	
	Dimensions are nominals. See below for actuals and metrics.		8' Accessory Infill Kit for Square Composite Balusters—Horizontal	XXSQHIK08	
	6' : 67.5 in (171 cm)		8' Accessory Infill Kit for Square Composite Balusters—Stair	XXSQSIK08	
	8' : 91.5 in (232 cm)		6' Accessory Infill Kit for Round Aluminum Balusters—Horizontal	XXRDHIK06	WT, BK, GP, RS, TH, VL
			6' Accessory Infill Kit for Round Aluminum Balusters—Stair	XXRDSIK06	
			8' Accessory Infill Kit for Round Aluminum Balusters—Horizontal	XXRDHIK08	
			8' Accessory Infill Kit for Round Aluminum Balusters—Stair	XXRDSIK08	
			6' Glass Panel Accessory Infill Kit	XXGLIK06	WT, BK, GP, RS, TH, VL

ACCESSORIES	COMPONENT	ITEM #	COMPONENT	ITEM #
	Transcend Bracket Template—Horizontal (36" and 42") - Composite Sleeve	TSCTEMP4X4SLEEVE	Mounting Hardware for Cut Rails—Horizontal	XXHZACCYKIT
			Mounting Hardware for Cut Rails—Stair	XXSTACCYKIT
			Transcend RSB Bracket Pack—Horizontal (24/box)	TSHBRACKET
			Transcend RSB Bracket Pack—Stair (24/box)	TSSBRACKET
	Foot Block	XXFTBLKPC	0 Degree Rail Gasket Pack—Horizontal	XX00HGASK
			0 Degree Rail Gasket Pack—Stair	XX00SGASK
			22.5 Degree Gasket Pack	XX22HGASK
			45 Degree Birdsmouth Gasket Pack (for 4x4)	XX45RSBADAPK
			45 Degree Gasket Pack (for 6x6)	WT45HGASK

Trex Select® Railing

Trex Select is a 3-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2) and a rail kit (step 3).

STEP	COMPONENT	DESCRIPTION	ITEM #
3	Rail & Round Aluminum Baluster Kit (includes top rail, bottom rail, round aluminum balusters, adjustable foot block and hardware pack) Available in WT rails with aluminum balusters in BK. Dimensions are nominals. See below for actuals and metrics. 6' x 36": 67.5 in x 36 in (171 cm x 914 mm) 6' x 42": 67.5 in x 42 in (171 cm x 106 cm) 8' x 36": 91.5 in x 36 in (232 cm x 914 mm) 8' x 42": 91.5 in x 42 in (232 cm x 106 cm) 	6' x 36" Rail & Baluster Kit—Horizontal 6' x 36" Rail & Baluster Kit—Stair 8' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Stair 6' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Stair	WTRD0636HSELK WTRD0636SSELK WTRD0836HSELK WTRD0836SSELK WTRD0642HSELK WTRD0842HSELK WTRD0842SSELK
	ACCESSORIES  COMPONENT Mounting Hardware for Cut Rails—Horizontal (10 kits/box) Mounting Hardware for Cut Rails—Stair (10 kits/box) ITEM # BKENHZBKT BKENSTBKT	SELALRAILSTIFFENER  Trex Select 8' Aluminum Rail Stiffener	


XX = COLOR PREFIX

Composite Colors

WT	Classic White	GP	Gravel Path	TH	Tree House
BK	Charcoal Black	RS	Rope Swing	VL	Vintage Lantern

COMPONENT & DESCRIPTION		ITEM #
Flat Post Cap Light » 4" x 4" LED Post Cap Light [4.55 in x 4.55 in (115 mm x 115 mm) actual internal dimensions] Use with Trex 4 in Composite Railing Posts » 5.5 ft (1.67 m) Male LightHub® Lead		BKSQLEDCAP4X4C WTSQLEDCAP4X4C THSQLEDCAP4X4C VLSQLEDCAP4X4C GPSQLEDCAP4X4C RSSQLEDCAP4X4C
Aluminum Post Cap Light » 2.5" x 2.5" LED Aluminum Post Cap Light [2.6 in x 2.6 in (66 mm x 66 mm) actual internal dimensions] Use with Trex 2.5 in Aluminum Railing Posts » 5.5 ft (1.67 m) Male LightHub® Lead		BKALCAPLED25 BZALCAPLED25 WTALCAPLED25
Aluminum Deck Rail Light » LED Deck Rail Light [2.75 in (69 mm) OD] » 5.5 ft (1.67 m) Male LightHub® Lead		BKLAMPLEDC BZLAMPLEDC WTLAMPLEDC
Aluminum Wedge Deck Rail Light » LED Wedge Deck Rail Light [1.875 in wide x 3 in high (47 mm x 76 mm) actual dimensions] Compatible with all Trex Railing Posts » 5.5 ft (1.67 m) Male LightHub® Lead		BKALPOSTLAMPLED BZALPOSTLAMPLED WTALPOSTLAMPLED
Aluminum Stair Riser Light » 4 LED Riser Lights [1.25 in (31 mm) OD] » 5.5 ft (1.67 m) Male LightHub® Lead		BKRISERLED4PKC BZRISERLED4PKC WTRISERLED4PKC
Recessed Deck Light » 4 LED Recessed Lights [1 in (25 mm) OD] » 5.5 ft (1.67 m) Male LightHub® Lead		RECESSLED4PKC
ACCESSORIES		ITEM #
Transformer with Timer » Output Voltage: 12VDC » Output Power: 100W or 30W » Output Current: 8.3A or 2.5A » Photo-Activated Timer » 20 ft (6.09 m) LightHub® Wire Extension Cable		8.3A, 100W: DIMMABLE 83DLTRANSFORMERCC 2.5A, 30W: 25DLTRANSFORMER
Multi-zone Transformer Adapter		DL5TFSPLIT1PK
Dimmer » Single Channel with Remote		DLDIMMER
Wifi Lighting Controller		DLWiFIC
Forstner Bit » Pack of 6 » 1 in (25 mm)		DLBIT6PK
LightHub® Accessories » 3-Way Splitter » 6-Way Splitter » 5 ft (1.52 m) Wire Extension Cable » 10 ft (3.04 m) Wire Extension Cable » 20 ft (6.09 m) Wire Extension Cable » 40 ft (12.19 m) Wire Extension Cable » 60 ft (18.28 m) Wire Extension Cable » Female to Female Adapter		DL3SPLIT6PK DL6SPLIT4PK DL5FTWR4PK DL10FTWR4PK DL20FTWR4PK DL40FTWR2PK DL60FTWR1PK DLFADAP6PK

COMPONENT	ITEM #
1.375 in x 8 ft (34 mm x 243 cm) Hand Rail Wall Return 90° Wall Mount Corner Mount Post Return ("Candy Cane") 5° Elbow 31° Elbow 34° Elbow 36° Elbow 90° Inside/Outside Elbow Adjustable ADA Elbow Straight 4 in (101 mm) Internal Connector Inline Rail Termination Adapter Rail End Cap Aluminum Collar	XXALADARAIL8 XXALADA90WR2G XXALADAWMNT2G XXALADAICORNER2G XXALADA180CCANE XXALADA05ELB XXALADA31ELB XXALADA34ELB XXALADA36ELB XXALADA90ELB2G XXALADAADJELB XXALINTCONN XXALADAINLINE XXALADACAP XXALADACLRL
All Trex ADA handrail components are made of powder-coated aluminum. For detailed installation instructions, visit trex.com/2022	



1 36° Elbow



2 Wall Mount



3 Aluminum Collar



4 Wall Return 90°



5 Hand Rail



Trex Aluminum Gates

COMPONENT	DESCRIPTION	ITEM #
Gate Rail Kit - Available in all aluminum colors (WT, BZ and BK). - When ordering, refer to prefix codes at the bottom of this page.	36" Rail Height, Square Balusters, Adjustable up to 48" wide opening 36" Rail Height, Round Balusters, Adjustable up to 48" wide opening 42" Rail Height, Square Balusters, Adjustable up to 48" wide opening 42" Rail Height, Round Balusters, Adjustable up to 48" wide opening [Actual height 36" Rail: 36 in (914 mm); 42" Rail: 42 in (106 cm) Actual width is 47.5 in (120 cm) but can be cut to fit any width.]	XX36SQADJGATE XX36RDADJGATE XX42SQADJGATE XX42RDADJGATE
Hardware Pack Hardware for attachment to wood post with composite sleeve or aluminum posts	2 Adjustable Self-Closing Hinges 1 Locking Hasp With Keys	BKGATEHW



Trex Hideaway® Hidden Fastening System

COMPONENT	DESCRIPTION	ITEM #
Universal Fastener (glass-filled nylon)	 50 sq. ft (4.6 sq. m) box 500 sq. ft (46.5 sq. m) bucket	UNIVCONCLIP DA00002
Universal Starter Clip	 400 sq. ft (37 sq. m) bag	UNIVSTARTCLIP
Router Bit	 Router Bit	ROUTBIT
Universal Fastener Installation Tool	 Universal Fastener Installation Tool	ONESTEPTL

XX = COLOR PREFIX

WT Classic White BZ Bronze BK Charcoal Black





TREX® DECKING, FASCIA & CLADDING LIMITED WARRANTY

Trex Company, Inc. (hereinafter “Trex”) warrants to the original end-use purchaser (“Purchaser”) that, for the applicable Warranty Period set forth in Table I below, when properly installed, used and maintained under normal use and service conditions and in accordance with Trex’s written instructions, Trex® product set forth in Table I below (the “Product”) shall perform as follows:

Physical Integrity: The Product shall be free from material defects in workmanship and materials, and shall not split, splinter, rot or suffer structural damage from termites or fungal decay.

Fade Resistance: The Product shall not fade in color from light and weathering exposure as measured by color change of (a) more than 5 Delta E (CIE) units for twenty-five years from the date of original purchase, and (b) more than 15 Delta E (CIE) units for the remainder of the Warranty Period, if any.

While the Product is designed to resist fading, no material is fade proof when exposed to years of UV exposure and the elements. The Product is designed to resist fading under normal weather conditions and will not fade by more than the number of Delta E (CIE) units indicated above.

Stain Resistance: The Product shall be resistant to permanent staining resulting from spills of food and beverage items including ketchup, mustard, salad oils, tea, wine, coffee, fruit punch, barbeque sauce, sodas and other food and beverage related items that would typically be present on a residential deck, or mold and mildew naturally occurring in the environment, provided that such substances are removed from the Product with soap and water within one (1) week of exposure of the food or beverage to the surface or first appearance of the mold and mildew. Cleaning procedures are described in the Care & Cleaning Guide at www.trex.com.

Notwithstanding the foregoing, Trex does not warrant that the Product is stain-proof and does not warrant stain resistance resulting from spilled or otherwise applied food and beverage substances which are not properly cleaned as provided above within one (1) week of exposure. In addition, materials not covered in this stain resistance section of this Limited Warranty include abrasive compounds of acidic or basic pH, paints or stains, strong solvents, metallic rust or other abnormal deck use items, and non-food and non-beverage substances, including but not limited to, biocides, fungicides, plant food, bactericides, cement, concrete, mortar, stucco and colored chalk. Mold and mildew can settle and grow on any outdoor surface, including this Product. You should periodically clean your deck to remove dirt and pollen that can feed mold and mildew. This Limited Warranty does not cover mold and mildew which is not properly cleaned as provided above within one (1) week of first appearance.

Residential/Commercial Application: For purposes of this Limited Warranty, a “residential application” shall refer to an installation of the Product on an individual residence, and a “commercial application” shall refer to any installation of the Product other than on an individual residence.

Term of Limited Warranty: The term of this Limited Warranty for a Product (the “Warranty Period”) begins on the date of original purchase and shall be equal to the number of years set forth next to such Product in Table I below.

TABLE I

Product	Residential Warranty Period	Commercial Warranty Period
Transcend® decking and fascia	50 Years	10 Years
Transcend® cladding	50 Years	25 Years
Select® decking and fascia, Universal fascia	35 Years	10 Years
Enhance® decking and fascia	25 Years	10 Years

Transferability: With respect to a residential application, this Limited Warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Product was originally installed. With respect to a commercial application, this Limited Warranty is freely transferable to subsequent buyers of the property upon which the Product was originally installed.

EXCLUSIONS FROM WARRANTY COVERAGE

The Products must be stored, handled, installed, used and maintained in accordance with instructions provided by Trex, and this Limited Warranty is conditioned upon compliance with all such instructions. Copies of Trex’s Installation Guides, Technical Information and Care and Cleaning Guides are available from Trex at the address listed below. The materials may also be obtained on Trex’s website at trex.com.

Any information or suggestion by Trex with respect to the Products concerning applications, specifications or compliance with codes and standards, including building or safety codes, is provided solely for Purchaser’s convenient reference and is made without any representation as to accuracy or suitability. Purchaser must verify and test the suitability of any information with respect to the Products for Purchaser’s specific application.

This Limited Warranty does not cover defects caused by:

Exposure to Heat: Direct or indirect contact with extreme heat sources (over 275°F/135°C) may cause fading and may damage the surface of the Product, and any effects of such exposure are expressly excluded from coverage under this Limited Warranty.

Surface Damage: Never use metal shovels or sharp-edged tools to remove snow and ice on the surface of the Product. If the surface of the Product is damaged or punctured, this Limited Warranty will be voided.

Paint or Other Materials Applied to the Product: If paint, solvents or other coating materials are applied to the Product, this Limited Warranty will be voided.

Other Exclusions: This Limited Warranty shall not cover any condition attributable to: (1) improper installation of the Product and/or failure to abide by Trex’s installation guidelines, including but not limited to improper gapping; (2) use of the Product beyond normal use or service conditions, or in an application not recommended by Trex’s guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which the Product is installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.), environmental condition (such as air pollution, mold, mildew, etc.), staining from foreign substances other than food and beverages (such as dirt, grease, oil, etc.); (5) improper handling, storage, abuse or neglect of the Product by Purchaser, the transferee or third parties; (6) any fading or staining not on the walking surface of the Product (i.e., the underside or the ends of the Product); or (7) ordinary wear and tear.

Excluded Products: This Warranty shall not apply to any Trex products not listed in Table I, including, but not limited to, Trex Transcend® railing, Trex Enhance® railing, Trex Select® railing, Trex Signature® railing, Trex Decklighting™ products, TrexTrim™ products, Trex® outdoor lighting products, Trex Hideaway® Fasteners, and Trex® fencing, which are excluded from this Limited Warranty. Each of these products has a separate Limited Warranty.

PROCEDURE FOR MAKING A CLAIM UNDER THIS LIMITED WARRANTY

To make a claim under this Limited Warranty, Purchaser must do the following:

1. If the Purchaser is making a claim relating to the Limited Warranty on stain resistance, Purchaser must do as follows:

(a) Purchaser must try to clean the affected area of the deck by using the cleaning procedures described above (and provided in more detail in the Care & Cleaning Guide found at www.trex.com) within one (1) week of exposure of the food or beverage to the Product or first appearance of the mold and mildew.

(b) If the affected area remains reasonably unsatisfactory after Purchaser has tried these cleaning procedures, then Purchaser must have the affected area of the deck professionally cleaned at Purchaser’s expense.

(c) If the affected area remains reasonably unsatisfactory after the professional cleaning, Purchaser may make a claim under this Limited Warranty, provided that such claim is made within thirty (30) days after the professional cleaning.

2. To make a claim under this Limited Warranty, Purchaser, or the transferee, shall send to Trex, within the Warranty Period referred to above, a written description and photographs of the claimed defect, proof of purchase, and if the claim relates to the Limited Warranty on stain resistance, proof of compliance with paragraph 1 above, to the following address:

Trex Company, Inc.
Customer Relations
160 Exeter Drive
Winchester, VA 22603-8605

3. Upon confirmation by an authorized Trex representative of a valid claim hereunder, Trex’s sole responsibility shall be, at its option, to either: (a) replace the affected Product with new Product in an amount equal to the volume (linear feet) of defective material; or (b) refund the portion of the purchase price paid by Purchaser for such affected Product (not including the cost of its initial installation). Replacement Products will be as close in color, design, and quality to the original Products as reasonably possible, in Trex’s discretion and determination, but Trex does not guarantee an exact match as colors and designs may change and Trex’s obligation as to replacement shall further be limited to replacement with the styles and colors of the Product that are available at the time of the replacement. **THE REMEDIES STATED IN THIS PARAGRAPH ARE PURCHASER’S SOLE AND EXCLUSIVE REMEDIES FOR ANY PRODUCT THAT FAILS TO CONFORM TO THIS LIMITED WARRANTY.**

If a valid warranty claim hereunder is made during year eleven (11) or any year thereafter through the expiration of the applicable Warranty Period after the original purchase, recovery will be prorated in accordance with Table II, below. If Trex is providing replacement materials, it may elect to replace the percentage listed in Table II, below, of boards otherwise meeting the requirements for a claim, or if it is refunding the purchase price, it may elect to refund the percentage listed below in Table II of the purchase price of Product otherwise meeting the requirements for a claim.

TABLE II

Year of Claim	Warranty Period		
	50 Year	35 Year	25 Year
11	90%	80%	80%
12	90%	80%	80%
13	90%	80%	80%
14	90%	80%	60%
15	90%	60%	60%
16	90%	60%	60%
17	70%	60%	40%
18	70%	60%	40%
19	70%	40%	40%
20	70%	40%	20%
21	70%	40%	20%
22	70%	40%	20%
23	50%	20%	10%
24	50%	20%	10%
25	50%	20%	10%
26	50%	20%	–
27	50%	20%	–
28	50%	20%	–
29	30%	10%	–
30	30%	10%	–
31	30%	10%	–
32	30%	10%	–
33	30%	10%	–
34	30%	10%	–
35	30%	10%	–

Year of Claim	Warranty Period		
	50 Year	35 Year	25 Year
36	20%	–	–
37	20%	–	–
38	20%	–	–
39	20%	–	–
40	20%	–	–
41	20%	–	–
42	20%	–	–
43	10%	–	–
44	10%	–	–
45	10%	–	–
46	10%	–	–
47	10%	–	–
48	10%	–	–
49	10%	–	–
50	10%	–	–

THE LIMITED WARRANTIES SET FORTH HEREIN ARE THE ONLY WARRANTIES MADE BY TREX IN CONNECTION WITH THESE PRODUCTS. TREX DOES NOT MAKE ANY OTHER WARRANTIES, IMPLIED OR EXPRESS, AND DISCLAIMS ALL OTHER WARRANTIES, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. TREX’S SOLE OBLIGATION UNDER THIS LIMITED WARRANTY SHALL BE, AT ITS OPTION, REPLACEMENT OF NON-CONFORMING PRODUCTS OR A REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE. PURCHASER ASSUMES ALL RISK WHATSOEVER AS TO THE RESULT OF THE USE OF THE PRODUCTS PURCHASED, WHETHER USED SINGULARLY OR IN COMBINATION WITH ANY OTHER PRODUCTS OR SUBSTANCES.

THIS LIMITED WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Product other than as contained in this Limited Warranty. This Limited Warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, RELIANCE, STATUTORY, SPECIAL, PUNITIVE OR EXEMPLARY DAMAGES, INCLUDING, BUT NOT LIMITED TO, LOST PROFITS, LOSS OF USE, LOSS OF TIME, LOSS OF REVENUES, INCONVENIENCE, LOSS OF BUSINESS OPPORTUNITIES, OR DAMAGE TO GOOD WILL OR REPUTATION DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR SUCH DAMAGES COULD HAVE BEEN REASONABLY FORESEEN, IN CONNECTION WITH, ARISING OUT OF, OR AS A RESULT OF, THE SALE, DELIVERY, INSTALLATION, USE OR LOSS OF USE OF THE PRODUCTS SOLD HEREUNDER, OR FOR ANY LIABILITY OF PURCHASER TO ANY THIRD PARTY WITH RESPECT THERETO AND TREX’S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO DEFECTIVE PRODUCT SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCT OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This Limited Warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2023 Trex Company, Inc.



TREX® RAILING AND ANCILLARY PRODUCTS LIMITED WARRANTY

Trex Company, Inc. (hereinafter “Trex”) warrants to the original end-use purchaser (“Purchaser”) that, for the applicable Warranty Period set forth in Table I below, when properly installed, used and maintained under normal use and service conditions, and in accordance with Trex’s written instructions, Trex® product set forth in Table I below (the “Product”) shall be free from material defects in workmanship and materials, and shall not split, splinter, rot or suffer structural damage from termites or fungal decay.

Residential/Commercial Application: For purposes of this warranty, a “residential application” shall refer to an installation of the Product on an individual residence, and a “commercial application” shall refer to any installation of the Product other than on an individual residence.

Term of Limited Warranty: The term of this Limited Warranty for a Product (the “Warranty Period”) begins on the date of original purchase and shall be equal to the number of years set forth next to such Product in Table I below.

TABLE I

Product	Residential Warranty Period	Commercial Warranty Period
Signature® Railing	25 Years	25 Years
Transcend® Railing, Select® Railing, Enhance® Railing, Trex® Fencing, and TrexTrim™	25 Years	10 Years
DeckLighting™ (LEDs and Housings)	7 Years	7 Years
DeckLighting™ (Transformer, Timer, Dimmer, WiFi Controller)	3 Years	3 Years

Transferability: With respect to a residential application, this warranty may be transferred one (1) time, within the five- (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Product was originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Product was originally installed.

EXCLUSIONS FROM WARRANTY COVERAGE

Notwithstanding the foregoing, (a) the warranty for Trex® DeckLighting™ Products is valid only in each case provided that a Trex transformer is used (with no warranty on any components if a Trex transformer is not used), and any other DeckLighting™ parts or accessories not listed in Table I above shall not be warranted; (b) this warranty shall not apply to any Trex products not listed in Table I, including, but not limited to Trex decking products, Trex cladding products, Trex fascia products, and Trex fasteners (which each have separate warranties), and (c) with respect to installations where the atmosphere is influenced by a body of salt water (or other contaminant conditions), failure to adhere to the cleaning guidelines available at www.trex.com will void this warranty with respect to any condition resulting from such failure.

The Products must be stored, handled, installed, used and maintained in accordance with instructions provided by Trex, and this Limited Warranty is conditioned upon compliance with all such instructions. Copies of Trex’s Installation Guides, Technical Information and Care and Cleaning Guides are available from Trex at the address listed below. The materials may also be obtained on Trex’s website at trex.com.

Any information or suggestion by Trex with respect to the Products concerning applications, specifications or compliance with codes and standards, including building or safety codes, is provided solely for Purchaser’s convenient reference and is made without any representation as to accuracy or suitability. Purchaser must verify and test the suitability of any information with respect to the Products for Purchaser’s specific application.

Trex does not warrant against and is not responsible for any condition attributable to: (1) improper installation of Product and/or failure to abide by Trex’s installation guidelines, including but not limited to improper gapping; (2) use of Product beyond normal use and service conditions, or in an application not recommended by Trex’s guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which Product is installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.), environmental condition (such as air pollution, mold, mildew, etc.), staining from foreign substances (such as dirt, grease, oil, etc.), or normal weathering (defined as exposure to sunlight, weather and atmosphere which will cause any colored surface to gradually fade, chalk, or accumulate dirt or stains); (5) variations or changes in color of Product; (6) improper handling, storage, abuse or neglect of Product by Purchaser, the transferee or third parties; or (7) ordinary wear and tear.

PROCEDURE FOR MAKING A CLAIM UNDER THIS LIMITED WARRANTY

To make a claim under this Limited Warranty, Purchaser, or the transferee, shall send to Trex, within the Warranty Period referred to above, a written description and photographs of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc.
Customer Relations
160 Exeter Drive
Winchester, VA 22603-8605

Upon confirmation by an authorized Trex representative of a valid claim hereunder, Trex’s sole responsibility shall be, at its option, to either: (a) replace the affected Product with new Product in an amount equal to the amount of defective material; or (b) refund the portion of the purchase price paid by Purchaser for such affected Product (not including the cost of its initial installation). Replacement Products will be as close in color, design, and quality to the original Products as reasonably possible, in Trex’s discretion and determination, but Trex does not guarantee an exact match as colors and designs may change and Trex’s obligation as to replacement shall further be limited to replacement with the styles and colors of the Product that are available at the time of the replacement.

THE REMEDIES STATED IN THIS PARAGRAPH ARE PURCHASER’S SOLE AND EXCLUSIVE REMEDIES FOR ANY PRODUCT THAT FAILS TO CONFORM TO THIS LIMITED WARRANTY.

If a valid warranty claim hereunder is made during year eleven (11) or any year thereafter through the expiration of the applicable Warranty Period after the original purchase, recovery will be prorated in accordance with Table II, below. If Trex is providing replacement materials, it may elect to replace the percentage listed in Table II, below, of Product otherwise meeting the requirements for a claim, or if it is refunding the purchase price, it may elect to refund the percentage listed below in Table II of the purchase price of Product otherwise meeting the requirements for a claim.

TABLE II

Year of Claim	Recovery
11	80%
12	80%
13	80%
14	60%
15	60%
16	60%
17	40%
18	40%
19	40%
20	20%
21	20%
22	20%
23	10%
24	10%
25	10%

THE LIMITED WARRANTIES SET FORTH HEREIN ARE THE ONLY WARRANTIES MADE BY TREX IN CONNECTION WITH THESE PRODUCTS. TREX DOES NOT MAKE ANY OTHER WARRANTIES, IMPLIED OR EXPRESS, AND DISCLAIMS ALL OTHER WARRANTIES, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. TREX’S SOLE OBLIGATION UNDER THIS LIMITED WARRANTY SHALL BE, AT ITS OPTION, REPLACEMENT OF NON-CONFORMING PRODUCTS OR A REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE. PURCHASER ASSUMES ALL RISK WHATSOEVER AS TO THE RESULT OF THE USE OF THE PRODUCTS PURCHASED, WHETHER USED SINGULARLY OR IN COMBINATION WITH ANY OTHER PRODUCTS OR SUBSTANCES.

THIS LIMITED WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Product other than as contained in this Limited Warranty. This Limited Warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, RELIANCE, STATUTORY, SPECIAL, PUNITIVE OR EXEMPLARY DAMAGES, INCLUDING, BUT NOT LIMITED TO, LOST PROFITS, LOSS OF USE, LOSS OF TIME, LOSS OF REVENUES, INCONVENIENCE, LOSS OF BUSINESS OPPORTUNITIES, OR DAMAGE TO GOOD WILL OR REPUTATION DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR SUCH DAMAGES COULD HAVE BEEN REASONABLY FORESEEN, IN CONNECTION WITH, ARISING OUT OF, OR AS A RESULT OF, THE SALE, DELIVERY, INSTALLATION, USE OR LOSS OF USE OF THE PRODUCTS SOLD HEREUNDER, OR FOR ANY LIABILITY OF PURCHASER TO ANY THIRD PARTY WITH RESPECT THERETO AND TREX’S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO DEFECTIVE PRODUCT SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCT OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This Limited Warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2023 Trex Company, Inc.



*front: Transcend Lineage in Biscayne with Signature Rod Rail
back: Transcend Lineage in Carmel*



Engineering What's Next
in Outdoor Living®

DECKING | RAILING | LIGHTING | FASCIA | KITCHENS | FURNITURE | PERGOLA | DRAINAGE
SPIRAL STAIRS | CORNHOLE | LATTICE | CLADDING | HIDDEN FASTENERS | FENCING

Visit **trex.com** or call **1-800-BUY-TREX**

FIND US ON



Front Cover: Photos © 2022 Warner Bros. Discovery, Inc. or its subsidiaries and affiliates. All rights reserved.

© 2023 Trex Company, Inc. All rights reserved. Trex®, the Trex logo, TrexPro®, Trex Enhance®, Trex Select®, Trex Transcend®, Lineage™, Trex Signature®, Trex® OutdoorLighting™, Trex Hideaway®, Trex® Pergola™, Trex® Outdoor Kitchen™, Trex® RainEscape®, Trex® Outdoor Furniture™, Trex® Cladding™, Trex® Fascia, Trex® Spiral Stairs™, Trex® Protect™, Trex® Cornhole™, Trex® Lattice™ and Trex® Fencing are either federally registered trademarks, trademarks or trade dress of Trex Company, Inc., Winchester, Virginia or its licensees.