### Craftsman Doors & Sidelites

Fiberglass & Steel Door Systems



Where Home Begins<sub>™</sub>






### The beauty of choice.

You're in expert hands with Therma-Tru, the most preferred brand of entry doors among builders. Year after year, building professionals rank Therma-Tru #1 – as the brand they use most.\* It's a reputation built on more than 60 years of experience and technical know-how. Therma-Tru introduced the world to fiberglass doors and continues to make door systems that are held to high standards for quality and performance.

That's where the beauty of choosing Therma-Tru begins.

### Classic Craft, Artíssa Collection

Rooted in simple nostalgia, the Artíssa Collection pays homage to the handmade culture of the American Arts and Crafts movement. Highlighting the beauty of straight-forward design, this selection of premium Classic Craft. doors features clean lines, Shaker styling and Craftsman-inspired glass for a casual and welcoming approach to the entryway.



### True-to-Wood Origins

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain<sub>®</sub> technology.



#### Fir Grain

Formerly Classic-Craft American Style

Designed to echo the grain of the largest species of American Hemlocks – the Western Hemlock tree – found in lush coastal rainforests of the Pacific Northwest.

#### Canvas

Inspired by the world's most exquisite masterpieces and designed with the architectural character of finely sanded wood.

### Classic Craft<sub>®</sub> Craftsman-Lite Options & Accessories

### Decorative & Specialty Glass Designs





**Black Nickel** 



**Brushed Nickel** 

**Brushed Nickel** 

Homeward<sub>m</sub>

Glass Privacy Rating: 4







#### Privacy & Textured Glass






Chord (XC)

Glass Privacy Rating: 10



Chinchilla (XJ) Glass Privacy Rating: 10



Rainglass (XR) Glass Privacy Rating: 8



Granite (XN) Glass Privacy Rating: 10



Also Available: Divided Lites, Low-E Glass

<sup>\*</sup>The use of pale amber artique glass varies based on glass size. Refer to the image on the back cover to see an example on a home.

<sup>\*\*</sup>Pairs with 3'6" wide doors.

<sup>\*\*\*</sup>Brand Use Study, 2022 *Builder* magazine.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

#### EnLiten™ Flush-Glazed Designs

All Classic Craft Craftsman doors and sidelites are made with flush-glazed glass for a truly seamless, consistent appearance and a high-performance weather seal. Look for the (▲) and (▲) icons.

#### Simulated Divided Lites (SDLs)

Available to create authentic Craftsman glass configurations.



#### **Dentil Shelves**

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.



Classic Craft. Fir Grain 4-Block Dentil Shelf



Classic Craft. Fir Grain 4-Block Dentil Shelf\*



Classic Craft. Fir Grain 16-Block Dentil Shelf



Classic Craft. Canvas 4-Block Dentil Shelf





Uniquely designed by Therma-Tru, Classic Craft complete entryway systems are backed by an industry-leading 1x transferable lifetime limited warranty from the entry door brand building professionals choose most.\*\*\* This comprehensive lifetime limited warranty can TRANSFERABLE be transferred one time to a new owner, should you ever sell your home.



### Classic Craft<sub>®</sub> Fir Grain





- Low-E Glass (LE)
- Flush-Glazed Glass with Detailed Sticking (FG)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Simulated Divided Lites (SDL)


#### **Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination.

XC = ChordXR = Rainglass XJ = Chinchilla XN = Granite

#### **Optional Dentil Shelves**





Classic Craft. Fir Grain 16-Block

#### Homeward<sub>™</sub> ◆::



CCA231 CCA8231 **3**'0"x 6'8" **3**'0"x 8'0"



CCA87132 **6** ≈ 3'6"x 8'0"



CCA211 CCA8211 3'0"x 6'8" 3'0"x 8'0"



3'6"x 8'0"



CCA3401SL 12"x 6'8" 14"x 6'8"

CCA3501SL 12"x 8'0"

#### Arborwatch. +::



3'0"x 6'8"

CCA211SL 12"x 6'8" 14" x 6'8"



CCA89300 3'0"x 8'0"



3'6" x 8'0"



CCA9100 CCA89100 3'0"x 6'8" 3'0"x 8'0"



3'6"x 8'0"

#### Privacy & Textured Glass









**3**'6"x 8'0"



3'0"x 6'8" 3'0"x 8'0"





#### Low-E Glass



### Classic Craft<sub>®</sub> Fir Grain

#### continued



#### **Canvas**

#### Low-E Glass Continued



CCA260 CCA8260 **♦ ₩ ■** 3'0"x 8'0" **3**'0"x 6'8"







3'0"x 6'8" 3'0"x 8'0"



**♦ \* ■** 12"x 6'8" 3'6"x 8'0"



**♦ ₩ №** 12"x 8'0" 14"x 8'0"

#### Key

Flush-Glazed Glass with Detailed Sticking (FG)

Flush-Glazed Glass with Square Sticking (FG)

k Low-E Glass (LE)

Black Nickel Caming (1D)

**Brushed Nickel Caming (1C)** 

Simulated Divided Lites (SDL)

Door Divider Bars (DDBF5)

**Privacy & Textured Glass Options** 

Add the code to the blank

in the style number for the

XR = Rainglass

XN = Granite

desired door and glass

combination.

XC = Chord XJ = Chinchilla

CCA3500SL

12"x 8'0"

14" x 8'0"

CCA3400SL 12"x 6'8"

14"x 6'8"



12"x 6'8" 14"x 6'8"



3'0"x 6'8" 12"x 6'8" 14" x 6'8"

#### Solid Panel



3'0"x 8'0"

## **Optional**



Classic Craft. Fir Grain 4-Block



Classic Craft. Fir Grain 16-Block

Classic Craft. Canvas 4-Block



<sup>\*</sup>Pairs with 3'6" wide doors. Bottom: Classic Craft Fir Grain, Low-E Glass, Door - CCA210, Finish - New Earth

### Classic Craft<sub>®</sub> Canvas

#### 



#### Privacy & Textured Glass



#### Low-E Glass





### Fiber-Classic.



Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.

### Smooth-Star.



Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.



Contributes to an energy-efficient home and is backed by the industry's most comprehensive lifetime limited warranty.

# Fiber-Classic & Smooth-Star Craftsman-Lite Options & Accessories

#### **Decorative & Specialty Glass Designs**



Sedona

Glass Privacy Rating: 7



Maple Park

Glass Privacy Rating: 6



Black Nickel

Saratoga™ Glass Privacy Rating: **7** 



Wrought Iro

Riserva<sub>®</sub>

Glass Privacy Rating: 10



Pembridge<sub>m</sub>

Glass Privacy Rating: 7



Axis<sub>®</sub>

Glass Privacy Rating: 7



Calix

Glass Privacy Rating: 1



Privacy & Textured Glass

Also Available: Divided Lites, Clear Glass



#### **SDL Bar Options**

Fiber-Classic
Buff-Grained Scrolled (28.6 mm / 1.125 in.)
Look for the ( ) icon.

Fiber-Classic
Buff-Grained Flat (28.6 mm / 1.125 in.)
Look for the ( ) icon.

Smooth-Star Smooth Scrolled (28.6 mm / 1.125 in.) Look for the ( ) icon.

Smooth-Star Smooth Flat (28.6 mm / 1.125 in.) Look for the (1) icon.



#### **Dentil Shelves**

Complete the look with a dentil shelf for true Craftsman appeal.



Fiber-Classic. 4-Block Dentil Shelf\*



#### EnLiten<sub>™</sub> Flush-Glazed Designs

During construction, double- or triple-pane glass is built directly into the door during the manufacturing process, providing enduring strength and durability to the unit.

Look for the ( ) icons and / or a blue highlight



#### Fiber-Classic. Mahogany Collection™

Features deep Mahogany graining.

#### Smooth-Star.

Features a smooth, ready-to-paint surface.

#### Key

- No Stile Lines
- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Simulated Divided Lites (SDLF1)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- Wrought Iron (1W)
- E Elevated 10" Bottom Rail Options
- Flat Lite Frame
- **NEW Scrolled & Flat Advanta Lite Frame**
- **NEW Flat Advanta** Lite Frame
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- **WBDR Options**
- WBDR / HVHZ Options

#### **Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination.

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

#### **Optional Dentil Shelves**



### Fiber-Classic<sub>®</sub> Mahogany Collection<sub>™</sub> & Smooth-Star<sub>®</sub>

EnLiten™ Flush-Glazed Designs

#### Saratoga<sub>™</sub> ♦ ♦ #



FCM86240

2'8"x 8'0"

2'10"x 8'0'

3'0"x 8'0'

S86201SL

12" x 8'0'

14"x 8'0'

S6240SL

FCM6240

2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FCM6201SL



FCM6240SL 12"x 6'8" (7'0")

FCM86240SL 12"x 8'0" 14"x 6'8" (7'0") 14"x 8'0"



S6240 ΔE 2'8"x 6'8" (7'0")

3'0"x 6'8" (7'0")

**∆** 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 8'0"

S86240

#### Privacy & Textured Glass **♦**



FCM4812 **♦ N** E

**NEW** 

2'8"x 6'8" (7'0") 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 8'0" 3'0"x 6'8" (7'0")

FCM84812\_ 

FCM4813\_ **♦**NE 2'8" x 6'8" (7'0")

3'0" x 6'8" (7'0")



FCM84813 2'8"x 8'0" 2'10"x 8'0" 2'10" x 6'8" (7'0")

3'0"x 8'0"



2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

FCM4814\_ A RIE

S6201SL

10"x 6'8'

12"x 6'8" (7'0")

14"x 6'8" (7'0")

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FCM4816 & NE 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")

FCM84816 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"

FCM4810

2'8"x 8'0" 2'8" x 6'8" (7'0") 2'10"x 8'0" 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

**≜E** 



FCM84810\_ FCM2050\_SL FCM84886 SI

12"x 6'8"(7'0") 12"x 8'0" 14"x 6'8"(7'0") | 14"x 8'0"











FCM8000\_SL

2'8"x 8'0" 2'10"x 8'0" 12"x 6'8" (7'0") 14" x 6'8" (7'0") 3'0"x 8'0"

12"x 6'8" (7'0") 14" x 6'8" (7'0") | 2'10" x 8'0"

2'8"x 8'0" 3'0"x 8'0"

A RIJE 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

S4813\_ A RIJE 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

**≜ 1** 2'8" x 8'0" 2'10"x 8'0" 3'0"x 8'0"



**▲ 1** 2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"





S4816\_ **å Rji E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0")



S4810\_ **≜ 1** 2'8"x 8'0" **● E** 2'8" x 6'8" (7'0") 2'10"x 8'0" 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") | 3'0"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



S84886\_SL S2010 SL 12"x 8'0" 10"x 6'8" 12"x 6'8" (7'0") 14"x 8'0" 14"x 6'8" (7'0")



S2000\_SL 10"x 6'8" 12"x 6'8" (7'0") 14"x 8'0" 14"x 6'8" (7'0")

**A** •



12"x 8'0" 12"x 6'8" (7'0") | 12"x 8'0" 14"x 6'8" (7'0") | 14"x 8'0"











2'8"x 8'0"

2'10"x 8'0"

**♦** ₩ **E \*** 🛍 2'8" x 6'8" (7'0") 2'8"x 8'0" 2'10"x 8'0" 2'10" x 6'8" (7'0") 3'0"x 8'0" 3'0" x 6'8" (7'0")



FCM4814 **♦ \* N** E **\* \*** 2'8" x 8'0" 2'10" x 8'0" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") | 3'0" x 8'0"



**♦** # 🗓 E **\* \*** 2'8"x 8'0" 2'10"x 8'0" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 8'0" 3'0" x 6'8" (7'0")

#### Fiber-Classic. Mahogany Collection™

Features deep Mahogany graining.

#### Smooth-Star.

Features a smooth, ready-to-paint surface.

#### Key

- No Stile Lines
- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- **Contour or Flat White Grilles** Between Glass (GBGC / GBGF)
- **Flat or Contour Almond Grilles** Between Glass (GBGF/GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF/GBGC)
- E Elevated 10" Bottom Rail Options
- **NEW Scrolled & Flat** Advanta Lite Frame
- **NEW Flat Advanta** Lite Frame
- **NEW Scrolled** Advanta Lite Frame
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- **WBDR Options**
- 6 WBDR / HVHZ Options
- 6'6" Height Available

#### **Optional Dentil Shelves**



### EnLiten™ Flush-Glazed Designs continued

#### Clear Glass Continued



FCM4810 **▲** \* F 2'8"x 8'0" 2'8" x 6'8" (7'0") 2'10"x 8'0" 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") | 3'0" x 8'0"



FCM2050SL 12"x 6'8" (7'0") 14"x 6'8" (7'0") | 14"x 8'0"





12"x 8'0" 12"x 6'8" (7'0") 14"x 8'0" 14" x 6'8" (7'0")



FCM4812SL **▲ \* ₽** 12"x 6'8" (7'0") 14"x 6'8" (7'0") 14"x 8'0"

FCM84812SL 12"x 8'0"



12"x 6'8" (7'0") | 12"x 8'0" 14"x 6'8" (7'0") | 14"x 8'0"



**♦ \* □** 2'8"x 8'0" **♦ # N** E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 2'0" x 8'0" 3'0"x 6'8" (7'0") / 3'0"x 8'0"



**♦ \* 1** 2'8"x 8'0" **♦ \* 📦 E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0")



S4814 **♦ \* N** E 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

**♦ ₩ 1** 2'8"x 8'0" 2'10"x 8'0"



S4816 **♦ \* N** E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



**♦ # E** 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S84886SL S2010SL **▲ \* №** 12"x 8'0" 10"x 6'8" Å 14"x 8'0" 12"x 6'8" \$ (7'0") 



S2000SL 10"x 6'8" Å 12"x 6'8" \$\(\frac{1}{4}\) (7'0") | 14"x 8'0" 14"x 6'8" \$ (7'0")

S8000SL 12"x 8'0"

**\* \*** 

2'8"x 8'0"

3'0"x 8'0"

2'10"x 8'0"

<sup>\*</sup>Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

<sup>\*\*</sup>Available with flat lite frame or Advanta flat lite frame only.

<sup>\*\*\*</sup>Available with flat lite frame, Advanta flat lite frame or Impact-rated lite frame only.

### Lite Frame



S84812SL

**♦ \* □** 12"x 8'0"







S2000SL

10"x 6'8"

12"x 6'8" (7'0")

14"x 6'8" (7'0")

S8000SL

12"x 8'0"

14"x 8'0"



S4812SL

12"x 6'8" (7'0")

14" x 6'8"(7'0") | 14" x 8'0"

**♦ \* □** 



Maple Park₃ ♦::













S6131SL 10"x 6'8" 12"x 6'8" 14"x

#### Saratoga<sub>™</sub> ♦::

2'8"x 6'8"

2'10"x 6'8"

3'0"x 6'8"



**6** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



12"x 6'8"

14"x 6'8"







6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



2'10" x 8'0" 3'0"x 8'0"



S154SL S8602 12"x 6'8" 12"x 8'0"



S602SL 10"x 6'8" 12"x 6'8" 14"x 6'8"

\$85932SL 12"x 8'0" 14"x 8'0"

#### Fiber-Classic. Mahogany Collection™

Features deep Mahogany graining.

#### Smooth-Star.

Features a smooth, ready-to-paint surface.

#### Key

- No Stile Lines
- Flush-Glazed Glass with **Detailed Sticking (FG)**
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- **Contour or Flat White Grilles** Between Glass (GBGC / GBGF)
- **Flat or Contour Almond Grilles** Between Glass (GBGF/GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF/GBGC)
- **■** Elevated 10" Bottom Rail Options
- **NEW Scrolled & Flat** Advanta Lite Frame
- **NEW Flat Advanta** Lite Frame
- **NEW Scrolled Advanta Lite Frame**
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- WBDR Options
- WBDR / HVHZ Options

#### **Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination.

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

#### **Optional Dentil Shelves**




### Fiber-Classic<sub>®</sub> Mahogany Collection<sub>™</sub> & Smooth-Star<sub>®</sub>

#### Riserva. X



FCM508 6 🛮 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



10"x 6'8" 12"x 6'8' 14"x 6'8"



S2670\*\* 16E4 2'8"x 6'8" 2'10"x 6'8' 3'0"x 6'8"



2'10"x 8'0" 3'0"x 8'0"



S508 2'10"x 6'8" 3'0"x 6'8"



**46** 12"x 6'8" 2'10"x 8'0" 14" x 6'8" 3'0"x 8'0"



S572SL **46** 12"x 8'0" 10"x 6'8 14" x 8'0" 12"x 6'8" 14"x 6'8'

S8572SL 12"x 8'01 14"x 8'0"

#### Pembridge<sub>™</sub> ◆ :: ❖



FCM6520 2'10"x 6'8 3'0"x 6'8"



FCM6500SL 10"x 6'8" 12" x 6'8' 14"x 6'8"



S2640\*\* **⊿6 E** 🛭 2'8" x 6'8" 2'10" x 6'8 3'0" x 6'8'



161 2'8"x 8'0" 2'10"x 8'0' 3'0"x 8'0'



6 🛮 2'8" x 6'8' 2'10"x 8'0" 2'10"x 6'8" 3'0"x 8'0" 3'0"x 6'8'



S6550SI **46** 12"x 6'8" 14"x 6'8' 14"x 8'0'

**46** 

12"x 8'0"



**⊿∎⊙**6 **≥** 10"x 6'8<sup>1</sup> 12"x 6'8' 14"x 6'8'

**⊿** ■ ● **6 ¾** 12"x 8'0 14"x 8'0"

Axis.



**6** 2'8"x 6'8" 2'10"x 6'8' 3'0"x 6'8'



FCM1651SL **9 9** 10"x 6'8" 12"x 6'8' 14"x 6'8'



S2620\*\* **⊿6 E ¾** 2'8"x 6'8' 2'10"x 6'8' 3'0"x 6'8'



**46** 2'8" x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S1650 6 🚪 2'8" x 6'8" 2'10"x 6'8"



S81650 6 🚪 2'8"x 8'0" 2'10"x 8'0"



S1652SL **16 1** 12"x 8'0" **46** 12"x 6'8" 14"x 6'8" 14"x 8'0'



S1651SL **⊿∎●6** 🛚 10"x 6'8' 12"x 6'8" 14"x 6'8"



<sup>\*</sup>Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

<sup>\*\*</sup>Available with flat lite frame, Advanta flat lite frame or Impact-rated lite frame only.

#### NEW Calix ◆:: ❖



#### **Privacy & Textured Glass**





#### Fiber-Classic。 Mahogany Collection...

Features deep Mahogany graining.

#### Smooth-Star.

Features a smooth, ready-to-paint surface.

#### Profiles<sub>™</sub> Steel

Features a 24-gauge steel, smooth surface.

#### Key

- No Stile Lines
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Contour or Flat White Grilles
  Between Glass (GBGC / GBGF)
- Contour or Flat Black Grilles Between Glass (GBGC / GBGF)
- Flat or Contour Almond Grilles Between Glass (GBGF/GBGC)
- ▼ Flat or Contour Bronze Grilles Between Glass (GBGF/GBGC)
- Fixed Grilles (FXG)
- E Elevated 10" Bottom Rail Options
- NEW Scrolled & Flat Advanta Lite Frame
- NEW Flat Advanta Lite Frame
- NEW Scrolled
  Advanta Lite Frame
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")

S601\_SL

10"x 6'8

12"x 6'8"

14"x 6'8'

**4** • • 6 **1** 

S81086\_SL

**⊿**■●6 **¾** 

12"x 8'0

14"x 8'0'

- WBDR Options
- WBDR / HVHZ Options
- Fire-Rated Wood Edge\*\*
  (20-Minute)

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination.

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass


XN = Granite

### Optional Dentil Shelves




## Fiber-Classic Mahogany Collection Mahogany Collection Continued

#### **Privacy & Textured Glass** Continued









FCM608

2'8"x 6'8"

2'10" x 6'8'

3'0"x 6'8"

FCM601

**\* ∮ 1** 2'8"x 6'8"

2'10"x 6'8"


3'0"x 6'8'

- \*Available with flat lite frame, Advanta flat lite frame or Impact-rated lite frame only.
- \*\*To confirm fire door requirements in your jurisdiction, always check with your local building code authority.
- \*\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: To see the full results of third-party Intertek, Warnock-Hersey testing, visit www.thermatru.com/performancedata. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.



#### Profiles™ Steel







The Veris, collection embodies a reconnection between home and outdoors. Sleek, minimalist designs perfectly frame the view. Expansive glass welcomes an abundance of natural light.

















thermatru.com

1-800-THERMA-TRU (843-7628)

1750 Indian Wood Circle Maumee, OH 43537









#thermatru

Cover: Smooth-Star, Calix Glass, Door-S3540, Finish - Arctic Ice Bottom: Classic Craft Fir Grain, Arborwatch Glass with SDLs, Door - CCA9100, Sidelites - CCA9100SL, Finish - Garnet

©2023 Therma-Tru Corp. All rights reserved. THERMA-TRU and the Therma-Tru Logo are trademarks of Therma-Tru Corp. Registered trademarks are registered in the U.S. and may be registered internationally. Therma-Tru Corp. is an operating company of Fortune Brands Innovations, Inc. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency. Part #PODMAFCDSB23 MTZT / DEC 2022