

TRUSTILE®  
A MARVIN® BRAND

# TRUSTILE WOOD ENTRY SYSTEMS

DESIGN THAT MOVES YOU™







See page B30 for product specs.

## THE TRUSTILE STORY

Since 1995, TruStile has put design at the center of our products and processes. From the materials we select to our exacting craft and design, we engineer for quality that sets the tone for the whole home. In collaboration with our parent company, Marvin™, we have created a family of premium entry systems that don't just transform a space, but how you feel inside it. Make the entry to your new home a most welcoming invitation with an exceptional entrance by TruStile.

**TRŪSTILE**  
A MARVIN  BRAND

**MARVIN** 

EXCELLENCE  
IN ENTRY  
SYSTEMS





TruStile Reserve™

System Code	TMF1000-103B
Layout	ES103
Door Style	TMF1000
Sidelite	DSG100
Wood Species	Mahogany
Finish	Ebony
Glass	White Lami

# TRUSTILE WOOD ENTRY SYSTEMS

## TABLE OF CONTENTS

Wood Entry Systems ..... 4

TruStile Selection Guide ..... 6

Architectural Styles Overview ..... 8

Modern ..... 10

Traditional ..... 22

Modern Farmhouse ..... 30

French Country ..... 36

Coastal ..... 42

Mediterranean ..... 48

Craftsman ..... 54

Cape Cod ..... 60

Entry System Layouts ..... 66

Style Reference Guide ..... 68

Transom and Sidelite Options ..... 76

Construction and Acetylation ..... 78

Profile Options and Mull Construction ..... 80

Wood Species and Stain Options ..... 82

Hinge, Sill and Glass Options ..... 84

Entry Systems Comparison and Warranty ..... 86

Door Design Tool ..... 88



# TRUSTILE ENTRY SYSTEMS MATERIAL CONSTRUCTION




## Choose the Material Best Suited for Your Project

Both material construction options have been extensively tested and proven in partnership with the Marvin™ Research and Development team.

### Resilient™ Wood Entry System

The Resilient Wood Entry System sets the tone of quality for the whole home using the most durable painted construction without sacrificing any design options.




- Engineered with resilient Accoya®, an acetylated wood product, which brings unprecedented reliability and durability to wood.
- Tricoya® top layers provide exceptional stability, durability and paintability for outdoor applications.
- Most configurations delivered pre-hung with a premium prime finish that's ready to paint.
- 10-year warranty with limited and no overhang applications, depending on system design specifications.



### Reserve™ Wood Entry System

The Reserve Wood Entry System elevates the refined elegance of your home with the beauty of stained natural wood.



- 10 natural wood species available with an extensive collection of premium factory stain options.
- Premium appearance standards ensure industry-leading grain and color matching.
- Engineered with a laminated veneer lumber (LVL) core and Tricoya® layers for exceptional stability and durability.
- 5-year limited warranty with industry standard overhang requirements.



## TRUSTILE ENTRY SYSTEMS

# TWO WAYS TO CREATE YOUR ENTRY SYSTEM


Start designing at  
[www.trustile.com/designtool](http://www.trustile.com/designtool)  
Details on page 88.

## Select From Our Featured Entry Systems

We've created over 80 featured entry systems that capture the current trends of popular architectural styles. Start with the style most closely matching your vision for your home and tailor it to match your tastes and requirements.


## Select From Over 80 Featured Entry Systems

See all options in each architectural section starting on page 8.



## Or Build Your Own Entry System

Design your custom entry system in a few simple steps. Choose the right material for your project. Select from over 500 door styles and endless design options. Then finalize the details to your exact specifications.







**MODERN**



**TRADITIONAL**



**MODERN FARMHOUSE**



**FRENCH COUNTRY**



**COASTAL\***



**MEDITERRANEAN**



**CRAFTSMAN**



**CAPE COD**

*\* Architectural category only. Impact and hurricane ratings not currently available. See your TruStile dealer to verify compatibility with your local building code.*

*Wood is a natural product and the finish and color will vary depending on the wood species and lighting on the job site. The images printed within this catalog are a representation of TruStile species and stain colors and do not replace seeing the stain and wood samples in person. Please visit your local TruStile dealer to request a factory finished stain sample.*

## ARCHITECTURAL STYLES

IMPACTFUL  
SOPHISTICATED  
AUTHENTIC

TruStile has curated over 80 featured designs across eight architectural styles to make it easy to find the right look for your new entrance.





Reverse configuration shown  
with right handing.

MODERN

SLEEK  
CONTEMPORARY  
STRIKING

TruStile Reserve™

System Code	TMIR6001-102B
Layout	ES102
Door Style	TMIR6001
Sidelite	DSG100
Profile	¼" Kerf Cut Reveal
Wood Species	Mahogany
Finish	White Haze
Glass	Clear





TruStile Resilient™	
System Code	TM3100-111B
Layout	ES111
Door Style	TM3100
Sidelite	DSG100
Transom	DSG100
Profile	SS Sticking
Wood Species	Resilient Wood
Finish	SW 7069 Iron Ore
Glass	Clear



TruStile Reserve™	
System Code	TMIR9001-108A
Layout	ES108
Door Style	TMIR9001
Sidelite	FL100
Transom	TRG100
Profile	¼" Kerf Cut Reveal
Wood Species	Mahogany
Finish	Slate
Glass	Clear





TruStile Reserve™

System Code	TM9340-105C
Layout	ES105
Door Style	TM9340
Sidelite	TM9340
Profile	¼" Kerf Cut Reveal
Wood Species	Rift Sawn White Oak
Finish	Grey Mist
Glass	White Lami



TruStile Reserve™

System Code	TMIR1002-102B
Layout	ES102
Door Style	TMIR1002
Sidelite	DSG100
Profile	¼" Kerf Cut Reveal
Wood Species	Walnut
Finish	Ebony
Glass	Clear





MODERN

TruStile Reserve™

System Code	TM6100-105A
Layout	ES105
Door Style	TM6100
Sidelite	TM1000
Profile	SS Sticking
Wood Species	Rift Sawn White Oak
Finish	White Haze
Glass	Clear



MODERN

TruStile Reserve™

System Code	TMIR6000-106B
Layout	ES106
Door Style	TMIR6000
Sidelite	DSG100
Transom	DSG100
Profile	¼" Kerf Cut Reveal
Wood Species	Mahogany
Finish	Cinnamon
Glass	Clear



TruStile **Resilient™**

System Code	TMIR4000-108A
Layout	ES108
Door Style	TMIR4000
Sidelite	FL100
Transom	FL100
Profile	¼" Kerf Cut Reveal
Wood Species	Resilient Wood
Finish	SW 2735 Rockweed
Glass	Clear



TruStile **Reserve™**

System Code	TMF1000-103A
Layout	ES103
Door Style	TMF1000
Sidelite	FL100
Wood Species	Plain Sawn White Oak
Finish	Nutmeg
Glass	Clear








TruStile Reserve™	
System Code	TM9350-105A
Layout	ES105
Door Style	TM9350
Sidelite	FL100
Profile	¼" Kerf Cut Reveal
Wood Species	Walnut
Finish	Ebony
Glass	Clear


# Choose One of Our **Featured Entry Systems**

Designed by TruStile and ready to order through your local dealer.


## Featured Modern Entry Systems in this Catalog




TMIR6001-102B  
*pg 10*



TM3100-111B  
*pg 12*




TMIR9001-108A  
*pg 13*




TM9340-105C  
*pg 14*




TMIR1002-102B  
*pg 15*




TM6100-105A  
*pg 16*



TMIR6000-106B  
*pg 17*



TMIR4000-108A  
*pg 18*



TMF1000-103A  
*pg 19*



TM9350-105A  
*pg 20*

## Other Featured Modern Entry Systems



TMF1000-103B  
*pg 2*



TMIR5101-103B  
*pg 68*



TMF1000-102D  
*online*



TM5100-105A  
*online*



TM9160-102A  
*online*



TM9310-111A  
*online*



TMIR6080-108A  
*online*



TM6001-ES102A  
*online*



TM4000-105C  
*online*



TM9000-108A  
*online*

See more door style options on pages 68-75.





TRADITIONAL

CLASSIC  
POLISHED  
TIMELESS

TruStile Resilient™

System Code	TS3070-204A
Layout	ES204
Door Style	TS3070
Transom	FL100
Profile	QB Sticking/B Panel
Wood Species	Resilient Wood
Finish	SW 7069 Iron Ore
Glass	Clear





TRADITIONAL

TruStile Reserve™

System Code	TS3000-109D
Layout	ES109
Door Style	TS3000
Sidelite	FL300
Transom	TRG100
Profile	QB Sticking/B Panel
Wood Species	Mahogany
Finish	Nutmeg
Glass	Clear



TRADITIONAL

TruStile Reserve™

System Code	FL616-109C
Layout	ES109
Door Style	FL616
Sidelite	FL310
Transoms	TRG100 and TRG200
Profile	SS Sticking/C Panel
Wood Species	Plain Sawn White Oak
Finish	Hazelnut
Glass	Clear





TRADITIONAL

TruStile Reserve™

System Code	TS6020-108D
Layout	ES108
Door Style	TS6020
Sidelite	TS3070
Transom	TRG600
Profile	OG Sticking/D Panel
Wood Species	Mahogany
Finish	Ebony
Glass	Clear



TRADITIONAL

TruStile Resilient™

System Code	TS3100-109C
Layout	ES109
Door Style	TS3100
Sidelite	FL110
Transom	TRG100
Profile	OS Sticking/A Panel
Wood Species	Resilient Wood
Finish	SW 6990 Caviar
Glass	Clear






TRADITIONAL

# Choose One of Our **Featured Entry Systems**


TRADITIONAL

Designed by TruStile and ready to order through your local dealer.


## Featured Traditional Entry Systems in this Catalog




TS3070-204A  
pg 22




TS3000-109D  
pg 24




FL616-109C  
pg 25



TS6020-108D  
pg 26




TS3100-109C  
pg 27




TS4060-504A  
pg 28


## Other Featured Traditional Entry Systems




TS3300-108C  
online




TS4000-105A  
online




TS3280-104D  
online



TS3160-504A  
online



PL234-104C  
online



TS4300-308C  
pg 76

TruStile <b>Reserve™</b>	
System Code	TS4060-504A
Layout	ES504
Door Style	TS4060
Transom	TRG110
Profile	CB Sticking/B Panel
Wood Species	Mahogany
Finish	Cinnamon
Glass	Clear

See more door style options on pages 68-75.





MODERN FARMHOUSE

FRESH  
RELAXED  
UPDATED

TruStile Resilient™	
System Code	FL400-108C
Layout	ES108
Door Style	FL400
Sidelite	FL400
Transom	TRG400
Profile	BV Sticking
Wood Species	Resilient Wood
Finish	SW 9130 Evergreen Fog
Glass	Clear





MODERN FARMHOUSE

TruStile Reserve™	
System Code	FL1001-108C
Layout	ES108
Door Style	FL1001
Sidelite	FL501
Transom	TRG400
Profile	BV Sticking/C Panel
Wood Species	Quarter Sawn White Oak
Finish	Grey Mist
Glass	Clear



MODERN FARMHOUSE


TruStile Reserve™	
System Code	PL104-205C
Layout	ES205
Door Style	PL104
Sidelite	PL102
Profile	SS Sticking/C Panel
Wood Species	Plain Sawn White Oak
Finish	Grey Mist
Glass	Clear




# Choose One of Our **Featured Entry Systems**

Designed by TruStile and ready to order through your local dealer.


## Featured Modern Farmhouse Entry Systems in this Catalog




FL400-108C  
pg 30



FL1001-108C  
pg 32




PL104-205C  
pg 33




PL106-204A  
pg 34


## Other Featured Modern Farmhouse Entry Systems




PL224-105C  
online



FL300-204A  
online



PL206-108C  
online



PL119-106D  
online

See more door style options on pages 68-75.

TruStile Reserve™	
System Code	PL106-204A
Layout	ES204
Door Style	PL106
Transom	TRG100
Profile	SS Sticking/C Panel
Wood Species	Walnut
Finish	Amaretto
Glass	Clear





FRENCH COUNTRY

ORNATE  
CHARMING  
ELEGANT

TruStile Reserve™

System Code	TS5030-108D
Layout	ES108
Door Style	TS5030
Sidelite	FL110
Transom	TRG100
Profile	BV Sticking/A Panel
Wood Species	Walnut
Finish	Clear
Glass	Clear





FRENCH COUNTRY

TruStile Resilient™

System Code	TS3160-201
Layout	ES201
Door Style	TS3160 (Common Arch Pair)
Profile	OG Sticking/B Panel
Wood Species	Resilient Wood
Finish	SW 6227 Meditative



FRENCH COUNTRY

TruStile Reserve™

System Code	TS4200-105C
Layout	ES105
Door Style	TS4200
Sidelite	TS3130
Profile	OG Sticking/B Panel
Wood Species	Mahogany
Finish	Caramel
Glass	Clear






TruStile Resilient™	
System Code	TS5020-201
Layout	ES201
Door Style	TS5020 (Common Arch Pair)
Profile	OG Sticking/B Panel
Wood Species	Resilient Wood
Finish	SW 9580 Cracked Pepper
Glass	Beveled


# Choose One of Our **Featured Entry Systems**

Designed by TruStile and ready to order through your local dealer.


## Featured French Country Entry Systems in this Catalog




TS5030-108D  
pg 36



TS3160-201  
pg 38




TS4200-105C  
pg 39




TS5020-201  
pg 40

## Other Featured French Country Entry Systems




FL800-108C  
online



PL106-109C  
online



PL109-102C  
online



TS4000-108D  
online

See more door style options on pages 68-75.





COASTAL\*

BREEZY  
WELCOMING  
CASUAL

TruStile Reserve™	
System Code	FL810-105C
Layout	ES105
Door Style	FL810
Sidelite	FL401
Profile	OG Sticking/B Panel
Wood Species	Mahogany
Finish	White Haze
Glass	Clear

\* Architectural category only. Impact and hurricane ratings not currently available. See your TruStile dealer to verify compatibility with your local building code.





COASTAL

TruStile Reserve™

System Code	TMP1000-107B
Layout	ES107
Door Style	TMP1000
Sidelite	DSG100
Transom	DSG100
Profile	¼" Kerf Cut Reveal
Wood Species	Rift Sawn White Oak
Finish	White Haze
Glass	Clear



COASTAL

TruStile Reserve™

System Code	PL145-105C
Layout	ES105
Door Style	PL145
Sidelite	PL145
Profile	SS Sticking/VG Panel
Wood Species	Walnut
Finish	Slate
Glass	Clear







# Choose One of Our **Featured Entry Systems**

Designed by TruStile and ready to order through your local dealer.


## Featured Coastal Entry Systems in this Catalog




FL810-105C  
pg 42



TMP1000-107B  
pg 44




PL145-105C  
pg 45




TS3130-109C  
pg 46


## Other Featured Coastal Entry Systems




TM9250-115B  
online



TS3070-106D  
online



TS5000-102C  
online



TS4140-108C  
online

See more door style options on pages 68-75.





MEDITERRANEAN

WARM  
VIBRANT  
GRAND

TruStile Reserve™

System Code	PL145-201
Layout	ES201
Door Style	PL145
Profile	QB Sticking/VG Panel
Wood Species	Walnut
Finish	Clear
Glass	Clear





TruStile Reserve™

System Code	TS3130-201
Layout	ES201
Door Style	TS3130
Profile	BM Sticking/B Panel
Wood Species	Walnut
Finish	Slate



TruStile Reserve™

System Code	VG3000-105C
Layout	ES105
Door Style	VG3000
Sidelite	TS3000
Profile	SS Sticking/VG Panel
Wood Species	Walnut
Finish	Clear
Glass	Clear







# Choose One of Our **Featured Entry Systems**

Designed by TruStile and ready to order through your local dealer.


## Featured Mediterranean Entry Systems in this Catalog




PL145-201  
pg 48



TS3130-201  
pg 50




VG3000-105C  
pg 51




VG1000-101  
pg 52


## Other Featured Mediterranean Entry Systems




TS8000-101  
online



TS6080-105  
online



VG2020-101  
online



PL176-204A  
online

TruStile Resilient™	
System Code	VG1000-101
Layout	ES101
Door Style	VG1000
Profile	Standard V-Groove
Wood Species	Resilient Wood
Finish	SW 6328 Fireweed

See more door style options on pages 68-75.





CRAFTSMAN

AUTHENTIC  
PRECISE  
COMFORTING

TruStile Reserve™

System Code	PL333-105C
Layout	ES105
Door Style	PL333 (Small Dentil Bird Ledge)
Sidelite	PL130 (Small Dentil Bird Ledge)
Profile	SS Sticking/C Panel
Wood Species	Plain Sawn White Oak
Finish	Grey Mist
Glass	Clear





CRAFTSMAN

TruStile Reserve™	
System Code	FL618-205C
Layout	ES205
Door Style	FL618 (Common Arch Pair)
Sidelite	FL315 (Common Arch Pair)
Profile	QR Sticking/B Panel
Wood Species	Mahogany
Finish	White Haze
Glass	Clear



CRAFTSMAN

TruStile Resilient™	
System Code	PL236-109C
Layout	ES109
Door Style	PL236
Sidelite	PL104
Transoms	TRG200 and TRG300
Profile	SS Sticking/C Panel
Wood Species	Resilient Wood
Finish	SW 7006 Extra White
Glass	Clear







# Choose One of Our **Featured Entry Systems**

Designed by TruStile and ready to order through your local dealer.


## Featured Craftsman Entry Systems in this Catalog




PL333-105C  
pg 54



FL618-205C  
pg 56




PL236-109C  
pg 57




PL243-105C  
pg 58


## Other Featured Craftsman Entry Systems




PL234-105C  
online



PL136-108C  
online



PL143-103C  
online



PL343-102C  
online

See more door style options on pages 68-75.

TruStile <b>Reserve™</b>	
System Code	PL243-105C
Layout	ES105
Door Style	PL243 (Small Dentil Bird Ledge)
Sidelite	PL232 (Small Dentil Bird Ledge)
Profile	SS Sticking/C Panel
Wood Species	Rift Sawn White Oak
Finish	Hazelnut
Glass	White Lami





## CAPE COD

# HISTORIC AMBITIOUS STATELY

### TruStile Reserve™

System Code	PL224-109C
Layout	ES109
Door Style	PL224
Sidelite	PL222
Transoms	TRG100
Profile	OG Sticking/A Panel
Wood Species	Rift Sawn White Oak
Finish	Ebony
Glass	Clear





CAPE COD

TruStile Reserve™

System Code	PL106-308C
Layout	ES308
Door Style	PL106
Sidelite	PL103
Transom	TRG110
Profile	QR Sticking/A Panel
Wood Species	Plain Sawn White Oak
Finish	Hazelnut
Glass	White Lami



CAPE COD

TruStile Reserve™

System Code	TS2210-105C
Layout	ES105
Door Style	TS2210
Sidelite	TS2210
Profile	CB Sticking/B Panel
Wood Species	Walnut
Finish	Champagne
Glass	Clear






# Choose One of Our **Featured Entry Systems**

Designed by TruStile and ready to order through your local dealer.


## Featured Cape Cod Entry Systems in this Catalog




PL224-109C  
pg 60



PL106-308C  
pg 62




TS2210-105C  
pg 63




PL224-101  
pg 64


## Other Featured Cape Cod Entry Systems




TS4140-105C  
pg 75



TS5060-104D  
online



PL109-109C  
online



FL1000-308C  
online

See more door style options on pages 68-75.


TruStile <b>Resilient™</b>	
System Code	PL224-101
Layout	ES101
Door Style	PL224
Profile:	CB Sticking/A Panel
Wood Species	Resilient Wood
Finish	SW 0018 Teal Stencil
Glass	Clear




Entry System Layouts

Begin every project by selecting your entry system layout. From a single door, or a door and one sidelite, to a pair of doors with matching sidelites and transoms, this key will get you off to the right start.

SINGLE DOOR SYSTEMS



PAIRED DOOR SYSTEMS



ARCH- AND RADIUS-TOP SYSTEMS \*\*



\*ES101 and ES201 are available for TruStile Resilient™ Wood Entry Systems with no overhang applications.  
\*\*Arch- and radius-top systems are only available on TruStile Reserve™ Wood Entry Systems. VG door styles not available with radius or arch tops.







TruStile Reserve™ TMIR5101-103B  
Mahogany with Slate finish, ¼" Kerf Cut Reveal, and White Lami Glass.

TRU&MODERN SERIES

TM1000	TM2000	TM2100	TM3000	TM3001	TM3080	TM3081	TM3100
TM3101	TM4000	TM4001	TM4081	TM4100	TM4101	TM5000	TM5001
TM5080	TM5081	TM5100	TM5101	TM6000	TM6001	TM6081	TM6100
TM6101	TM8000	TM8100	TM9000	TM9100	TM9110	TM9120	TM9130
TM9140	TM9150	TM9160	TM9200	TM9210	TM9220	TM9230	TM9240

TM9250	TM9260	TM9270	TM9300	TM9310	TM9320	TM9330
TM9340	TM9350	TM13000	TM13100	TM13110	TM13120	TM13130
TM13140	TM13150	TM13160	TM13200	TM13210	TM13220	TM13230
TM13240	TM13250	TM13260	TM13270	TM13300	TM13310	TM13320
TM13330	TM13340	TM13350	TM13360	TM13370		

TRU&MODERN FLUSH SERIES

TMF1000	TMF1001	TMF1002

Arrows indicate grain direction.

TRU&MODERN PLANK SERIES

TMP1000	TMP2000

TRU&MODERN INFINITE RAIL SERIES














































TMIR1001	TMIR1002	TMIR2001	TMIR3000	TMIR3001	TMIR3080	TMIR3081	TMIR3100
TMIR3101	TMIR4000	TMIR4001	TMIR4002	TMIR4008	TMIR4020	TMIR4080	TMIR4081
TMIR4100	TMIR4101	TMIR5000	TMIR5001	TMIR5080	TMIR5081	TMIR5100	TMIR5101
TMIR6000	TMIR6001	TMIR6080	TMIR6081	TMIR6100	TMIR6101	TMIR9000	TMIR9001




































































TruStile Resilient™ FL400-108C  
See page 31 for complete specs.

## FRENCH LITE SERIES

								
FL100	FL101	FL102	FL103	FL110	FL111	FL112	FL113	FL200
								
FL210	FL260*	FL262*	FL300	FL301	FL302	FL304	FL305	FL306
								
FL310	FL314	FL315	FL316	FL360*	FL362*	FL400	FL401	FL410
								
FL411	FL420	FL421	FL430	FL431	FL440	FL450	FL460*	FL462*
								
FL500	FL501	FL510	FL511	FL520	FL521	FL530	FL531	FL560*

\*These styles only available as sidelites.

						
FL562*	FL563*	FL600	FL601	FL602	FL603	FL606
						
FL607	FL608	FL609	FL616	FL617	FL618	FL619
						
FL800	FL810	FL820	FL821	FL830	FL831	FL840
						
FL841	FL850	FL900	FL901	FL1000	FL1001	FL1010
						
FL1011	FL1020	FL1021	FL1030	FL1040	FL1041	FL1200

							
FL1210	FL1220	FL1221	FL1230	FL1231	FL1240	FL1241	FL1250
							
FL1300	FL1310	FL1400	FL1500	FL1501	FL1510	FL1511	FL1520
							
FL1521	FL1530	FL1531	FL1540	FL1800	FL1801	FL1810	FL1811
							
FL1820	FL1821	FL1830	FL1831				



PANEL LITE SERIES











































TruStile Resilient™ PL224-101  
See page 64 for complete specs.


























































TRUSTILE SERIES

							
TS1000	TS1010	TS1030	TS1050	TS2000	TS2010	TS2020	TS2030
							
TS2040	TS2050	TS2060	TS2070	TS2080	TS2090	TS2130	TS2160
							
TS2170	TS2180	TS2190	TS2200	TS2210	TS2220	TS2230	TS2240
							
TS2250	TS2260	TS3000	TS3010	TS3020	TS3030	TS3040	TS3050
							
TS3060	TS3070	TS3080	TS3090	TS3100	TS3110	TS3120	TS3130

							
TS3140	TS3150	TS3160	TS3180	TS3190	TS3210	TS3220	TS3230
							
TS3240	TS3250	TS3260	TS3270	TS3280	TS3290	TS3300	TS3310
							
TS3320	TS3330	TS3340	TS3350	TS3360	TS3370	TS3380	TS4000
							
TS4010	TS4020	TS4030	TS4040	TS4050	TS4060	TS4070	TS4100
							
TS4110	TS4120	TS4130	TS4140	TS4170	TS4190	TS4200	TS4210

										
TS4220	TS4230	TS4250	TS4260	TS4270	TS4280	TS4290	TS4300	TS4310	TS5000	TS5010
										
TS5020	TS5040	TS5050	TS5060	TS5080	TS5090	TS5100	TS5110	TS5120	TS5130	TS5140
										
TS6000	TS6010	TS6020	TS6030	TS6040	TS6050	TS6070	TS6080	TS6090	TS6100	TS6110
										
TS6120	TS6130	TS6140	TS7000	TS7010	TS7020	TS8000	TS8010	TS8020	TS9000	TS9010

V-GROOVE SERIES

								
VG1000	VG1010	VG1030	VG2020	VG2030	VG2100	VG2150	VG3000	VG3020





Transoms

Select from this extensive collection of transoms to complement your entry door.



IN-SASH SQUARE TRANSOMS




ARCH- AND RADIUS-TOP TRANSOMS




DIRECT SET SIDELITES AND TRANSOMS


Available in 1- to 18-lites.



TRG100




TRG300




TRG400

Available only for TruStile Reserve™




TRG110




TRG120

Maximize the amount of natural light available.



DSG100



Direct set cross section



DSG100

Sidelites

Select from this extensive collection of sidelites to complement your entry door. Many panel doors available with glass options.



ONE-LITE IN-SASH SIDELITES




COMPLEMENTARY SIDELITES



MATCHING DOOR SIDELITES


We offer a wide selection of sidelites to complement your door style.




FL100

A one-lite in-sash sidelite is a classic look that brings natural light into your entrance.


Order sidelites with stiles and rails as narrow as 1-7/8".




FL400




PL142




PL103




FL362




TS3130



PL100



TS5000



TM9340

Many door styles are available as a matching sidelite.






# Resilient™ and Reserve™ Wood Entry Systems Construction


In collaboration with our parent company, Marvin™, we have engineered a family of premium entry systems that don't just transform a space, but how you feel inside it.

TruStile Entry Systems have been extensively tested and proven in partnership with the Marvin™ Research and Development team.

## Reserve™ Wood Entry System



## Resilient™ Wood Entry System



# Wood Performance Every Home Can Rely On

Learn more about the innovative, durable materials used in making our entry systems.



As the sister brand to Accoya®, Tricoya® is an acetylated wood panel product that achieves the same ultra-high levels of durability and stability in the most extreme and challenging climates and outdoor applications. Tricoya is used as a stable core material within the Reserve™ Wood Entry system and a durable, paintable surface layer of our Resilient™ Entry system.

- Doesn't shrink or swell like other wood products
- Superior paintability and consistent surface across the entire door
- Complies with CARB 93120 for No Added Formaldehyde



Accoya® is an acetylated, modified wood product that is unsurpassed when it comes to durability, stability and withstanding the test of any climate.

As part of the TruStile Resilient™ Entry System, Accoya® is used for the core and frame components for durability, stability, and superior rot resistance.

- Doesn't shrink or swell like other wood species
- 100% real wood. A sustainable and durable material
- Solid wood core provides superior screw holding on door edge



## So, What is Acetylation?

Acetylation is a process used to enhance the naturally-occurring properties of wood. In simple terms, it 'pickles' the wood, reducing how much water the cells in the wood can absorb.

It does this without adding toxic chemicals to the final product, but by boosting the concentration of 'acetyl groups' — which are already found naturally in trees and their wood.


More specifically, the process uses acetic anhydride to change hydroxyl groups (which like water) into acetyl groups (which don't like water), resulting in improved performance characteristics without introducing harmful or environmentally unfriendly additives.

Altogether, this means the wood shrinks and swells much less when wet, and is much less susceptible to decay or insect attack. The finished product is highly durable and dimensionally stable, outperforming all known species of wood.




Profile Options

Panel Profiles




Raised (A) Panel




Scoop (B) Panel  
Also available with bladder-press panel




Flat (C) Panel




Double Hip (D) Panel



Senior Raised (E) Panel



Senior Bevel (F) Panel




Standard V-Groove (VG) Panel


Sticking Profiles



Square Stick (SS) Sticking




Roman Ogee (OG) Sticking




One Step (OS) Sticking




Quarter Bead (QB) Sticking



Quarter Round (QR) Sticking



Bevel (BV) Sticking




Cove & Bead (CB) Sticking


Applied Mouldings




Cove (CV) Applied Moulding



Low Profile Bolection (LP) Moulding




Bolection (BM)  
Moulding




Big Bolection (BB)  
Moulding


Simulated Divided Lite Bars (SDL)




Square Stick (SS) SDL Glass




Roman Ogee (OG) SDL Glass




One Step (OS) SDL Glass




Quarter Bead (QB) SDL Glass



Quarter Round (QR) SDL Glass




Bevel (BV) SDL Glass




Cove & Bead (CB) SDL Glass


True Divided Lite Bars (TDL)




Square Stick (SS) TDL Glass




Roman Ogee (OG) TDL Glass




One Step (OS) TDL Glass




Quarter Bead (QB) TDL Glass



Quarter Round (QR) TDL Glass



Bevel (BV) TDL Glass




Cove & Bead (CB) TDL Glass

Frame Profile and Mull Construction

All Reserve™ frame parts undergo a wood dip treatment to protect against fungus and insects. Resilient™ frames don't require dipping.


FRAME OPTIONS

Single Rabbet Frame  
with Back-to-Back Mull Posts



Default for all door applications

Double Rabbet Frame  
with Back-to-Back Mull Post




Accommodates screen door applications


Double Rabbet Frame, Uniframe, and Screen Doors  
are available in Reserve™ only

UNIFRAME MULL POST OPTIONS

Single Rabbet Frame  
with 4 9/16" Uniframe Mull Posts



Single Rabbet Frame  
with 6 3/16" Uniframe Mull Posts





Wood Species for Reserve™ Entry Systems

The Reserve™ Wood Entry System elevates the refined elegance of your home with the beauty of stained natural wood. Available in 10 natural wood species with an extensive collection of premium factory stain options.



Mahogany



Genuine Mahogany



Cherry




Douglas Fir (Vertical Grain)



Select Alder




Walnut



Plain Sawn White Oak



Quarter Sawn White Oak



Rift Sawn White Oak



Clear Pine

Paint-Grade Mahogany and Paint-Grade Douglas Fir not shown.



Consider the Resilient™ Wood Entry System for paint-grade applications.

Stain Options

TruStile uses stains from ICA, a leading European finish manufacturer, for factory-finished entry systems. We begin by applying either a clear or tinted base stain with UV inhibitors (unfinished doors also get this base coat). Then a total of five coats of finish are applied. This includes two seal coats and three topcoat layers of finish giving a robust dry film finish thickness. Slight color and sheen differences might occur between interior and exterior finishes.

	Amaretto	Bleached	Cameo	Cappuccino	Caramel	Champagne	Cinnamon	Ebony	Espresso	Grey Mist	Hazelnut	Honey	Nutmeg	Slate	White Haze
Mahogany															
Cherry															
Clear Pine															
Douglas Fir															
Select Alder															
Walnut															
White Oak															


For White Oak: Choose rift sawn, plain sawn or quarter sawn. Plain sawn White Oak shown.

The color of the finish can vary depending on the color of the wood, lighting on the job site, and natural exposure to oxidation and sunlight. To get the best example of the stain color on a specific species, please visit your TruStile dealer.




## Hinge Options

Choose from ten standard hinge finishes or select an option from Emtek® or Baldwin®.



## Sill Options

Choose from one of five standard sill options to complete your entry system.




*\* Only available on TruStile Reserve™ Wood Entry Systems. Solid Wood Sills available in Genuine Mahogany and Plain Sawn White Oak.*

## Multipoint Lock Option

TruStile offers an automatic locking system from GU-Secury which is required for certain warranty coverage. See website for details. [trustile.com/entry-systems/resources](http://trustile.com/entry-systems/resources)

## Insulated Glass Options

Complete your grand entrance with one of our many insulated glass options, including LoE and several decorative patterns.



*\* Clear glass also available as LoE 366, LoE 340, LoE 180, Low Iron and Clear Lami.*



Comparison of Resilient™ and Reserve™ Wood Entry Systems

	Reserve™ Wood Entry Systems	Resilient™ Wood Entry Systems	Resilient™ Wood Entry Systems No Overhang Required
Door Style	Over 500 standard door styles	Over 500 standard door styles	Over 500 standard door styles
Maximum Door Size	42" × 120" Single unit 84" × 120" Pair unit (42" leaf)*	42" × 96" Single unit 84" × 96" Pair unit (42" leaf)*	42" × 96" Single unit 72" x 96" Pair unit (36" leaf)*
System Layouts	All options available	All options available, except arched or radius top	ES101 and ES201 only
Finish	Factory prime, stained finish or user applied	Factory primed for field applied paint	Factory primed for field applied paint
Overhang Requirements	Industry standard overhang requirements**	Reduced overhang requirements**	No overhang requirements**
Limited Warranty	5 year factory primed or finished; 3 year unfinished***	10 year***	10 year***
Maintenance	Top coat finish should be inspected annually and re-applied as needed	Painted finish should be inspected annually and re-applied as needed	Painted finish should be inspected annually and re-applied as needed
Dark Finishes/Paint	Not warrantied for door movement	Warrantied when ordered with factory multi-point lock	Warrantied when ordered with factory multi-point lock
Wood Screen/Storm Door	Available	Not available	Not available
Sills	Five different still options available	Three different sill options available	Hydrosill™
Multipoint Lock	GU-Secury Automatic multipoint lock available	GU-Secury Automatic multipoint lock available	GU-Secury Automatic multipoint lock required for pairs

\*As of January 2023; size minimums may expand. Visit [trustile.com/construction/entry-door](https://www.trustile.com/construction/entry-door) for latest offering.  
\*\*Refer to page 87 for overhang requirements. \*\*\*Additional requirements may apply, please refer to TruStile warranty.

Note: Exterior doors not available for commercial projects.


Industry-Leading Warranty Coverage

TruStile Wood Entry Systems come backed with industry-leading warranty coverage. Door systems that are factory finished by TruStile are warrantied to be free from manufacturing defects for 5 years from date of purchase for the Reserve™ Wood Entry System and 10 years from date of purchase for the Resilient™ Wood Entry System depending on application and specifications. Door systems purchased raw and unfinished are warrantied to be free from manufacturing defects for 3 years from date of purchase. Due to its aging characteristics, Alder door systems are warrantied for 1 year from date of purchase. Please see [trustile.com/warranties](https://www.trustile.com/warranties) for specific detail warranty information for each product.

Requirements for Warranty Coverage


Your TruStile Entry Door should be viewed as a piece of well-engineered fine furniture. Careful steps have been taken to design the product to perform in proper exterior openings. However, finishes and natural wood both weather and break down over time. This weathering process increases with greater exposure to the elements. TruStile Wood Entry systems, like those sold by other manufacturers, require proper overhang protection to meet warranty requirements (see diagram below for details). Proper overhang helps to protect both the finish and the natural wood from moisture and UV damage. Even with proper overhang, the topcoat of any stained natural wood door must be inspected annually and reapplied during early signs of fading. Maintaining the topcoat will maximize the life of your natural wood door and is also required to maintain TruStile warranty coverage.

Overhang Requirements



Standard Overhang


Required for Reserve™ Wood Entry System warranty coverage



Reduced Overhang

Required for warranty coverage on:

- Resilient™ Wood Entry System with sidelites and/or transoms
- Resilient™ single and pair units with oak adjustable sill
- Resilient™ pair units without multi-point locks



No Overhang Required

Warranty coverage available for Resilient™ single and pair units meeting the following:

- Hydrosill™ required
- 3'6 × 8'0 maximum single door width
- 6'0 × 8'0 maximum pair width
- Multi-point lock required for no overhang coverage on pairs



Door Design Tool

Configure multiple doors and organize them by project.

Export door schedules, drawings or CAD files to import into your plans

Create multiple doors and organize them by project

Over 500 door styles to customize to your needs — available as interior or exterior, pre-hung units or slabs.

An accurate preview is continually updated as you make changes to your door design.

TRUSTILE  
A MARVIN® BRAND

My Projects

EXPORT DOOR SCHEDULE PRINT DRAWINGS GENERATE DXF FILES GET BUDGET NUMBERS

SAVE CHANGES + NEW DOOR

Project: Walker Beach House

Main Parts Machining Jamb

Product Type Interior Door

Opening Type Swing

Leaf Count Single

Jamb Prehung

Door Handing RH

Door Beveling Bevel Lock Side

Door Style TM13340

Door Grade Interior

Panel Substitution Replace All Panels with Glass

MATERIAL & FIRE RATING

Material Walnut

FSC Certified Yes No

Fire Rating Non-rated

DIMENSIONS

Gross Width (in) 34

Pre-Fit Width 3/16"

Net Width (in) 33 13/16

Height (in) 90

Thickness 1-3/8" 1-3/4"

Line 1 Study  
Qty: 2 doors  
Walnut TM13340  
33 13/16" x 96" x 1 3/4"

Line 2 Game Room  
Qty: 1 door  
Walnut  
31 13/16 x 96 x 1 3/4

Line 3 Laundry  
Qty: 1 door  
MDF TM9210  
31 13/16" x 84" x 1 3/4"

Line 4 Master Bedroom  
Qty: 1 door  
Walnut TM9340  
35 13/16" x 96" x 1 3/4"

Walker Beach					
Line #	Door Label	Qty	Product Type	Opening Type	Manufacturer
1	Study	2	Interior Door	Swing-Single	TruStile
2	Game Room	1	Interior Door	Swing-Pair	TruStile
3	Laundry	1	Interior Door	Swing-Single	TruStile
4	Master Bedroom	1	Interior Door	Swing-Pair	TruStile
5	Master Bath	1	Interior Door	Swing-Single	TruStile
6	Master Bath W/C	1	Interior Door	Pocket-Single	TruStile
7	Guest Bedroom 1	1	Interior Door	Swing-Single	TruStile
8	Guest Bedroom 2	1	Interior Door	Swing-Single	TruStile
9	Guest Bedroom 1 Closet	1	Interior Door	Swing-Single	TruStile
10	Guest Bedroom 2 Closet	1	Interior Door	Swing-Single	TruStile
11	Guest Bedroom 1 W/C	1	Interior Door	Swing-Single	TruStile
12	Guest Bedroom 2 W/C	1	Interior Door	Swing-Single	TruStile

Door Style	Modeling	Panel	Material	Glass Content	Fire Rating
WOODMASTER 1000	1-1/4" x 1-1/4"	1/4"	Walnut	1-1/4" Clear	Non-rated

Share Your Project with Other Apps

Door Design Tool projects can be exported as a door schedule that opens directly in Microsoft® Excel, as a PDF of drawings or CAD models to import directly into your plans.

[www.trustile.com/designtool](http://www.trustile.com/designtool)



See page 45 for product specs.





**trustile.com**



1111 E 71st Avenue  
Denver, CO 80229  
877.283.4511